

# Mark B Pepys

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/8432822/mark-b-pepys-publications-by-citations.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

133  
papers

25,964  
citations

63  
h-index

137  
g-index

137  
ext. papers

28,317  
ext. citations

13.1  
avg, IF

6.7  
L-index

#	Paper	IF	Citations
133	C-reactive protein: a critical update. <i>Journal of Clinical Investigation</i> , <b>2003</b> , 111, 1805-1812	15.9	2388
132	C-reactive protein and other circulating markers of inflammation in the prediction of coronary heart disease. <i>New England Journal of Medicine</i> , <b>2004</b> , 350, 1387-97	59.2	2317
131	The prognostic value of C-reactive protein and serum amyloid a protein in severe unstable angina. <i>New England Journal of Medicine</i> , <b>1994</b> , 331, 417-24	59.2	1895
130	C-reactive protein concentration and risk of coronary heart disease, stroke, and mortality: an individual participant meta-analysis. <i>Lancet, The</i> , <b>2010</b> , 375, 132-40	40	1584
129	C-Reactive protein, a sensitive marker of inflammation, predicts future risk of coronary heart disease in initially healthy middle-aged men: results from the MONICA (Monitoring Trends and Determinants in Cardiovascular Disease) Augsburg Cohort Study, 1984 to 1992. <i>Circulation</i> , <b>1999</b> , 99, 237-42	16.7	1410
128	Common core structure of amyloid fibrils by synchrotron X-ray diffraction. <i>Journal of Molecular Biology</i> , <b>1997</b> , 273, 729-39	6.5	1402
127	C-reactive protein: a critical update. <i>Journal of Clinical Investigation</i> , <b>2003</b> , 111, 1805-12	15.9	1134
126	Instability, unfolding and aggregation of human lysozyme variants underlying amyloid fibrillogenesis. <i>Nature</i> , <b>1997</b> , 385, 787-93	50.4	980
125	C-reactive protein, fibrinogen, and cardiovascular disease prediction. <i>New England Journal of Medicine</i> , <b>2012</b> , 367, 1310-20	59.2	750
124	The physiological structure of human C-reactive protein and its complex with phosphocholine. <i>Structure</i> , <b>1999</b> , 7, 169-77	5.2	536
123	Targeting C-reactive protein for the treatment of cardiovascular disease. <i>Nature</i> , <b>2006</b> , 440, 1217-21	50.4	525
122	Misdiagnosis of hereditary amyloidosis as AL (primary) amyloidosis. <i>New England Journal of Medicine</i> , <b>2002</b> , 346, 1786-91	59.2	516
121	Amyloidosis. <i>Annual Review of Medicine</i> , <b>2006</b> , 57, 223-41	17.4	493
120	Amyloid load and clinical outcome in AA amyloidosis in relation to circulating concentration of serum amyloid A protein. <i>Lancet, The</i> , <b>2001</b> , 358, 24-9	40	433
119	Effect of alcohol consumption on systemic markers of inflammation. <i>Lancet, The</i> , <b>2001</b> , 357, 763-7	40	425
118	Association between C reactive protein and coronary heart disease: mendelian randomisation analysis based on individual participant data. <i>BMJ, The</i> , <b>2011</b> , 342, d548	5.9	422
117	Structure of pentameric human serum amyloid P component. <i>Nature</i> , <b>1994</b> , 367, 338-45	50.4	422

116	Evaluation of systemic amyloidosis by scintigraphy with 123I-labeled serum amyloid P component. <i>New England Journal of Medicine</i> , <b>1990</b> , 323, 508-13	59.2	422
115	C-reactive protein, insulin resistance, central obesity, and coronary heart disease risk in Indian Asians from the United Kingdom compared with European whites. <i>Circulation</i> , <b>2001</b> , 104, 145-50	16.7	323
114	Outcome in systemic AL amyloidosis in relation to changes in concentration of circulating free immunoglobulin light chains following chemotherapy. <i>British Journal of Haematology</i> , <b>2003</b> , 122, 78-84	4.5	315
113	The protofilament substructure of amyloid fibrils. <i>Journal of Molecular Biology</i> , <b>2000</b> , 300, 1033-9	6.5	294
112	Biochemical effect of liver transplantation in two Swedish patients with familial amyloidotic polyneuropathy (FAP-met30). <i>Clinical Genetics</i> , <b>1991</b> , 40, 242-6	4	278
111	Enhanced inflammatory response to coronary angioplasty in patients with severe unstable angina. <i>Circulation</i> , <b>1998</b> , 98, 2370-6	16.7	265
110	Three dimensional structure of human C-reactive protein. <i>Nature Structural and Molecular Biology</i> , <b>1996</b> , 3, 346-54	17.6	263
109	Therapeutic Clearance of Amyloid by Antibodies to Serum Amyloid P Component. <i>New England Journal of Medicine</i> , <b>2015</b> , 373, 1106-14	59.2	250
108	Antibodies to human serum amyloid P component eliminate visceral amyloid deposits. <i>Nature</i> , <b>2010</b> , 468, 93-7	50.4	246
107	Amyloid deposition is delayed in mice with targeted deletion of the serum amyloid P component gene. <i>Nature Medicine</i> , <b>1997</b> , 3, 855-9	50.5	211
106	Human plasma fibrinogen is synthesized in the liver. <i>Blood</i> , <b>2007</b> , 109, 1971-4	2.2	206
105	Immunoradiometric Assay of Circulating C-Reactive Protein: Age-related Values in the Adult General Population. <i>Clinical Chemistry</i> , <b>2000</b> , 46, 934-938	5.5	199
104	Temporary depletion of complement component C3 or genetic deficiency of C1q significantly delays onset of scrapie. <i>Nature Medicine</i> , <b>2001</b> , 7, 485-7	50.5	183
103	Transgenic human C-reactive protein is not proatherogenic in apolipoprotein E-deficient mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2005</b> , 102, 8309-14	11.5	172
102	Interleukin 6 influences germinal center development and antibody production via a contribution of C3 complement component. <i>Journal of Experimental Medicine</i> , <b>1998</b> , 188, 1895-906	16.6	164
101	Inflammation and endothelial function: direct vascular effects of human C-reactive protein on nitric oxide bioavailability. <i>Circulation</i> , <b>2005</b> , 111, 1530-6	16.7	150
100	Obesity is an important determinant of baseline serum C-reactive protein concentration in monozygotic twins, independent of genetic influences. <i>Circulation</i> , <b>2004</b> , 109, 3022-8	16.7	146
99	Amyloidosis: a review of recent diagnostic and therapeutic developments. <i>British Journal of Haematology</i> , <b>1997</b> , 99, 245-56	4.5	143

98	Hereditary systemic amyloidosis due to Asp76Asn variant $\beta_2$ -microglobulin. <i>New England Journal of Medicine</i> , <b>2012</b> , 366, 2276-83	59.2	135
97	Acute phase response and evolution of familial Mediterranean fever. <i>Lancet, The</i> , <b>1999</b> , 353, 1415	40	133
96	Enhanced inflammatory response in patients with preinfarction unstable angina. <i>Journal of the American College of Cardiology</i> , <b>1999</b> , 34, 1696-703	15.1	126
95	Genetic effects on baseline values of C-reactive protein and serum amyloid a protein: a comparison of monozygotic and dizygotic twins. <i>Clinical Chemistry</i> , <b>2004</b> , 50, 130-4	5.5	124
94	Human C-reactive protein increases cerebral infarct size after middle cerebral artery occlusion in adult rats. <i>Journal of Cerebral Blood Flow and Metabolism</i> , <b>2004</b> , 24, 1214-8	7.3	118
93	Rapid Automated High Sensitivity Enzyme Immunoassay of C-Reactive Protein. <i>Clinical Chemistry</i> , <b>1998</b> , 44, 1358-1361	5.5	116
92	Pentameric and decameric structures in solution of serum amyloid P component by X-ray and neutron scattering and molecular modelling analyses. <i>Journal of Molecular Biology</i> , <b>1997</b> , 272, 408-22	6.5	106
91	Proinflammatory effects of bacterial recombinant human C-reactive protein are caused by contamination with bacterial products, not by C-reactive protein itself. <i>Circulation Research</i> , <b>2005</b> , 97, e97-103	15.7	105
90	Sequential heart and autologous stem cell transplantation for systemic AL amyloidosis. <i>Blood</i> , <b>2006</b> , 107, 1227-9	2.2	101
89	Plasma protein acute-phase response in unstable angina is not induced by ischemic injury. <i>Circulation</i> , <b>1996</b> , 94, 2373-80	16.7	101
88	Structural diversity of ex vivo amyloid fibrils studied by cryo-electron microscopy. <i>Journal of Molecular Biology</i> , <b>2001</b> , 311, 241-7	6.5	100
87	Multinucleated Giant Cells Are Specialized for Complement-Mediated Phagocytosis and Large Target Destruction. <i>Cell Reports</i> , <b>2015</b> , 13, 1937-48	10.6	90
86	Sustained pharmacological depletion of serum amyloid P component in patients with systemic amyloidosis. <i>British Journal of Haematology</i> , <b>2010</b> , 148, 760-7	4.5	89
85	Transgenic human CRP is not pro-atherogenic, pro-atherothrombotic or pro-inflammatory in apoE <sup>-/-</sup> mice. <i>Atherosclerosis</i> , <b>2008</b> , 196, 248-255	3.1	87
84	Refinement of the association of serum C-reactive protein concentration and coronary heart disease risk by correction for within-subject variation over time: the MONICA Augsburg studies, 1984 and 1987. <i>American Journal of Epidemiology</i> , <b>2003</b> , 158, 357-64	3.8	87
83	SAA1 alleles as risk factors in reactive systemic AA amyloidosis. <i>Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis</i> , <b>1998</b> , 5, 262-5	2.7	84
82	CRP or not CRP? That is the question. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>2005</b> , 25, 1091-49.4		83
81	A novel mechano-enzymatic cleavage mechanism underlies transthyretin amyloidogenesis. <i>EMBO Molecular Medicine</i> , <b>2015</b> , 7, 1337-49	12	81

80	Comparative analyses of pentraxins: implications for protomer assembly and ligand binding. <i>Structure</i> , <b>1994</b> , 2, 1017-27	5.2	81
79	Complement factor H binds to denatured rather than to native pentameric C-reactive protein. <i>Journal of Biological Chemistry</i> , <b>2008</b> , 283, 30451-60	5.4	78
78	Proteolytic cleavage of Ser52Pro variant transthyretin triggers its amyloid fibrillogenesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2014</b> , 111, 1539-44	11.5	72
77	Serum amyloid P component in chronic renal failure and dialysis. <i>Clinica Chimica Acta</i> , <b>1991</b> , 200, 191-9	6.2	70
76	C-reactive protein and cardiovascular disease: weighing the evidence. <i>Current Atherosclerosis Reports</i> , <b>2006</b> , 8, 421-8	6	69
75	Repeat doses of antibody to serum amyloid P component clear amyloid deposits in patients with systemic amyloidosis. <i>Science Translational Medicine</i> , <b>2018</b> , 10,	17.5	68
74	Infection with <i>Helicobacter pylori</i> is not a major independent risk factor for stable coronary heart disease: lack of a role of cytotoxin-associated protein A-positive strains and absence of a systemic inflammatory response. <i>Circulation</i> , <b>1999</b> , 100, 2326-31	16.7	68
73	Hereditary renal amyloidosis associated with variant lysozyme in a large English family. <i>Nephrology Dialysis Transplantation</i> , <b>1999</b> , 14, 2639-44	4.3	66
72	Pathogenetic mechanisms of amyloid A amyloidosis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2013</b> , 110, 16115-20	11.5	63
71	Structure, folding dynamics, and amyloidogenesis of D76N $\beta$ -microglobulin: roles of shear flow, hydrophobic surfaces, and $\beta$ -crystallin. <i>Journal of Biological Chemistry</i> , <b>2013</b> , 288, 30917-30	5.4	63
70	Hereditary nephropathic systemic amyloidosis caused by a novel variant apolipoprotein A-I. <i>Kidney International</i> , <b>1998</b> , 53, 276-81	9.9	60
69	Autoimmunity and glomerulonephritis in mice with targeted deletion of the serum amyloid P component gene: SAP deficiency or strain combination?. <i>Immunology</i> , <b>2004</b> , 112, 255-64	7.8	60
68	Serum amyloid P component scintigraphy in familial amyloid polyneuropathy: regression of visceral amyloid following liver transplantation. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>1998</b> , 25, 709-13	8.8	57
67	Molecular dissection of Alzheimer's disease neuropathology by depletion of serum amyloid P component. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2009</b> , 106, 7619-23	11.5	55
66	Long term effect of renal transplantation on dialysis-related amyloid deposits and symptomatology. <i>Kidney International</i> , <b>1996</b> , 50, 282-9	9.9	51
65	Trapping of palindromic ligands within native transthyretin prevents amyloid formation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2010</b> , 107, 20483-8	11.5	50
64	Acute phase proteins, C-reactive protein and serum amyloid A protein, as prognostic markers in the elderly inpatient. <i>Age and Ageing</i> , <b>1997</b> , 26, 153-8	3	48
63	Infusion of pharmaceutical-grade natural human C-reactive protein is not proinflammatory in healthy adult human volunteers. <i>Circulation Research</i> , <b>2014</b> , 114, 672-6	15.7	46

62	Human serum amyloid P component protects against Escherichia coli O157:H7 Shiga toxin 2 in vivo: therapeutic implications for hemolytic-uremic syndrome. <i>Journal of Infectious Diseases</i> , <b>2006</b> , 193, 1120-4	7	46
61	Production of granulocyte colony-stimulating factor in the nonspecific acute phase response enhances host resistance to bacterial infection. <i>Journal of Immunology</i> , <b>2002</b> , 169, 913-9	5.3	44
60	C-reactive protein and coronary disease: is there a causal link?. <i>Circulation</i> , <b>2009</b> , 120, 2036-9	16.7	43
59	Plasminogen activation triggers transthyretin amyloidogenesis. <i>Journal of Biological Chemistry</i> , <b>2018</b> , 293, 14192-14199	5.4	42
58	Molecular chaperone properties of serum amyloid P component. <i>FEBS Letters</i> , <b>2000</b> , 473, 199-202	3.8	41
57	Domino hepatic transplantation using the liver from a patient with familial amyloid polyneuropathy. <i>Transplantation</i> , <b>1998</b> , 65, 1496-8	1.8	40
56	Immunohistochemical studies of amyloid P component distribution in normal human skin. <i>Journal of Investigative Dermatology</i> , <b>1983</b> , 80, 86-90	4.3	38
55	Crystal structure of a decameric complex of human serum amyloid P component with bound dAMP. <i>Journal of Molecular Biology</i> , <b>1997</b> , 269, 570-8	6.5	37
54	Molecular characterization of Limulus polyphemus C-reactive protein. I. Subunit composition. <i>FEBS Journal</i> , <b>1993</b> , 214, 91-7		37
53	Amyloid and the gut. <i>Digestive Diseases</i> , <b>1997</b> , 15, 155-71	3.2	34
52	Amyloid P component binds to keratin bodies in human skin and to isolated keratin filament aggregates in vitro. <i>Journal of Investigative Dermatology</i> , <b>1988</b> , 91, 22-8	4.3	32
51	Human C-reactive protein does not protect against acute lipopolysaccharide challenge in mice. <i>Journal of Immunology</i> , <b>2003</b> , 171, 6046-51	5.3	31
50	Distribution and determinants of circulating complement factor H concentration determined by a high-throughput immunonephelometric assay. <i>Journal of Immunological Methods</i> , <b>2013</b> , 390, 63-73	2.5	30
49	C-reactive protein is essential for innate resistance to pneumococcal infection. <i>Immunology</i> , <b>2014</b> , 142, 414-20	7.8	29
48	Structural basis of ligand specificity in the human pentraxins, C-reactive protein and serum amyloid P component. <i>Journal of Molecular Recognition</i> , <b>2011</b> , 24, 371-7	2.6	29
47	Serum C-reactive protein levels in the management of infection in acute leukaemia. <i>European Journal of Cancer &amp; Clinical Oncology</i> , <b>1984</b> , 20, 319-25		29
46	Isolation and characterization of pharmaceutical grade human pentraxins, serum amyloid P component and C-reactive protein, for clinical use. <i>Journal of Immunological Methods</i> , <b>2012</b> , 384, 92-102	2.5	28
45	Determination of C-reactive protein: comparison of three high-sensitivity immunoassays. <i>Clinical Chemistry</i> , <b>2003</b> , 49, 1691-5	5.5	28

44	The Pentraxins 1975-2018: Serendipity, Diagnostics and Drugs. <i>Frontiers in Immunology</i> , <b>2018</b> , 9, 2382	8.4	26
43	Markers of inflammation in women on different hormone replacement therapies. <i>Annals of Medicine</i> , <b>2003</b> , 35, 353-61	1.5	22
42	Imaging of experimental amyloidosis with <sup>131</sup> I-labeled serum amyloid P component. <i>Arthritis and Rheumatism</i> , <b>1987</b> , 30, 1303-6		22
41	C-reactive protein is neither a marker nor a mediator of atherosclerosis. <i>Nature Clinical Practice Nephrology</i> , <b>2008</b> , 4, 234-5		21
40	MHC typing in variant Creutzfeldt-Jakob disease. <i>Lancet, The</i> , <b>2003</b> , 361, 487-9	40	19
39	Tissue vitronectin in normal adult human dermis is non-covalently bound to elastic tissue. <i>Journal of Investigative Dermatology</i> , <b>1991</b> , 96, 747-53	4.3	19
38	Pharmacological removal of serum amyloid P component from intracerebral plaques and cerebrovascular A $\beta$ amyloid deposits in vivo. <i>Open Biology</i> , <b>2016</b> , 6, 150202	7	18
37	Scintigraphy with <sup>123</sup> I-serum amyloid P component in Alzheimer disease. <i>Alzheimer Disease and Associated Disorders</i> , <b>1998</b> , 12, 208-10	2.5	18
36	Binding of Monovalent and Bivalent Ligands by Transthyretin Causes Different Short- and Long-Distance Conformational Changes. <i>Journal of Medicinal Chemistry</i> , <b>2019</b> , 62, 8274-8283	8.3	17
35	Science and serendipity. <i>Clinical Medicine</i> , <b>2007</b> , 7, 562-78	1.9	17
34	C-reactive protein risk prediction: low specificity, high sensitivity. <i>Annals of Internal Medicine</i> , <b>2002</b> , 136, 550-2	8	17
33	Lack of effect of a single injection of human C-reactive protein on murine lupus or nephrotoxic nephritis. <i>Arthritis and Rheumatism</i> , <b>2010</b> , 62, 245-9		16
32	Tolerance and immunity to the inducible self antigen C-reactive protein in transgenic mice. <i>European Journal of Immunology</i> , <b>1995</b> , 25, 3489-95	6.1	16
31	Tissue amyloid P component in normal human dermis is non-covalently associated with elastic fiber microfibrils. <i>Journal of Investigative Dermatology</i> , <b>1989</b> , 92, 53-8	4.3	16
30	Protection of human podocytes from shiga toxin 2-induced phosphorylation of mitogen-activated protein kinases and apoptosis by human serum amyloid P component. <i>Infection and Immunity</i> , <b>2014</b> , 82, 1872-9	3.7	15
29	Is leptin an important physiological regulator of CRP?. <i>Nature Medicine</i> , <b>2007</b> , 13, 17-8; author reply 19-23	30.5	14
28	Increasing the accuracy of proteomic typing by decellularisation of amyloid tissue biopsies. <i>Journal of Proteomics</i> , <b>2017</b> , 165, 113-118	3.9	12
27	Correlation of disease activity in systemic vasculitis with serum C-reactive protein measurement. A prospective study of thirty-eight patients. <i>European Journal of Clinical Investigation</i> , <b>1985</b> , 15, 89-94	4.6	12

26	Beta-edge interactions in a pentadecameric human antibody V kappa domain. <i>Journal of Molecular Biology</i> , <b>2007</b> , 367, 603-8	6.5	11
25	Murine type II collagen arthritis. Association of an acute-phase response with clinical course. <i>Arthritis and Rheumatism</i> , <b>1986</b> , 29, 1131-8		11
24	A molecular correlate of clinicopathology in transthyretin amyloidosis. <i>Journal of Pathology</i> , <b>2009</b> , 217, 1-3	9.4	10
23	Normal circulating serum amyloid P component concentration in systemic sclerosis. <i>Arthritis and Rheumatism</i> , <b>2007</b> , 56, 2013-7		10
22	Randomized phase I trial HIV-CORE 003: Depletion of serum amyloid P component and immunogenicity of DNA vaccination against HIV-1. <i>PLoS ONE</i> , <b>2018</b> , 13, e0197299	3.7	10
21	Molecular characterization of <i>Limulus polyphemus</i> C-reactive protein. II. Asparagine-linked oligosaccharides. <i>FEBS Journal</i> , <b>1993</b> , 214, 99-110		9
20	The MHC class II-restricted T cell response of C57BL/6 mice to human C-reactive protein: homology to self and the selection of T cell epitopes and T cell receptors. <i>Molecular Immunology</i> , <b>1997</b> , 34, 115-24	4.3	8
19	Echocardiographic assessment of cardiac involvement in systemic AL amyloidosis in relation to whole body amyloid load measured by serum amyloid P component (SAP) clearance. <i>American Journal of Cardiology</i> , <b>1997</b> , 80, 1104-8	3	8
18	Influenza virus infection is not affected by serum amyloid P component. <i>Molecular Medicine</i> , <b>2002</b> , 8, 9-15	6.2	8
17	Comparative study of the stabilities of synthetic and natural transthyretin amyloid fibrils. <i>Journal of Biological Chemistry</i> , <b>2020</b> , 295, 11379-11387	5.4	8
16	Interaction of serum amyloid P component with hexanoyl bis(D-proline) (CPHPC). <i>Acta Crystallographica Section D: Biological Crystallography</i> , <b>2014</b> , 70, 2232-40		7
15	Monitoring systemic amyloidosis using MRI measurements of the extracellular volume fraction. <i>Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis</i> , <b>2013</b> , 20, 93-8	2.7	7
14	Apolipoprotein E4 genotype is not a risk factor for systemic AA amyloidosis or familial amyloid polyneuropathy. <i>Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis</i> , <b>1995</b> , 2, 163-166	2.7	7
13	Lack of seasonal variation in C-reactive protein. <i>Clinical Chemistry</i> , <b>2002</b> , 48, 575-7	5.5	6
12	Immunoradiometric assay for human serum amyloid P component. <i>Journal of Immunological Methods</i> , <b>2011</b> , 371, 18-24	2.5	4
11	Dose-Dependent Progressive Immunotherapeutic Clearance of Systemic Amyloid Deposits By Repeated Doses of Antibody to Serum Amyloid P Component (SAP). <i>Blood</i> , <b>2015</b> , 126, 1836-1836	2.2	4
10	Targeted treatment for amyloidosis. <i>Israel Medical Association Journal</i> , <b>2014</b> , 16, 277-80	0.9	3
9	Immunotherapeutic clearance of systemic amyloid deposits by antibodies to serum amyloid P component. <i>Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis</i> , <b>2017</b> , 24, 5-6	2.7	2



8	Bifunctional crosslinking ligands for transthyretin. <i>Open Biology</i> , <b>2015</b> , 5, 150105	7	2
7	Attention to detail in the selection of words in epidemiologic research reports. <i>American Journal of Epidemiology</i> , <b>2014</b> , 179, 795-6	3.8	2
6	Dame Sheila Patricia Violet Sherlock. <i>Biographical Memoirs of Fellows of the Royal Society</i> , <b>2003</b> , 49, 475-93	0.3	2
5	Dementia in the older population is associated with neocortex content of serum amyloid P component. <i>Brain Communications</i> , <b>2021</b> , 3, fcab225	4.5	2
4	Plasmin activity promotes amyloid deposition in a transgenic model of human transthyretin amyloidosis. <i>Nature Communications</i> , <b>2021</b> , 12, 7112	17.4	2
3	C-reactive protein and cardiovascular disease: Weighing the evidence. <i>Current Cardiovascular Risk Reports</i> , <b>2007</b> , 1, 72-79	0.9	1
2	Classical and alternative pathway complement activation are not required for reactive systemic AA amyloid deposition in mice. <i>Immunology</i> , <b>2004</b> , 112, 250-4	7.8	1
1	Jack Pepys (May 15, 1914-September 9, 1996): a personal recollection. <i>Journal of Allergy and Clinical Immunology</i> , <b>2009</b> , 123, 718-20	11.5	0