

Romain Jouffroy

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8433891/romain-jouffroy-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

94
papers

406
citations

10
h-index

19
g-index

108
ext. papers

593
ext. citations

3.9
avg, IF

3.73
L-index

#	Paper	IF	Citations
94	A Pre-Hospital Extracorporeal Cardio Pulmonary Resuscitation (ECPR) strategy for treatment of refractory out hospital cardiac arrest: An observational study and propensity analysis. <i>Resuscitation</i> , 2017 , 117, 109-117	4	141
93	Prehospital triage of septic patients at the SAMU regulation: Comparison of qSOFA, MRST, MEWS and PRESEP scores. <i>American Journal of Emergency Medicine</i> , 2018 , 36, 820-824	2.9	26
92	Skin mottling score and capillary refill time to assess mortality of septic shock since pre-hospital setting. <i>American Journal of Emergency Medicine</i> , 2019 , 37, 664-671	2.9	22
91	Base excess and lactate as prognostic indicators for patients treated by extra corporeal life support after out hospital cardiac arrest due to acute coronary syndrome. <i>Resuscitation</i> , 2014 , 85, 1764-8	4	20
90	Lactate POCT in mobile intensive care units for septic patients? A comparison of capillary blood method versus venous blood and plasma-based reference methods. <i>Clinical Biochemistry</i> , 2018 , 55, 9-14	3.5	18
89	Early detection of brain death using the Bispectral Index (BIS) in patients treated by extracorporeal cardiopulmonary resuscitation (E-CPR) for refractory cardiac arrest. <i>Resuscitation</i> , 2017 , 120, 8-13	4	18
88	Triage of Septic Patients Using qSOFA Criteria at the SAMU Regulation: A Retrospective Analysis. <i>Prehospital Emergency Care</i> , 2018 , 22, 84-90	2.8	16
87	Fluid resuscitation in pre-hospital management of septic shock. <i>American Journal of Emergency Medicine</i> , 2018 , 36, 1754-1758	2.9	14
86	Changes of Cardiac Function During Ultradistance Trail Running. <i>American Journal of Cardiology</i> , 2015 , 116, 1284-9	3	12
85	A new approach for early onset cardiogenic shock in acute colchicine overdose: place of early extracorporeal life support (ECLS)?. <i>Intensive Care Medicine</i> , 2013 , 39, 1163	14.5	11
84	Acute kidney injury during an ultra-distance race. <i>PLoS ONE</i> , 2019 , 14, e0222544	3.7	9
83	Prehospital shock index to assess 28-day mortality for septic shock. <i>American Journal of Emergency Medicine</i> , 2020 , 38, 1352-1356	2.9	8
82	Toxicodynamics in nordiazepam and oxazepam overdoses. <i>Annales Pharmaceutiques Francaises</i> , 2017 , 75, 163-171	1.3	6
81	Transient neurological deficit due to a misplacement of central venous catheter despite ultrasound guidance and ultrasound assistance. <i>Anaesthesia, Critical Care & Pain Medicine</i> , 2015 , 34, 301-2	3	5
80	Implementation of earlier antibiotic administration in patients with severe sepsis and septic shock in Japan: antibiotic action needs time and tissue perfusion to reach target. <i>Critical Care</i> , 2020 , 24, 17	10.8	5
79	A survey of blood transfusion practice in French-speaking pediatric anesthesiologists. <i>Paediatric Anaesthesia</i> , 2011 , 21, 385-93	1.8	5
78	Association between hyperoxemia and mortality in patients treated by eCPR after out-of-hospital cardiac arrest. <i>American Journal of Emergency Medicine</i> , 2020 , 38, 900-905	2.9	5

77	Impact of Prehospital Antibiotic Therapy on Septic Shock Mortality. <i>Prehospital Emergency Care</i> , 2021 , 25, 317-324	2.8	5
76	Bundle of care taking into account time to improve long-term outcome after cardiac arrest. <i>Critical Care</i> , 2018 , 22, 192	10.8	4
75	Positive cultures and clinical outcomes in septic patients: be aware of the influence from patient selection and the in-hospital confounders. <i>Critical Care</i> , 2019 , 23, 332	10.8	4
74	Lead contamination among Paris Fire Brigade firefighters who fought the Notre Dame Cathedral fire in Paris. <i>International Journal of Hygiene and Environmental Health</i> , 2021 , 233, 113707	6.9	4
73	Prehospital hemodynamic optimisation is associated with a 30-day mortality decrease in patients with septic shock. <i>American Journal of Emergency Medicine</i> , 2021 , 45, 105-111	2.9	4
72	Prognostic value of venous blood analysis at the start of CPR in non-traumatic out-of-hospital cardiac arrest: association with ROSC and the neurological outcome: do not forget the no-flow influence!. <i>Critical Care</i> , 2020 , 24, 232	10.8	3
71	A new approach for treatment of refractory ventricular fibrillation allowed by extra corporeal life support (ECLS)?. <i>Resuscitation</i> , 2014 , 85, e118	4	3
70	Contribution of the Pre-Hospital Blood Lactate Level in the Pre-Hospital Orientation of Septic Shock: The LAPHUS Study. <i>Turkish Journal of Anaesthesiology and Reanimation</i> , 2020 , 48, 58-61	0.7	3
69	Prognostic Value of Blood Lactate and Base Deficit in Refractory Cardiac Arrest Cases Undergoing Extracorporeal Life Support. <i>Turkish Journal of Anaesthesiology and Reanimation</i> , 2019 , 47, 407-413	0.7	3
68	Prehospital lactate clearance is associated with reduced mortality in patients with septic shock. <i>American Journal of Emergency Medicine</i> , 2021 , 46, 367-373	2.9	3
67	Pre-Hospital Lactatemia Predicts 30-Day Mortality in Patients with Septic Shock-Preliminary Results from the LAPHUS Study. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	3
66	Epinephrine administration in non-shockable out-of-hospital cardiac arrest. <i>American Journal of Emergency Medicine</i> , 2019 , 37, 387-390	2.9	2
65	Prehospital Emergency Care in Sepsis: From the "Door-to-Antibiotic" to the "Antibiotic-at-Door" Concept?. <i>Annals of the American Thoracic Society</i> , 2019 , 16, 775-776	4.7	2
64	NSE & S100B protein blood level assessment during a long-distance trail race. <i>Annales De Biologie Clinique</i> , 2019 , 77, 532-536	0.4	2
63	Prognosis value of partial arterial oxygen pressure in patients with septic shock subjected to pre-hospital invasive ventilation. <i>American Journal of Emergency Medicine</i> , 2019 , 37, 56-60	2.9	2
62	Variable selection methods were poorly reported but rarely misused in major medical journals: Literature review. <i>Journal of Clinical Epidemiology</i> , 2021 , 139, 12-19	5.7	2
61	Association between low pH and unfavorable neurological outcome among out-of-hospital cardiac arrest patients treated by extracorporeal CPR: do not dismiss confounders!. <i>Journal of Intensive Care</i> , 2020 , 8, 42	7	1
60	Contributing factors to early recurrence of ventricular fibrillation during out-of-hospital cardiac arrest: An observational retrospective study. <i>Resuscitation</i> , 2020 , 154, 19-24	4	1

59	Beware of using tranexamic acid in parturients with eclampsia. <i>Anaesthesia, Critical Care & Pain Medicine</i> , 2016 , 35, 231-2	3	1
58	Antiarrhythmic drugs in out-of-hospital cardiac arrest: is there a place for potassium chloride?. <i>Critical Care</i> , 2017 , 21, 144	10.8	1
57	Comment on: "Potential long-term health problems associated with ultra-endurance running: a narrative review".. <i>Sports Medicine</i> , 2022 , 52, 955	10.6	1
56	Contribution of Capillary Refilling Time and Skin Mottling Score to Predict ICU Admission of Patients with Septic or haemorrhagic Shock Admitted to the Emergency Department: A TRCMARBSAU Study. <i>Turkish Journal of Anaesthesiology and Reanimation</i> , 2019 , 47, 492-495	0.7	1
55	Bundle of Care in Pre-Hospital Settings for Septic Shock?. <i>Turkish Journal of Anaesthesiology and Reanimation</i> , 2018 , 46, 406-407		1
54	Effect of Mean Blood Pressure During Extracorporeal Life Support on Outcome After Out-of-Hospital Cardiac Arrest. <i>Turkish Journal of Anaesthesiology and Reanimation</i> , 2019 , 47, 134-141	0.7	1
53	Toxicological Analysis Unveiling the Low Rate of Self-Reporting of Addictive/Recreative Substances in Acute Severe Drug Overdose Cases. <i>Turkish Journal of Anaesthesiology and Reanimation</i> , 2020 , 48, 148-155	0.7	1
52	The impact of frailty on survival in elderly intensive care patients with COVID-19: do not dismiss intensive care unit overcrowding. <i>Critical Care</i> , 2021 , 25, 225	10.8	1
51	Urgence vitale intra-hospitalière : état des lieux en 2018. <i>Anesthésie & Réanimation</i> , 2019 , 5, 259-264	0.1	1
50	Pre-hospital mechanical ventilation in septic shock patients. <i>American Journal of Emergency Medicine</i> , 2019 , 37, 1860-1863	2.9	1
49	Process and organisation of in-hospital emergencies in France. <i>Anaesthesia, Critical Care & Pain Medicine</i> , 2018 , 37, 629-631	3	1
48	Effects of mode and time of EMS transport on the rate and distribution of dead on arrival among trauma population: Do not miss on-scene care impact. <i>American Journal of Emergency Medicine</i> , 2021 ,	2.9	1
47	Prehospital norepinephrine administration reduces 30-day mortality among septic shock patients.. <i>BMC Infectious Diseases</i> , 2022 , 22, 345	4	1
46	10.5152/TJAR.2019.54289. <i>Turkish Journal of Anaesthesiology and Reanimation</i> , 2020 , 48, 467-472	0.7	0
45	Adverse drugs reactions (ADR) suspected through phone triage and assessed by medically staffed ambulances: A pilot study.. <i>American Journal of Emergency Medicine</i> , 2022 , 54, 172-177	2.9	0
44	Prognostic Value of Blood Lactate and Lactate Clearance in Refractory Cardiac Arrest Treated by Extracorporeal Life Support. <i>Turkish Journal of Anaesthesiology and Reanimation</i> , 2019 , 47, 48-54	0.7	0
43	Initial antimicrobial management of sepsis: increased prehospital blood lactate levels for identifying sicker patients who may benefit from prehospital antibiotic therapy initiation. <i>Critical Care</i> , 2021 , 25, 377	10.8	0
42	Antimicrobials administration time in patients with suspected sepsis: faster is better for severe patients. <i>Journal of Intensive Care</i> , 2020 , 8, 52	7	0

41	Medical students' knowledge and feeling about end-of-life decisions: A national French survey. <i>Anaesthesia, Critical Care & Pain Medicine</i> , 2018 , 37, 635-636	3	0
40	Comment on: Favorable prognosis by extracorporeal cardiopulmonary resuscitation for subsequent shockable rhythm patients.. <i>American Journal of Emergency Medicine</i> , 2022 ,	2.9	0
39	Association between prehospital shock index and mortality among patients with COVID-19 disease.. <i>American Journal of Emergency Medicine</i> , 2022 , 56, 133-136	2.9	0
38	Initial fluid resuscitation in patients with septic shock: Is fluid expansion achievement the real objective?. <i>American Journal of Emergency Medicine</i> , 2021 , 57, 172-172	2.9	0
37	Intrahospital Trauma Flowcharts - cognitive aids for intrahospital trauma management from the French Society of Anaesthesia and Intensive Care Medicine and the French Society of Emergency Medicine.. <i>Anaesthesia, Critical Care & Pain Medicine</i> , 2022 , 101069	3	0
36	Reply to Pang et al.: "Early detection of brain death using the Bispectral Index (BIS) in patients treated by extracorporeal cardiopulmonary resuscitation (E-CPR) for refractory cardiac arrest". <i>Resuscitation</i> , 2017 , 121, e9	4	
35	Enquête sur la formation et les besoins ressentis des médecins généralistes de Île-de-France pour la prise en charge de l'arrêt cardio-respiratoire. <i>Journal Europeen Des Urgences Et De Reanimation</i> , 2019 , 31, 1-6	0.1	
34	Sepsis alerts called in the field vs the ED: impact of severity and in-hospital confounders. <i>American Journal of Emergency Medicine</i> , 2020 , 38, 1940	2.9	
33	Epinephrine, inodilator, or no inotrope in venoarterial extracorporeal membrane oxygenation implantation: a single-center experience-an RCT would be desirable. <i>Critical Care</i> , 2020 , 24, 21	10.8	
32	Reply to Karim et al.: "Pre-hospital invasive ventilation in patients with septic shock: Is hyperoxemia an unwanted company?". <i>American Journal of Emergency Medicine</i> , 2019 , 37, 532-533	2.9	
31	Reply to Zhou et al.: "fluid resuscitation in pre-hospital patients with septic shock: one size does not fit all". <i>American Journal of Emergency Medicine</i> , 2019 , 37, 169-171	2.9	
30	Reply to Mgarbane: Is early implementation of extracorporeal life support in severely colchicine-poisoned patients lifesaving? Definitive evidence is still lacking. <i>Intensive Care Medicine</i> , 2013 , 39, 2065	14.5	
29	Effets secondaires de l'administration de morphine en titration intraveineuse : valuation du retentissement sur la satisfaction des patients lors du séjour en SSPI. <i>Douleurs</i> , 2012 , 13, 134-140	0.1	
28	Retentissement des décisions de fin de vie chez les étudiants en médecine : résultats d'une enquête nationale française. <i>Anesthésie & Réanimation</i> , 2020 , 6, 455-461	0.1	
27	Adequacy of probabilistic prehospital antibiotic therapy for septic shock.. <i>American Journal of Emergency Medicine</i> , 2021 , 53, 80-85	2.9	
26	État des lieux sur la formation des étudiants en médecine français à la formation aux gestes et soins d'urgence. <i>Journal Europeen Des Urgences Et De Reanimation</i> , 2018 , 30, 109-116	0.1	
25	Enquête nationale sur la pratique de prélèvement des hémocultures chez l'adulte par les infirmières diplômées d'état. <i>Revue Francophone Internationale De Recherche Infirmière</i> , 2019 , 5, e107-e113	0.1	
24	Impact of Prehospital Mobile Intensive Care Unit Intervention on Mortality of Patients with Sepsis. <i>Turkish Journal of Anaesthesiology and Reanimation</i> , 2019 , 47, 334-341	0.7	

- 23 Association between Blood Pressure after Haemodynamic Resuscitation in the Prehospital Setting and 28-Day Mortality in Septic Shock. *Turkish Journal of Anaesthesiology and Reanimation*, **2020**, 48, 229-234 0.7
- 22 Pupil Reactivity in Refractory Out-of-Hospital Cardiac Arrest Treated by Extra-Corporeal Cardiopulmonary Resuscitation. *Turkish Journal of Anaesthesiology and Reanimation*, **2020**, 48, 294-299 0.7
- 21 Efficacy of the presence of an emergency physician in prehospital major trauma care: Randomised control trial results are needed!. *American Journal of Emergency Medicine*, **2020**, 38, 1277-1278 2.9
- 20 The authors Reply: Mortality Benefit Shock Index in Prehospital Level Care. *American Journal of Emergency Medicine*, **2020**, 38, 2236-2237 2.9
- 19 Open-chest versus closed-chest cardiopulmonary resuscitation in trauma patients: effect size is probably higher for penetrating injury. *Critical Care*, **2020**, 24, 655 10.8
- 18 Bolus potassium in frustrated ventricular fibrillation storm: Evidence are growing!. *Journal of Cardiac Surgery*, **2020**, 35, 2116 1.3
- 17 The interaction between arterial oxygenation and carbon dioxide and hospital mortality following out of hospital cardiac arrest: a cohort study-do not dismiss confounders!. *Critical Care*, **2020**, 24, 544 10.8
- 16 Atteinte auditive des conducteurs d'engins de secours des pompiers de Paris : étude rétrospective a propos de 70 cas. *Archives Des Maladies Professionnelles Et De L'Environnement*, **2021**, 82, 289-294 0.1
- 15 Adverse events associated with administration of vasopressor medications through a peripheral intravenous catheter: do not confound access route and specific drug complications!. *Critical Care*, **2021**, 25, 183 10.8
- 14 Ressenti, enseignement et connaissance de la fin de vie en réanimation chez des étudiants en médecine français : résultats d'une enquête nationale. *Journal Europeen Des Urgences Et De Reanimation*, **2019**, 31, 65-69 0.1
- 13 Prehospital Shock Precautions on Triage (PSPoT) score to assess in-hospital mortality for septic shock. *American Journal of Emergency Medicine*, **2021**, 44, 230-234 2.9
- 12 The prehospital SIGARC score to assess septic shock in-hospital, 30-day and 90-day mortality. *American Journal of Emergency Medicine*, **2021**, 46, 355-360 2.9
- 11 Epinephrine's effects on cerebrovascular and systemic hemodynamics during cardiopulmonary resuscitation: metabolic changes may limit the persistence of the effect. *Critical Care*, **2021**, 25, 67 10.8
- 10 La morphine peut-elle être utilisée sans risque en postopératoire de greffe rénale ?. *Douleurs*, **2018**, 19, 139-144 0.1
- 9 Prehospital, post-ROSC blood pressure and associated neurologic outcome: Do not dismiss other outcome cofounders. *American Journal of Emergency Medicine*, **2021**, 2.9
- 8 Sodium bicarbonate administration and subsequent potassium concentration in hyperkalemia treatment: Do not forget the initial pH-value. *American Journal of Emergency Medicine*, **2021**, 2.9
- 7 Comparison of culture-negative and culture-positive sepsis or septic shock: outcomes are more influenced by the nature of the infectious agent itself than by the samples' positivity. *Critical Care*, **2021**, 25, 293 10.8
- 6 Efficacy of bolus-dose epinephrine to manage hypotension in the prehospital setting: Is systolic blood pressure the optimal target?. *American Journal of Emergency Medicine*, **2021**, 48, 328-329 2.9

5	Zonage et niveau de protection des intervenants sur incendie. <i>Medecine De Catastrophe Urgences Collectives</i> , 2021 , 5, 259-263	0.1
4	Exposure to fire smoke in fire training structures: A prospective observational study. <i>Archives of Environmental and Occupational Health</i> , 2021 , 1-12	2
3	Impact of posture on capillary refilling time: Intravascular fluid also affects results.. <i>American Journal of Emergency Medicine</i> , 2021 , 57, 187-187	2.9
2	Association between prehospital shock index variation and 28-day mortality among patients with septic shock.. <i>BMC Emergency Medicine</i> , 2022 , 22, 87	2.4
1	Relationship between Exercise Intensity and IL-6 Increase during an 80 km Long-Distance Running Race. <i>International Journal of Environmental Research and Public Health</i> , 2022 , 19, 6368	4.6