## Johanna C Kluin-Nelemans

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8434542/publications.pdf

Version: 2024-02-01

182 papers 13,262 citations

56 h-index 24232 110 g-index

183

183
docs citations

183 times ranked 10783 citing authors

#	Article	IF	Citations
1	A new prognostic index (MIPI) for patients with advanced-stage mantle cell lymphoma. Blood, 2008, 111, 558-565.	0.6	819
2	A New Prognostic Score for Survival of Patients With Chronic Myeloid Leukemia Treated With Interferon Alfa Writing Committee for the Collaborative CML Prognostic Factors Project Group. Journal of the National Cancer Institute, 1998, 90, 850-859.	3.0	728
3	Double-hit B-cell lymphomas. Blood, 2011, 117, 2319-2331.	0.6	603
4	Early consolidation by myeloablative radiochemotherapy followed by autologous stem cell transplantation in first remission significantly prolongs progression-free survival in mantle-cell lymphoma: results of a prospective randomized trial of the European MCL Network. Blood, 2005, 105, 2677-2684.	0.6	524
5	Morbidity and mortality in adults with idiopathic thrombocytopenic purpura. Blood, 2001, 97, 2549-2554.	0.6	448
6	Chemotherapy plus Involved-Field Radiation in Early-Stage Hodgkin's Disease. New England Journal of Medicine, 2007, 357, 1916-1927.	13.9	412
7	Efficacy and Safety of Midostaurin in Advanced Systemic Mastocytosis. New England Journal of Medicine, 2016, 374, 2530-2541.	13.9	383
8	Chronic myeloid leukemia and interferon-α: a study of complete cytogenetic responders. Blood, 2001, 98, 3074-3081.	0.6	309
9	High-Dose Methotrexate-Based Chemotherapy Followed by Consolidating Radiotherapy in Non–AIDS-Related Primary Central Nervous System Lymphoma: European Organization for Research and Treatment of Cancer Lymphoma Group Phase II Trial 20962. Journal of Clinical Oncology, 2003, 21, 4483-4488.	0.8	308
10	Involved-Field Radiotherapy for Advanced Hodgkin's Lymphoma. New England Journal of Medicine, 2003, 348, 2396-2406.	13.9	301
11	Cutaneous manifestations in patients with mastocytosis: Consensus report of the European Competence Network on Mastocytosis; the American Academy of Allergy, Asthma & Dinical and the European Academy of Allergology and Clinical Immunology. Journal of Allergy and Clinical Immunology, 2016, 137, 35-45.	1.5	289
12	Comparison of CHOP Chemotherapy with Autologous Bone Marrow Transplantation for Slowly Responding Patients with Aggressive Non-Hodgkin's Lymphoma. New England Journal of Medicine, 1995, 332, 1045-1051.	13.9	278
13	Prognostic Value of Ki-67 Index, Cytology, and Growth Pattern in Mantle-Cell Lymphoma: Results From Randomized Trials of the European Mantle Cell Lymphoma Network. Journal of Clinical Oncology, 2016, 34, 1386-1394.	0.8	276
14	Complete Remission of Accelerated Phase Chronic Myeloid Leukemia by Treatment With Leukemia-Reactive Cytotoxic T Lymphocytes. Blood, 1999, 94, 1201-1208.	0.6	260
15	Molecular remission is an independent predictor of clinical outcome in patients with mantle cell lymphoma after combined immunochemotherapy: a European MCL intergroup study. Blood, 2010, 115, 3215-3223.	0.6	243
16	Cladribine therapy for systemic mastocytosis. Blood, 2003, 102, 4270-4276.	0.6	223
17	Combined-Modality Therapy for Clinical Stage I or II Hodgkin's Lymphoma: Long-Term Results of the European Organisation for Research and Treatment of Cancer H7 Randomized Controlled Trials. Journal of Clinical Oncology, 2006, 24, 3128-3135.	0.8	216
18	Response to Interferon Alfa-2b in a Patient with Systemic Mastocytosis. New England Journal of Medicine, 1992, 326, 619-623.	13.9	212

#	Article	IF	CITATIONS
19	Advances in the Classification and Treatment of Mastocytosis: Current Status and Outlook toward the Future. Cancer Research, 2017, 77, 1261-1270.	0.4	210
20	The Polycomb group protein EZH2 is upregulated in proliferating, cultured human mantle cell lymphoma. British Journal of Haematology, 2001, 112, 950-958.	1.2	200
21	ESMO Guidelines consensus conference on malignant lymphoma 2011 part 1: diffuse large B-cell lymphoma (DLBCL), follicular lymphoma (FL) and chronic lymphocytic leukemia (CLL). Annals of Oncology, 2013, 24, 561-576.	0.6	193
22	Molecular Characterization of a New ALK Translocation Involving Moesin (MSN-ALK) in Anaplastic Large Cell Lymphoma. Laboratory Investigation, 2001, 81, 419-426.	1.7	158
23	Long-term risk of cardiovascular disease after treatment for aggressive non-Hodgkin lymphoma. Blood, 2006, 107, 2912-2919.	0.6	153
24	Proposed Diagnostic Algorithm for Patients with Suspected Mast Cell Activation Syndrome. Journal of Allergy and Clinical Immunology: in Practice, 2019, 7, 1125-1133.e1.	2.0	150
25	Prognostic Impact of Germinal Center–Associated Proteins and Chromosomal Breakpoints in Poor-Risk Diffuse Large B-Cell Lymphoma. Journal of Clinical Oncology, 2006, 24, 4135-4142.	0.8	144
26	Confirmation of the Mantle-Cell Lymphoma International Prognostic Index in Randomized Trials of the European Mantle-Cell Lymphoma Network. Journal of Clinical Oncology, 2014, 32, 1338-1346.	0.8	137
27	Evolution of acquired severe aplastic anaemia to myelodysplasia and subsequent leukaemia in adults. British Journal of Haematology, 1988, 70, 55-62.	1.2	134
28	Updated Diagnostic Criteria and Classification of Mast Cell Disorders: A Consensus Proposal. HemaSphere, 2021, 5, e646.	1.2	128
29	The contribution of inherited and acquired thrombophilic defects, alone or combined with antiphospholipid antibodies, to venous and arterial thromboembolism in patients with systemic lupus erythematosus. Blood, 2004, 104, 143-148.	0.6	126
30	Unique Polycomb Gene Expression Pattern in Hodgkin's Lymphoma and Hodgkin's Lymphoma-Derived Cell Lines. American Journal of Pathology, 2004, 164, 873-881.	1.9	123
31	Cardiovascular disease after treatment for Hodgkin's lymphoma: an analysis of nine collaborative EORTC-LYSA trials. Lancet Haematology,the, 2015, 2, e492-e502.	2.2	123
32	High long-term absolute risk of recurrent venous thromboembolism in patients with hereditary deficiencies of protein S, protein C or antithrombin. Thrombosis and Haemostasis, 2009, 101, 93-99.	1.8	116
33	Mast cells as a unique hematopoietic lineage and cell system: From Paul Ehrlich's visions to precision medicine concepts. Theranostics, 2020, 10, 10743-10768.	4.6	107
34	International prognostic scoring system for mastocytosis (IPSM): a retrospective cohort study. Lancet Haematology,the, 2019, 6, e638-e649.	2.2	101
35	Premature Ovarian Failure and Fertility in Long-Term Survivors of Hodgkin's Lymphoma: A European Organisation for Research and Treatment of Cancer Lymphoma Group and Groupe d'Étude des Lymphomes de l'Adulte Cohort Study. Journal of Clinical Oncology, 2012, 30, 291-299.	0.8	99
36	Gonadal Function in Males After Chemotherapy for Early-Stage Hodgkin's Lymphoma Treated in Four Subsequent Trials by the European Organisation for Research and Treatment of Cancer: EORTC Lymphoma Group and the Groupe d'Étude des Lymphomes de l'Adulte. Journal of Clinical Oncology, 2007, 25, 2825-2832.	0.8	96

#	Article	lF	Citations
37	Quality of life after successful treatment of early-stage Hodgkin's lymphoma: 10-year follow-up of the EORTC–GELA H8 randomised controlled trial. Lancet Oncology, The, 2009, 10, 1160-1170.	5.1	96
38	Early onset post-transplant lymphoproliferative disease is associated with allograft localization. Clinical Transplantation, 2005, 19, 327-334.	0.8	90
39	In Normal Controls, Both Age and Gender Affect Coagulability as Measured by Thrombelastography. Anesthesia and Analgesia, 2010, 110, 987-994.	1.1	86
40	Fas Receptor Clustering and Involvement of the Death Receptor Pathway in Rituximab-Mediated Apoptosis with Concomitant Sensitization of Lymphoma B Cells to Fas-Induced Apoptosis. Journal of Immunology, 2007, 178, 2287-2295.	0.4	85
41	Higher mast cell load decreases the risk of Hymenoptera venom–induced anaphylaxis in patients with mastocytosis. Journal of Allergy and Clinical Immunology, 2013, 132, 125-130.	1.5	81
42	DNA Fiber Fluorescence In Situ Hybridization Analysis of Immunoglobulin Class Switching in B-Cell Neoplasia: Aberrant CH Gene Rearrangements in Follicle Center-Cell Lymphoma. Blood, 1998, 92, 2871-2878.	0.6	80
43	High-dose chemotherapy with autologous stem cell support in first-line treatment of aggressive non-Hodgkin lymphoma – Results of a comprehensive meta-analysis. Cancer Treatment Reviews, 2007, 33, 338-346.	3.4	80
44	Sperm quality before treatment in patients with early stage Hodgkin's lymphoma enrolled in EORTC-GELA Lymphoma Group trials. Haematologica, 2009, 94, 1691-1697.	1.7	80
45	Immunohistochemical profiling of caspase signaling pathways predicts clinical response to chemotherapy in primary nodal diffuse large B-cell lymphomas. Blood, 2005, 105, 2916-2923.	0.6	79
46	Fertility preservation after chemotherapy for Hodgkin lymphoma. Hematological Oncology, 2010, 28, 168-179.	0.8	79
47	Prevalence of indolent systemic mastocytosis in a Dutch region. Journal of Allergy and Clinical Immunology, 2013, 131, 1429-1431.e1.	1.5	78
48	Consensus Opinion on Allogeneic Hematopoietic Cell Transplantation in Advanced Systemic Mastocytosis. Biology of Blood and Marrow Transplantation, 2016, 22, 1348-1356.	2.0	76
49	Treatment of Older Patients With Mantle Cell Lymphoma (MCL): Long-Term Follow-Up of the Randomized European MCL Elderly Trial. Journal of Clinical Oncology, 2020, 38, 248-256.	0.8	73
50	The Pathogenesis of Venous Thromboembolism: Evidence for Multiple Interrelated Causes. Annals of Internal Medicine, 2006, 145, 807.	2.0	68
51	Results of bone marrow examination in 275 patients with histological features that suggest an indolent type of cutaneous Bâ€cell lymphoma. British Journal of Haematology, 2008, 142, 52-56.	1.2	68
52	Comorbidity is an independent prognostic factor in patients with advanced-stage diffuse large B-cell lymphoma treated with R-CHOP: a population-based cohort study. British Journal of Haematology, 2014, 165, 489-496.	1.2	65
53	Identification of RUNX1/AML1 as a classical tumor suppressor gene. Oncogene, 2003, 22, 538-547.	2.6	64
54	The generation of dendritic-like cells with increased allostimulatory function from acute myeloid leukemia cells of various FAB subclasses. Human Immunology, 2000, 61, 565-574.	1.2	63

#	Article	IF	Citations
55	Highâ€dose Araâ€C and beam with autograft rescue in Râ€CHOP responsive mantle cell lymphoma patients. British Journal of Haematology, 2009, 144, 524-530.	1.2	61
56	Advanced systemic mastocytosis: from molecular and genetic progress to clinical practice. Haematologica, 2016, 101, 1133-1143.	1.7	60
57	Haemostatic variables during normal menstrual cycle. Thrombosis and Haemostasis, 2012, 107, 22-29.	1.8	57
58	IgD class switching: Identification of a novel recombination site in neoplastic and normal B cells. European Journal of Immunology, 1995, 25, 3504-3508.	1.6	51
59	Late Non-Neoplastic Events in Patients with Aggressive Non-Hodgkin's Lymphoma in Four Randomized European Organisation for Research and Treatment of Cancer Trials. Clinical Lymphoma and Myeloma, 2005, 6, 122-130.	1.4	50
60	The risk of postpartum hemorrhage in women using high dose of low-molecular-weight heparins during pregnancy. Thrombosis Research, 2012, 130, 334-338.	0.8	48
61	Clinical features and survival of patients with indolent systemic mastocytosis defined by the updated WHO classification. Allergy: European Journal of Allergy and Clinical Immunology, 2020, 75, 1927-1938.	2.7	47
62	EBV-positive immunodeficiency lymphoma after alemtuzumab-CHOP therapy for peripheral T-cell lymphoma. Blood, 2008, 112, 1039-1041.	0.6	45
63	HLA Antigens and Post Renal Transplant Lymphoproliferative Disease: HLA-B Matching Is Critical. Transplantation, 2005, 80, 595-599.	0.5	43
64	The prevalence of underlying bleeding disorders in patients with heavy menstrual bleeding with and without gynecologic abnormalities. American Journal of Obstetrics and Gynecology, 2013, 209, 202.e1-202.e7.	0.7	43
65	Management around invasive procedures in mastocytosis. Annals of Allergy, Asthma and Immunology, 2017, 119, 304-309.	0.5	43
66	Discordant Morphologic Characteristics of B-Cell Lymphomas in Bone Marrow and Lymph Node Biopsies. American Journal of Clinical Pathology, 1990, 94, 59-66.	0.4	42
67	Treatment with rituximab, cyclophosphamide, doxorubicin, vincristine and prednisolone is beneficial but toxic in very elderly patients with diffuse large B-cell lymphoma: a population-based cohort study on treatment, toxicity and outcome. Leukemia and Lymphoma, 2014, 55, 526-532.	0.6	42
68	Midostaurin in patients with indolent systemic mastocytosis: An open-label phase 2 trial. Journal of Allergy and Clinical Immunology, 2018, 142, 1006-1008.e7.	1.5	42
69	Midostaurin improves quality of life and mediator-related symptoms in advanced systemic mastocytosis. Journal of Allergy and Clinical Immunology, 2020, 146, 356-366.e4.	1.5	42
70	Difference in absolute risk of venous and arterial thrombosis between familial protein S deficiency type I and type III. Results from a family cohort study to assess the clinical impact of a laboratory test-based classification. British Journal of Haematology, 2005, 128, 703-710.	1.2	40
71	SUCCESSFUL OUTCOME WITH A ???QUINTUPLE APPROACH??? OF POSTTRANSPLANT LYMPHOPROLIFERATIVE DISORDER. Transplantation, 2001, 71, 47-52.	0.5	39
72	Somatic pairing of centromeres and short arms of chromosome 15 in the hematopoietic and lymphoid system. Human Genetics, 1993, 92, 577-582.	1.8	38

#	Article	IF	Citations
73	Effects of red blood cells on hemostasis. Transfusion, 2010, 50, 1536-1544.	0.8	38
74	Different age limits for elderly patients with indolent and aggressive non-Hodgkin lymphoma and the role of relative survival with increasing age. Cancer, 2000, 89, 2667-2676.	2.0	37
<b>7</b> 5	Update on the molecular pathogenesis and clinical treatment of mantle cell lymphoma: report of the 11th annual conference of the European Mantle Cell Lymphoma Network. Leukemia and Lymphoma, 2013, 54, 699-707.	0.6	37
76	Expression of co-stimulatory and adhesion molecules and chemokine or apoptosis receptors on acute myeloid leukaemia: high CD40 and CD11a expression correlates with poor prognosis. British Journal of Haematology, 2001, 115, 298-308.	1.2	36
77	Risk of Bleeding and Thrombosis in Patients 70 Years or Older Using Vitamin K Antagonists. JAMA Internal Medicine, 2016, 176, 1176.	2.6	36
78	Randomized comparison of low-dose versus high-dose interferon-alfa in chronic myeloid leukemia: prospective collaboration of 3 joint trials by the MRC and HOVON groups. Blood, 2004, 103, 4408-4415.	0.6	34
79	Prognostic impact of eosinophils in mastocytosis: analysis of 2350 patients collected in the ECNM Registry. Leukemia, 2020, 34, 1090-1101.	3.3	34
80	European Competence Network on Mastocytosis (ECNM): 10-year jubilee, update, and future perspectives. Wiener Klinische Wochenschrift, 2012, 124, 807-814.	1.0	33
81	On the use of Cox regression in the presence of an irregularly observed time-dependent covariate. Statistics in Medicine, 2001, 20, 3817-3829.	0.8	32
82	Parenthood in Survivors of Hodgkin Lymphoma: An EORTC-GELA General Population Case-Control Study. Journal of Clinical Oncology, 2012, 30, 3854-3863.	0.8	32
83	Lipid levels do not influence the risk of venous thromboembolism. Thrombosis and Haemostasis, 2012, 108, 923-929.	1.8	32
84	Granulocytic Sarcoma (chloroma): Presentation of an Unusual Case. American Journal of Clinical Pathology, 1991, 95, 567-571.	0.4	30
85	Gastric lymphomas compared with lymph node lymphomas in a population-based registry differ in stage distribution and dissemination patterns but not in patient survival. , 1997, 79, 390-397.		30
86	Combined thalidomide and cyclophosphamide treatment for refractory or relapsed multiple myeloma patients: a prospective phase II study. Annals of Hematology, 2005, 84, 311-316.	0.8	29
87	Update on the molecular pathogenesis and clinical treatment of mantle cell lymphoma: report of the 10th annual conference of the European Mantle Cell Lymphoma Network. Leukemia and Lymphoma, 2011, 52, 2226-2236.	0.6	29
88	KIT D816 mutated/CBF-negative acute myeloid leukemia: a poor-risk subtype associated with systemic mastocytosis. Leukemia, 2019, 33, 1124-1134.	3.3	29
89	Refined diagnostic criteria for bone marrow mastocytosis: a proposal of the European competence network on mastocytosis. Leukemia, 2022, 36, 516-524.	3.3	29
90	Importance of Adequate Diagnostic Workup for Correct Diagnosis of Advanced Systemic Mastocytosis. Journal of Allergy and Clinical Immunology: in Practice, 2020, 8, 3121-3127.e1.	2.0	28

#	Article	lF	Citations
91	No preferential sensitivity of clonogenic AML cells to ASTA-Z-7557. Leukemia Research, 1984, 8, 723-728.	0.4	27
92	Thrombocytopenia affects plasmatic coagulation as measured by thrombelastography. Blood Coagulation and Fibrinolysis, 2010, 21, 389-397.	0.5	27
93	Long-Term Outcome of Patients With a Hematologic Malignancy and Multiple Organ Failure Admitted at the Intensive Care. Critical Care Medicine, 2019, 47, e120-e128.	0.4	27
94	Long-term survival of patients with mantle cell lymphoma after autologous haematopoietic stem-cell transplantation in first remission: a post-hoc analysis of an open-label, multicentre, randomised, phase 3 trial. Lancet Haematology,the, 2021, 8, e648-e657.	2.2	27
95	Cytogenetic and molecular aberrations and worse outcome for male patients in systemic mastocytosis. Theranostics, 2021, 11, 292-303.	4.6	26
96	Dose-finding study of imatinib in combination with intravenous cytarabine: feasibility in newly diagnosed patients with chronic myeloid leukemia. Blood, 2008, 111, 2581-2588.	0.6	25
97	Validation of the <scp>MCL</scp> 35 gene expression proliferation assay in randomized trials of the European Mantle Cell Lymphoma Network. British Journal of Haematology, 2019, 184, 616-624.	1.2	25
98	Correction of Abnormal T-Cell Receptor Repertoire During Interferon-α Therapy in Patients With Hairy Cell Leukemia. Blood, 1998, 91, 4224-4231.	0.6	24
99	Treatment of Elderly Patients With Mantle Cell Lymphoma. Seminars in Hematology, 2011, 48, 208-213.	1.8	24
100	Bone marrow histopathology of patients with severe aplastic anaemia before treatment and at followâ€up. British Journal of Haematology, 1989, 72, 439-444.	1.2	23
101	The European Competence Network on Mastocytosis. Wiener Klinische Wochenschrift, 2004, 116, 647-651.	1.0	23
102	Paediatric nodal marginal zone Bâ€cell lymphadenopathy of the neck: a <i>Haemophilus influenzae</i> àêdriven immune disorder?. Journal of Pathology, 2015, 236, 302-314.	2.1	23
103	Risk and management of patients with mastocytosis and MCAS in the SARS-CoV-2 (COVID-19) pandemic: Expert opinions. Journal of Allergy and Clinical Immunology, 2020, 146, 300-306.	1.5	23
104	Impact of involved field radiotherapy in partial response after doxorubicin-based chemotherapy for advanced aggressive non-Hodgkin's lymphoma. International Journal of Radiation Oncology Biology Physics, 2006, 66, 1168-1177.	0.4	22
105	Haematopoietic and immunologic abnormalities in severe aplastic anaemia patients treated with antiâ€thymocyte globulin. British Journal of Haematology, 1989, 71, 421-430.	1.2	22
106	Impact of Three Courses of Intensified CHOP Prior to High-Dose Sequential Therapy Followed by Autologous Stem-Cell Transplantation As First-Line Treatment in Poor-Risk, Aggressive Non-Hodgkin's Lymphoma: Comparative Analysis of Dutch-Belgian Hemato-Oncology Cooperative Group Studies 27 and 40. Journal of Clinical Oncology, 2005, 23, 3793-3801.	0.8	21
107	CD30 in Systemic Mastocytosis. Immunology and Allergy Clinics of North America, 2014, 34, 341-355.	0.7	21
108	DNA Fiber Fluorescence In Situ Hybridization Analysis of Immunoglobulin Class Switching in B-Cell Neoplasia: Aberrant CH Gene Rearrangements in Follicle Center-Cell Lymphoma. Blood, 1998, 92, 2871-2878.	0.6	21

#	Article	IF	Citations
109	Active cytomegalovirus infection in patients with acute venous thrombosis: A case-control study. American Journal of Hematology, 2011, 86, 510-512.	2.0	20
110	Standards of Genetic Testing in the Diagnosis and Prognostication of Systemic Mastocytosis in 2022: Recommendations of the EU-US Cooperative Group. Journal of Allergy and Clinical Immunology: in Practice, 2022, 10, 1953-1963.	2.0	20
111	The classification of systemic mastocytosis should include mast cell leukemia (MCL) and systemic mastocytosis with a clonal hematologic non–mast cell lineage disease (SM-AHNMD). Blood, 2010, 116, 850-851.	0.6	19
112	Pain and Anxiety During Bone Marrow Biopsy. Pain Management Nursing, 2013, 14, 310-317.	0.4	19
113	<scp>MYC</scp> expression and translocation analyses in lowâ€grade and transformed follicular lymphoma. Histopathology, 2017, 71, 960-971.	1.6	19
114	KIT Inhibitor Midostaurin in Patients with Advanced Systemic Mastocytosis: Results of a Planned Interim Analysis of the Global CPKC412D2201 Trial. Blood, 2012, 120, 799-799.	0.6	19
115	Biochemical markers predictive for bone marrow involvement in systemic mastocytosis. Haematologica, 2008, 93, 120-123.	1.7	18
116	Low cut-off values increase diagnostic performance of protein S assays. Thrombosis and Haemostasis, 2010, 104, 618-625.	1.8	18
117	Treatment of initial parenchymal central nervous system involvement in systemic aggressive B-cell lymphoma. Leukemia and Lymphoma, 2017, 58, 2074-2079.	0.6	18
118	Characterization of normal and regenerating bone marrow cells with a panel of monoclonal antibodies. Scandinavian Journal of Haematology, 1986, 36, 71-78.	0.0	17
119	Exome Sequencing in Classic Hairy Cell Leukaemia Reveals Widespread Variation in Acquired Somatic Mutations between Individual Tumours Apart from the Signature BRAF V(600)E Lesion. PLoS ONE, 2016, 11, e0149162.	1.1	17
120	Elevated albuminuria associated with increased risk of recurrent venous thromboembolism: results of a populationâ€based cohort study. British Journal of Haematology, 2012, 156, 667-671.	1.2	16
121	Hairy Cell Leukemia-Specific Recognition by Multiple Autologous HLA-DQ or DP-Restricted T-Cell Clones. Blood, 1999, 93, 251-259.	0.6	15
122	Reasons for low uptake of a psychological intervention offered to cancer survivors with elevated depressive symptoms. Psycho-Oncology, 2019, 28, 830-838.	1.0	15
123	Interim thymus and activation regulated chemokine versus interim 18 Fâ€fluorodeoxyglucose positronâ€emission tomography in classical Hodgkin lymphoma response evaluation. British Journal of Haematology, 2020, 190, 40-44.	1.2	15
124	Midostaurin (PKC412) Demonstrates a High Rate of Durable Responses in Patients with Advanced Systemic Mastocytosis: Results from the Fully Accrued Global Phase 2 CPKC412D2201 Trial. Blood, 2014, 124, 636-636.	0.6	15
125	Characterisation of hairy cell leukaemia by tiling resolution arrayâ€based comparative Genome hybridisation: a series of 13 cases and review of the literature. European Journal of Haematology, 2010, 84, 17-25.	1.1	14
126	Clinical and pathological features of testicular diffuse large B-cell lymphoma: a heterogeneous disease. Leukemia and Lymphoma, 2012, 53, 242-246.	0.6	14

#	Article	IF	CITATIONS
127	Clinical Impact of Skin Lesions in Mastocytosis: A Multicenter Study of the European Competence Network on Mastocytosis. Journal of Investigative Dermatology, 2021, 141, 1719-1727.	0.3	14
128	Treatment, patterns of failure, and survival of patients with Stage I nodal and extranodal non-Hodgkin's lymphomas, according to data in the population-based registry of the comprehensive cancer centre west. Cancer, 1998, 83, 1612-1619.	2.0	13
129	Lenalidomide therapy in systemic mastocytosis. Leukemia Research, 2009, 33, e19-e22.	0.4	13
130	Genome wide molecular analysis of minimally differentiated acute myeloid leukemia. Haematologica, 2009, 94, 1546-1554.	1.7	13
131	Diminished reliability of tryptase as risk indicator of mastocytosis in older overweight subjects. Journal of Allergy and Clinical Immunology, 2015, 135, 792-798.	1.5	13
132	Time trend analysis of long term outcome of patients with haematological malignancies admitted at dutch intensive care units. British Journal of Haematology, 2018, 181, 68-76.	1.2	13
133	Fatigue level changes with time in long-term Hodgkin and non-Hodgkin lymphoma survivors: a joint EORTC-LYSA cross-sectional study. Health and Quality of Life Outcomes, 2019, 17, 115.	1.0	13
134	Scoring the Risk of Having Systemic Mastocytosis in Adult Patients with Mastocytosis in the Skin. Journal of Allergy and Clinical Immunology: in Practice, 2021, 9, 1705-1712.e4.	2.0	13
135	Alemtuzumab added to CHOP for treatment of peripheral T-cell lymphoma (pTNHL) of the elderly: Final results of 116 patients treated in the international ACT-2 phase III trial Journal of Clinical Oncology, 2016, 34, 7500-7500.	0.8	13
136	Erythropoietin is reduced by combination of diuretic therapy and RAAS blockade in proteinuric renal patients with preserved renal function. Nephrology Dialysis Transplantation, 2010, 25, 3256-3260.	0.4	12
137	Increased risk of arterial thromboembolism after a prior episode of venous thromboembolism: results from the Prevention of REnal and Vascular ENd stage Disease (PREVEND) Study. British Journal of Haematology, 2012, 159, 216-222.	1.2	11
138	Management of mantle cell lymphoma in the elderly patient. Clinical Interventions in Aging, 2013, 8, 1229.	1.3	11
139	Long-term quality of VKA treatment and clinical outcome after extreme overanticoagulation in 14,777 AF and VTE patients. Thrombosis and Haemostasis, 2015, 113, 881-890.	1.8	11
140	Impact of Vitamin K Antagonists on Quality of Life in a Prospective Cohort of 807 Atrial Fibrillation Patients. Circulation: Cardiovascular Quality and Outcomes, 2016, 9, 388-394.	0.9	11
141	Bortezomib maintenance after Râ€CHOP, cytarabine and autologous stem cell transplantation in newly diagnosed patients with mantle cell lymphoma, results of a randomised phase II HOVON trial. British Journal of Haematology, 2020, 190, 385-393.	1.2	11
142	Hairy Cell Leukemia and Its T Cell Interactions. Leukemia and Lymphoma, 1991, 4, 159-166.	0.6	10
143	Treatment and Survival of Patients with Thyroid Lymphoma: A Population-Based Study with Clinical and Pathologic Reviews. Clinical Lymphoma and Myeloma, 2005, 6, 240-247.	1.4	10
144	Routine evaluation and treatment of unexplained menorrhagia: do we consider haemostatic disorders?. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2010, 152, 191-194.	0.5	10

#	Article	IF	Citations
145	Associations between high factor VIII and low free protein S levels with traditional arterial thrombotic risk factors and their risk on arterial thrombosis: Results from a retrospective family cohort study. Thrombosis Research, 2010, 126, e249-e254.	0.8	10
146	The impact of <scp>SAMHD1</scp> expression and mutation status in mantle cell lymphoma: An analysis of the <scp>MCL</scp> Younger and Elderly trial. International Journal of Cancer, 2021, 148, 150-160.	2.3	10
147	T-cell prolymphocytic leukemia with an unusual phenotype CD4+ CD8+. Cancer, 1987, 60, 794-803.	2.0	9
148	An improved flow cytometric method using FACS Lysing Solution for measurement of ZAPâ€70 expression in Bâ€cell chronic lymphocytic leukemia. Cytometry Part B - Clinical Cytometry, 2008, 74B, 40-44.	0.7	9
149	Relapse in stage I(E) diffuse large Bâ€cell lymphoma. Hematological Oncology, 2018, 36, 416-421.	0.8	9
150	LRPAP1 autoantibodies in mantle cell lymphoma are associated with superior outcome. Blood, 2021, 137, 3251-3258.	0.6	9
151	Variant B Cell Receptor Isotype Functions Differ in Hairy Cell Leukemia with Mutated BRAF and IGHV Genes. PLoS ONE, 2014, 9, e86556.	1.1	8
152	No outcome disparities in patients with diffuse large B-cell lymphoma and a low socioeconomic status. Cancer Epidemiology, 2017, 48, 110-116.	0.8	8
153	What is the optimal initial management of the older MCL patient?. Best Practice and Research in Clinical Haematology, 2018, 31, 99-104.	0.7	8
154	High Rates of Molecular Response and Low Incidence of Mutations in Patients Treated with Newly Diagnosed Chronic Myeloid Leukemia (CML) Treated with a Dose-Escalated Combination of Imatinib and Cytarabin Blood, 2004, 104, 19-19.	0.6	8
155	NO DIFFERENCE BETWEEN CYTOCHEMICAL AND IMMUNOLOGICAL DETECTION OF MYELOPEROXIDASE IN AML. British Journal of Haematology, 1990, 75, 630-630.	1.2	7
156	Clinical course and pathologic features of conjunctival non-Hodgkin's lymphoma. Graefe's Archive for Clinical and Experimental Ophthalmology, 1990, 228, 246-251.	1.0	7
157	Decreased free protein S levels and venous thrombosis in the acute setting, a case-control study. Thrombosis Research, 2011, 128, 501-502.	0.8	7
158	Practical management of adverse events in patients with advanced systemic mastocytosis receiving midostaurin. Expert Opinion on Biological Therapy, 2021, 21, 487-498.	1.4	7
159	Durable Responses and Improved Quality Of Life With Midostaurin (PKC412) In Advanced Systemic Mastocytosis (SM): Updated Stage 1 Results Of The Global D2201 Trial. Blood, 2013, 122, 106-106.	0.6	6
160	Complete Remission of Accelerated Phase Chronic Myeloid Leukemia by Treatment With Leukemia-Reactive Cytotoxic T Lymphocytes. Blood, 1999, 94, 1201-1208.	0.6	6
161	A Clinical Prognostic Model Based on Machine Learning from the Fondazione Italiana Linfomi (FIL) MCL0208 Phase III Trial. Cancers, 2022, 14, 188.	1.7	6
162	Comparison between clonogenic and cytotoxic assays for measuring lak cell activity. International Journal of Cell Cloning, 1989, 7, 232-241.	1.6	5

#	Article	IF	CITATIONS
163	Tumor Cell Proliferation (Ki-67 Index) Overcomes Cytology and Growth Pattern As Prognostic Factor in Mantle-Cell Lymphoma – Results from Randomized Trials of the European MCL Network. Blood, 2014, 124, 2977-2977.	0.6	4
164	Mismatched transplants for refractory lymphoma?. Lancet, The, 1999, 353, 1725-1726.	6.3	3
165	Splenectomy and second malignancies in patients with Hodgkin lymphoma. Leukemia and Lymphoma, 2015, 56, 230-231.	0.6	3
166	Clinical profile and recurrence rate in women with venous thromboembolism during combined hormonal contraceptive use: a prospective cohort study. British Journal of Haematology, 2016, 172, 636-638.	1.2	3
167	Cell Proliferation (Ki-67) As Prognostic Marker in Mantle Cell Lymphoma Blood, 2012, 120, 2677-2677.	0.6	3
168	Correction of Abnormal T-Cell Receptor Repertoire During Interferon-α Therapy in Patients With Hairy Cell Leukemia. Blood, 1998, 91, 4224-4231.	0.6	3
169	Characterization of a New Human B Cell Line (Bonna-12) with Trisomy 9 and Trisomy 12 Chromosomal Abnormality. Leukemia and Lymphoma, 1991, 5, 415-422.	0.6	2
170	The Role of B Cell-Mediated T Cell Costimulation in the Efficacy of the T Cell Retargeting Bispecific Antibody BIS20x3. Journal of Immunology, 2004, 173, 6009-6016.	0.4	2
171	A â€~pre-induction course' with non-cross-reacting cytostatic drugs for rapid tumour load reduction improves outcome in adult acute lymphoblastic leukaemia. British Journal of Haematology, 2007, 138, 275-277.	1.2	2
172	PROS1 Heerlen polymorphism is associated with increased free plasma tissue factor pathway inhibitor levels. Thrombosis and Haemostasis, 2012, 107, 594-596.	1.8	2
173	Junior Scientific Masterclass: Additional Science Training for Medical Students. Medical Science Educator, 2011, 21, 86-90.	0.7	1
174	Hairy Cell Leukemia-Specific Recognition by Multiple Autologous HLA-DQ or DP-Restricted T-Cell Clones. Blood, 1999, 93, 251-259.	0.6	1
175	Autologous stem cell transplantation in treatment of aggressive non-Hodgkin's lymphoma. Croatian Medical Journal, 2002, 43, 561-4.	0.2	1
176	Reply to Z. Blumenfeld. Hematological Oncology, 2011, 29, 53-53.	0.8	О
177	Late relapses in diffuse large B-cell lymphoma: where to move next?. Leukemia and Lymphoma, 2020, 61, 1005-1006.	0.6	O
178	Hereditary Protein S Type III Deficiency Is Not a Risk Factor for Venous and Arterial Thrombosis, in Contrast to Protein S Deficiency Type I. Results from a Family Cohort Study To Assess the Clinical Impact of a Laboratory Based Classification Blood, 2004, 104, 1056-1056.	0.6	0
179	PTLD Visualization by FDG-PET: Improved Detection of Extranodal Localizations and Response Monitoring Blood, 2005, 106, 5389-5389.	0.6	О
180	Comorbidity at Relapse Is An Independent Predictor for Eligibility and Outcome of Autologous Stem Cell Transplantation in Aggressive Non-Hodgkin Lymphoma Blood, 2009, 114, 2313-2313.	0.6	0

#	Article	IF	CITATIONS
181	Prognostic Importance of Comorbidity in a Population-Based Analysis of Patients with Advanced-Stage Diffuse Large B-Cell Lymphoma (DLBCL) Treated with R-CHOP. Blood, 2012, 120, 3656-3656.	0.6	О
182	Therapy for stage I aggressive non-Hodgkin's lymphoma. Croatian Medical Journal, 2002, 43, 546-9.	0.2	0