

Changshun Shao

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8435015/changshun-shao-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

139
papers

7,292
citations

44
h-index

82
g-index

155
ext. papers

9,397
ext. citations

8.1
avg, IF

5.96
L-index

#	Paper	IF	Citations
139	Heterogeneity of tyrosine-based melanin anabolism regulates pulmonary and cerebral organotropic colonization microenvironment of melanoma cells.. <i>Theranostics</i> , 2022 , 12, 2063-2079	12.1	0
138	RAD51 is essential for spermatogenesis and male fertility in mice.. <i>Cell Death Discovery</i> , 2022 , 8, 118	6.9	1
137	The secretion profile of mesenchymal stem cells and potential applications in treating human diseases.. <i>Signal Transduction and Targeted Therapy</i> , 2022 , 7, 92	21	11
136	Disrupted mitochondrial homeostasis coupled with mitotic arrest generates antineoplastic oxidative stress. <i>Oncogene</i> , 2021 ,	9.2	2
135	Lung mesenchymal stromal cells influenced by Th2 cytokines mobilize neutrophils and facilitate metastasis by producing complement C3. <i>Nature Communications</i> , 2021 , 12, 6202	17.4	5
134	Redressing the interactions between stem cells and immune system in tissue regeneration. <i>Biology Direct</i> , 2021 , 16, 18	7.2	4
133	Splicing factor USP39 promotes ovarian cancer malignancy through maintaining efficient splicing of oncogenic HMGA2. <i>Cell Death and Disease</i> , 2021 , 12, 294	9.8	10
132	CUL4B renders breast cancer cells tamoxifen-resistant via miR-32-5p/ER- β 6 axis. <i>Journal of Pathology</i> , 2021 , 254, 185-198	9.4	5
131	CUL4B negatively regulates Toll-like receptor-triggered proinflammatory responses by repressing Pten transcription. <i>Cellular and Molecular Immunology</i> , 2021 , 18, 339-349	15.4	8
130	CUL4B facilitates HBV replication by promoting HBx stabilization. <i>Cancer Biology and Medicine</i> , 2021 ,	5.2	2
129	RECQL4 regulates DNA damage response and redox homeostasis in esophageal cancer. <i>Cancer Biology and Medicine</i> , 2021 , 18, 120-138	5.2	2
128	HDAC inhibition potentiates anti-tumor activity of macrophages and enhances anti-PD-L1-mediated tumor suppression. <i>Oncogene</i> , 2021 , 40, 1836-1850	9.2	18
127	Blastocyst-Inspired Hydrogels to Maintain Undifferentiation of Mouse Embryonic Stem Cells. <i>ACS Nano</i> , 2021 , 15, 14162-14173	16.7	1
126	Inflammatory cytokines-stimulated human muscle stem cells ameliorate ulcerative colitis via the IDO-TSG6 axis. <i>Stem Cell Research and Therapy</i> , 2021 , 12, 50	8.3	9
125	Guidelines for the use and interpretation of assays for monitoring autophagy (4th edition). <i>Autophagy</i> , 2021 , 17, 1-382	10.2	440
124	Autophagic Flux Unleashes GATA4-NF-B Axis to Promote Antioxidant Defense-Dependent Survival of Colorectal Cancer Cells under Chronic Acidosis.. <i>Oxidative Medicine and Cellular Longevity</i> , 2021 , 2021, 8189485	6.7	0
123	Irradiation induces cancer lung metastasis through activation of the cGAS-STING-CCL5 pathway in mesenchymal stromal cells. <i>Cell Death and Disease</i> , 2020 , 11, 326	9.8	16

122	Mitochondrial superoxide contributes to oxidative stress exacerbated by DNA damage response in RAD51-depleted ovarian cancer cells. <i>Redox Biology</i> , 2020 , 36, 101604	11.3	11
121	Mesenchymal stromal cells pretreated with pro-inflammatory cytokines promote skin wound healing through VEGFC-mediated angiogenesis. <i>Stem Cells Translational Medicine</i> , 2020 , 9, 1218-1232	6.9	13
120	Skeletal muscle stem cells confer maturing macrophages anti-inflammatory properties through insulin-like growth factor-2. <i>Stem Cells Translational Medicine</i> , 2020 , 9, 773-785	6.9	14
119	MYC-regulated pseudogene HMGA1P6 promotes ovarian cancer malignancy via augmenting the oncogenic HMGA1/2. <i>Cell Death and Disease</i> , 2020 , 11, 167	9.8	12
118	The CUL4B-miR-372/373-PIK3CA-AKT axis regulates metastasis in bladder cancer. <i>Oncogene</i> , 2020 , 39, 3588-3603	9.2	10
117	CUL4B contributes to cancer stemness by repressing tumor suppressor miR34a in colorectal cancer. <i>Oncogenesis</i> , 2020 , 9, 20	6.6	13
116	Scd1 controls de novo beige fat biogenesis through succinate-dependent regulation of mitochondrial complex II. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020 , 117, 2462-2472	11.5	19
115	HSD11B1 is upregulated synergistically by IFN γ and TNF α and mediates TSG-6 expression in human UC-MSCs. <i>Cell Death Discovery</i> , 2020 , 6, 24	6.9	3
114	The critical role of T cells in glucocorticoid-induced osteoporosis. <i>Cell Death and Disease</i> , 2020 , 12, 45	9.8	9
113	IGF2R-initiated proton rechanneling dictates an anti-inflammatory property in macrophages. <i>Science Advances</i> , 2020 , 6,	14.3	7
112	Macrophages inhibit adipogenic differentiation of adipose tissue derived mesenchymal stem/stromal cells by producing pro-inflammatory cytokines. <i>Cell and Bioscience</i> , 2020 , 10, 88	9.8	11
111	Spermidine endows macrophages anti-inflammatory properties by inducing mitochondrial superoxide-dependent AMPK activation, Hif-1 α upregulation and autophagy. <i>Free Radical Biology and Medicine</i> , 2020 , 161, 339-350	7.8	12
110	Autophagy Contributes to the Maintenance of Genomic Integrity by Reducing Oxidative Stress. <i>Oxidative Medicine and Cellular Longevity</i> , 2020 , 2020, 2015920	6.7	6
109	Adipose-derived mesenchymal stromal cells promote corneal wound healing by accelerating the clearance of neutrophils in cornea. <i>Cell Death and Disease</i> , 2020 , 11, 707	9.8	8
108	Upregulation of IL-6 in CUL4B-deficient myeloid-derived suppressive cells increases the aggressiveness of cancer cells. <i>Oncogene</i> , 2019 , 38, 5860-5872	9.2	12
107	Fibrotic liver microenvironment promotes Dll4 and SDF-1-dependent T-cell lineage development. <i>Cell Death and Disease</i> , 2019 , 10, 440	9.8	
106	Cul4a promotes zebrafish primitive erythropoiesis via upregulating scl and gata1 expression. <i>Cell Death and Disease</i> , 2019 , 10, 388	9.8	5
105	Berberine downregulates CDC6 and inhibits proliferation via targeting JAK-STAT3 signaling in keratinocytes. <i>Cell Death and Disease</i> , 2019 , 10, 274	9.8	22

104	Inhibition of DYRK1A-EGFR axis by p53-MDM2 cascade mediates the induction of cellular senescence. <i>Cell Death and Disease</i> , 2019 , 10, 282	9.8	15
103	IGF-2 Preprograms Maturing Macrophages to Acquire Oxidative Phosphorylation-Dependent Anti-inflammatory Properties. <i>Cell Metabolism</i> , 2019 , 29, 1363-1375.e8	24.6	47
102	Emerging predictors of the response to the blockade of immune checkpoints in cancer therapy. <i>Cellular and Molecular Immunology</i> , 2019 , 16, 28-39	15.4	34
101	Exposure to blue light stimulates the proangiogenic capability of exosomes derived from human umbilical cord mesenchymal stem cells. <i>Stem Cell Research and Therapy</i> , 2019 , 10, 358	8.3	27
100	Harnessing tumor-associated macrophages as aids for cancer immunotherapy. <i>Molecular Cancer</i> , 2019 , 18, 177	42.1	116
99	Pan-senescence transcriptome analysis identified RRAD as a marker and negative regulator of cellular senescence. <i>Free Radical Biology and Medicine</i> , 2019 , 130, 267-277	7.8	12
98	IFN γ and TNF β synergistically induce apoptosis of mesenchymal stem/stromal cells via the induction of nitric oxide. <i>Stem Cell Research and Therapy</i> , 2019 , 10, 18	8.3	31
97	Automatic Classification of Label-Free Cells from Small Cell Lung Cancer and Poorly Differentiated Lung Adenocarcinoma with 2D Light Scattering Static Cytometry and Machine Learning. <i>Cytometry Part A: the Journal of the International Society for Analytical Cytology</i> , 2019 , 95, 302-308	4.6	3
96	Increased oxidative stress mediates the antitumor effect of PARP inhibition in ovarian cancer. <i>Redox Biology</i> , 2018 , 17, 99-111	11.3	42
95	Lessons learned from the blockade of immune checkpoints in cancer immunotherapy. <i>Journal of Hematology and Oncology</i> , 2018 , 11, 31	22.4	141
94	Label-free light-sheet microfluidic cytometry for the automatic identification of senescent cells. <i>Biomedical Optics Express</i> , 2018 , 9, 1692-1703	3.5	16
93	Oxidative stress-induced miRNAs modulate AKT signaling and promote cellular senescence in uterine leiomyoma. <i>Journal of Molecular Medicine</i> , 2018 , 96, 1095-1106	5.5	12
92	Immunoregulatory mechanisms of mesenchymal stem and stromal cells in inflammatory diseases. <i>Nature Reviews Nephrology</i> , 2018 , 14, 493-507	14.9	369
91	Dysregulation of the miR-194-CUL4B negative feedback loop drives tumorigenesis in non-small-cell lung carcinoma. <i>Molecular Oncology</i> , 2017 , 11, 305-319	7.9	29
90	Lack of CUL4B in Adipocytes Promotes PPAR γ -Mediated Adipose Tissue Expansion and Insulin Sensitivity. <i>Diabetes</i> , 2017 , 66, 300-313	0.9	22
89	Resveratrol sequentially induces replication and oxidative stresses to drive p53-CXCR2 mediated cellular senescence in cancer cells. <i>Scientific Reports</i> , 2017 , 7, 208	4.9	27
88	miR-130a upregulates mTOR pathway by targeting TSC1 and is transactivated by NF- κ B in high-grade serous ovarian carcinoma. <i>Cell Death and Differentiation</i> , 2017 , 24, 2089-2100	12.7	45
87	Berberine induces oxidative DNA damage and impairs homologous recombination repair in ovarian cancer cells to confer increased sensitivity to PARP inhibition. <i>Cell Death and Disease</i> , 2017 , 8, e3070	9.8	49

86	Automatic classification of acute and chronic myeloid leukemic cells with wide-angle label-free static cytometry. <i>Optics Express</i> , 2017 , 25, 29365	3.3	10
85	S113R mutation in SLC33A1 leads to neurodegeneration and augmented BMP signaling in a mouse model. <i>DMM Disease Models and Mechanisms</i> , 2017 , 10, 53-62	4.1	8
84	GSH-dependent antioxidant defense contributes to the acclimation of colon cancer cells to acidic microenvironment. <i>Cell Cycle</i> , 2016 , 15, 1125-33	4.7	22
83	Neferine induces autophagy of human ovarian cancer cells via p38 MAPK/ JNK activation. <i>Tumor Biology</i> , 2016 , 37, 8721-9	2.9	58
82	Lack of interferon- β receptor results in a microenvironment favorable for intestinal tumorigenesis. <i>Oncotarget</i> , 2016 , 7, 42099-42109	3.3	9
81	Light-sheet-based 2D light scattering cytometry for label-free characterization of senescent cells. <i>Biomedical Optics Express</i> , 2016 , 7, 5170-5181	3.5	13
80	Differentiation of normal and leukemic cells by 2D light scattering label-free static cytometry. <i>Optics Express</i> , 2016 , 24, 21700-7	3.3	12
79	Artesunate sensitizes ovarian cancer cells to cisplatin by downregulating RAD51. <i>Cancer Biology and Therapy</i> , 2015 , 16, 1548-56	4.6	48
78	Berberine induces senescence of human glioblastoma cells by downregulating the EGFR-MEK-ERK signaling pathway. <i>Molecular Cancer Therapeutics</i> , 2015 , 14, 355-63	6.1	81
77	The CUL4B/AKT/ β Catenin Axis Restricts the Accumulation of Myeloid-Derived Suppressor Cells to Prohibit the Establishment of a Tumor-Permissive Microenvironment. <i>Cancer Research</i> , 2015 , 75, 5070-83	10.1	32
76	CUL4B impedes stress-induced cellular senescence by dampening a p53-reactive oxygen species positive feedback loop. <i>Free Radical Biology and Medicine</i> , 2015 , 79, 1-13	7.8	17
75	Zebrafish cul4a, but not cul4b, modulates cardiac and forelimb development by upregulating tbx5a expression. <i>Human Molecular Genetics</i> , 2015 , 24, 853-64	5.6	12
74	Isoliensinine induces apoptosis in triple-negative human breast cancer cells through ROS generation and p38 MAPK/JNK activation. <i>Scientific Reports</i> , 2015 , 5, 12579	4.9	95
73	Whole-exome sequencing identifies a variant in TMEM132E causing autosomal-recessive nonsyndromic hearing loss DFNB99. <i>Human Mutation</i> , 2015 , 36, 98-105	4.7	29
72	Identification and functional analysis of a SLC33A1: c.339T>G (p.Ser113Arg) variant in the original SPG42 Family. <i>Human Mutation</i> , 2015 , 36, 240-9	4.7	11
71	Lack of CUL4B leads to increased abundance of GFAP-positive cells that is mediated by PTGDS in mouse brain. <i>Human Molecular Genetics</i> , 2015 , 24, 4686-97	5.6	12
70	STC2 overexpression mediated by HMGA2 is a biomarker for aggressiveness of high-grade serous ovarian cancer. <i>Oncology Reports</i> , 2015 , 34, 1494-502	3.5	23
69	CUL4B activates Wnt/ β catenin signalling in hepatocellular carcinoma by repressing Wnt antagonists. <i>Journal of Pathology</i> , 2015 , 235, 784-95	9.4	44

68	Accelerated hepatocellular carcinoma development in CUL4B transgenic mice. <i>Oncotarget</i> , 2015 , 6, 15209-21	9.3	19
67	Tumor resident mesenchymal stromal cells endow naïve stromal cells with tumor-promoting properties. <i>Oncogene</i> , 2014 , 33, 4016-20	9.2	22
66	Oxidative stress preferentially induces a subtype of micronuclei and mediates the genomic instability caused by p53 dysfunction. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2014 , 770, 1-8	3.3	24
65	Exome sequencing reveals a heterozygous DLX5 mutation in a Chinese family with autosomal-dominant split-hand/foot malformation. <i>European Journal of Human Genetics</i> , 2014 , 22, 1105-10	5.7	21
64	CRL4B interacts with and coordinates the SIN3A-HDAC complex to repress CDKN1A and drive cell cycle progression. <i>Journal of Cell Science</i> , 2014 , 127, 4679-91	5.3	22
63	An osteopontin-integrin interaction plays a critical role in directing adipogenesis and osteogenesis by mesenchymal stem cells. <i>Stem Cells</i> , 2014 , 32, 327-37	5.8	141
62	Integrated analysis of long noncoding RNAs and mRNAs reveals their potential roles in the pathogenesis of uterine leiomyomas. <i>Oncotarget</i> , 2014 , 5, 8625-36	3.3	20
61	miR-145 inhibits tumor growth and metastasis by targeting metadherin in high-grade serous ovarian carcinoma. <i>Oncotarget</i> , 2014 , 5, 10816-29	3.3	88
60	X-linked intellectual disability gene CUL4B targets Jab1/CSN5 for degradation and regulates bone morphogenetic protein signaling. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2013 , 1832, 595-605	6.9	18
59	miR-17-5p and miR-106a are involved in the balance between osteogenic and adipogenic differentiation of adipose-derived mesenchymal stem cells. <i>Stem Cell Research</i> , 2013 , 10, 313-24	1.6	105
58	Chemokine receptor CXCR2 is transactivated by p53 and induces p38-mediated cellular senescence in response to DNA damage. <i>Aging Cell</i> , 2013 , 12, 1110-21	9.9	33
57	miR-106a represses the Rb tumor suppressor p130 to regulate cellular proliferation and differentiation in high-grade serous ovarian carcinoma. <i>Molecular Cancer Research</i> , 2013 , 11, 1314-25	6.6	39
56	CUL4B promotes replication licensing by up-regulating the CDK2-CDC6 cascade. <i>Journal of Cell Biology</i> , 2013 , 200, 743-56	7.3	24
55	Knockdown of Pnpla6 protein results in motor neuron defects in zebrafish. <i>DMM Disease Models and Mechanisms</i> , 2013 , 6, 404-13	4.1	34
54	Neferine, an alkaloid ingredient in lotus seed embryo, inhibits proliferation of human osteosarcoma cells by promoting p38 MAPK-mediated p21 stabilization. <i>European Journal of Pharmacology</i> , 2012 , 677, 47-54	5.3	64
53	A human cell-based reporter detects microhomology-mediated end joining. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2012 , 731, 140-4	3.3	2
52	Prdx1 deficiency in mice promotes tissue specific loss of heterozygosity mediated by deficiency in DNA repair and increased oxidative stress. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2012 , 735, 39-45	3.3	16
51	Berberine, a genotoxic alkaloid, induces ATM-Chk1 mediated G2 arrest in prostate cancer cells. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2012 , 734, 20-9	3.3	53

50	CCR2-dependent recruitment of macrophages by tumor-educated mesenchymal stromal cells promotes tumor development and is mimicked by TNF. <i>Cell Stem Cell</i> , 2012 , 11, 812-24	18	226
49	CRL4B catalyzes H2AK119 monoubiquitination and coordinates with PRC2 to promote tumorigenesis. <i>Cancer Cell</i> , 2012 , 22, 781-95	24.3	110
48	Lack of Cul4b, an E3 ubiquitin ligase component, leads to embryonic lethality and abnormal placental development. <i>PLoS ONE</i> , 2012 , 7, e37070	3.7	49
47	MiR-182 overexpression in tumorigenesis of high-grade serous ovarian carcinoma. <i>Journal of Pathology</i> , 2012 , 228, 204-15	9.4	123
46	Mesenchymal stem/stromal cells induce the generation of novel IL-10-dependent regulatory dendritic cells by SOCS3 activation. <i>Journal of Immunology</i> , 2012 , 189, 1182-92	5.3	67
45	MIF produced by bone marrow-derived macrophages contributes to teratoma progression after embryonic stem cell transplantation. <i>Cancer Research</i> , 2012 , 72, 2867-78	10.1	35
44	Specific deletion of TRAF3 in B lymphocytes leads to B-lymphoma development in mice. <i>Leukemia</i> , 2012 , 26, 1122-7	10.7	47
43	53BP1 functions as a tumor suppressor in breast cancer via the inhibition of NF- κ B through miR-146a. <i>Carcinogenesis</i> , 2012 , 33, 2593-600	4.6	38
42	Metadherin enhances the invasiveness of breast cancer cells by inducing epithelial to mesenchymal transition. <i>Cancer Science</i> , 2011 , 102, 1151-7	6.9	64
41	Ionizing radiation is a potent inducer of mitotic recombination in mouse embryonic stem cells. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2011 , 715, 1-6	3.3	13
40	HMG2 overexpression-induced ovarian surface epithelial transformation is mediated through regulation of EMT genes. <i>Cancer Research</i> , 2011 , 71, 349-59	10.1	115
39	NANOG has a role in mesenchymal stem cells immunomodulatory effect. <i>Stem Cells and Development</i> , 2011 , 20, 1521-8	4.4	16
38	Cullin 4B protein ubiquitin ligase targets peroxiredoxin III for degradation. <i>Journal of Biological Chemistry</i> , 2011 , 286, 32344-54	5.4	41
37	Replication stress induces micronuclei comprising of aggregated DNA double-strand breaks. <i>PLoS ONE</i> , 2011 , 6, e18618	3.7	61
36	Berberine radiosensitizes human esophageal cancer cells by downregulating homologous recombination repair protein RAD51. <i>PLoS ONE</i> , 2011 , 6, e23427	3.7	56
35	A New Formula of Voids in the Mineral Aggregate (VMA) of Hot Mix Asphalt (HMA) and its Application. <i>Advanced Materials Research</i> , 2010 , 150-151, 1158-1162	0.5	1
34	Inflammatory cytokine-induced intercellular adhesion molecule-1 and vascular cell adhesion molecule-1 in mesenchymal stem cells are critical for immunosuppression. <i>Journal of Immunology</i> , 2010 , 184, 2321-8	5.3	446
33	Small scale genetic alterations contribute to increased mutability at the X-linked Hprt locus in vivo in Blm hypomorphic mice. <i>DNA Repair</i> , 2010 , 9, 551-7	4.3	4

32	Resveratrol modulates angiogenesis through the GSK3 β /E-catenin/TCF-dependent pathway in human endothelial cells. <i>Biochemical Pharmacology</i> , 2010 , 80, 1386-95	6	53
31	A novel deletion mutation in GJB1 causes X-linked Charcot-Marie-Tooth disease in a Han Chinese family. <i>Muscle and Nerve</i> , 2010 , 42, 922-6	3.4	8
30	Brief report: interferon-gamma induces expansion of Lin(-)Sca-1(+)C-Kit(+) Cells. <i>Stem Cells</i> , 2010 , 28, 122-6	5.8	59
29	Prenatal diagnosis of autosomal dominant hereditary spastic paraplegia (SPG42) caused by SLC33A1 mutation in a Chinese kindred. <i>Prenatal Diagnosis</i> , 2010 , 30, 485-6	3.2	7
28	Characterization of nuclear localization signal in the N terminus of CUL4B and its essential role in cyclin E degradation and cell cycle progression. <i>Journal of Biological Chemistry</i> , 2009 , 284, 33320-32	5.4	86
27	Berberine induces p53-dependent cell cycle arrest and apoptosis of human osteosarcoma cells by inflicting DNA damage. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2009 , 662, 75-83	3.3	99
26	Mutagenesis in vivo in T cells of p21-deficient mice. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2009 , 670, 103-6	3.3	2
25	Serum withdrawal up-regulates human SIRT1 gene expression in a p53-dependent manner. <i>Journal of Cellular and Molecular Medicine</i> , 2009 , 13, 4176-84	5.6	18
24	Human mesenchymal stem cells inhibit cancer cell proliferation by secreting DKK-1. <i>Leukemia</i> , 2009 , 23, 925-33	10.7	235
23	Role of the mismatch repair gene, Msh6, in suppressing genome instability and radiation-induced mutations. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2008 , 642, 74-9	3.3	5
22	Human DNA ligases I and III, but not ligase IV, are required for microhomology-mediated end joining of DNA double-strand breaks. <i>Nucleic Acids Research</i> , 2008 , 36, 3297-310	20.1	111
21	A missense mutation in SLC33A1, which encodes the acetyl-CoA transporter, causes autosomal-dominant spastic paraplegia (SPG42). <i>American Journal of Human Genetics</i> , 2008 , 83, 752-9	11	91
20	Mutation in CUL4B, which encodes a member of cullin-RING ubiquitin ligase complex, causes X-linked mental retardation. <i>American Journal of Human Genetics</i> , 2007 , 80, 561-6	11	113
19	Recurrence of the D100N mutation in a Chinese family with brachydactyly type A1: evidence for a mutational hot spot in the Indian hedgehog gene. <i>American Journal of Medical Genetics, Part A</i> , 2007 , 143A, 1246-8	2.5	9
18	X-rays induce distinct patterns of somatic mutation in fetal versus adult hematopoietic cells. <i>DNA Repair</i> , 2007 , 6, 1380-5	4.3	16
17	Reduced apoptosis and increased deletion mutations at Aprt locus in vivo in mice exposed to repeated ionizing radiation. <i>Cancer Research</i> , 2007 , 67, 1910-7	10.1	18
16	Modulation of DNA end joining by nuclear proteins. <i>Journal of Biological Chemistry</i> , 2005 , 280, 31442-9	5.4	51
15	Mlh1 mediates tissue-specific regulation of mitotic recombination. <i>Oncogene</i> , 2004 , 23, 9017-24	9.2	22

14	Radiation-induced genetic instability in vivo depends on p53 status. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2002 , 502, 69-80	3.3	35
13	Loss of heterozygosity and point mutation at Aprt locus in T cells and fibroblasts of Pms2 ^{-/-} mice. <i>Oncogene</i> , 2002 , 21, 2840-5	9.2	23
12	Embryonic stem cells and somatic cells differ in mutation frequency and type. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002 , 99, 3586-90	11.5	253
11	Sequential analysis of kidney stone formation in the Aprt knockout mouse. <i>Kidney International</i> , 2001 , 60, 910-23	9.9	20
10	Mitotic recombination is suppressed by chromosomal divergence in hybrids of distantly related mouse strains. <i>Nature Genetics</i> , 2001 , 28, 169-72	36.3	51
9	In vivo loss of heterozygosity in T-cells of B6C3F1 Aprt ^{+/+} mice. <i>Environmental and Molecular Mutagenesis</i> , 2000 , 35, 150-157	3.2	31
8	Altered gene expression in kidneys of mice with 2,8-dihydroxyadenine nephrolithiasis. <i>Kidney International</i> , 2000 , 58, 528-36	9.9	21
7	Chromosome instability contributes to loss of heterozygosity in mice lacking p53. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000 , 97, 7405-10	11.5	67
6	Mitotic recombination produces the majority of recessive fibroblast variants in heterozygous mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999 , 96, 9230-5	11.5	107
5	Localization of group IIc low molecular weight phospholipase A2 mRNA to meiotic cells in the mouse. <i>Journal of Cellular Biochemistry</i> , 1997 , 64, 369-75	4.7	31
4	APRT: a versatile in vivo resident reporter of local mutation and loss of heterozygosity. <i>Environmental and Molecular Mutagenesis</i> , 1996 , 28, 471-82	3.2	49
3	Other transgenic mutation assays: APRT: A versatile in vivo resident reporter of local mutation and loss of heterozygosity 1996 , 28, 471		1
2	Genetic study of indirect inguinal hernia. <i>Journal of Medical Genetics</i> , 1994 , 31, 187-92	5.8	26
1	Karyotypes and X chromosome inactivation in segregants of a murine X-autosome translocation, T(X;4)37H. <i>Japanese Journal of Genetics</i> , 1991 , 66, 433-47		2