

Marie Linder

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8435151/publications.pdf>

Version: 2024-02-01

36
papers

646
citations

1051969

10
h-index

651938

25
g-index

36
all docs

36
docs citations

36
times ranked

1024
citing authors

#	ARTICLE	IF	CITATIONS
1	Patient characteristics and safety outcomes in new users of ticagrelor and clopidogrel—An observational cohort study in Sweden. <i>Pharmacoepidemiology and Drug Safety</i> , 2022, 31, 235-246.	0.9	1
2	Rationale and performances of a data-driven method for computing the duration of pharmacological prescriptions using secondary data sources. <i>Scientific Reports</i> , 2022, 12, 6245.	1.6	3
3	A study of cancer occurrence in users of mirabegron and antimuscarinic treatments for overactive bladder. <i>Current Medical Research and Opinion</i> , 2021, 37, 867-877.	0.9	3
4	Use of non-insulin antidiabetic drugs in children and young adults — A Scandinavian drug utilization study from 2010–2019. <i>British Journal of Clinical Pharmacology</i> , 2021, 87, 4470-4475.	1.1	1
5	Societal impact for patients with psoriasis: A nationwide Swedish register study. <i>JAAD International</i> , 2021, 3, 63-75.	1.1	9
6	Using epidemiological methods to quantify the risk of serious infections in children with atopic dermatitis. <i>British Journal of Dermatology</i> , 2021, 185, 11-12.	1.4	0
7	Use of intravenous iron and risk of anaphylaxis: A multinational observational post-authorization safety study in Europe. <i>Pharmacoepidemiology and Drug Safety</i> , 2021, 30, 1447-1457.	0.9	5
8	Cardiovascular Risk in Users of Mirabegron Compared with Users of Antimuscarinic Treatments for Overactive Bladder: Findings from a Non-Interventional, Multinational, Cohort Study. <i>Drug Safety</i> , 2021, 44, 899-915.	1.4	6
9	Risk factors of hospitalisation for thrombosis in adults with primary immune thrombocytopenia, including disease-specific treatments: a French nationwide cohort study. <i>British Journal of Haematology</i> , 2021, 195, 456-465.	1.2	9
10	Lessons Learned Using Real-World Data to Emulate Randomized Trials: A Case Study of Treatment Effectiveness for Newly Diagnosed Immune Thrombocytopenia. <i>Clinical Pharmacology and Therapeutics</i> , 2021, 110, 1570-1578.	2.3	2
11	The use of uncertain exposure—A method to define switching and addition in pharmacoepidemiology. <i>Pharmacoepidemiology and Drug Safety</i> , 2021, , .	0.9	1
12	Influence of statin potency on the risk of kidney disease — A nationwide cohort study using laboratory data. <i>Pharmacoepidemiology and Drug Safety</i> , 2021, 30, 210-219.	0.9	1
13	Methods for constructing treatment episodes and impact on exposure-outcome associations. <i>European Journal of Clinical Pharmacology</i> , 2020, 76, 267-275.	0.8	14
14	Cancer risk in patients with primary immune thrombocytopenia — A Swedish nationwide register study. <i>Cancer Epidemiology</i> , 2020, 69, 101806.	0.8	6
15	<p>>The Occurrence of Metabolic Risk Factors Stratified by Psoriasis Severity: A Swedish Population-Based Matched Cohort Study</p>. <i>Clinical Epidemiology</i> , 2020, Volume 12, 737-744.	1.5	5
16	Risk of common infections among individuals with psoriasis in Sweden: A nationwide cohort study comparing secukinumab to ustekinumab. <i>Pharmacoepidemiology and Drug Safety</i> , 2020, 29, 1562-1569.	0.9	8
17	<p>>Assessing Safety of Direct Thrombin Inhibitors, Direct Factor Xa Inhibitors and Vitamin K Antagonists in Patients with Atrial Fibrillation: A Nation-Wide Propensity Score Matched Cohort from Sweden</p>. <i>Clinical Epidemiology</i> , 2020, Volume 12, 1029-1038.	1.5	2
18	Risk factors for severe bleeding events during warfarin treatment: the influence of sex, age, comorbidity and co-medication. <i>European Journal of Clinical Pharmacology</i> , 2020, 76, 867-876.	0.8	17

#	ARTICLE	IF	CITATIONS
19	Adult height is associated with risk of cancer and mortality in 5.5 million Swedish women and men. <i>Journal of Epidemiology and Community Health</i> , 2019, 73, 730-736.	2.0	11
20	Impact of risk factors on the occurrence of arterial thrombosis and venous thromboembolism in adults with primary immune thrombocytopenia – Results from two nationwide cohorts. <i>Thrombosis Research</i> , 2019, 178, 124-131.	0.8	23
21	<p>Exposure to antimuscarinic medications for treatment of overactive bladder and risk of lung cancer and colon cancer</p>. <i>Clinical Epidemiology</i> , 2019, Volume 11, 133-143.	1.5	9
22	Patient characteristics when starting treatment and patterns of treatment in adults with chronic immune thrombocytopenia. <i>Blood Coagulation and Fibrinolysis</i> , 2019, 30, 350-356.	0.5	3
23	Methods for time-varying exposure related problems in pharmacoepidemiology: An overview. <i>Pharmacoepidemiology and Drug Safety</i> , 2018, 27, 148-160.	0.9	89
24	Young patients with risk factors prevalent in the elderly – differences in comorbidity depending on severity of psoriasis: a nationwide cross-sectional study in Swedish health registers. <i>Clinical Epidemiology</i> , 2018, Volume 10, 705-715.	1.5	10
25	Effectiveness of risk minimization measures for the use of cilostazol in United Kingdom, Spain, Sweden, and Germany. <i>Pharmacoepidemiology and Drug Safety</i> , 2018, 27, 953-961.	0.9	2
26	Risk Factors of Thrombosis in Adults with Primary Immune Thrombocytopenia. a French Nationwide Cohort Study. <i>Blood</i> , 2018, 132, 3745-3745.	0.6	2
27	Characterization of new users of cilostazol in the UK, Spain, Sweden, and Germany. <i>Pharmacoepidemiology and Drug Safety</i> , 2017, 26, 615-624.	0.9	14
28	Palivizumab Exposure and the Risk of Atopic Dermatitis, Asthma and Allergic Rhinoconjunctivitis: A Cross-National, Population-Based Cohort Study. <i>Paediatric Drugs</i> , 2017, 19, 155-164.	1.3	5
29	Pharmacological agents preceding a diagnosis of immune thrombocytopenia in adult patients developing the chronic form: A Swedish national register study. <i>Thrombosis Research</i> , 2017, 160, 27-31.	0.8	1
30	Increased susceptibility to infections before the diagnosis of immune thrombocytopenia. <i>Journal of Thrombosis and Haemostasis</i> , 2016, 14, 807-814.	1.9	20
31	Influence of baseline low-density lipoprotein cholesterol values on statin therapy persistence. <i>European Journal of Clinical Pharmacology</i> , 2016, 72, 349-357.	0.8	11
32	Children with hemodynamically significant congenital heart disease can be identified through population-based registers. <i>Clinical Epidemiology</i> , 2015, 7, 119.	1.5	10
33	Incidence rates of atopic dermatitis, asthma, and allergic rhinoconjunctivitis in Danish and Swedish children. <i>Journal of Allergy and Clinical Immunology</i> , 2015, 136, 360-366.e2.	1.5	116
34	Use of palivizumab is underestimated in the Swedish Prescribed Drug Register – implications for register-based drug studies. <i>Clinical Epidemiology</i> , 2014, 7, 45.	1.5	8
35	Precision of prediction in second-order calibration, with focus on bilinear regression methods. <i>Journal of Chemometrics</i> , 2002, 16, 12-27.	0.7	89
36	Second-order calibration: bilinear least squares regression and a simple alternative. <i>Chemometrics and Intelligent Laboratory Systems</i> , 1998, 42, 159-178.	1.8	130