

Weixing Cao

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8436830/publications.pdf>

Version: 2024-02-01

163
papers

5,929
citations

70961

41
h-index

102304

66
g-index

163
all docs

163
docs citations

163
times ranked

5153
citing authors

#	ARTICLE	IF	CITATIONS
1	Effects of salt and waterlogging stresses and their combination on leaf photosynthesis, chloroplast ATP synthesis, and antioxidant capacity in wheat. <i>Plant Science</i> , 2009, 176, 575-582.	1.7	196
2	Improved estimation of rice aboveground biomass combining textural and spectral analysis of UAV imagery. <i>Precision Agriculture</i> , 2019, 20, 611-629.	3.1	171
3	Leaf senescence and grain filling affected by post-anthesis high temperatures in two different wheat cultivars. <i>Plant Growth Regulation</i> , 2007, 51, 149-158.	1.8	162
4	Biogas production from undiluted chicken manure and maize silage: A study of ammonia inhibition in high solids anaerobic digestion. <i>Bioresource Technology</i> , 2016, 218, 1215-1223.	4.8	140
5	Post-heading heat stress and yield impact in winter wheat of China. <i>Global Change Biology</i> , 2014, 20, 372-381.	4.2	134
6	Combining Color Indices and Textures of UAV-Based Digital Imagery for Rice LAI Estimation. <i>Remote Sensing</i> , 2019, 11, 1763.	1.8	126
7	Multiple heat priming enhances thermo-tolerance to a later high temperature stress via improving subcellular antioxidant activities in wheat seedlings. <i>Plant Physiology and Biochemistry</i> , 2014, 74, 185-192.	2.8	125
8	Cold priming drives the sub-cellular antioxidant systems to protect photosynthetic electron transport against subsequent low temperature stress in winter wheat. <i>Plant Physiology and Biochemistry</i> , 2014, 82, 34-43.	2.8	125
9	A Wheat Spike Detection Method in UAV Images Based on Improved YOLOv5. <i>Remote Sensing</i> , 2021, 13, 3095.	1.8	120
10	Optimal Leaf Positions for SPAD Meter Measurement in Rice. <i>Frontiers in Plant Science</i> , 2016, 7, 719.	1.7	118
11	Improved estimation of aboveground biomass in wheat from RGB imagery and point cloud data acquired with a low-cost unmanned aerial vehicle system. <i>Plant Methods</i> , 2019, 15, 17.	1.9	117
12	Evaluation of RGB, Color-Infrared and Multispectral Images Acquired from Unmanned Aerial Systems for the Estimation of Nitrogen Accumulation in Rice. <i>Remote Sensing</i> , 2018, 10, 824.	1.8	115
13	Wheat Growth Monitoring and Yield Estimation based on Multi-Rotor Unmanned Aerial Vehicle. <i>Remote Sensing</i> , 2020, 12, 508.	1.8	114
14	Climate change impacts on regional winter wheat production in main wheat production regions of China. <i>Agricultural and Forest Meteorology</i> , 2013, 171-172, 234-248.	1.9	110
15	Induction of chilling tolerance in wheat during germination by pre-soaking seed with nitric oxide and gibberellin. <i>Plant Growth Regulation</i> , 2013, 71, 31-40.	1.8	108
16	Testing the responses of four wheat crop models to heat stress at anthesis and grain filling. <i>Global Change Biology</i> , 2016, 22, 1890-1903.	4.2	107
17	Activities of key enzymes for starch synthesis in relation to growth of superior and inferior grains on winter wheat (<i>Triticum aestivum</i> L.) spike. <i>Plant Growth Regulation</i> , 2003, 41, 247-257.	1.8	99
18	Evaluation of Six Algorithms to Monitor Wheat Leaf Nitrogen Concentration. <i>Remote Sensing</i> , 2015, 7, 14939-14966.	1.8	99

#	ARTICLE	IF	CITATIONS
19	Cadmium stress in wheat seedlings: growth, cadmium accumulation and photosynthesis. <i>Acta Physiologiae Plantarum</i> , 2010, 32, 365-373.	1.0	92
20	Nitrogen fertiliser rate and post-anthesis waterlogging effects on carbohydrate and nitrogen dynamics in wheat. <i>Plant and Soil</i> , 2008, 304, 301-314.	1.8	91
21	Combining Unmanned Aerial Vehicle (UAV)-Based Multispectral Imagery and Ground-Based Hyperspectral Data for Plant Nitrogen Concentration Estimation in Rice. <i>Frontiers in Plant Science</i> , 2018, 9, 936.	1.7	86
22	A Comparative Assessment of Different Modeling Algorithms for Estimating Leaf Nitrogen Content in Winter Wheat Using Multispectral Images from an Unmanned Aerial Vehicle. <i>Remote Sensing</i> , 2018, 10, 2026.	1.8	84
23	Winter Wheat Photosynthesis and Grain Yield Responses to Spring Freeze. <i>Agronomy Journal</i> , 2015, 107, 1002-1010.	0.9	77
24	Parental Drought-Priming Enhances Tolerance to Post-anthesis Drought in Offspring of Wheat. <i>Frontiers in Plant Science</i> , 2018, 9, 261.	1.7	75
25	Non-destructive Assessment of Plant Nitrogen Parameters Using Leaf Chlorophyll Measurements in Rice. <i>Frontiers in Plant Science</i> , 2016, 7, 1829.	1.7	74
26	Effects of short-term high temperature on grain quality and starch granules of rice (<i>Oryza sativa</i> L.) at post-anthesis stage. <i>Protoplasma</i> , 2017, 254, 935-943.	1.0	69
27	Assessing the Impact of Spatial Resolution on the Estimation of Leaf Nitrogen Concentration Over the Full Season of Paddy Rice Using Near-Surface Imaging Spectroscopy Data. <i>Frontiers in Plant Science</i> , 2018, 9, 964.	1.7	69
28	Predicting Rice Grain Yield Based on Dynamic Changes in Vegetation Indexes during Early to Mid-Growth Stages. <i>Remote Sensing</i> , 2019, 11, 387.	1.8	69
29	Heat Priming Induces Trans-generational Tolerance to High Temperature Stress in Wheat. <i>Frontiers in Plant Science</i> , 2016, 7, 501.	1.7	65
30	Hydrogen Peroxide and Abscisic Acid Mediate Salicylic Acid-Induced Freezing Tolerance in Wheat. <i>Frontiers in Plant Science</i> , 2018, 9, 1137.	1.7	65
31	Determination of critical nitrogen dilution curve based on leaf area index in rice. <i>Field Crops Research</i> , 2014, 167, 76-85.	2.3	64
32	Effects of low nitrogen supply on relationships between photosynthesis and nitrogen status at different leaf position in wheat seedlings. <i>Plant Growth Regulation</i> , 2013, 70, 257-263.	1.8	62
33	Impacts of Alkaline Hydrogen Peroxide Pretreatment on Chemical Composition and Biochemical Methane Potential of Agricultural Crop Stalks. <i>Energy & Fuels</i> , 2015, 29, 4966-4975.	2.5	62
34	Physiological, proteomic and transcriptional responses of wheat to combination of drought or waterlogging with late spring low temperature. <i>Functional Plant Biology</i> , 2014, 41, 690.	1.1	57
35	Estimation of area- and mass-based leaf nitrogen contents of wheat and rice crops from water-removed spectra using continuous wavelet analysis. <i>Plant Methods</i> , 2018, 14, 76.	1.9	55
36	Involvement of endogenous plant hormones in the effect of mixed nitrogen source on growth and tillering of wheat. <i>Journal of Plant Nutrition</i> , 1998, 21, 87-97.	0.9	54

#	ARTICLE	IF	CITATIONS
37	Comparison of different critical nitrogen dilution curves for nitrogen diagnosis in rice. <i>Scientific Reports</i> , 2017, 7, 42679.	1.6	47
38	Estimation of Nitrogen Nutrition Status in Winter Wheat From Unmanned Aerial Vehicle Based Multi-Angular Multispectral Imagery. <i>Frontiers in Plant Science</i> , 2019, 10, 1601.	1.7	47
39	Spectroscopic Estimation of Biomass in Canopy Components of Paddy Rice Using Dry Matter and Chlorophyll Indices. <i>Remote Sensing</i> , 2017, 9, 319.	1.8	46
40	Effect of water deficit during vegetative growth periods on post-anthesis photosynthetic capacity and grain yield in winter wheat (<i>Triticum aestivum</i> L.). <i>Acta Physiologiae Plantarum</i> , 2015, 37, 1.	1.0	45
41	Integrating remote sensing information with crop model to monitor wheat growth and yield based on simulation zone partitioning. <i>Precision Agriculture</i> , 2018, 19, 55-78.	3.1	45
42	Potential of UAV-Based Active Sensing for Monitoring Rice Leaf Nitrogen Status. <i>Frontiers in Plant Science</i> , 2018, 9, 1834.	1.7	45
43	Using a Portable Active Sensor to Monitor Growth Parameters and Predict Grain Yield of Winter Wheat. <i>Sensors</i> , 2019, 19, 1108.	2.1	45
44	Estimation of Rice Growth Parameters Based on Linear Mixed-Effect Model Using Multispectral Images from Fixed-Wing Unmanned Aerial Vehicles. <i>Remote Sensing</i> , 2019, 11, 1371.	1.8	44
45	Modelling the effects of post-heading heat stress on biomass growth of winter wheat. <i>Agricultural and Forest Meteorology</i> , 2017, 247, 476-490.	1.9	42
46	Monitoring leaf potassium content using hyperspectral vegetation indices in rice leaves. <i>Precision Agriculture</i> , 2020, 21, 324-348.	3.1	42
47	New Critical Nitrogen Curve Based on Leaf Area Index for Winter Wheat. <i>Agronomy Journal</i> , 2014, 106, 379-389.	0.9	41
48	Design and Test of a Soil Profile Moisture Sensor Based on Sensitive Soil Layers. <i>Sensors</i> , 2018, 18, 1648.	2.1	39
49	Post-Heading Heat Stress in Rice of South China during 1981-2010. <i>PLoS ONE</i> , 2015, 10, e0130642.	1.1	39
50	Wheat plants exposed to winter warming are more susceptible to low temperature stress in the spring. <i>Plant Growth Regulation</i> , 2015, 77, 11-19.	1.8	38
51	Evaluation of Aboveground Nitrogen Content of Winter Wheat Using Digital Imagery of Unmanned Aerial Vehicles. <i>Sensors</i> , 2019, 19, 4416.	2.1	38
52	Modelling the effects of heat stress on post-heading durations in wheat: A comparison of temperature response routines. <i>Agricultural and Forest Meteorology</i> , 2016, 222, 45-58.	1.9	37
53	Canopy Chlorophyll Density Based Index for Estimating Nitrogen Status and Predicting Grain Yield in Rice. <i>Frontiers in Plant Science</i> , 2017, 8, 1829.	1.7	35
54	Response of Potatoes to nitrogen concentrations differ with nitrogen forms. <i>Journal of Plant Nutrition</i> , 1998, 21, 615-623.	0.9	34

#	ARTICLE	IF	CITATIONS
55	Salt stress increases content and size of glutenin macropolymers in wheat grain. <i>Food Chemistry</i> , 2016, 197, 516-521.	4.2	32
56	Stage-dependent temperature sensitivity function predicts seed-setting rates under short-term extreme heat stress in rice. <i>Agricultural and Forest Meteorology</i> , 2018, 256-257, 196-206.	1.9	32
57	Chlorophyll meter-based nitrogen fertilizer optimization algorithm and nitrogen nutrition index for in-season fertilization of paddy rice. <i>Agronomy Journal</i> , 2020, 112, 288-300.	0.9	32
58	Water-deficit treatment followed by re-watering stimulates seminal root growth associated with hormone balance and photosynthesis in wheat (<i>Triticum aestivum</i> L.) seedlings. <i>Plant Growth Regulation</i> , 2015, 77, 201-210.	1.8	30
59	Using an Active-Optical Sensor to Develop an Optimal NDVI Dynamic Model for High-Yield Rice Production (Yangtze, China). <i>Sensors</i> , 2017, 17, 672.	2.1	30
60	Estimating Leaf Area Index with a New Vegetation Index Considering the Influence of Rice Panicles. <i>Remote Sensing</i> , 2019, 11, 1809.	1.8	29
61	Identification of quantitative trait loci for cadmium tolerance and accumulation in wheat. <i>Acta Physiologiae Plantarum</i> , 2012, 34, 191-202.	1.0	28
62	Determination of Critical Nitrogen Dilution Curve Based on Stem Dry Matter in Rice. <i>PLoS ONE</i> , 2014, 9, e104540.	1.1	28
63	Nitrogen topdressing timing modifies free amino acids profiles and storage protein gene expression in wheat grain. <i>BMC Plant Biology</i> , 2018, 18, 353.	1.6	28
64	Nitrogen topdressing timing modifies the gluten quality and grain hardness related protein levels as revealed by iTRAQ. <i>Food Chemistry</i> , 2019, 277, 135-144.	4.2	28
65	Assimilating Remotely Sensed Information with the WheatGrow Model Based on the Ensemble Square Root Filter for Improving Regional Wheat Yield Forecasts. <i>Plant Production Science</i> , 2013, 16, 352-364.	0.9	27
66	A Model-Based Estimate of Regional Wheat Yield Gaps and Water Use Efficiency in Main Winter Wheat Production Regions of China. <i>Scientific Reports</i> , 2017, 7, 6081.	1.6	27
67	Early Detection of Powdery Mildew Disease and Accurate Quantification of Its Severity Using Hyperspectral Images in Wheat. <i>Remote Sensing</i> , 2021, 13, 3612.	1.8	27
68	A Comparative Assessment of Measures of Leaf Nitrogen in Rice Using Two Leaf-Clip Meters. <i>Sensors</i> , 2020, 20, 175.	2.1	26
69	Estimation of Crop Yield From Combined Optical and SAR Imagery Using Gaussian Kernel Regression. <i>IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing</i> , 2021, 14, 10520-10534.	2.3	26
70	A New Curve of Critical Nitrogen Concentration Based on Spike Dry Matter for Winter Wheat in Eastern China. <i>PLoS ONE</i> , 2016, 11, e0164545.	1.1	25
71	Assessing the Spectral Properties of Sunlit and Shaded Components in Rice Canopies with Near-Ground Imaging Spectroscopy Data. <i>Sensors</i> , 2017, 17, 578.	2.1	25
72	Estimation of Canopy Biomass Components in Paddy Rice from Combined Optical and SAR Data Using Multi-Target Gaussian Regressor Stacking. <i>Remote Sensing</i> , 2020, 12, 2564.	1.8	25

#	ARTICLE	IF	CITATIONS
73	Quantitative Classification of Rice (<i>Oryza sativa</i> L.) Root Length and Diameter Using Image Analysis. <i>PLoS ONE</i> , 2017, 12, e0169968.	1.1	25
74	Simulating Organ Growth in Wheat Based on the Organ Weight Fraction Concept. <i>Plant Production Science</i> , 2002, 5, 248-256.	0.9	24
75	A Quantitative Knowledge-based Model for Designing Suitable Growth Dynamics in Rice. <i>Plant Production Science</i> , 2006, 9, 93-105.	0.9	24
76	Hyperspectral Estimation of Canopy Leaf Biomass Phenotype per Ground Area Using a Continuous Wavelet Analysis in Wheat. <i>Frontiers in Plant Science</i> , 2018, 9, 1360.	1.7	24
77	Current rice models underestimate yield losses from short-term heat stresses. <i>Global Change Biology</i> , 2021, 27, 402-416.	4.2	24
78	Mechano-stimulated modifications in the chloroplast antioxidant system and proteome changes are associated with cold response in wheat. <i>BMC Plant Biology</i> , 2015, 15, 219.	1.6	23
79	Evaluation of One-Class Support Vector Classification for Mapping the Paddy Rice Planting Area in Jiangsu Province of China from Landsat 8 OLI Imagery. <i>Remote Sensing</i> , 2018, 10, 546.	1.8	23
80	Low Nitrogen Priming Enhances Photosynthesis Adaptation to Water-Deficit Stress in Winter Wheat (<i>Triticum aestivum</i> L.) Seedlings. <i>Frontiers in Plant Science</i> , 2019, 10, 818.	1.7	23
81	Use of an Active Canopy Sensor Mounted on an Unmanned Aerial Vehicle to Monitor the Growth and Nitrogen Status of Winter Wheat. <i>Remote Sensing</i> , 2020, 12, 3684.	1.8	23
82	Estimation of Vertical Leaf Nitrogen Distribution Within a Rice Canopy Based on Hyperspectral Data. <i>Frontiers in Plant Science</i> , 2019, 10, 1802.	1.7	23
83	Estimation of Leaf Nitrogen Content in Wheat Based on Fusion of Spectral Features and Deep Features from Near Infrared Hyperspectral Imagery. <i>Sensors</i> , 2021, 21, 613.	2.1	23
84	Changes of transcriptome and proteome are associated with the enhanced post-anthesis high temperature tolerance induced by pre-anthesis heat priming in wheat. <i>Plant Growth Regulation</i> , 2016, 79, 135-145.	1.8	22
85	Effect of post-anthesis waterlogging on biosynthesis and granule size distribution of starch in wheat grains. <i>Plant Physiology and Biochemistry</i> , 2018, 132, 222-228.	2.8	22
86	Exploring Novel Bands and Key Index for Evaluating Leaf Equivalent Water Thickness in Wheat Using Hyperspectra Influenced by Nitrogen. <i>PLoS ONE</i> , 2014, 9, e96352.	1.1	22
87	Predicting the Protein Content of Grain in Winter Wheat with Meteorological and Genotypic Factors. <i>Plant Production Science</i> , 2006, 9, 323-333.	0.9	21
88	Extracting Red Edge Position Parameters from Ground- and Space-Based Hyperspectral Data for Estimation of Canopy Leaf Nitrogen Concentration in Rice. <i>Plant Production Science</i> , 2011, 14, 270-281.	0.9	21
89	Kinetics of Methane Production from Swine Manure and Buffalo Manure. <i>Applied Biochemistry and Biotechnology</i> , 2015, 177, 985-995.	1.4	21
90	Variations in Protein Concentration and Nitrogen Sources in Different Positions of Grain in Wheat. <i>Frontiers in Plant Science</i> , 2016, 7, 942.	1.7	21

#	ARTICLE	IF	CITATIONS
91	Generating Red-Edge Images at 3 M Spatial Resolution by Fusing Sentinel-2 and Planet Satellite Products. <i>Remote Sensing</i> , 2019, 11, 1422.	1.8	21
92	Generation and scavenging of reactive oxygen species in wheat flag leaves under combined shading and waterlogging stress. <i>Functional Plant Biology</i> , 2012, 39, 71.	1.1	20
93	Comparison of Five Nitrogen Dressing Methods to Optimize Rice Growth. <i>Plant Production Science</i> , 2014, 17, 66-80.	0.9	20
94	Development of a Critical Nitrogen Dilution Curve Based on Leaf Area Duration in Wheat. <i>Frontiers in Plant Science</i> , 2017, 8, 1517.	1.7	19
95	HISTIF: A New Spatiotemporal Image Fusion Method for High-Resolution Monitoring of Crops at the Subfield Level. <i>IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing</i> , 2020, 13, 4607-4626.	2.3	19
96	Development of a Novel Bidirectional Canopy Reflectance Model for Row-Planted Rice and Wheat. <i>Remote Sensing</i> , 2014, 6, 7632-7659.	1.8	17
97	Wireless Channel Propagation Characteristics and Modeling Research in Rice Field Sensor Networks. <i>Sensors</i> , 2018, 18, 3116.	2.1	17
98	Relationships of protein composition, gluten structure, and dough rheological properties with short biscuits quality of soft wheat varieties. <i>Agronomy Journal</i> , 2020, 112, 1921-1930.	0.9	17
99	Estimation of rice plant potassium accumulation based on non-negative matrix factorization using hyperspectral reflectance. <i>Precision Agriculture</i> , 2021, 22, 51-74.	3.1	17
100	In-season variable rate nitrogen recommendation for wheat precision production supported by fixed-wing UAV imagery. <i>Precision Agriculture</i> , 2022, 23, 830-853.	3.1	17
101	Analysis and Evaluation of the Image Preprocessing Process of a Six-Band Multispectral Camera Mounted on an Unmanned Aerial Vehicle for Winter Wheat Monitoring. <i>Sensors</i> , 2019, 19, 747.	2.1	16
102	Comparison of Different Hyperspectral Vegetation Indices for Estimating Canopy Leaf Nitrogen Accumulation in Rice. <i>Agronomy Journal</i> , 2014, 106, 1911-1920.	0.9	15
103	Enhanced Rubisco activation associated with maintenance of electron transport alleviates inhibition of photosynthesis under low nitrogen conditions in winter wheat seedlings. <i>Journal of Experimental Botany</i> , 2018, 69, 5477-5488.	2.4	15
104	Evaluation of Three Techniques for Correcting the Spatial Scaling Bias of Leaf Area Index. <i>Remote Sensing</i> , 2018, 10, 221.	1.8	15
105	Soil nitrogen balance and nitrogen utilization of winter wheat affected by straw management and nitrogen application in the Yangtze river basin of China. <i>Archives of Agronomy and Soil Science</i> , 2019, 65, 1-15.	1.3	15
106	Development of Chlorophyll-Meter-Index-Based Dynamic Models for Evaluation of High-Yield Japonica Rice Production in Yangtze River Reaches. <i>Agronomy</i> , 2019, 9, 106.	1.3	15
107	UAV-Borne Dual-Band Sensor Method for Monitoring Physiological Crop Status. <i>Sensors</i> , 2019, 19, 816.	2.1	15
108	Modelling the effects of post-heading heat stress on biomass partitioning, and grain number and weight of wheat. <i>Journal of Experimental Botany</i> , 2020, 71, 6015-6031.	2.4	15

#	ARTICLE	IF	CITATIONS
109	AAVI: A Novel Approach to Estimating Leaf Nitrogen Concentration in Rice From Unmanned Aerial Vehicle Multispectral Imagery at Early and Middle Growth Stages. <i>IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing</i> , 2021, 14, 6716-6728.	2.3	15
110	Comparative analysis of vegetation indices, non-parametric and physical retrieval methods for monitoring nitrogen in wheat using UAV-based multispectral imagery. , 2016, , .		14
111	Evaluation of the chlorophyll meter and GreenSeeker for the assessment of rice nitrogen status. <i>Advances in Animal Biosciences</i> , 2017, 8, 359-363.	1.0	14
112	Spatial Distribution of Leaf Area Index and Leaf N Content In Relation To Grain Yield and Nitrogen Uptake in Rice. <i>Plant Production Science</i> , 2007, 10, 136-145.	0.9	13
113	Physiological responses of wheat (<i>Triticum aestivum</i> L.) germination to elevated ammonium concentrations: reserve mobilization, sugar utilization, and antioxidant metabolism. <i>Plant Growth Regulation</i> , 2017, 81, 209-220.	1.8	13
114	Effect of Postanthesis High Temperature on Grain Quality Formation for Wheat. <i>Agronomy Journal</i> , 2017, 109, 1970-1980.	0.9	13
115	An automatic method for counting wheat tiller number in the field with terrestrial LiDAR. <i>Plant Methods</i> , 2020, 16, 132.	1.9	13
116	Skewed distribution of leaf color RGB model and application of skewed parameters in leaf color description model. <i>Plant Methods</i> , 2020, 16, 23.	1.9	13
117	Magnesium Application Promotes Rubisco Activation and Contributes to High-Temperature Stress Alleviation in Wheat During the Grain Filling. <i>Frontiers in Plant Science</i> , 2021, 12, 675582.	1.7	13
118	A Knowledge-Based Model for Nitrogen Management in Rice and Wheat. <i>Plant Production Science</i> , 2009, 12, 100-108.	0.9	12
119	Preface: Recent Advances in Remote Sensing for Crop Growth Monitoring. <i>Remote Sensing</i> , 2016, 8, 116.	1.8	12
120	Difference and Potential of the Upward and Downward Sun-Induced Chlorophyll Fluorescence on Detecting Leaf Nitrogen Concentration in Wheat. <i>Remote Sensing</i> , 2018, 10, 1315.	1.8	12
121	Spectrum- and RGB-D-Based Image Fusion for the Prediction of Nitrogen Accumulation in Wheat. <i>Remote Sensing</i> , 2020, 12, 4040.	1.8	12
122	Responses of Grain Yield and Yield Related Parameters to Post-Heading Low-Temperature Stress in Japonica Rice. <i>Plants</i> , 2021, 10, 1425.	1.6	12
123	Exploring the Vertical Distribution of Structural Parameters and Light Radiation in Rice Canopies by the Coupling Model and Remote Sensing. <i>Remote Sensing</i> , 2015, 7, 5203-5221.	1.8	11
124	Early nitrogen deficiency favors high nitrogen recovery efficiency by improving deeper soil root growth and reducing nitrogen loss in wheat. <i>Archives of Agronomy and Soil Science</i> , 2020, 66, 1384-1398.	1.3	11
125	Does the Organ-Based N Dilution Curve Improve the Predictions of N Status in Winter Wheat?. <i>Agriculture (Switzerland)</i> , 2020, 10, 500.	1.4	11
126	Estimating the Leaf Nitrogen Content with a New Feature Extracted from the Ultra-High Spectral and Spatial Resolution Images in Wheat. <i>Remote Sensing</i> , 2021, 13, 739.	1.8	11

#	ARTICLE	IF	CITATIONS
127	Multi-Modal Deep Learning for Weeds Detection in Wheat Field Based on RGB-D Images. <i>Frontiers in Plant Science</i> , 2021, 12, 732968.	1.7	11
128	Using an Active Sensor to Develop New Critical Nitrogen Dilution Curve for Winter Wheat. <i>Sensors</i> , 2020, 20, 1577.	2.1	10
129	Evaluation of Three Portable Optical Sensors for Non-Destructive Diagnosis of Nitrogen Status in Winter Wheat. <i>Sensors</i> , 2021, 21, 5579.	2.1	10
130	New flavonoid-C-glycosides from <i>Triticum aestivum</i> . <i>Chemistry of Natural Compounds</i> , 2008, 44, 171-173.	0.2	9
131	An assessment of multi-view spectral information from UAV-based color-infrared images for improved estimation of nitrogen nutrition status in winter wheat. <i>Precision Agriculture</i> , 2022, 23, 1653-1674.	3.1	9
132	Modeling grain protein formation in relation to nitrogen uptake and remobilization in rice plant. <i>Frontiers of Agriculture in China</i> , 2007, 1, 8-16.	0.2	8
133	Separating the impacts of heat stress events from rising mean temperatures on winter wheat yield of China. <i>Environmental Research Letters</i> , 2021, 16, 124035.	2.2	8
134	Effects of Low Temperature on the Amino Acid Composition of Wheat Grains. <i>Agronomy</i> , 2022, 12, 1171.	1.3	8
135	Improvement of pistillate flowers yield with GA3 in heavy metals treated plants. <i>Plant Growth Regulation</i> , 2006, 48, 247.	1.8	7
136	Effects of split nitrogen fertilization on post-anthesis photoassimilates, nitrogen use efficiency and grain yield in malting barley. <i>Acta Agriculturae Scandinavica - Section B Soil and Plant Science</i> , 2011, 61, 410-420.	0.3	7
137	Starch granule size distribution in wheat endosperm indirectly correlates to pasting property indicated by near-isogenic lines with different null- <i>waxy</i> alleles. <i>Starch/Staerke</i> , 2017, 69, 1600139.	1.1	7
138	Delineating soil nutrient management zones based on optimal sampling interval in medium- and small-scale intensive farming systems. <i>Precision Agriculture</i> , 2022, 23, 538-558.	3.1	7
139	Individual and Combined Effects of Booting and Flowering High-Temperature Stress on Rice Biomass Accumulation. <i>Plants</i> , 2021, 10, 1021.	1.6	6
140	MACA: A Relative Radiometric Correction Method for Multiflight Unmanned Aerial Vehicle Images Based on Concurrent Satellite Imagery. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2022, 60, 1-14.	2.7	6
141	Monitoring of Nitrogen Indices in Wheat Leaves Based on the Integration of Spectral and Canopy Structure Information. <i>Agronomy</i> , 2022, 12, 833.	1.3	6
142	BRDF Effect on the Estimation of Canopy Chlorophyll Content in Paddy Rice from UAV-Based Hyperspectral Imagery. , 2018, , .		5
143	Reduced 15N Losses by Winter and Spring Night-Warming Are Related to Root Distribution of Winter Wheat. <i>Frontiers in Plant Science</i> , 2019, 10, 771.	1.7	5
144	An assessment of Planet satellite imagery for county-wide mapping of rice planting areas in Jiangsu Province, China with one-class classification approaches. <i>International Journal of Remote Sensing</i> , 2021, 42, 7610-7635.	1.3	5

#	ARTICLE	IF	CITATIONS
145	Combining Remote Sensing and Meteorological Data for Improved Rice Plant Potassium Content Estimation. <i>Remote Sensing</i> , 2021, 13, 3502.	1.8	5
146	Assessment of spectral variation between rice canopy components using spectral feature analysis of near-ground hyperspectral imaging data. , 2016, , .		4
147	Preanthesis Root Growth and Nitrogen Uptake Improved Wheat Grain Yield and Nitrogen Use Efficiency. <i>Agronomy Journal</i> , 2019, 111, 3048-3056.	0.9	4
148	Quantification of Cultivar Change in Double Rice Regions under a Warming Climate during 1981â€“2009 in China. <i>Agronomy</i> , 2019, 9, 794.	1.3	4
149	A Rice Model System for Determining Suitable Sowing and Transplanting Dates. <i>Agronomy</i> , 2020, 10, 604.	1.3	4
150	Monitoring Wheat Growth Using a Portable Three-Band Instrument for Crop Growth Monitoring and Diagnosis. <i>Sensors</i> , 2020, 20, 2894.	2.1	4
151	Relationship of Starch Pasting Properties and Dough Rheology, and the Role of Starch in Determining Quality of Short Biscuit. <i>Frontiers in Plant Science</i> , 2022, 13, 829229.	1.7	4
152	Comparisons of cadmium tolerance and accumulation at seedling stage in wheat varieties grown in different decades in China. <i>Acta Physiologiae Plantarum</i> , 2011, 33, 1811-1819.	1.0	3
153	Accumulation of Highâ€Molecularâ€Weight Glutenin Subunits in Superior and Inferior Grains of a Winter Wheat, Yangmai 158. <i>Cereal Chemistry</i> , 2017, 94, 508-512.	1.1	3
154	Effects of short-term post-anthesis high-temperature stress on dynamic process of accumulation of grain protein and its composition in rice (<i>Oryza sativa</i> L.). <i>Revista Brasileira De Botanica</i> , 2017, 40, 49-58.	0.5	3
155	Detecting Rice Blast Disease Using Model Inverted Biochemical Variables from Close-Range Reflectance Imagery of Fresh Leaves. , 2018, , .		3
156	Laboratory shortwave infrared reflectance spectroscopy for estimating grain protein content in rice and wheat. <i>International Journal of Remote Sensing</i> , 2021, 42, 4467-4492.	1.3	3
157	Development of a growth model-based decision support system for crop management. <i>Frontiers of Agriculture in China</i> , 2007, 1, 296-300.	0.2	1
158	Mapping rice planting area from Landsat 8 imagery using one-class support vector machine. , 2016, , .		1
159	China Perspectives on Climate Change and Agriculture: Impacts, Adaptation and Mitigation Potential. <i>ICP Series on Climate Change Impacts, Adaptation, and Mitigation</i> , 2012, , 193-208.	0.4	0
160	Retrieval of LEAF pigment content using wavelet-based prospect inversion from leaf reflectance spectra. , 2016, , .		0
161	Improved Estimation of Leaf Chlorophyll Content from Non-Noon Reflectance Spectra of Wheat Canopies by Avoiding the Effect of Soil Background. , 2018, , .		0
162	Power and Difference of the Up-and-Downward Sun-Induced Chlorophyll Fluorescence on Detecting Leaf Nitrogen Content in Wheat at the Leaf Scale. , 2018, , .		0

#	ARTICLE	IF	CITATIONS
163	Improving the Estimation of Leaf Area Index in Winter Wheat at Regional Scale. , 2018, , .		0