

Weixing Cao

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8436830/publications.pdf>

Version: 2024-02-01

163
papers

5,929
citations

70961

41
h-index

102304

66
g-index

163
all docs

163
docs citations

163
times ranked

5153
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Delineating soil nutrient management zones based on optimal sampling interval in medium- and small-scale intensive farming systems. <i>Precision Agriculture</i> , 2022, 23, 538-558. | 3.1 | 7 |
| 2 | In-season variable rate nitrogen recommendation for wheat precision production supported by fixed-wing UAV imagery. <i>Precision Agriculture</i> , 2022, 23, 830-853. | 3.1 | 17 |
| 3 | MACA: A Relative Radiometric Correction Method for Multiflight Unmanned Aerial Vehicle Images Based on Concurrent Satellite Imagery. <i>IEEE Transactions on Geoscience and Remote Sensing</i> , 2022, 60, 1-14. | 2.7 | 6 |
| 4 | Relationship of Starch Pasting Properties and Dough Rheology, and the Role of Starch in Determining Quality of Short Biscuit. <i>Frontiers in Plant Science</i> , 2022, 13, 829229. | 1.7 | 4 |
| 5 | Monitoring of Nitrogen Indices in Wheat Leaves Based on the Integration of Spectral and Canopy Structure Information. <i>Agronomy</i> , 2022, 12, 833. | 1.3 | 6 |
| 6 | Effects of Low Temperature on the Amino Acid Composition of Wheat Grains. <i>Agronomy</i> , 2022, 12, 1171. | 1.3 | 8 |
| 7 | An assessment of multi-view spectral information from UAV-based color-infrared images for improved estimation of nitrogen nutrition status in winter wheat. <i>Precision Agriculture</i> , 2022, 23, 1653-1674. | 3.1 | 9 |
| 8 | Estimation of rice plant potassium accumulation based on non-negative matrix factorization using hyperspectral reflectance. <i>Precision Agriculture</i> , 2021, 22, 51-74. | 3.1 | 17 |
| 9 | Current rice models underestimate yield losses from short-term heat stresses. <i>Global Change Biology</i> , 2021, 27, 402-416. | 4.2 | 24 |
| 10 | Estimation of Leaf Nitrogen Content in Wheat Based on Fusion of Spectral Features and Deep Features from Near Infrared Hyperspectral Imagery. <i>Sensors</i> , 2021, 21, 613. | 2.1 | 23 |
| 11 | Estimating the Leaf Nitrogen Content with a New Feature Extracted from the Ultra-High Spectral and Spatial Resolution Images in Wheat. <i>Remote Sensing</i> , 2021, 13, 739. | 1.8 | 11 |
| 12 | Laboratory shortwave infrared reflectance spectroscopy for estimating grain protein content in rice and wheat. <i>International Journal of Remote Sensing</i> , 2021, 42, 4467-4492. | 1.3 | 3 |
| 13 | Individual and Combined Effects of Booting and Flowering High-Temperature Stress on Rice Biomass Accumulation. <i>Plants</i> , 2021, 10, 1021. | 1.6 | 6 |
| 14 | Magnesium Application Promotes Rubisco Activation and Contributes to High-Temperature Stress Alleviation in Wheat During the Grain Filling. <i>Frontiers in Plant Science</i> , 2021, 12, 675582. | 1.7 | 13 |
| 15 | Responses of Grain Yield and Yield Related Parameters to Post-Heading Low-Temperature Stress in Japonica Rice. <i>Plants</i> , 2021, 10, 1425. | 1.6 | 12 |
| 16 | An assessment of Planet satellite imagery for county-wide mapping of rice planting areas in Jiangsu Province, China with one-class classification approaches. <i>International Journal of Remote Sensing</i> , 2021, 42, 7610-7635. | 1.3 | 5 |
| 17 | Evaluation of Three Portable Optical Sensors for Non-Destructive Diagnosis of Nitrogen Status in Winter Wheat. <i>Sensors</i> , 2021, 21, 5579. | 2.1 | 10 |
| 18 | A Wheat Spike Detection Method in UAV Images Based on Improved YOLOv5. <i>Remote Sensing</i> , 2021, 13, 3095. | 1.8 | 120 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Combining Remote Sensing and Meteorological Data for Improved Rice Plant Potassium Content Estimation. <i>Remote Sensing</i> , 2021, 13, 3502. | 1.8 | 5 |
| 20 | Early Detection of Powdery Mildew Disease and Accurate Quantification of Its Severity Using Hyperspectral Images in Wheat. <i>Remote Sensing</i> , 2021, 13, 3612. | 1.8 | 27 |
| 21 | AAVI: A Novel Approach to Estimating Leaf Nitrogen Concentration in Rice From Unmanned Aerial Vehicle Multispectral Imagery at Early and Middle Growth Stages. <i>IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing</i> , 2021, 14, 6716-6728. | 2.3 | 15 |
| 22 | Estimation of Crop Yield From Combined Optical and SAR Imagery Using Gaussian Kernel Regression. <i>IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing</i> , 2021, 14, 10520-10534. | 2.3 | 26 |
| 23 | Multi-Modal Deep Learning for Weeds Detection in Wheat Field Based on RGB-D Images. <i>Frontiers in Plant Science</i> , 2021, 12, 732968. | 1.7 | 11 |
| 24 | Separating the impacts of heat stress events from rising mean temperatures on winter wheat yield of China. <i>Environmental Research Letters</i> , 2021, 16, 124035. | 2.2 | 8 |
| 25 | Monitoring leaf potassium content using hyperspectral vegetation indices in rice leaves. <i>Precision Agriculture</i> , 2020, 21, 324-348. | 3.1 | 42 |
| 26 | Early nitrogen deficiency favors high nitrogen recovery efficiency by improving deeper soil root growth and reducing nitrogen loss in wheat. <i>Archives of Agronomy and Soil Science</i> , 2020, 66, 1384-1398. | 1.3 | 11 |
| 27 | A Comparative Assessment of Measures of Leaf Nitrogen in Rice Using Two Leaf-Clip Meters. <i>Sensors</i> , 2020, 20, 175. | 2.1 | 26 |
| 28 | An automatic method for counting wheat tiller number in the field with terrestrial LiDAR. <i>Plant Methods</i> , 2020, 16, 132. | 1.9 | 13 |
| 29 | Use of an Active Canopy Sensor Mounted on an Unmanned Aerial Vehicle to Monitor the Growth and Nitrogen Status of Winter Wheat. <i>Remote Sensing</i> , 2020, 12, 3684. | 1.8 | 23 |
| 30 | Modelling the effects of post-heading heat stress on biomass partitioning, and grain number and weight of wheat. <i>Journal of Experimental Botany</i> , 2020, 71, 6015-6031. | 2.4 | 15 |
| 31 | Estimation of Canopy Biomass Components in Paddy Rice from Combined Optical and SAR Data Using Multi-Target Gaussian Regressor Stacking. <i>Remote Sensing</i> , 2020, 12, 2564. | 1.8 | 25 |
| 32 | HISTIF: A New Spatiotemporal Image Fusion Method for High-Resolution Monitoring of Crops at the Subfield Level. <i>IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing</i> , 2020, 13, 4607-4626. | 2.3 | 19 |
| 33 | Spectrum- and RGB-D-Based Image Fusion for the Prediction of Nitrogen Accumulation in Wheat. <i>Remote Sensing</i> , 2020, 12, 4040. | 1.8 | 12 |
| 34 | Does the Organ-Based N Dilution Curve Improve the Predictions of N Status in Winter Wheat?. <i>Agriculture (Switzerland)</i> , 2020, 10, 500. | 1.4 | 11 |
| 35 | A Rice Model System for Determining Suitable Sowing and Transplanting Dates. <i>Agronomy</i> , 2020, 10, 604. | 1.3 | 4 |
| 36 | Using an Active Sensor to Develop New Critical Nitrogen Dilution Curve for Winter Wheat. <i>Sensors</i> , 2020, 20, 1577. | 2.1 | 10 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Skewed distribution of leaf color RGB model and application of skewed parameters in leaf color description model. <i>Plant Methods</i> , 2020, 16, 23. | 1.9 | 13 |
| 38 | Relationships of protein composition, gluten structure, and dough rheological properties with short biscuits quality of soft wheat varieties. <i>Agronomy Journal</i> , 2020, 112, 1921-1930. | 0.9 | 17 |
| 39 | Wheat Growth Monitoring and Yield Estimation based on Multi-Rotor Unmanned Aerial Vehicle. <i>Remote Sensing</i> , 2020, 12, 508. | 1.8 | 114 |
| 40 | Chlorophyll meter-based nitrogen fertilizer optimization algorithm and nitrogen nutrition index for in-season fertilization of paddy rice. <i>Agronomy Journal</i> , 2020, 112, 288-300. | 0.9 | 32 |
| 41 | Monitoring Wheat Growth Using a Portable Three-Band Instrument for Crop Growth Monitoring and Diagnosis. <i>Sensors</i> , 2020, 20, 2894. | 2.1 | 4 |
| 42 | Soil nitrogen balance and nitrogen utilization of winter wheat affected by straw management and nitrogen application in the Yangtze river basin of China. <i>Archives of Agronomy and Soil Science</i> , 2019, 65, 1-15. | 1.3 | 15 |
| 43 | Generating Red-Edge Images at 3 M Spatial Resolution by Fusing Sentinel-2 and Planet Satellite Products. <i>Remote Sensing</i> , 2019, 11, 1422. | 1.8 | 21 |
| 44 | Reduced 15N Losses by Winter and Spring Night-Warming Are Related to Root Distribution of Winter Wheat. <i>Frontiers in Plant Science</i> , 2019, 10, 771. | 1.7 | 5 |
| 45 | Combining Color Indices and Textures of UAV-Based Digital Imagery for Rice LAI Estimation. <i>Remote Sensing</i> , 2019, 11, 1763. | 1.8 | 126 |
| 46 | Preanthesis Root Growth and Nitrogen Uptake Improved Wheat Grain Yield and Nitrogen Use Efficiency. <i>Agronomy Journal</i> , 2019, 111, 3048-3056. | 0.9 | 4 |
| 47 | Estimating Leaf Area Index with a New Vegetation Index Considering the Influence of Rice Panicles. <i>Remote Sensing</i> , 2019, 11, 1809. | 1.8 | 29 |
| 48 | Low Nitrogen Priming Enhances Photosynthesis Adaptation to Water-Deficit Stress in Winter Wheat (<i>Triticum aestivum</i> L.) Seedlings. <i>Frontiers in Plant Science</i> , 2019, 10, 818. | 1.7 | 23 |
| 49 | Estimation of Rice Growth Parameters Based on Linear Mixed-Effect Model Using Multispectral Images from Fixed-Wing Unmanned Aerial Vehicles. <i>Remote Sensing</i> , 2019, 11, 1371. | 1.8 | 44 |
| 50 | Development of Chlorophyll-Meter-Index-Based Dynamic Models for Evaluation of High-Yield Japonica Rice Production in Yangtze River Reaches. <i>Agronomy</i> , 2019, 9, 106. | 1.3 | 15 |
| 51 | Predicting Rice Grain Yield Based on Dynamic Changes in Vegetation Indexes during Early to Mid-Growth Stages. <i>Remote Sensing</i> , 2019, 11, 387. | 1.8 | 69 |
| 52 | UAV-Borne Dual-Band Sensor Method for Monitoring Physiological Crop Status. <i>Sensors</i> , 2019, 19, 816. | 2.1 | 15 |
| 53 | Using a Portable Active Sensor to Monitor Growth Parameters and Predict Grain Yield of Winter Wheat. <i>Sensors</i> , 2019, 19, 1108. | 2.1 | 45 |
| 54 | Improved estimation of aboveground biomass in wheat from RGB imagery and point cloud data acquired with a low-cost unmanned aerial vehicle system. <i>Plant Methods</i> , 2019, 15, 17. | 1.9 | 117 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Analysis and Evaluation of the Image Preprocessing Process of a Six-Band Multispectral Camera Mounted on an Unmanned Aerial Vehicle for Winter Wheat Monitoring. <i>Sensors</i> , 2019, 19, 747. | 2.1 | 16 |
| 56 | Estimation of Nitrogen Nutrition Status in Winter Wheat From Unmanned Aerial Vehicle Based Multi-Angular Multispectral Imagery. <i>Frontiers in Plant Science</i> , 2019, 10, 1601. | 1.7 | 47 |
| 57 | Evaluation of Aboveground Nitrogen Content of Winter Wheat Using Digital Imagery of Unmanned Aerial Vehicles. <i>Sensors</i> , 2019, 19, 4416. | 2.1 | 38 |
| 58 | Quantification of Cultivar Change in Double Rice Regions under a Warming Climate during 1981â€“2009 in China. <i>Agronomy</i> , 2019, 9, 794. | 1.3 | 4 |
| 59 | Nitrogen topdressing timing modifies the gluten quality and grain hardness related protein levels as revealed by iTRAQ. <i>Food Chemistry</i> , 2019, 277, 135-144. | 4.2 | 28 |
| 60 | Improved estimation of rice aboveground biomass combining textural and spectral analysis of UAV imagery. <i>Precision Agriculture</i> , 2019, 20, 611-629. | 3.1 | 171 |
| 61 | Estimation of Vertical Leaf Nitrogen Distribution Within a Rice Canopy Based on Hyperspectral Data. <i>Frontiers in Plant Science</i> , 2019, 10, 1802. | 1.7 | 23 |
| 62 | Stage-dependent temperature sensitivity function predicts seed-setting rates under short-term extreme heat stress in rice. <i>Agricultural and Forest Meteorology</i> , 2018, 256-257, 196-206. | 1.9 | 32 |
| 63 | Integrating remote sensing information with crop model to monitor wheat growth and yield based on simulation zone partitioning. <i>Precision Agriculture</i> , 2018, 19, 55-78. | 3.1 | 45 |
| 64 | Improved Estimation of Leaf Chlorophyll Content from Non-Noon Reflectance Spectra of Wheat Canopies by Avoiding the Effect of Soil Background. , 2018, , . | | 0 |
| 65 | BRDF Effect on the Estimation of Canopy Chlorophyll Content in Paddy Rice from UAV-Based Hyperspectral Imagery. , 2018, , . | | 5 |
| 66 | Power and Difference of the Up-and-Downward Sun-Induced Chlorophyll Fluorescence on Detecting Leaf Nitrogen Content in Wheat at the Leaf Scale. , 2018, , . | | 0 |
| 67 | Detecting Rice Blast Disease Using Model Inverted Biochemical Variables from Close-Range Reflectance Imagery of Fresh Leaves. , 2018, , . | | 3 |
| 68 | Wireless Channel Propagation Characteristics and Modeling Research in Rice Field Sensor Networks. <i>Sensors</i> , 2018, 18, 3116. | 2.1 | 17 |
| 69 | A Comparative Assessment of Different Modeling Algorithms for Estimating Leaf Nitrogen Content in Winter Wheat Using Multispectral Images from an Unmanned Aerial Vehicle. <i>Remote Sensing</i> , 2018, 10, 2026. | 1.8 | 84 |
| 70 | Improving the Estimation of Leaf Area Index in Winter Wheat at Regional Scale. , 2018, , . | | 0 |
| 71 | Nitrogen topdressing timing modifies free amino acids profiles and storage protein gene expression in wheat grain. <i>BMC Plant Biology</i> , 2018, 18, 353. | 1.6 | 28 |
| 72 | Potential of UAV-Based Active Sensing for Monitoring Rice Leaf Nitrogen Status. <i>Frontiers in Plant Science</i> , 2018, 9, 1834. | 1.7 | 45 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Hyperspectral Estimation of Canopy Leaf Biomass Phenotype per Ground Area Using a Continuous Wavelet Analysis in Wheat. <i>Frontiers in Plant Science</i> , 2018, 9, 1360. | 1.7 | 24 |
| 74 | Difference and Potential of the Upward and Downward Sun-Induced Chlorophyll Fluorescence on Detecting Leaf Nitrogen Concentration in Wheat. <i>Remote Sensing</i> , 2018, 10, 1315. | 1.8 | 12 |
| 75 | Enhanced Rubisco activation associated with maintenance of electron transport alleviates inhibition of photosynthesis under low nitrogen conditions in winter wheat seedlings. <i>Journal of Experimental Botany</i> , 2018, 69, 5477-5488. | 2.4 | 15 |
| 76 | Hydrogen Peroxide and Abscisic Acid Mediate Salicylic Acid-Induced Freezing Tolerance in Wheat. <i>Frontiers in Plant Science</i> , 2018, 9, 1137. | 1.7 | 65 |
| 77 | Assessing the Impact of Spatial Resolution on the Estimation of Leaf Nitrogen Concentration Over the Full Season of Paddy Rice Using Near-Surface Imaging Spectroscopy Data. <i>Frontiers in Plant Science</i> , 2018, 9, 964. | 1.7 | 69 |
| 78 | Effect of post-anthesis waterlogging on biosynthesis and granule size distribution of starch in wheat grains. <i>Plant Physiology and Biochemistry</i> , 2018, 132, 222-228. | 2.8 | 22 |
| 79 | Estimation of area- and mass-based leaf nitrogen contents of wheat and rice crops from water-removed spectra using continuous wavelet analysis. <i>Plant Methods</i> , 2018, 14, 76. | 1.9 | 55 |
| 80 | Parental Drought-Priming Enhances Tolerance to Post-anthesis Drought in Offspring of Wheat. <i>Frontiers in Plant Science</i> , 2018, 9, 261. | 1.7 | 75 |
| 81 | Combining Unmanned Aerial Vehicle (UAV)-Based Multispectral Imagery and Ground-Based Hyperspectral Data for Plant Nitrogen Concentration Estimation in Rice. <i>Frontiers in Plant Science</i> , 2018, 9, 936. | 1.7 | 86 |
| 82 | Evaluation of Three Techniques for Correcting the Spatial Scaling Bias of Leaf Area Index. <i>Remote Sensing</i> , 2018, 10, 221. | 1.8 | 15 |
| 83 | Evaluation of One-Class Support Vector Classification for Mapping the Paddy Rice Planting Area in Jiangsu Province of China from Landsat 8 OLI Imagery. <i>Remote Sensing</i> , 2018, 10, 546. | 1.8 | 23 |
| 84 | Evaluation of RGB, Color-Infrared and Multispectral Images Acquired from Unmanned Aerial Systems for the Estimation of Nitrogen Accumulation in Rice. <i>Remote Sensing</i> , 2018, 10, 824. | 1.8 | 115 |
| 85 | Design and Test of a Soil Profile Moisture Sensor Based on Sensitive Soil Layers. <i>Sensors</i> , 2018, 18, 1648. | 2.1 | 39 |
| 86 | Accumulation of High-Molecular-Weight Glutenin Subunits in Superior and Inferior Grains of a Winter Wheat, Yangmai 158. <i>Cereal Chemistry</i> , 2017, 94, 508-512. | 1.1 | 3 |
| 87 | Evaluation of the chlorophyll meter and GreenSeeker for the assessment of rice nitrogen status. <i>Advances in Animal Biosciences</i> , 2017, 8, 359-363. | 1.0 | 14 |
| 88 | Comparison of different critical nitrogen dilution curves for nitrogen diagnosis in rice. <i>Scientific Reports</i> , 2017, 7, 42679. | 1.6 | 47 |
| 89 | Modelling the effects of post-heading heat stress on biomass growth of winter wheat. <i>Agricultural and Forest Meteorology</i> , 2017, 247, 476-490. | 1.9 | 42 |
| 90 | A Model-Based Estimate of Regional Wheat Yield Gaps and Water Use Efficiency in Main Winter Wheat Production Regions of China. <i>Scientific Reports</i> , 2017, 7, 6081. | 1.6 | 27 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Physiological responses of wheat (<i>Triticum aestivum</i> L.) germination to elevated ammonium concentrations: reserve mobilization, sugar utilization, and antioxidant metabolism. <i>Plant Growth Regulation</i> , 2017, 81, 209-220. | 1.8 | 13 |
| 92 | Effects of short-term post-anthesis high-temperature stress on dynamic process of accumulation of grain protein and its composition in rice (<i>Oryza sativa</i> L.). <i>Revista Brasileira De Botanica</i> , 2017, 40, 49-58. | 0.5 | 3 |
| 93 | Starch granule size distribution in wheat endosperm indirectly correlates to pasting property indicated by near-isogenic lines with different null- <i>waxy</i> alleles. <i>Starch/Staerke</i> , 2017, 69, 1600139. | 1.1 | 7 |
| 94 | Effects of short-term high temperature on grain quality and starch granules of rice (<i>Oryza sativa</i> L.) at post-anthesis stage. <i>Protoplasma</i> , 2017, 254, 935-943. | 1.0 | 69 |
| 95 | Development of a Critical Nitrogen Dilution Curve Based on Leaf Area Duration in Wheat. <i>Frontiers in Plant Science</i> , 2017, 8, 1517. | 1.7 | 19 |
| 96 | Canopy Chlorophyll Density Based Index for Estimating Nitrogen Status and Predicting Grain Yield in Rice. <i>Frontiers in Plant Science</i> , 2017, 8, 1829. | 1.7 | 35 |
| 97 | Spectroscopic Estimation of Biomass in Canopy Components of Paddy Rice Using Dry Matter and Chlorophyll Indices. <i>Remote Sensing</i> , 2017, 9, 319. | 1.8 | 46 |
| 98 | Assessing the Spectral Properties of Sunlit and Shaded Components in Rice Canopies with Near-Ground Imaging Spectroscopy Data. <i>Sensors</i> , 2017, 17, 578. | 2.1 | 25 |
| 99 | Using an Active-Optical Sensor to Develop an Optimal NDVI Dynamic Model for High-Yield Rice Production (Yangtze, China). <i>Sensors</i> , 2017, 17, 672. | 2.1 | 30 |
| 100 | Effect of Postanthesis High Temperature on Grain Quality Formation for Wheat. <i>Agronomy Journal</i> , 2017, 109, 1970-1980. | 0.9 | 13 |
| 101 | Quantitative Classification of Rice (<i>Oryza sativa</i> L.) Root Length and Diameter Using Image Analysis. <i>PLoS ONE</i> , 2017, 12, e0169968. | 1.1 | 25 |
| 102 | Preface: Recent Advances in Remote Sensing for Crop Growth Monitoring. <i>Remote Sensing</i> , 2016, 8, 116. | 1.8 | 12 |
| 103 | Retrieval of LEAF pigment content using wavelet-based prospect inversion from leaf reflectance spectra. , 2016, , . | | 0 |
| 104 | A New Curve of Critical Nitrogen Concentration Based on Spike Dry Matter for Winter Wheat in Eastern China. <i>PLoS ONE</i> , 2016, 11, e0164545. | 1.1 | 25 |
| 105 | Heat Priming Induces Trans-generational Tolerance to High Temperature Stress in Wheat. <i>Frontiers in Plant Science</i> , 2016, 7, 501. | 1.7 | 65 |
| 106 | Optimal Leaf Positions for SPAD Meter Measurement in Rice. <i>Frontiers in Plant Science</i> , 2016, 7, 719. | 1.7 | 118 |
| 107 | Variations in Protein Concentration and Nitrogen Sources in Different Positions of Grain in Wheat. <i>Frontiers in Plant Science</i> , 2016, 7, 942. | 1.7 | 21 |
| 108 | Non-destructive Assessment of Plant Nitrogen Parameters Using Leaf Chlorophyll Measurements in Rice. <i>Frontiers in Plant Science</i> , 2016, 7, 1829. | 1.7 | 74 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Testing the responses of four wheat crop models to heat stress at anthesis and grain filling. <i>Global Change Biology</i> , 2016, 22, 1890-1903. | 4.2 | 107 |
| 110 | Biogas production from undiluted chicken manure and maize silage: A study of ammonia inhibition in high solids anaerobic digestion. <i>Bioresource Technology</i> , 2016, 218, 1215-1223. | 4.8 | 140 |
| 111 | Comparative analysis of vegetation indices, non-parametric and physical retrieval methods for monitoring nitrogen in wheat using UAV-based multispectral imagery. , 2016, , . | | 14 |
| 112 | Mapping rice planting area from Landsat 8 imagery using one-class support vector machine. , 2016, , . | | 1 |
| 113 | Assessment of spectral variation between rice canopy components using spectral feature analysis of near-ground hyperspectral imaging data. , 2016, , . | | 4 |
| 114 | Modelling the effects of heat stress on post-heading durations in wheat: A comparison of temperature response routines. <i>Agricultural and Forest Meteorology</i> , 2016, 222, 45-58. | 1.9 | 37 |
| 115 | Salt stress increases content and size of glutenin macropolymers in wheat grain. <i>Food Chemistry</i> , 2016, 197, 516-521. | 4.2 | 32 |
| 116 | Changes of transcriptome and proteome are associated with the enhanced post-anthesis high temperature tolerance induced by pre-anthesis heat priming in wheat. <i>Plant Growth Regulation</i> , 2016, 79, 135-145. | 1.8 | 22 |
| 117 | Evaluation of Six Algorithms to Monitor Wheat Leaf Nitrogen Concentration. <i>Remote Sensing</i> , 2015, 7, 14939-14966. | 1.8 | 99 |
| 118 | Exploring the Vertical Distribution of Structural Parameters and Light Radiation in Rice Canopies by the Coupling Model and Remote Sensing. <i>Remote Sensing</i> , 2015, 7, 5203-5221. | 1.8 | 11 |
| 119 | Winter Wheat Photosynthesis and Grain Yield Responses to Spring Freeze. <i>Agronomy Journal</i> , 2015, 107, 1002-1010. | 0.9 | 77 |
| 120 | Water-deficit treatment followed by re-watering stimulates seminal root growth associated with hormone balance and photosynthesis in wheat (<i>Triticum aestivum</i> L.) seedlings. <i>Plant Growth Regulation</i> , 2015, 77, 201-210. | 1.8 | 30 |
| 121 | Mechano-stimulated modifications in the chloroplast antioxidant system and proteome changes are associated with cold response in wheat. <i>BMC Plant Biology</i> , 2015, 15, 219. | 1.6 | 23 |
| 122 | Wheat plants exposed to winter warming are more susceptible to low temperature stress in the spring. <i>Plant Growth Regulation</i> , 2015, 77, 11-19. | 1.8 | 38 |
| 123 | Impacts of Alkaline Hydrogen Peroxide Pretreatment on Chemical Composition and Biochemical Methane Potential of Agricultural Crop Stalks. <i>Energy & Fuels</i> , 2015, 29, 4966-4975. | 2.5 | 62 |
| 124 | Effect of water deficit during vegetative growth periods on post-anthesis photosynthetic capacity and grain yield in winter wheat (<i>Triticum aestivum</i> L.). <i>Acta Physiologiae Plantarum</i> , 2015, 37, 1. | 1.0 | 45 |
| 125 | Kinetics of Methane Production from Swine Manure and Buffalo Manure. <i>Applied Biochemistry and Biotechnology</i> , 2015, 177, 985-995. | 1.4 | 21 |
| 126 | Post-Heading Heat Stress in Rice of South China during 1981-2010. <i>PLoS ONE</i> , 2015, 10, e0130642. | 1.1 | 39 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Determination of Critical Nitrogen Dilution Curve Based on Stem Dry Matter in Rice. PLoS ONE, 2014, 9, e104540. | 1.1 | 28 |
| 128 | Comparison of Different Hyperspectral Vegetation Indices for Estimating Canopy Leaf Nitrogen Accumulation in Rice. Agronomy Journal, 2014, 106, 1911-1920. | 0.9 | 15 |
| 129 | Development of a Novel Bidirectional Canopy Reflectance Model for Row-Planted Rice and Wheat. Remote Sensing, 2014, 6, 7632-7659. | 1.8 | 17 |
| 130 | Multiple heat priming enhances thermo-tolerance to a later high temperature stress via improving subcellular antioxidant activities in wheat seedlings. Plant Physiology and Biochemistry, 2014, 74, 185-192. | 2.8 | 125 |
| 131 | Determination of critical nitrogen dilution curve based on leaf area index in rice. Field Crops Research, 2014, 167, 76-85. | 2.3 | 64 |
| 132 | Post-anthesis heat stress and yield impact in winter wheat of China. Global Change Biology, 2014, 20, 372-381. | 4.2 | 134 |
| 133 | Physiological, proteomic and transcriptional responses of wheat to combination of drought or waterlogging with late spring low temperature. Functional Plant Biology, 2014, 41, 690. | 1.1 | 57 |
| 134 | Cold priming drives the sub-cellular antioxidant systems to protect photosynthetic electron transport against subsequent low temperature stress in winter wheat. Plant Physiology and Biochemistry, 2014, 82, 34-43. | 2.8 | 125 |
| 135 | New Critical Nitrogen Curve Based on Leaf Area Index for Winter Wheat. Agronomy Journal, 2014, 106, 379-389. | 0.9 | 41 |
| 136 | Comparison of Five Nitrogen Dressing Methods to Optimize Rice Growth. Plant Production Science, 2014, 17, 66-80. | 0.9 | 20 |
| 137 | Exploring Novel Bands and Key Index for Evaluating Leaf Equivalent Water Thickness in Wheat Using Hyperspectra Influenced by Nitrogen. PLoS ONE, 2014, 9, e96352. | 1.1 | 22 |
| 138 | Effects of low nitrogen supply on relationships between photosynthesis and nitrogen status at different leaf position in wheat seedlings. Plant Growth Regulation, 2013, 70, 257-263. | 1.8 | 62 |
| 139 | Induction of chilling tolerance in wheat during germination by pre-soaking seed with nitric oxide and gibberellin. Plant Growth Regulation, 2013, 71, 31-40. | 1.8 | 108 |
| 140 | Climate change impacts on regional winter wheat production in main wheat production regions of China. Agricultural and Forest Meteorology, 2013, 171-172, 234-248. | 1.9 | 110 |
| 141 | Assimilating Remotely Sensed Information with the WheatGrow Model Based on the Ensemble Square Root Filter for Improving Regional Wheat Yield Forecasts. Plant Production Science, 2013, 16, 352-364. | 0.9 | 27 |
| 142 | China Perspectives on Climate Change and Agriculture: Impacts, Adaptation and Mitigation Potential. ICP Series on Climate Change Impacts, Adaptation, and Mitigation, 2012, , 193-208. | 0.4 | 0 |
| 143 | Generation and scavenging of reactive oxygen species in wheat flag leaves under combined shading and waterlogging stress. Functional Plant Biology, 2012, 39, 71. | 1.1 | 20 |
| 144 | Identification of quantitative trait loci for cadmium tolerance and accumulation in wheat. Acta Physiologiae Plantarum, 2012, 34, 191-202. | 1.0 | 28 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 145 | Comparisons of cadmium tolerance and accumulation at seedling stage in wheat varieties grown in different decades in China. <i>Acta Physiologiae Plantarum</i> , 2011, 33, 1811-1819. | 1.0 | 3 |
| 146 | Effects of split nitrogen fertilization on post-anthesis photoassimilates, nitrogen use efficiency and grain yield in malting barley. <i>Acta Agriculturae Scandinavica - Section B Soil and Plant Science</i> , 2011, 61, 410-420. | 0.3 | 7 |
| 147 | Extracting Red Edge Position Parameters from Ground- and Space-Based Hyperspectral Data for Estimation of Canopy Leaf Nitrogen Concentration in Rice. <i>Plant Production Science</i> , 2011, 14, 270-281. | 0.9 | 21 |
| 148 | Cadmium stress in wheat seedlings: growth, cadmium accumulation and photosynthesis. <i>Acta Physiologiae Plantarum</i> , 2010, 32, 365-373. | 1.0 | 92 |
| 149 | A Knowledge-Based Model for Nitrogen Management in Rice and Wheat. <i>Plant Production Science</i> , 2009, 12, 100-108. | 0.9 | 12 |
| 150 | Effects of salt and waterlogging stresses and their combination on leaf photosynthesis, chloroplast ATP synthesis, and antioxidant capacity in wheat. <i>Plant Science</i> , 2009, 176, 575-582. | 1.7 | 196 |
| 151 | New flavonoid-C-glycosides from <i>Triticum aestivum</i> . <i>Chemistry of Natural Compounds</i> , 2008, 44, 171-173. | 0.2 | 9 |
| 152 | Nitrogen fertiliser rate and post-anthesis waterlogging effects on carbohydrate and nitrogen dynamics in wheat. <i>Plant and Soil</i> , 2008, 304, 301-314. | 1.8 | 91 |
| 153 | Spatial Distribution of Leaf Area Index and Leaf N Content In Relation To Grain Yield and Nitrogen Uptake in Rice. <i>Plant Production Science</i> , 2007, 10, 136-145. | 0.9 | 13 |
| 154 | Leaf senescence and grain filling affected by post-anthesis high temperatures in two different wheat cultivars. <i>Plant Growth Regulation</i> , 2007, 51, 149-158. | 1.8 | 162 |
| 155 | Modeling grain protein formation in relation to nitrogen uptake and remobilization in rice plant. <i>Frontiers of Agriculture in China</i> , 2007, 1, 8-16. | 0.2 | 8 |
| 156 | Development of a growth model-based decision support system for crop management. <i>Frontiers of Agriculture in China</i> , 2007, 1, 296-300. | 0.2 | 1 |
| 157 | Improvement of pistillate flowers yield with GA3 in heavy metals treated plants. <i>Plant Growth Regulation</i> , 2006, 48, 247. | 1.8 | 7 |
| 158 | A Quantitative Knowledge-based Model for Designing Suitable Growth Dynamics in Rice. <i>Plant Production Science</i> , 2006, 9, 93-105. | 0.9 | 24 |
| 159 | Predicting the Protein Content of Grain in Winter Wheat with Meteorological and Genotypic Factors. <i>Plant Production Science</i> , 2006, 9, 323-333. | 0.9 | 21 |
| 160 | Activities of key enzymes for starch synthesis in relation to growth of superior and inferior grains on winter wheat (<i>Triticum aestivum</i> L.) spike. <i>Plant Growth Regulation</i> , 2003, 41, 247-257. | 1.8 | 99 |
| 161 | Simulating Organ Growth in Wheat Based on the Organ's Weight Fraction Concept. <i>Plant Production Science</i> , 2002, 5, 248-256. | 0.9 | 24 |
| 162 | Involvement of endogenous plant hormones in the effect of mixed nitrogen source on growth and tillering of wheat. <i>Journal of Plant Nutrition</i> , 1998, 21, 87-97. | 0.9 | 54 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 163 | Response of Potatoes to nitrogen concentrations differ with nitrogen forms. Journal of Plant Nutrition, 1998, 21, 615-623. | 0.9 | 34 |