

Udo Jeschke

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8437092/udo-jeschke-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

400
papers

6,443
citations

37
h-index

54
g-index

523
ext. papers

7,543
ext. citations

3.8
avg, IF

5.58
L-index

#	Paper	IF	Citations
400	Simultaneous immunohistochemical detection of tumor cells in lymph nodes and bone marrow aspirates in breast cancer and its correlation with other prognostic factors. <i>Journal of Clinical Oncology</i> , 2001 , 19, 960-71	2.2	146
399	Recurrent miscarriage: current concepts in diagnosis and treatment. <i>Journal of Reproductive Immunology</i> , 2010 , 85, 25-32	4.2	142
398	Yolk sac macrophage progenitors traffic to the embryo during defined stages of development. <i>Nature Communications</i> , 2018 , 9, 75	17.4	114
397	Multicentric and multifocal versus unifocal breast cancer: is the tumor-node-metastasis classification justified?. <i>Breast Cancer Research and Treatment</i> , 2010 , 122, 27-34	4.4	103
396	Prognostic significance of oestrogen receptor alpha (ERalpha) and beta (ERbeta), progesterone receptor A (PR-A) and B (PR-B) in endometrial carcinomas. <i>European Journal of Cancer</i> , 2007 , 43, 2434-44	7.5	83
395	Neuroendocrine-immune disequilibrium and endometriosis: an interdisciplinary approach. <i>Seminars in Immunopathology</i> , 2007 , 29, 193-210	12	80
394	Expression of galectin-1, -3 (gal-1, gal-3) and the Thomsen-Friedenreich (TF) antigen in normal, IUGR, preeclamptic and HELLP placentas. <i>Placenta</i> , 2007 , 28, 1165-73	3.4	72
393	Governing the invasive trophoblast: current aspects on intra- and extracellular regulation. <i>American Journal of Reproductive Immunology</i> , 2010 , 63, 492-505	3.8	71
392	The association between vitamin D receptor expression and prolonged overall survival in breast cancer. <i>Journal of Histochemistry and Cytochemistry</i> , 2012 , 60, 121-9	3.4	69
391	Expression of endothelial NO synthase, inducible NO synthase, and estrogen receptors alpha and beta in placental tissue of normal, preeclamptic, and intrauterine growth-restricted pregnancies. <i>Journal of Histochemistry and Cytochemistry</i> , 2005 , 53, 1441-9	3.4	67
390	The metastasis-associated gene MTA1 is upregulated in advanced ovarian cancer, represses ERbeta, and enhances expression of oncogenic cytokine GRO. <i>Cancer Biology and Therapy</i> , 2008 , 7, 1460-7	4.6	60
389	Immunohistochemical analysis of estrogen receptor alpha, estrogen receptor beta and progesterone receptor in normal human endometrium. <i>Acta Histochemica</i> , 2004 , 106, 245-52	2	57
388	Expression of the Thomsen-Friedenreich antigen and of its putative carrier protein mucin 1 in the human placenta and in trophoblast cells in vitro. <i>Histochemistry and Cell Biology</i> , 2002 , 117, 219-26	2.4	55
387	Steroid hormone receptor expression in ovarian cancer: progesterone receptor B as prognostic marker for patient survival. <i>BMC Cancer</i> , 2012 , 12, 553	4.8	53
386	Large scale multifactorial likelihood quantitative analysis of BRCA1 and BRCA2 variants: An ENIGMA resource to support clinical variant classification. <i>Human Mutation</i> , 2019 , 40, 1557-1578	4.7	52
385	Recent advances in understanding immunology of reproductive failure. <i>Journal of Reproductive Immunology</i> , 2011 , 90, 96-104	4.2	51
384	Expression of the apoptosis-inducing ligands FasL and TRAIL in malignant and benign human breast tumors. <i>Histochemistry and Cell Biology</i> , 2000 , 113, 189-94	2.4	51

383	Involvement of galectin-1 in reproduction: past, present and future. <i>Human Reproduction Update</i> , 2014 , 20, 175-93	15.8	50
382	Decidual macrophages are significantly increased in spontaneous miscarriages and over-express FasL: a potential role for macrophages in trophoblast apoptosis. <i>International Journal of Molecular Sciences</i> , 2012 , 13, 9069-80	6.3	50
381	Plasma- and urine concentrations of nitrite/nitrate and cyclic Guanosinemonophosphate in intrauterine growth restricted and preeclamptic pregnancies. <i>Archives of Gynecology and Obstetrics</i> , 2006 , 274, 150-4	2.5	49
380	Role of Plasminogen Activator Inhibitor Type 1 in Pathologies of Female Reproductive Diseases. <i>International Journal of Molecular Sciences</i> , 2017 , 18,	6.3	48
379	Expression of sialyl lewis X, sialyl Lewis A, E-cadherin and cathepsin-D in human breast cancer: immunohistochemical analysis in mammary carcinoma in situ, invasive carcinomas and their lymph node metastasis. <i>Anticancer Research</i> , 2005 , 25, 1615-22	2.3	48
378	Prognostic significance of estrogen receptor alpha and beta expression in human serous carcinomas of the ovary. <i>Archives of Gynecology and Obstetrics</i> , 2010 , 281, 511-7	2.5	47
377	Binding of galectin-1 (gal-1) to the Thomsen-Friedenreich (TF) antigen on trophoblast cells and inhibition of proliferation of trophoblast tumor cells in vitro by gal-1 or an anti-TF antibody. <i>Histochemistry and Cell Biology</i> , 2006 , 126, 437-44	2.4	47
376	Abortion is associated with increased expression of FasL in decidual leukocytes and apoptosis of extravillous trophoblasts: a role for CRH and urocortin. <i>Molecular Human Reproduction</i> , 2007 , 13, 663-73	4.4	46
375	Expression of E-cadherin and its repressor snail in placental tissue of normal, preeclamptic and HELLP pregnancies. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2007 , 450, 195-202	5.1	44
374	Galectin-1 induced activation of the apoptotic death-receptor pathway in human Jurkat T lymphocytes. <i>Histochemistry and Cell Biology</i> , 2008 , 129, 599-609	2.4	43
373	Glycodelin A induces a tolerogenic phenotype in monocyte-derived dendritic cells in vitro. <i>American Journal of Reproductive Immunology</i> , 2008 , 60, 501-12	3.8	43
372	Inhibin/activin subunits alpha, beta-A and beta-B are differentially expressed in normal human endometrium throughout the menstrual cycle. <i>Histochemistry and Cell Biology</i> , 2004 , 122, 461-71	2.4	43
371	Steroid receptors ERalpha, ERbeta, PR-A and PR-B are differentially expressed in normal and atrophic human endometrium. <i>Histology and Histopathology</i> , 2007 , 22, 169-76	1.4	43
370	Nuclear receptors of the peroxisome proliferator-activated receptor (PPAR) family in gestational diabetes: from animal models to clinical trials. <i>Biology of Reproduction</i> , 2010 , 83, 168-76	3.9	42
369	Comparison of circulating tumor cells (CTC) in peripheral blood and disseminated tumor cells in the bone marrow (DTC-BM) of breast cancer patients. <i>Journal of Cancer Research and Clinical Oncology</i> , 2013 , 139, 1055-62	4.9	40
368	Expression of E-cadherin in human ductal breast cancer carcinoma in situ, invasive carcinomas, their lymph node metastases, their distant metastases, carcinomas with recurrence and in recurrence. <i>Anticancer Research</i> , 2007 , 27, 1969-74	2.3	40
367	Intratumoral CRH modulates immuno-escape of ovarian cancer cells through FasL regulation. <i>British Journal of Cancer</i> , 2007 , 97, 637-45	8.7	39
366	Placental interleukin-15 expression in recurrent miscarriage. <i>American Journal of Reproductive Immunology</i> , 2010 , 64, 402-10	3.8	38

365	Peroxisome proliferator-activated receptors: new players in the field of reproduction. <i>American Journal of Reproductive Immunology</i> , 2007 , 58, 289-310	3.8	38
364	Vitamin D and VDR in Gynecological Cancers-A Systematic Review. <i>International Journal of Molecular Sciences</i> , 2017 , 18,	6.3	37
363	Human umbilical vascular endothelial cells express estrogen receptor beta (ERbeta) and progesterone receptor A (PR-A), but not ERalpha and PR-B. <i>Histochemistry and Cell Biology</i> , 2008 , 130, 399-405	2.4	37
362	Expression of Her2/neu, steroid receptors (ER and PR), Ki67 and p53 in invasive mammary ductal carcinoma associated with ductal carcinoma In Situ (DCIS) Versus invasive breast cancer alone. <i>Anticancer Research</i> , 2005 , 25, 1719-23	2.3	37
361	Human chorionic gonadotropin and its relation to grade, stage and patient survival in ovarian cancer. <i>BMC Cancer</i> , 2012 , 12, 2	4.8	36
360	The Role of Glycosylation in Breast Cancer Metastasis and Cancer Control. <i>Frontiers in Oncology</i> , 2015 , 5, 219	5.3	36
359	Glycodelin and amniotic fluid transferrin as inhibitors of E-selectin-mediated cell adhesion. <i>Histochemistry and Cell Biology</i> , 2003 , 119, 345-54	2.4	35
358	Expression of N-linked sialyl Le(x) determinants and O-glycans in the carbohydrate moiety of human amniotic fluid transferrin during pregnancy. <i>Glycobiology</i> , 1998 , 8, 1053-64	5.8	35
357	The Significance of Epithelial-to-Mesenchymal Transition for Circulating Tumor Cells. <i>International Journal of Molecular Sciences</i> , 2016 , 17,	6.3	35
356	Immunohistochemical analysis of steroid receptors and glycodelin A (PP14) in isolated glandular epithelial cells of normal human endometrium. <i>Histochemistry and Cell Biology</i> , 2000 , 114, 405-11	2.4	34
355	Normal and malignant human endometrium express immunohistochemically estrogen receptor alpha (ER-alpha), estrogen receptor beta (ER-beta) and progesterone receptor (PR). <i>Anticancer Research</i> , 2005 , 25, 1679-86	2.3	33
354	The ARID1A, p53 and E-catenin statuses are strong prognosticators in clear cell and endometrioid carcinoma of the ovary and the endometrium. <i>PLoS ONE</i> , 2018 , 13, e0192881	3.7	32
353	Stimulation of syncytium formation in vitro in human trophoblast cells by galectin-1. <i>Placenta</i> , 2010 , 31, 825-32	3.4	32
352	Expression of inhibin/activin subunits alpha (-alpha), betaA (-betaA), and betaB (-betaB) in placental tissue of normal, preeclamptic, and HELLP pregnancies. <i>Endocrine Pathology</i> , 2006 , 17, 19-33	4.2	32
351	CCL1 is a major regulatory T cell attracting factor in human breast cancer. <i>BMC Cancer</i> , 2018 , 18, 1278	4.8	32
350	Role of Placental VDR Expression and Function in Common Late Pregnancy Disorders. <i>International Journal of Molecular Sciences</i> , 2017 , 18,	6.3	31
349	Glycoprotein and carbohydrate binding protein expression in the placenta in early pregnancy loss. <i>Journal of Reproductive Immunology</i> , 2010 , 85, 99-105	4.2	31
348	Histone H3 Acetyl K9 and Histone H3 Tri Methyl K4 as Prognostic Markers for Patients with Cervical Cancer. <i>International Journal of Molecular Sciences</i> , 2017 , 18,	6.3	30

347	The Role of HCG in Implantation: A Mini-Review of Molecular and Clinical Evidence. <i>International Journal of Molecular Sciences</i> , 2017 , 18,	6.3	30
346	The human endometrium expresses the glycoprotein mucin-1 and shows positive correlation for Thomsen-Friedenreich epitope expression and galectin-1 binding. <i>Journal of Histochemistry and Cytochemistry</i> , 2009 , 57, 871-81	3.4	30
345	Knocking off the suppressors of cytokine signaling (SOCS): their roles in mammalian pregnancy. <i>Journal of Reproductive Immunology</i> , 2009 , 83, 117-23	4.2	30
344	Glycodelin protein and mRNA is downregulated in human first trimester abortion and partially upregulated in mole pregnancy. <i>Journal of Histochemistry and Cytochemistry</i> , 2008 , 56, 477-85	3.4	30
343	Distribution and maturity of dendritic cells in diseases of insufficient placentation. <i>American Journal of Reproductive Immunology</i> , 2008 , 60, 238-45	3.8	30
342	Maternal serum corticotropin-releasing hormone and ACTH levels as predictive markers of premature labor. <i>International Journal of Gynecology and Obstetrics</i> , 2007 , 97, 115-9	4	30
341	Cathepsin D expression in normal, hyperplastic and malignant endometrial tissue: an immunohistochemical analysis. <i>Acta Histochemica</i> , 2003 , 105, 245-52	2	30
340	Strong correlation between N-cadherin and CD133 in breast cancer: role of both markers in metastatic events. <i>Journal of Cancer Research and Clinical Oncology</i> , 2014 , 140, 1873-81	4.9	29
339	Immunohistochemical expression of inhibin-alpha in human endometrium and the in vitro secretion of inhibin, estradiol and cortisol in cultured human endometrial glandular cells. <i>Archives of Gynecology and Obstetrics</i> , 2003 , 268, 142-50	2.5	29
338	The G-protein coupled estrogen receptor (GPER/GPR30) is a gonadotropin receptor dependent positive prognosticator in ovarian carcinoma patients. <i>PLoS ONE</i> , 2013 , 8, e71791	3.7	29
337	Thyroid hormone receptor (TR)alpha and TRbeta expression in breast cancer. <i>Histology and Histopathology</i> , 2013 , 28, 227-37	1.4	29
336	Expression and function of galectins in the endometrium and at the human feto-maternal interface. <i>Placenta</i> , 2013 , 34, 863-72	3.4	28
335	Galectins-1, -3, and -7 Are Prognostic Markers for Survival of Ovarian Cancer Patients. <i>International Journal of Molecular Sciences</i> , 2017 , 18,	6.3	28
334	Inhibin-alpha subunit is an independent prognostic parameter in human endometrial carcinomas: analysis of inhibin/activin-alpha, -betaA and -betaB subunits in 302 cases. <i>European Journal of Cancer</i> , 2009 , 45, 1304-1314	7.5	28
333	Binding of galectin-1 (gal-1) on trophoblast cells and inhibition of hormone production of trophoblast tumor cells in vitro by gal-1. <i>Histochemistry and Cell Biology</i> , 2004 , 121, 501-8	2.4	28
332	Effects of green tea, matcha tea and their components epigallocatechin gallate and quercetin on MCF-7 and MDA-MB-231 breast carcinoma cells. <i>Oncology Reports</i> , 2019 , 41, 387-396	3.5	28
331	Ontogenetic regulation of leukocyte recruitment in mouse yolk sac vessels. <i>Blood</i> , 2013 , 121, e118-28	2.2	27
330	Opposed roles of follicle-stimulating hormone and luteinizing hormone receptors in ovarian cancer survival. <i>Histopathology</i> , 2011 , 58, 990-4	7.3	27

329	Expression of the proliferation marker Ki-67 and of p53 tumor protein in trophoblastic tissue of preeclamptic, HELLP, and intrauterine growth-restricted pregnancies. <i>International Journal of Gynecological Pathology</i> , 2006 , 25, 354-60	3.2	27
328	The G-protein-coupled estrogen receptor (GPER) is expressed in normal human ovaries and is upregulated in ovarian endometriosis and pelvic inflammatory disease involving the ovary. <i>Reproductive Sciences</i> , 2012 , 19, 1197-204	3	26
327	Induction of G protein-coupled estrogen receptor (GPER) and nuclear steroid hormone receptors by gonadotropins in human granulosa cells. <i>Histochemistry and Cell Biology</i> , 2011 , 136, 289-99	2.4	26
326	Prognostic impact of Thomsen-Friedenreich tumor antigen and disseminated tumor cells in the bone marrow of breast cancer patients. <i>Breast Cancer Research and Treatment</i> , 2007 , 101, 17-25	4.4	26
325	Expression of the inhibin-alpha subunit in normal, hyperplastic and malignant endometrial tissue: an immunohistochemical analysis. <i>Gynecologic Oncology</i> , 2004 , 93, 92-7	4.9	26
324	Expression of glycodelin A in decidual tissue of preeclamptic, HELLP and intrauterine growth-restricted pregnancies. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2005 , 446, 360-8	5.1	26
323	P53 expression in vulvar carcinoma, vulvar intraepithelial neoplasia, squamous cell hyperplasia and lichen sclerosus. <i>Anticancer Research</i> , 2005 , 25, 1739-45	2.3	26
322	Topoisomerase IIalpha expression rather than gene amplification predicts responsiveness of adjuvant anthracycline-based chemotherapy in women with primary breast cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2010 , 136, 1029-37	4.9	25
321	Expression of inhibin/activin subunits alpha (-alpha), beta A (-beta (A)) and beta B (-beta (B)) in placental tissue of normal and intrauterine growth restricted (IUGR) pregnancies. <i>Journal of Molecular Histology</i> , 2006 , 37, 43-52	3.3	25
320	Characterisation of disseminated tumor cells in the bone marrow of breast cancer patients by the Thomsen-Friedenreich tumor antigen. <i>Histochemistry and Cell Biology</i> , 2005 , 123, 631-7	2.4	25
319	Real-time RT-PCR systems for CTC detection from blood samples of breast cancer and gynaecological tumour patients (Review). <i>Oncology Reports</i> , 2016 , 35, 1905-15	3.5	24
318	Thyroid (dys-)function in normal and disturbed pregnancy. <i>Archives of Gynecology and Obstetrics</i> , 2013 , 287, 1-7	2.5	24
317	Inducers of G-protein coupled estrogen receptor (GPER) in endometriosis: potential implications for macrophages and follicle maturation. <i>Journal of Reproductive Immunology</i> , 2013 , 97, 95-103	4.2	24
316	Glycodelin A is a prognostic marker to predict poor outcome in advanced stage ovarian cancer patients. <i>BMC Research Notes</i> , 2012 , 5, 551	2.3	24
315	Aberrant expression of corticotropin-releasing hormone in pre-eclampsia induces expression of FasL in maternal macrophages and extravillous trophoblast apoptosis. <i>Molecular Human Reproduction</i> , 2012 , 18, 535-45	4.4	24
314	Effects of phytoestrogens genistein and daidzein on progesterone and estrogen (estradiol) production of human term trophoblast cells in vitro. <i>Gynecological Endocrinology</i> , 2009 , 25, 32-8	2.4	24
313	Immunomagnetic enrichment of disseminated tumor cells in bone marrow and blood of breast cancer patients by the Thomsen-Friedenreich-Antigen. <i>Clinical and Experimental Metastasis</i> , 2008 , 25, 233-40	4.7	24
312	Inhibin/activin subunits (inhibin-alpha, -betaA and -betaB) are differentially expressed in human breast cancer and their metastasis. <i>Oncology Reports</i> , 2005 , 13, 81-8	3.5	24

311	Expression of the inhibin/activin subunits (-alpha, -betaA and -betaB) in normal and carcinogenic endometrial tissue: possible immunohistochemical differentiation markers. <i>Oncology Reports</i> , 2007 , 17, 97-104	3.5	24
310	The involvement of E6, p53, p16, MDM2 and Gal-3 in the clinical outcome of patients with cervical cancer. <i>Oncology Letters</i> , 2017 , 14, 4467-4476	2.6	23
309	Genotoxicity of Superparamagnetic Iron Oxide Nanoparticles in Granulosa Cells. <i>International Journal of Molecular Sciences</i> , 2015 , 16, 26280-90	6.3	23
308	GDM Alters Expression of Placental Estrogen Receptor α in a Cell Type and Gender-Specific Manner. <i>Reproductive Sciences</i> , 2015 , 22, 1488-95	3	23
307	Diagnostic biomarkers of pro-inflammatory immune-mediated preterm birth. <i>Archives of Gynecology and Obstetrics</i> , 2013 , 287, 673-85	2.5	22
306	Thyroid Hormone Receptors Predict Prognosis in BRCA1 Associated Breast Cancer in Opposing Ways. <i>PLoS ONE</i> , 2015 , 10, e0127072	3.7	22
305	The G-protein-coupled estrogen receptor (GPER/GPR30) in ovarian granulosa cell tumors. <i>International Journal of Molecular Sciences</i> , 2014 , 15, 15161-72	6.3	22
304	Macrophages: are they involved in endometriosis, abortion and preeclampsia and how?. <i>Journal of Nippon Medical School</i> , 2013 , 80, 97-103	1.3	22
303	Prognostic relevance of disseminated tumor cells in the bone marrow and biological factors of 265 primary breast carcinomas. <i>Breast Cancer Research</i> , 2005 , 7, R1174-85	8.3	22
302	CEA-, Her2/neu-, BCRP- and Hsp27-positive microparticles in breast cancer patients. <i>Anticancer Research</i> , 2010 , 30, 1707-12	2.3	22
301	Gestational diabetes mellitus upregulates vitamin D receptor in extravillous trophoblasts and fetoplacental endothelial cells. <i>Reproductive Sciences</i> , 2015 , 22, 358-66	3	21
300	The G protein-coupled estrogen receptor (GPER/GPR30) may serve as a prognostic marker in early-stage cervical cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2018 , 144, 13-19	4.9	21
299	Glycodelin A is expressed differentially in normal human endometrial tissue throughout the menstrual cycle as assessed by immunohistochemistry and in situ hybridization. <i>Fertility and Sterility</i> , 2006 , 86, 1488-97	4.8	21
298	Mitochondrial toxicity in HIV type-1-exposed pregnancies in the era of highly active antiretroviral therapy. <i>Antiviral Therapy</i> , 2009 , 14, 331-338	1.6	21
297	Effects of phytoestrogen extracts isolated from pumpkin seeds on estradiol production and ER/PR expression in breast cancer and trophoblast tumor cells. <i>Nutrition and Cancer</i> , 2013 , 65, 739-45	2.8	20
296	Regulation of progesterone production in human term trophoblasts in vitro by CRH, ACTH and cortisol (prednisolone). <i>Archives of Gynecology and Obstetrics</i> , 2005 , 272, 7-12	2.5	20
295	Effects of phytoestrogens genistein and daidzein on production of human chorionic gonadotropin in term trophoblast cells in vitro. <i>Gynecological Endocrinology</i> , 2005 , 21, 180-4	2.4	20
294	Stimulation of hCG protein and mRNA in first trimester villous cytotrophoblast cells in vitro by glycodelin A. <i>Journal of Perinatal Medicine</i> , 2005 , 33, 212-8	2.7	20

293	Placental Expression Patterns of Galectin-1, Galectin-2, Galectin-3 and Galectin-13 in Cases of Intrauterine Growth Restriction (IUGR). <i>International Journal of Molecular Sciences</i> , 2016 , 17, 523	6.3	20
292	Induction of apoptosis in human breast cancer and trophoblast tumor cells by galectin-1. <i>Anticancer Research</i> , 2005 , 25, 1575-80	2.3	20
291	Determination of Interleukin-4, -5, -6, -8 and -13 in Serum of Patients with Breast Cancer Before Treatment and its Correlation to Circulating Tumor Cells. <i>Anticancer Research</i> , 2016 , 36, 3123-30	2.3	20
290	Unexplained recurrent miscarriages are associated with an aberrant sperm protamine mRNA content. <i>Human Reproduction</i> , 2017 , 32, 1574-1582	5.7	19
289	Distinct expression of cytokeratin, N-cadherin and CD133 in circulating tumor cells of metastatic breast cancer patients. <i>Future Oncology</i> , 2014 , 10, 1751-65	3.6	19
288	Evaluation of a novel anti-mucin 1 (MUC1) antibody (PankoMab) as a potential diagnostic tool in human ductal breast cancer; comparison with two established antibodies. <i>Oncology Research and Treatment</i> , 2009 , 32, 238-44	2.8	19
287	Stimulation of hCG and inhibition of hPL in isolated human trophoblast cells in vitro by glycodeilin A. <i>Archives of Gynecology and Obstetrics</i> , 2003 , 268, 162-7	2.5	19
286	Immunohistochemical expression of the tumour marker CA-125 in normal, hyperplastic and malignant endometrial tissue. <i>Anticancer Research</i> , 2003 , 23, 1075-80	2.3	19
285	hCG in trophoblast tumour cells of the cell line Jeg3 and hCG isolated from amniotic fluid and serum of pregnant women carry oligosaccharides of the sialyl Lewis X and sialyl Lewis a type. <i>Anticancer Research</i> , 2003 , 23, 1087-92	2.3	19
284	Expression of Thyroid Hormone Receptors in Villous Trophoblasts and Decidual Tissue at Protein and mRNA Levels Is Downregulated in Spontaneous and Recurrent Miscarriages. <i>Journal of Histochemistry and Cytochemistry</i> , 2015 , 63, 511-23	3.4	18
283	Expression of CCL22 and Infiltration by Regulatory T Cells are Increased in the Decidua of Human Miscarriage Placentas. <i>American Journal of Reproductive Immunology</i> , 2015 , 74, 216-27	3.8	18
282	Immunolocalization of glycodeilin in human adenocarcinoma of the lung, squamous cell carcinoma of the lung and lung metastases of colonic adenocarcinoma. <i>Acta Histochemica</i> , 2011 , 113, 798-802	2	18
281	Inhibition of RET and JAK2 signals and upregulation of VEGFR3 phosphorylation in vitro by galectin-1 in trophoblast tumor cells BeWo. <i>Placenta</i> , 2009 , 30, 1078-82	3.4	18
280	Is galectin-1 a trigger for trophoblast cell fusion?: the MAP-kinase pathway and syncytium formation in trophoblast tumour cells BeWo. <i>Molecular Human Reproduction</i> , 2011 , 17, 747-57	4.4	18
279	Absolute quantification of human chorionic gonadotropin-beta mRNA with TaqMan detection. 4. <i>Molecular Biotechnology</i> , 2000 , 14, 47-57	3	18
278	Expression of the carbohydrate tumour marker Sialyl Lewis A, Sialyl Lewis X, Lewis Y and Thomsen-Friedenreich antigen in normal squamous epithelium of the uterine cervix, cervical dysplasia and cervical cancer. <i>Histology and Histopathology</i> , 2012 , 27, 507-14	1.4	18
277	Disseminated and circulating tumor cells in bone marrow and blood of breast cancer patients: properties, enrichment, and potential targets. <i>Journal of Cancer Research and Clinical Oncology</i> , 2016 , 142, 1883-95	4.9	17
276	Her-2/neu expression is a negative prognosticator in ovarian cancer cases that do not express the follicle stimulating hormone receptor (FSHR). <i>Journal of Ovarian Research</i> , 2013 , 6, 6	5.5	17

275	Getting too sweet: galectin-1 dysregulation in gestational diabetes mellitus. <i>Molecular Human Reproduction</i> , 2014 , 20, 644-9	4.4	17
274	Mucin-1 and its relation to grade, stage and survival in ovarian carcinoma patients. <i>BMC Cancer</i> , 2012 , 12, 600	4.8	17
273	Oxidative stress stimulates ßocopherol transfer protein in human trophoblast tumor cells BeWo. <i>Journal of Perinatal Medicine</i> , 2012 , 40, 373-8	2.7	17
272	Immunohistochemical labelling of steroid receptors in normal and malignant human endometrium. <i>Acta Histochemica</i> , 2009 , 111, 349-59	2	17
271	Mesomorphic amino sugars. <i>Liquid Crystals</i> , 1994 , 17, 589-595	2.3	17
270	Staining of MUC1 in ovarian cancer tissues with PankoMab-GEX detecting the tumour-associated epitope, TA-MUC1, as compared to antibodies HMFG-1 and 115D8. <i>Histology and Histopathology</i> , 2013 , 28, 239-44	1.4	17
269	Interaction of ER and NRF2 Impacts Survival in Ovarian Cancer Patients. <i>International Journal of Molecular Sciences</i> , 2018 , 20,	6.3	17
268	Immunohistochemical expression of steroid receptors and glycodelin A in isolated proliferative human endometrial glandular cells after stimulation with tamoxifen and phytoestrogens (genistein and daidzein). <i>Anticancer Research</i> , 2003 , 23, 1119-25	2.3	17
267	Two-marker combinations for preoperative discrimination of benign and malignant ovarian masses. <i>Anticancer Research</i> , 2012 , 32, 2003-8	2.3	17
266	Increased trace amine-associated receptor 1 (TAAR1) expression is associated with a positive survival rate in patients with breast cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2017 , 143, 1637-1647	4.9	16
265	Breast cancer, placenta and pregnancy. <i>European Journal of Cancer</i> , 2019 , 115, 68-78	7.5	16
264	Estrogen Receptor and HER2 Status on Disseminated Tumor Cells and Primary Tumor in Patients with Early Breast Cancer. <i>Translational Oncology</i> , 2015 , 8, 509-16	4.9	16
263	Multicentric and multifocal versus unifocal breast cancer: differences in the expression of E-cadherin suggest differences in tumor biology. <i>BMC Cancer</i> , 2013 , 13, 361	4.8	16
262	Differential expression of CRH, UCN, CRHR1 and CRHR2 in eutopic and ectopic endometrium of women with endometriosis. <i>PLoS ONE</i> , 2013 , 8, e62313	3.7	16
261	Inhibin/activin-betaC and -betaE subunits in the Ishikawa human endometrial adenocarcinoma cell line. <i>Archives of Gynecology and Obstetrics</i> , 2010 , 282, 185-91	2.5	16
260	Inhibin/activin subunits beta-A (-betaA) and beta-B (-betaB) are differentially localised in normal, hyperplastic and malignant human endometrial tissue. <i>Acta Histochemica</i> , 2006 , 108, 1-11	2	16
259	Expression of the Thomsen-Friedenreich (TF) antigen in the human placenta. <i>Anticancer Research</i> , 2000 , 20, 5129-33	2.3	16
258	Effects of phytoestrogens on the trophoblast tumour cell lines BeWo and Jeg3. <i>Anticancer Research</i> , 2003 , 23, 1081-6	2.3	16

257	Influence of vitamin D signaling on hormone receptor status and HER2 expression in breast cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2017 , 143, 1107-1122	4.9	15
256	PPAR γ Expression Is Diminished in Macrophages of Recurrent Miscarriage Placentas. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	15
255	Immunosuppressive Glycodelin A is an independent marker for poor prognosis in endometrial cancer. <i>BMC Cancer</i> , 2013 , 13, 616	4.8	15
254	Galectin-13/PP-13 expression in term placentas of gestational diabetes mellitus pregnancies. <i>Placenta</i> , 2015 , 36, 191-8	3.4	15
253	Correlation of thyroid hormone, retinoid X, peroxisome proliferator-activated, vitamin D and oestrogen/progesterone receptors in breast carcinoma. <i>Oncology Letters</i> , 2012 , 4, 665-671	2.6	15
252	The Role of PPARs in Placental Immunology: A Systematic Review of the Literature. <i>PPAR Research</i> , 2013 , 2013, 970276	4.3	15
251	Insulin and leptin receptors as possible new candidates for endocrine control in normal and disturbed human pregnancy. <i>Molecular Human Reproduction</i> , 2009 , 15, 231-9	4.4	15
250	Expression of estrogen receptor-alpha, estrogen receptor-beta and placental endothelial and inducible NO synthase in intrauterine growth-restricted and normal placentals. <i>Archives of Medical Research</i> , 2006 , 37, 967-75	6.6	15
249	Expression of the inhibin/activin subunits alpha (alpha), beta-A (betaA) and beta-B (betaB) in benign human endometrial polyps and tamoxifen-associated polyps. <i>Archives of Gynecology and Obstetrics</i> , 2005 , 272, 59-66	2.5	15
248	D-Galacturons β rederivate, VI. D-Galacturons β rederivate mit fl β sigkristallinen Eigenschaften. <i>Liebigs Annalen Der Chemie</i> , 1992 , 1992, 1171-1177		15
247	Leptin and peroxisome proliferator-activated receptors: impact on normal and disturbed first trimester human pregnancy. <i>Histology and Histopathology</i> , 2008 , 23, 1465-75	1.4	15
246	Nuclear hormone receptors and female reproduction. <i>Current Molecular Medicine</i> , 2013 , 13, 1066-78	2.5	15
245	Overall Survival of Ovarian Cancer Patients Is Determined by Expression of Galectins-8 and -9. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	15
244	Stimulation of hCG protein and mRNA levels in trophoblast tumour cells Jeg3 and BeWo by glycodelin A. <i>Anticancer Research</i> , 2003 , 23, 1107-13	2.3	15
243	COX-2-PGE-EPs in gynecological cancers. <i>Archives of Gynecology and Obstetrics</i> , 2020 , 301, 1365-1375	2.5	14
242	The Prostaglandin EP3 Receptor Is an Independent Negative Prognostic Factor for Cervical Cancer Patients. <i>International Journal of Molecular Sciences</i> , 2017 , 18,	6.3	14
241	Heterogeneity of ER α and ErbB2 Status in Cell Lines and Circulating Tumor Cells of Metastatic Breast Cancer Patients. <i>Translational Oncology</i> , 2012 , 5, 475-85	4.9	14
240	Immunohistochemistry, glycosylation and immunosuppression of glycodelin in human ovarian cancer. <i>Histochemistry and Cell Biology</i> , 2009 , 131, 283-95	2.4	14

239	Galectin-1 induced activation of the mitochondrial apoptotic pathway: evidence for a connection between death-receptor and mitochondrial pathways in human Jurkat T lymphocytes. <i>Histochemistry and Cell Biology</i> , 2009 , 132, 211-23	2.4	14
238	Effects of phytoestrogen extracts isolated from rye, green and yellow pea seeds on hormone production and proliferation of trophoblast tumor cells Jeg3. <i>Hormone Research in Paediatrics</i> , 2006 , 65, 276-88	3.3	14
237	Stimulation of progesterone, estradiol and cortisol in trophoblast tumor bewo cells by glycodeilin A N-glycans. <i>Anticancer Research</i> , 2007 , 27, 2101-8	2.3	14
236	Vitamin D receptor, Retinoid X receptor and peroxisome proliferator-activated receptor β are overexpressed in BRCA1 mutated breast cancer and predict prognosis. <i>Journal of Experimental and Clinical Cancer Research</i> , 2017 , 36, 57	12.8	13
235	Change of steroid receptor expression in the posterior vaginal wall after local estrogen therapy. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2015 , 187, 45-50	2.4	13
234	Galectin 2 (gal-2) expression is downregulated on protein and mRNA level in placentas of preeclampsic (PE) patients. <i>Placenta</i> , 2015 , 36, 438-45	3.4	13
233	EP3 (prostaglandin E2 receptor 3) expression is a prognostic factor for progression-free and overall survival in sporadic breast cancer. <i>BMC Cancer</i> , 2018 , 18, 431	4.8	13
232	Glycosyltransferases as Markers for Early Tumorigenesis. <i>BioMed Research International</i> , 2015 , 2015, 792672	3	13
231	Peroxisome proliferator-activated receptor-gamma (PPAR γ) is down regulated in trophoblast cells of gestational diabetes mellitus (GDM) and in trophoblast tumour cells BeWo in vitro after stimulation with PPAR γ agonists. <i>Journal of Perinatal Medicine</i> , 2014 , 42, 179-87	2.7	13
230	Expression of CRH, CRH-related peptide and CRH receptor in the ovary and potential CRH signalling pathways. <i>Journal of Reproductive Immunology</i> , 2011 , 90, 67-73	4.2	13
229	Peroxisome proliferator-activated receptor-gamma in normal human pregnancy and miscarriage. <i>Acta Histochemica</i> , 2009 , 111, 372-8	2	13
228	Leukaemia inhibitory factor (LIF) is immunohistochemically expressed in normal, hyperplastic and malignant endometrial tissue. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2005 , 118, 101-8	2.4	13
227	Development and characterization of monoclonal antibodies for the immunohistochemical detection of glycodeilin A in decidual, endometrial and gynaecological tumour tissues. <i>Histopathology</i> , 2006 , 48, 394-406	7.3	13
226	Galectin-1 overexpression in endometriosis and its regulation by neuropeptides (CRH, UCN) indicating its important role in reproduction and inflammation. <i>PLoS ONE</i> , 2014 , 9, e114229	3.7	13
225	Prototype and Chimera-Type Galectins in Placentas with Spontaneous and Recurrent Miscarriages. <i>International Journal of Molecular Sciences</i> , 2016 , 17,	6.3	13
224	Expression of cathepsin-D in primary breast cancer and corresponding local recurrence or metastasis: an immunohistochemical study. <i>Anticancer Research</i> , 2012 , 32, 901-5	2.3	13
223	The Prognostic Impact of the Aryl Hydrocarbon Receptor (AhR) in Primary Breast Cancer Depends on the Lymph Node Status. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	12
222	Immunoreactivity of the fully humanized therapeutic antibody PankoMab-GEX is an independent prognostic marker for breast cancer patients. <i>Journal of Experimental and Clinical Cancer Research</i> , 2015 , 34, 50	12.8	12

221	Detection of Circulating Tumour Cells from Blood of Breast Cancer Patients via RT-qPCR. <i>Cancers</i> , 2013 , 5, 1212-20	6.6	12
220	Detection of tumor cell-specific mRNA in the peripheral blood of patients with breast cancer. Evaluation of several markers with real-time reverse transcription-PCR. <i>International Journal of Molecular Sciences</i> , 2013 , 14, 1093-104	6.3	12
219	The role of TF- and Tn-antigens in breast cancer metastasis. <i>Histology and Histopathology</i> , 2016 , 31, 613-214	2.1	12
218	Significance of the tumor protease cathepsin D for the biology of breast cancer. <i>Histology and Histopathology</i> , 2014 , 29, 433-8	1.4	12
217	Prostaglandin receptor EP3 regulates cell proliferation and migration with impact on survival of endometrial cancer patients. <i>Oncotarget</i> , 2018 , 9, 982-994	3.3	12
216	Development and Validation of a Novel 11-Gene Prognostic Model for Serous Ovarian Carcinomas Based on Lipid Metabolism Expression Profile. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	12
215	Comparison of HER2 Expression in Primary Tumor and Disseminated Tumor Cells in the Bone Marrow of Breast Cancer Patients. <i>Oncology</i> , 2016 , 90, 232-8	3.6	12
214	Induction of apoptosis in breast cancer cells in vitro by Fas ligand reverse signaling. <i>Journal of Cancer Research and Clinical Oncology</i> , 2018 , 144, 249-256	4.9	12
213	Expression of glycodefin protein and mRNA in human ductal breast cancer carcinoma in situ, invasive ductal carcinomas, their lymph node and distant metastases, and ductal carcinomas with recurrence. <i>Oncology Reports</i> , 2005 , 13, 413-9	3.5	12
212	Expression of glycodefin in human breast cancer: immunohistochemical analysis in mammary carcinoma in situ, invasive carcinomas and their lymph node metastases. <i>Anticancer Research</i> , 2005 , 25, 1761-4	2.3	12
211	Effects of phytoestrogen extracts isolated from flax on estradiol production and ER/PR expression in MCF7 breast cancer cells. <i>Anticancer Research</i> , 2010 , 30, 1695-9	2.3	12
210	ESR1 promoter methylation in squamous cell cervical cancer. <i>Anticancer Research</i> , 2014 , 34, 723-7	2.3	12
209	Immunohistochemical Evaluation of E6/E7 HPV Oncoproteins Staining in Cervical Cancer. <i>Anticancer Research</i> , 2016 , 36, 3195-8	2.3	12
208	Prevalence of oral HPV infection in cervical HPV positive women and their sexual partners. <i>Archives of Gynecology and Obstetrics</i> , 2019 , 299, 1659-1665	2.5	11
207	Comprehensive analysis of PD-L1 expression, HER2 amplification, ALK/EML4 fusion, and mismatch repair deficiency as putative predictive and prognostic factors in ovarian carcinoma. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2019 , 474, 599-608	5.1	11
206	Fetal gender specific expression of tandem-repeat galectins in placental tissue from normally progressed human pregnancies and intrauterine growth restriction (IUGR). <i>Placenta</i> , 2015 , 36, 1352-61	3.4	11
205	Prostaglandin E receptor 3 signaling is induced in placentas with unexplained recurrent pregnancy losses. <i>Endocrine Connections</i> , 2018 , 7, 749-761	3.5	11
204	Binding of galectin-1 to breast cancer cells MCF7 induces apoptosis and inhibition of proliferation in vitro in a 2D- and 3D- cell culture model. <i>BMC Cancer</i> , 2016 , 16, 870	4.8	11

203	The Formation and Therapeutic Update of Tumor-Associated Macrophages in Cervical Cancer. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	11
202	PIM kinases 1, 2 and 3 in intracellular LIF signaling, proliferation and apoptosis in trophoblastic cells. <i>Experimental Cell Research</i> , 2017 , 359, 275-283	4.2	11
201	The liver x receptor in correlation with other nuclear receptors in spontaneous and recurrent abortions. <i>PPAR Research</i> , 2013 , 2013, 575604	4.3	11
200	Retinoid X receptor and retinoids are key regulators in apoptosis of trophoblasts of patients with recurrent miscarriages. <i>Journal of Molecular Endocrinology</i> , 2011 , 47, 145-56	4.5	11
199	Expression of the blood-group-related antigens Sialyl Lewis a, Sialyl Lewis x and Lewis y in term placentas of normal, preeclampsia, IUGR- and HELLP-complicated pregnancies. <i>Histochemistry and Cell Biology</i> , 2007 , 128, 55-63	2.4	11
198	Influence of Circulating Tumour Cells on Production of IL-1 and IL-12 in Sera of Patients with Primary Diagnosis of Breast Cancer Before Treatment. <i>Anticancer Research</i> , 2016 , 36, 5227-5236	2.3	11
197	Measurement of glycodelin A in fluids of benign ovarian cysts, borderline tumours and malignant ovarian cancer. <i>Anticancer Research</i> , 2005 , 25, 1639-44	2.3	11
196	Flax-seed extracts with phytoestrogenic effects on a hormone receptor-positive tumour cell line. <i>Anticancer Research</i> , 2005 , 25, 1817-22	2.3	11
195	Retinoid X receptor alpha (RXR) and peroxisome proliferator-activated receptor gamma (PPAR) expression in breast cancer: an immunohistochemical study. <i>In Vivo</i> , 2012 , 26, 87-92	2.3	11
194	Immunohistochemical Evaluation of the Role of p53 Mutation in Cervical Cancer: Ser-20 p53-Mutant Correlates with Better Prognosis. <i>Anticancer Research</i> , 2016 , 36, 3131-7	2.3	11
193	EP3 receptor antagonist L798,106 reduces proliferation and migration of SK-BR-3 breast cancer cells. <i>OncoTargets and Therapy</i> , 2019 , 12, 6053-6068	4.4	10
192	Anti Enolase antibody is a novel autoimmune biomarker for unexplained recurrent miscarriages. <i>EBioMedicine</i> , 2019 , 41, 610-622	8.8	10
191	M2 Macrophages Infiltrating Epithelial Ovarian Cancer Express MDR1: A Feature That May Account for the Poor Prognosis. <i>Cells</i> , 2020 , 9,	7.9	10
190	Influence of VEGFR and LHCGR on endometrial adenocarcinoma. <i>Oncology Letters</i> , 2016 , 12, 2092-2098	2.6	10
189	Unique trophoblast stem cell- and pluripotency marker staining patterns depending on gestational age and placenta-associated pregnancy complications. <i>Cell Adhesion and Migration</i> , 2016 , 10, 56-65	3.2	10
188	Importance of RIP140 and LCoR Sub-Cellular Localization for Their Association With Breast Cancer Aggressiveness and Patient Survival. <i>Translational Oncology</i> , 2018 , 11, 1090-1096	4.9	10
187	Association of placental inflammation with fetomaternal hemorrhage and loss of placental mucin-1. <i>Archives of Gynecology and Obstetrics</i> , 2012 , 285, 605-12	2.5	10
186	Expression of signal transducer and activator of transcription 3 (STAT3) and its activated forms is negatively altered in trophoblast and decidual stroma cells derived from preeclampsia placentae. <i>Histopathology</i> , 2012 , 60, 657-62	7.3	10

185	Human amniotic fluid glycoproteins expressing sialyl Lewis carbohydrate antigens stimulate progesterone production in human trophoblasts in vitro. <i>Gynecologic and Obstetric Investigation</i> , 2004 , 58, 207-11	2.5	10
184	Glycodelin A and differentiation of first trimester trophoblast cells in vitro. <i>Archives of Gynecology and Obstetrics</i> , 2005 , 272, 151-9	2.5	10
183	Differential diagnosis of peri- and postmenopausal ovarian cysts. <i>Maturitas</i> , 1999 , 31, 123-32	5	10
182	A carbohydrate with a rectangular columnar phase. <i>Liquid Crystals</i> , 1993 , 15, 733-737	2.3	10
181	Role of N-acetylgalactosaminyltransferase 6 in early tumorigenesis and formation of metastasis. <i>Molecular Medicine Reports</i> , 2016 , 13, 4309-14	2.9	10
180	Mucin 1, Thomsen-Friedenreich expression and galectin-1 binding in endometrioid adenocarcinoma: an immunohistochemical analysis. <i>Anticancer Research</i> , 2007 , 27, 1975-80	2.3	10
179	Expression of estrogen receptors alpha and beta, and progesterone receptors A and B in human mucinous carcinoma of the endometrium. <i>Anticancer Research</i> , 2007 , 27, 2027-33	2.3	10
178	Determination of MUC1 in sera of ovarian cancer patients and in sera of patients with benign changes of the ovaries with CA15-3, CA27.29, and PankoMab. <i>Anticancer Research</i> , 2012 , 32, 2185-9	2.3	10
177	Triple-negative breast cancer: New therapeutic options via signalling transduction cascades. <i>Oncology Reports</i> , 2017 , 37, 3055-3060	3.5	9
176	Thyronamine regulation of TAAR1 expression in breast cancer cells and investigation of its influence on viability and migration. <i>Breast Cancer: Targets and Therapy</i> , 2019 , 11, 87-97	3.9	9
175	TAAR1 induces a disturbed GSK3 β phosphorylation in recurrent miscarriages through the ODC. <i>Endocrine Connections</i> , 2018 , 7, 372-384	3.5	9
174	Investigation of RIP140 and LCoR as independent markers for poor prognosis in cervical cancer. <i>Oncotarget</i> , 2017 , 8, 105356-105371	3.3	9
173	Errestin 2 Is a Prognostic Factor for Survival of Ovarian Cancer Patients Upregulating Cell Proliferation. <i>Frontiers in Endocrinology</i> , 2020 , 11, 554733	5.7	9
172	Development of monoclonal and polyclonal antibodies and an ELISA for the determination of glycodelin in human serum, amniotic fluid and cystic fluid of benign and malignant ovarian tumors. <i>Anticancer Research</i> , 2005 , 25, 1581-9	2.3	9
171	TGF-alpha, c-erbB-2 expression and neoangiogenesis in vulvar squamous cell carcinoma. <i>Anticancer Research</i> , 2005 , 25, 1731-7	2.3	9
170	Human chorionic gonadotropin (hCG) as inhibitor of E-selectin-mediated cell adhesion. <i>Anticancer Research</i> , 2005 , 25, 1811-6	2.3	9
169	Expression of mucin-1, galectin-1 and galectin-3 in human leiomyosarcoma in comparison to leiomyoma and myometrium. <i>Anticancer Research</i> , 2011 , 31, 451-7	2.3	9
168	Immunohistochemical expression of glycodelin in breast cancer correlates with estrogen-receptor alpha and progesterone-receptor A positivity. <i>Histology and Histopathology</i> , 2009 , 24, 467-71	1.4	9

167	Gal-1 silenced trophoblast tumor cells (BeWo) show decreased syncytium formation and different miRNA production compared to non-target silenced BeWo cells. <i>Cell Adhesion and Migration</i> , 2016 , 10, 28-38	3.2	8
166	Correlation of the Aryl Hydrocarbon Receptor with FSHR in Ovarian Cancer Patients. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	8
165	The expression of thyroid hormone receptors (THR) is regulated by the progesterone receptor system in first trimester placental tissue and in BeWo cells in vitro. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2015 , 195, 31-9	2.4	8
164	Effective ovarian stimulation in a patient with resistant ovary syndrome and antigonadotrophin antibodies. <i>American Journal of Reproductive Immunology</i> , 2015 , 73, 185-91	3.8	8
163	High Galectin-7 and Low Galectin-8 Expression and the Combination of both are Negative Prognosticators for Breast Cancer Patients. <i>Cancers</i> , 2020 , 12,	6.6	8
162	p53 determines prognostic significance of the carbohydrate stem cell marker TF1 (CD176) in ovarian cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2016 , 142, 1163-70	4.9	8
161	Correlation of NRF2 and progesterone receptor and its effects on ovarian cancer biology. <i>Cancer Management and Research</i> , 2019 , 11, 7673-7684	3.6	8
160	Estrogen receptor promoter methylation predicts survival in low-grade ovarian carcinoma patients. <i>Journal of Cancer Research and Clinical Oncology</i> , 2014 , 140, 1681-7	4.9	8
159	KRAS, BRAF genotyping reveals genetic heterogeneity of ovarian borderline tumors and associated implants. <i>BMC Cancer</i> , 2013 , 13, 483	4.8	8
158	Glycosyltransferases as marker genes for the quantitative polymerase chain reaction-based detection of circulating tumour cells from blood samples of patients with breast cancer undergoing adjuvant therapy. <i>Molecular Medicine Reports</i> , 2015 , 12, 2933-8	2.9	8
157	Leptin gene (TTTC)(n) microsatellite polymorphism as well as leptin receptor R223Q and PPARGgamma2 P12A substitutions are not associated with hypertensive disorders in pregnancy. <i>American Journal of Reproductive Immunology</i> , 2010 , 63, 310-7	3.8	8
156	Estrogen receptor modulators and estrogen receptor beta immunolabelling in human umbilical vein endothelial cells. <i>Acta Histochemica</i> , 2009 , 111, 508-19	2	8
155	Ovarian cancer-derived glycodelin impairs in vitro dendritic cell maturation. <i>Journal of Immunotherapy</i> , 2009 , 32, 492-7	5	8
154	Immunolocalization of glycodelin in the genital tract of rats. <i>Journal of Molecular Histology</i> , 2005 , 36, 111-7	3.3	8
153	The chimera-type galectin-3 is a positive modulator of trophoblast functions with dysregulated expression in gestational diabetes mellitus. <i>American Journal of Reproductive Immunology</i> , 2020 , 84, e13311	3.8	8
152	Angiogenic cytokines and their influence on circulating tumour cells in sera of patients with the primary diagnosis of breast cancer before treatment. <i>BMC Cancer</i> , 2016 , 16, 547	4.8	8
151	Higher CCL22+ Cell Infiltration is Associated with Poor Prognosis in Cervical Cancer Patients. <i>Cancers</i> , 2019 , 11,	6.6	8
150	Involvement of ILR4 and TLR4 in miscarriages. <i>Journal of Reproductive Immunology</i> , 2019 , 131, 36-43	4.2	8

149	Placental Galectin-2 Expression in Gestational Diabetes: A Systematic, Histological Analysis. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	8
148	Histone H3 lysine 9 acetylation is downregulated in GDM Placentas and Calcitriol supplementation enhanced this effect. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	8
147	Inhibin/activin subunits are immunohistochemically expressed in complete and partial hydatidiform moles. <i>Anticancer Research</i> , 2007 , 27, 1995-2000	2.3	8
146	Coexistence of adenomyosis uteri and endometrial cancer is associated with an improved prognosis compared with endometrial cancer only. <i>Oncology Letters</i> , 2017 , 14, 3302-3308	2.6	7
145	Prognostic relevance of RIP140 and ER α expression in unifocal versus multifocal breast cancers: a preliminary report. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	7
144	Glucocorticoid receptors β and γ are modulated sex specifically in human placentas of intrauterine growth restriction (IUGR). <i>Archives of Gynecology and Obstetrics</i> , 2019 , 300, 323-335	2.5	7
143	Cytoplasmic PPAR δ is a marker of poor prognosis in patients with Cox-1 negative primary breast cancers. <i>Journal of Translational Medicine</i> , 2020 , 18, 94	8.5	7
142	The role of galectin-1 in trophoblast differentiation and signal transduction. <i>Journal of Reproductive Immunology</i> , 2011 , 90, 35-40	4.2	7
141	Is prostate cancer screening justified in the Bedouin population?. <i>Onkologie</i> , 2009 , 32, 260-2		7
140	Comparative analyses on expression of galectins 1-4, 7-10 and 12 in first trimester placenta, decidua and isolated trophoblast cells in vitro. <i>Histology and Histopathology</i> , 2016 , 31, 1095-111	1.4	7
139	Hormone Receptor Expression in Multicentric/Multifocal versus Unifocal Breast Cancer: Especially the VDR Determines the Outcome Related to Focality. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	7
138	Prostaglandin E2 receptor EP1 in healthy and diseased human endometrium. <i>Histochemistry and Cell Biology</i> , 2018 , 149, 153-160	2.4	7
137	PD-L1 expression and survival in p16-negative and -positive squamous cell carcinomas of the vulva. <i>Journal of Cancer Research and Clinical Oncology</i> , 2020 , 146, 569-577	4.9	6
136	The controversial role of human chorionic gonadotropin in the development of breast cancer and other types of tumors. <i>Breast</i> , 2016 , 26, 135-40	3.6	6
135	Expression of Sialyl Lewis a, Sialyl Lewis x, Lewis y, Gal-3, Gal-7, STMN1 and p16 in cervical dysplasia. <i>Future Oncology</i> , 2017 , 13, 145-157	3.6	6
134	Increased expression of glycodefin mRNA and protein in rat lungs during ovalbumin-induced allergic airway inflammation. <i>Histochemistry and Cell Biology</i> , 2009 , 131, 383-90	2.4	6
133	Development and characterisation of an antibody for the immunohistochemical detection of inhibin/activin betaE (betaE) in normal human ovarian and placental tissue. <i>Acta Histochemica</i> , 2009 , 111, 366-71	2	6
132	Mesomorphic derivatives of the 6-amino-6-deoxy-D-galactose. <i>Journal of Materials Chemistry</i> , 1995 , 5, 2073		6

131	Early Life Oxidative Stress and Long-Lasting Cardiovascular Effects on Offspring Conceived by Assisted Reproductive Technologies: A Review. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	6
130	Interleukin-1 beta is significantly upregulated in the decidua of spontaneous and recurrent miscarriage placentas. <i>Journal of Reproductive Immunology</i> , 2021 , 144, 103283	4.2	6
129	Effects of Phytoestrogen Extracts Isolated from Elder Flower on Hormone Production and Receptor Expression of Trophoblast Tumor Cells JEG-3 and BeWo, as well as MCF7 Breast Cancer Cells. <i>Nutrients</i> , 2016 , 8,	6.7	6
128	Glucocorticoid receptor in cervical cancer: an immunohistochemical analysis. <i>Archives of Gynecology and Obstetrics</i> , 2019 , 299, 203-209	2.5	6
127	Correlation of Vitamin D3 (Calcitriol) Serum Concentrations with Vitamin B12 and Folic Acid in Women Undergoing in vitro Fertilisation/Intracytoplasmic Sperm Injection. <i>Gynecologic and Obstetric Investigation</i> , 2019 , 84, 128-135	2.5	6
126	Hypoxia-induced factor-1 in endometrial carcinoma: a mini-review of current evidence. <i>Histology and Histopathology</i> , 2012 , 27, 1247-53	1.4	6
125	EP3 receptor is a prognostic factor in TA-MUC1-negative ovarian cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2019 , 145, 2519-2527	4.9	5
124	Cell Type- and Sex-Specific Dysregulation of Thyroid Hormone Receptors in Placentas in Gestational Diabetes Mellitus. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	5
123	Cytoplasmic and Nuclear Forms of Thyroid Hormone Receptor are Inversely Associated with Survival in Primary Breast Cancer. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	5
122	Real-Time qPCR-Based Detection of Circulating Tumor Cells from Blood Samples of Adjuvant Breast Cancer Patients: A Preliminary Study. <i>Breast Care</i> , 2016 , 11, 194-8	2.4	5
121	Lack of prognostic relevance of Her-2/neu, topoisomerase III and EGFR in advanced ovarian carcinoma. <i>Experimental and Therapeutic Medicine</i> , 2012 , 3, 828-834	2.1	5
120	Erythropoietin and erythropoietin receptor expression in normal and disturbed pregnancy. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2008 , 140, 192-200	2.4	5
119	N-glycans of human amniotic fluid transferrin stimulate progesterone production in human first trimester trophoblast cells in vitro. <i>Journal of Perinatal Medicine</i> , 2004 , 32, 248-53	2.7	5
118	The G-Protein-Coupled Estrogen Receptor (GPER) Regulates Trimethylation of Histone H3 at Lysine 4 and Represses Migration and Proliferation of Ovarian Cancer Cells In Vitro. <i>Cells</i> , 2021 , 10,	7.9	5
117	RXR is upregulated in first trimester endometrial glands of spontaneous abortions unlike LXR and PPAR. <i>European Journal of Histochemistry</i> , 2016 , 60, 2665	2.1	5
116	Sera of patients with recurrent miscarriages containing anti-trophoblast antibodies (ATAB) reduce hCG and progesterone production in trophoblast cells in vitro. <i>Journal of Reproductive Immunology</i> , 2016 , 117, 52-6	4.2	5
115	Expression of HPV, steroid receptors (ERalpha, ERbeta, PR-A and PR-B) and inhibin/activin subunits (alpha, betaA and betaB) in adenosquamous endometrial carcinoma. <i>Anticancer Research</i> , 2007 , 27, 2011-7	2.7	5
114	Immunohistochemical visualisation of cathepsin-D expression in breast cancer. <i>Anticancer Research</i> , 2007 , 27, 2035-9	2.3	5

113	Expression of the carbohydrate tumor marker Sialyl Lewis a (Ca19-9) in squamous cell carcinoma of the larynx. <i>Anticancer Research</i> , 2010 , 30, 1849-53	2.3	5
112	Glycodelin A - a famous lipocalin and its role in breast cancer. <i>Anticancer Research</i> , 2014 , 34, 1079-85	2.3	5
111	FOXP3+ Cells Recruited by CCL22 into Breast Cancer Correlates with Less Tumor Nodal Infiltration. <i>Anticancer Research</i> , 2016 , 36, 3139-45	2.3	5
110	Prostaglandin E2 receptor 3 (EP3) signaling promotes migration of cervical cancer via urokinase-type plasminogen activator receptor (uPAR). <i>Journal of Cancer Research and Clinical Oncology</i> , 2020 , 146, 2189-2203	4.9	4
109	Multiple Roles of Prostaglandin E2 Receptors in Female Reproduction. <i>Endocrines</i> , 2020 , 1, 22-34	0.8	4
108	H3K4me3 Is a Potential Mediator for Antiproliferative Effects of Calcitriol (1 α ,25(OH) $_2$ D $_3$) in Ovarian Cancer Biology. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	4
107	MSX1-A Potential Marker for Uterus-Preserving Therapy of Endometrial Carcinomas. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	4
106	The prostaglandin receptor EP2 determines prognosis in EP3-negative and galectin-3-high cervical cancer cases. <i>Scientific Reports</i> , 2020 , 10, 1154	4.9	4
105	An ethanolic extract of <i>Linum usitatissimum</i> caused cell lethality and inhibition of cell vitality/ -proliferation of MCF-7 and BT20 mamma carcinoma cells in vitro. <i>Archives of Gynecology and Obstetrics</i> , 2013 , 288, 149-53	2.5	4
104	Fluorescence Analysis of Vitamin D Receptor Status of Circulating Tumor Cells (CTCS) in Breast Cancer: From Cell Models to Metastatic Patients. <i>International Journal of Molecular Sciences</i> , 2017 , 18,	6.3	4
103	Analysis of Epithelial Growth Factor-Receptor (EGFR) Phosphorylation in Uterine Smooth Muscle Tumors: Correlation to Mucin-1 and Galectin-3 Expression. <i>International Journal of Molecular Sciences</i> , 2013 , 14, 4783-92	6.3	4
102	Effects of progesterone and its antagonist mifepristone on progesterone receptor a expression in human umbilical vein endothelial cells. <i>Gynecologic and Obstetric Investigation</i> , 2009 , 67, 269-74	2.5	4
101	The Effects of <i>Petroselinum Crispum</i> on Estrogen Receptor-positive Benign and Malignant Mammary Cells (MCF12A/MCF7). <i>Anticancer Research</i> , 2017 , 37, 95-102	2.3	4
100	Promotor analysis of ESR1 in endometrial cancer cell lines, endometrial and endometriotic tissue. <i>Archives of Gynecology and Obstetrics</i> , 2017 , 296, 269-276	2.5	4
99	Lysine-specific histone demethylase 1A (LSD1) in cervical cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2020 , 146, 2843-2850	4.9	4
98	Sex Specific Expression of Interleukin 7, 8 and 15 in Placentas of Women with Gestational Diabetes. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	4
97	Epigenetic modification via H3K4me3 and H3K9ac in human placenta is reduced in preeclampsia. <i>Journal of Reproductive Immunology</i> , 2021 , 145, 103287	4.2	4
96	Potential Interplay of the Gatipotuzumab Epitope TA-MUC1 and Estrogen Receptors in Ovarian Cancer. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	4

95	G Protein-Coupled Estrogen Receptor Correlates With Dkk2 Expression and Has Prognostic Impact in Ovarian Cancer Patients. <i>Frontiers in Endocrinology</i> , 2021 , 12, 564002	5.7	4
94	Immunogenomic Identification for Predicting the Prognosis of Cervical Cancer Patients. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	4
93	Role of Peroxisome Proliferator-Activated Receptors (PPARs) in Trophoblast Functions. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	4
92	Expression of the Thomsen-Friedenreich (TF) tumor antigen in human abort placentas. <i>Anticancer Research</i> , 2005 , 25, 1675-8	2.3	4
91	Determination of glycodelin-A expression correlated to grading and staging in ovarian carcinoma tissue. <i>Anticancer Research</i> , 2010 , 30, 1637-40	2.3	4
90	Quantification of breast cancer cells in peripheral blood samples by real-time rt-PCR. <i>Anticancer Research</i> , 2012 , 32, 5387-91	2.3	4
89	Alpha tocopherol transfer protein (ATTP) is expressed in endometrial carcinoma and is correlated with FIGO stage and 5-year survival. <i>Journal of Cancer Research and Clinical Oncology</i> , 2017 , 143, 773-781	4.9	3
88	Expression of H3K4me3 and H3K9ac in breast cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2020 , 146, 2017-2027	4.9	3
87	Cytoplasmic versus nuclear THR alpha expression determines survival of ovarian cancer patients. <i>Journal of Cancer Research and Clinical Oncology</i> , 2020 , 146, 1923-1932	4.9	3
86	Regulation of LCoR and RIP140 expression in cervical intraepithelial neoplasia and correlation with CIN progression and dedifferentiation. <i>Journal of Cancer Research and Clinical Oncology</i> , 2020 , 146, 1847-1855	4.9	3
85	Dopamine synthesis and dopamine receptor expression are disturbed in recurrent miscarriages. <i>Endocrine Connections</i> , 2018 , 7, 727-738	3.5	3
84	Extracapsular Lymph Node Involvement in Ovarian Carcinoma. <i>Cancers</i> , 2019 , 11,	6.6	3
83	Detection of breast cancer cells in blood samples by immunostaining of the Thomsen-Friedenreich antigen. <i>Future Oncology</i> , 2013 , 9, 747-52	3.6	3
82	Neue Ergebnisse zur hCG-Regulation in der Plazenta. <i>Geburtshilfe Und Frauenheilkunde</i> , 1997 , 57, 681-684		3
81	Cytoplasmic LXR expression is an independent marker of poor prognosis for patients with early stage primary breast cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2021 , 147, 2535-2544	4.9	3
80	Identification of a Novel Tumor Microenvironment Prognostic Signature for Advanced-Stage Serous Ovarian Cancer. <i>Cancers</i> , 2021 , 13,	6.6	3
79	The role of EP3-receptor expression in cervical dysplasia. <i>Journal of Cancer Research and Clinical Oncology</i> , 2019 , 145, 313-319	4.9	3
78	Oropharyngeal HPV Detection Techniques in HPV-associated Head and Neck Cancer Patients. <i>Anticancer Research</i> , 2020 , 40, 2117-2123	2.3	3

77	Nuclear Enolase-1/ MBP-1 expression and its association with the Wnt signaling in epithelial ovarian cancer. <i>Translational Oncology</i> , 2021 , 14, 100910	4.9	3
76	Glycodelin expression in correlation to grading, nodal involvement and steroid receptor expression in human breast cancer patients. <i>Anticancer Research</i> , 2010 , 30, 1599-603	2.3	3
75	Inhibin/activin-betaC subunit in human endometrial adenocarcinomas and HEC-1a adenocarcinoma cell line. <i>In Vivo</i> , 2010 , 24, 695-8	2.3	3
74	Methylation of the ER-alpha Promoter Is Influenced by its Ligand Estrogen in Osteosarcoma Cells SAOS-2 In Vitro. <i>Anticancer Research</i> , 2016 , 36, 3199-204	2.3	3
73	Cytoplasmic VDR expression as an independent risk factor for ovarian cancer. <i>Histochemistry and Cell Biology</i> , 2020 , 154, 421-429	2.4	2
72	Sirtuin1 expression and survival in endometrial and clear-cell uterine cancer. <i>Histochemistry and Cell Biology</i> , 2020 , 154, 189-195	2.4	2
71	Sex-specific epigenetic gene activation profiles are differentially modulated in human placentas affected by intrauterine growth restriction. <i>Journal of Reproductive Immunology</i> , 2020 , 139, 103124	4.2	2
70	Detection of circulating tumour cells on mRNA levels with established breast cancer cell lines. <i>Biomedical Reports</i> , 2013 , 1, 231-234	1.8	2
69	Histochemistry for placenta research: theory and application. <i>Journal of Nippon Medical School</i> , 2007 , 74, 268-73	1.3	2
68	Inhibition of Wnt signaling as therapeutic option in platinum-resistant ovarian cancer.. <i>Journal of Clinical Oncology</i> , 2017 , 35, e17050-e17050	2.2	2
67	Expression of trophoblast derived prostaglandin E2 receptor 2 (EP2) is reduced in patients with recurrent miscarriage and EP2 regulates cell proliferation and expression of inflammatory cytokines. <i>Journal of Reproductive Immunology</i> , 2020 , 142, 103210	4.2	2
66	Expression of the Carbohydrate Lewis Antigen, Sialyl Lewis A, Sialyl Lewis X, Lewis X, and Lewis Y in the Placental Villi of Patients With Unexplained Miscarriages. <i>Frontiers in Immunology</i> , 2021 , 12, 679424	8.4	2
65	Quantitative PCR marker genes for endometrial adenocarcinoma. <i>Molecular Medicine Reports</i> , 2016 , 14, 2199-205	2.9	2
64	Interleukin 15 and Eotaxin correlate with the outcome of breast cancer patients vice versa independent of CTC status. <i>Archives of Gynecology and Obstetrics</i> , 2021 , 303, 217-230	2.5	2
63	The Prognostic Impact of Retinoid X Receptor and Thyroid Hormone Receptor alpha in Unifocal vs. Multifocal/Multicentric Breast Cancer. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	2
62	First Evidence for a Role of Siglec-8 in Breast Cancer. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	2
61	Pregnancy Zone Protein (PZP) is significantly upregulated in the decidua of recurrent and spontaneous miscarriage and negatively correlated to Glycodelin A (GdA). <i>Journal of Reproductive Immunology</i> , 2021 , 143, 103267	4.2	2
60	Comparison of Histone H3K4me3 between IVF and ICSI Technologies and between Boy and Girl Offspring. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	2

59	Parathyroid hormone-related peptide (PTH-rp) in normal, hyperplastic and malignant endometrial tissue: an immunohistochemical analysis. <i>Anticancer Research</i> , 2005 , 25, 1633-8	2.3	2
58	Expression of inhibin/activin subunits, sialyl-lewis A (CA 19-9, sLea) and sialyl-Lewis X (sLex) carbohydrate antigens in a hydatidiform mole with persistent polymorphic trophoblastic hyperplasia. <i>Anticancer Research</i> , 2005 , 25, 1725-30	2.3	2
57	Expression of the carbohydrate tumour marker SLeX, SLeA (CA19-9), LeY and Thomsen-Friedenreich (TF) antigen on normal squamous epithelial tissue of the penis and vagina. <i>Anticancer Research</i> , 2007 , 27, 1981-8	2.3	2
56	The immunohistochemical expression of the inhibin/activin subunits is up-regulated by interferon-beta1a in Ishikawa cell line. <i>Anticancer Research</i> , 2007 , 27, 2005-10	2.3	2
55	Expression of the tumor markers sialyl Lewis A, sialyl Lewis X, Lewis Y, Thomsen-Friedenreich antigen, galectin-1 and galectin-3 in human osteoblasts in vitro. <i>Anticancer Research</i> , 2012 , 32, 2159-64	2.3	2
54	LDOC1 as Negative Prognostic Marker for Vulvar Cancer Patients. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	1
53	Spliceosome protein EFTUD2 is upregulated in the trophoblast of spontaneous miscarriage and hydatidiform mole. <i>Journal of Reproductive Immunology</i> , 2020 , 140, 103149	4.2	1
52	EP3 Is an Independent Prognostic Marker Only for Unifocal Breast Cancer Cases. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	1
51	The Distinct Roles of Transcriptional Factor KLF11 in Normal Cell Growth Regulation and Cancer as a Mediator of TGF- β Signaling Pathway. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	1
50	Can We Find Breast Cancer via Salivary Fluid Glycosylation Analyses?. <i>EBioMedicine</i> , 2018 , 28, 4	8.8	1
49	TA-MUC1 as detected by the fully humanized, therapeutic antibody Gatipotzumab predicts poor prognosis in cervical cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2018 , 144, 1899-1907	4.9	1
48	Impact of Etoposide on BRCA1 Expression in Various Breast Cancer Cell Lines. <i>Drugs in R and D</i> , 2017 , 17, 569-583	3.4	1
47	Trophoblastic cell lines ACH1P and AC-1M32 react with a distinctive cytokine pattern toward <i>Listeria monocytogenes</i> and show morphologic differences. <i>American Journal of Reproductive Immunology</i> , 2012 , 68, 387-91	3.8	1
46	Schwangerschaft und maternales Immunsystem. <i>Der Gynakologe</i> , 2009 , 42, 25-30	0.1	1
45	Effects of matcha tea extract on cell viability and peroxisome proliferator-activated receptor α expression on T47D breast cancer cells.. <i>Archives of Gynecology and Obstetrics</i> , 2022 , 1	2.5	1
44	AKR1C1/2 inhibition by MPA sensitizes platinum resistant ovarian cancer towards carboplatin.. <i>Scientific Reports</i> , 2022 , 12, 1862	4.9	1
43	Factors Influencing the In Vitro Maturation (IVM) of Human Oocyte.. <i>Biomedicines</i> , 2021 , 9,	4.8	1
42	Role of FoxP3-positive regulatory T-cells in regressive and progressive cervical dysplasia. <i>Journal of Cancer Research and Clinical Oncology</i> , 2021 , 1	4.9	1

41	The Role of Chemokines in Cervical Cancers. <i>Medicina (Lithuania)</i> , 2021 , 57,	3.1	1
40	Cytoplasmic GPER predicts excellent overall and progression free survival in early stage cervical cancer. <i>Geburtshilfe Und Frauenheilkunde</i> , 2016 , 76,	2	1
39	Potential of platinum-resensitization by Wnt signaling modulators as treatment approach for epithelial ovarian cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2020 , 146, 2559-2574	4.9	1
38	The role of EP-2 receptor expression in cervical intraepithelial neoplasia. <i>Histochemistry and Cell Biology</i> , 2020 , 154, 655-662	2.4	1
37	L-Dopa-Decarboxylase (DDC) Is a Positive Prognosticator for Breast Cancer Patients and Epinephrine Regulates Breast Cancer Cell (MCF7 and T47D) Growth In Vitro According to Their Different Expression of. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	1
36	Combined COX-2/PPAR γ Expression as Independent Negative Prognosticator for Vulvar Cancer Patients. <i>Diagnostics</i> , 2021 , 11,	3.8	1
35	Nuclear receptor corepressor (NCoR) is a positive prognosticator for cervical cancer. <i>Archives of Gynecology and Obstetrics</i> , 2021 , 304, 1307-1314	2.5	1
34	The decidual expression of Interleukin-7 is upregulated in early pregnancy loss. <i>American Journal of Reproductive Immunology</i> , 2021 , 86, e13437	3.8	1
33	Epithelial-mesenchymal transition was identified as a potential marker for breast cancer aggressiveness using reverse transcription-quantitative polymerase chain reaction. <i>Molecular Medicine Reports</i> , 2018 , 18, 1733-1739	2.9	1
32	Trace Amine-Associated Receptor 1 (TAAR1) Is a Positive Prognosticator for Epithelial Ovarian Cancer. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	1
31	Expression of cytokeratins and vimentin in normal human endometrial cells in vitro: an immunohistochemical analysis on isolated glandular epithelial cells. <i>Anticancer Research</i> , 2000 , 20, 5125-8 ³	2.3	1
30	Expression of inhibins in the endometrial carcinoma cell line RL-95-2 after stimulation with cortisol and estradiol. <i>Anticancer Research</i> , 2007 , 27, 1989-93	2.3	1
29	Effect of BSA-coated Superparamagnetic Iron Oxide Nanoparticles on Granulosa Cells. <i>Anticancer Research</i> , 2016 , 36, 3147-54	2.3	1
28	Expression of the Tumor-associated Mucin 1 Epitope Analyzed with the Humanized PankoMab-GEX γ Antibody in Malignant and Normal Tissues of the Head and Neck. <i>Anticancer Research</i> , 2016 , 36, 3179-84	2.3	1
27	Endometrial Adenocarcinoma: Analysis of Circulating Tumour Cells by RT-qPCR. <i>Anticancer Research</i> , 2016 , 36, 3205-9	2.3	1
26	Immunocytochemical Characterization of Disseminated Tumour Cells from Bone Marrow of Breast Cancer Patients. <i>Anticancer Research</i> , 2016 , 36, 3217-22	2.3	1
25	Seasonal dynamic of cholecalciferol (D3) and anti-Muellerian hormone (AMH) with impact on ovarian response and IVF/ICSI.. <i>Archives of Gynecology and Obstetrics</i> , 2022 , 1	2.5	1
24	Medawar $\text{\textcircled{Q}}$ PostEra: Galectins Emerged as Key Players During Fetal-Maternal Glycoimmune Adaptation.. <i>Frontiers in Immunology</i> , 2021 , 12, 784473	8.4	1

23	Overexpression of galectin-4 in placentas of women with gestational diabetes.. <i>Journal of Reproductive Immunology</i> , 2022 , 151, 103629	4.2	1
22	Detection and characterisation of disseminated tumour cells in bone marrow of breast cancer patients by immunostaining of Her-2 and MUC-1 in combination with Thomsen-Friedenreich (CD176). <i>Histology and Histopathology</i> , 2014 , 29, 913-23	1.4	1
21	Epigenetic changes occur in placentas of spontaneous and recurrent miscarriages.. <i>Journal of Reproductive Immunology</i> , 2021 , 149, 103466	4.2	0
20	The role of Interleukin-18 in recurrent early pregnancy loss. <i>Journal of Reproductive Immunology</i> , 2021 , 148, 103432	4.2	0
19	Breast adipose tissue macrophages (BATMs) have a stronger correlation with breast cancer survival than breast tumor stroma macrophages (BTSMs). <i>Breast Cancer Research</i> , 2021 , 23, 45	8.3	0
18	Nuclear expression of VDR and AHR is mutually exclusive in glandular cells in endometriosis. <i>Histochemistry and Cell Biology</i> , 2021 , 156, 391-399	2.4	0
17	The role of E-Cadherin expression in primary site of breast cancer. <i>Archives of Gynecology and Obstetrics</i> , 2021 , 1	2.5	0
16	Galectin-8 and -9 as prognostic factors for cervical cancer.. <i>Archives of Gynecology and Obstetrics</i> , 2022 , 1	2.5	0
15	Gal-2 Increases H3K4me3 and H3K9ac in Trophoblasts and Preeclampsia. <i>Biomolecules</i> , 2022 , 12, 707	5.9	0
14	Plazentaforschung. <i>Der Gynakologe</i> , 2013 , 46, 798-802	0.1	
13	Effects of phytoestrogen extracts isolated from flax on hormone production of trophoblast tumour cells Jeg 3 and BeWo. <i>Gynecological Endocrinology</i> , 2012 , 28, 330-5	2.4	
12	Induction of Syncytium Formation in Trophoblast Tumour Cells BeWo by Galectin-1. <i>American Journal of Reproductive Immunology</i> , 2007 , 58, 179-180	3.8	
11	Bedeutung immunologischer Prozesse im 2./3. Trimenon 2017 , 35-44		
10	Evaluation of the anti-Thomsen-Friedenreich antibodies Nemo-TF1 and Nemo-TF2 as prognostic markers in breast cancer. <i>Breast Cancer Research and Treatment</i> , 2020 , 179, 643-652	4.4	
9	Do signal transduction cascades influence survival in triple-negative breast cancer? A preliminary study. <i>OncoTargets and Therapy</i> , 2016 , 9, 3163-9	4.4	
8	Das veränderte Mikrobiom in Uterus und Plazenta. <i>Der Gynakologe</i> , 2019 , 52, 25-29	0.1	
7	Actin Beta-Like 2 as a New Mediator of Proliferation and Migration in Epithelial Ovarian Cancer. <i>Frontiers in Oncology</i> , 2021 , 11, 713026	5.3	
6	Expression of the pantumour Thomsen-Friedenreich antigen in the human placenta with the diagnosis of hydatidiform mole. <i>Anticancer Research</i> , 2007 , 27, 2001-3	2.3	

- 5 Expression of different carbohydrate tumour markers and galectins 1 and 3 in normal squamous and malignant epithelia of the upper aerodigestive tract. *Anticancer Research*, **2012**, 32, 2023-9 2.3
- 4 Thyroid Hormones and Vitamin D in Patients with Breast Cancer with Mutations in BRCA1 or BRCA2 Genes. *Anticancer Research*, **2016**, 36, 3185-90 2.3
- 3 New Marker Genes for Real-Time PCR-based Detection of Circulating Tumour Cells from Blood of Breast Cancer Patients. *Anticancer Research*, **2016**, 36, 3211-6 2.3
- 2 The role of resveratrol, Sirtuin1 and RXRs prognostic markers in ovarian cancer. *Archives of Gynecology and Obstetrics*, **2021**, 1 2.5
- 1 Isolation of Decidual Macrophages and Hofbauer Cells from Term Placenta. Comparison of the Expression of CD163 and CD80. *International Journal of Molecular Sciences*, **2022**, 23, 6113 6.3