

Udo Jeschke

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8437092/udo-jeschke-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

400
papers

6,443
citations

37
h-index

54
g-index

523
ext. papers

7,543
ext. citations

3.8
avg, IF

5.58
L-index

#	Paper	IF	Citations
400	Effects of matcha tea extract on cell viability and peroxisome proliferator-activated receptor α expression on T47D breast cancer cells.. <i>Archives of Gynecology and Obstetrics</i> , 2022 , 1	2.5	1
399	AKR1C1/2 inhibition by MPA sensitizes platinum resistant ovarian cancer towards carboplatin.. <i>Scientific Reports</i> , 2022 , 12, 1862	4.9	1
398	Seasonal dynamic of cholecalciferol (D3) and anti-Muellerian hormone (AMH) with impact on ovarian response and IVF/ICSI.. <i>Archives of Gynecology and Obstetrics</i> , 2022 , 1	2.5	1
397	Galectin-8 and -9 as prognostic factors for cervical cancer.. <i>Archives of Gynecology and Obstetrics</i> , 2022 , 1	2.5	0
396	Overexpression of galectin-4 in placentas of women with gestational diabetes.. <i>Journal of Reproductive Immunology</i> , 2022 , 151, 103629	4.2	1
395	Gal-2 Increases H3K4me3 and H3K9ac in Trophoblasts and Preeclampsia. <i>Biomolecules</i> , 2022 , 12, 707	5.9	0
394	Isolation of Decidual Macrophages and Hofbauer Cells from Term Placenta—Comparison of the Expression of CD163 and CD80. <i>International Journal of Molecular Sciences</i> , 2022 , 23, 6113	6.3	
393	Factors Influencing the In Vitro Maturation (IVM) of Human Oocyte.. <i>Biomedicines</i> , 2021 , 9,	4.8	1
392	Role of FoxP3-positive regulatory T-cells in regressive and progressive cervical dysplasia. <i>Journal of Cancer Research and Clinical Oncology</i> , 2021 , 1	4.9	1
391	Epigenetic changes occur in placentas of spontaneous and recurrent miscarriages.. <i>Journal of Reproductive Immunology</i> , 2021 , 149, 103466	4.2	0
390	The Role of Chemokines in Cervical Cancers. <i>Medicina (Lithuania)</i> , 2021 , 57,	3.1	1
389	The role of Interleukin-18 in recurrent early pregnancy loss. <i>Journal of Reproductive Immunology</i> , 2021 , 148, 103432	4.2	0
388	The G-Protein-Coupled Estrogen Receptor (GPER) Regulates Trimethylation of Histone H3 at Lysine 4 and Represses Migration and Proliferation of Ovarian Cancer Cells In Vitro. <i>Cells</i> , 2021 , 10,	7.9	5
387	Combined COX-2/PPAR γ Expression as Independent Negative Prognosticator for Vulvar Cancer Patients. <i>Diagnostics</i> , 2021 , 11,	3.8	1
386	Nuclear receptor corepressor (NCoR) is a positive prognosticator for cervical cancer. <i>Archives of Gynecology and Obstetrics</i> , 2021 , 304, 1307-1314	2.5	1
385	Breast adipose tissue macrophages (BATMs) have a stronger correlation with breast cancer survival than breast tumor stroma macrophages (BTSMs). <i>Breast Cancer Research</i> , 2021 , 23, 45	8.3	0
384	Interleukin-1 beta is significantly upregulated in the decidua of spontaneous and recurrent miscarriage placentas. <i>Journal of Reproductive Immunology</i> , 2021 , 144, 103283	4.2	6

383	Expression of the Carbohydrate Lewis Antigen, Sialyl Lewis A, Sialyl Lewis X, Lewis X, and Lewis Y in the Placental Villi of Patients With Unexplained Miscarriages. <i>Frontiers in Immunology</i> , 2021 , 12, 679424	8.4	2
382	The decidual expression of Interleukin-7 is upregulated in early pregnancy loss. <i>American Journal of Reproductive Immunology</i> , 2021 , 86, e13437	3.8	1
381	Nuclear expression of VDR and AHR is mutually exclusive in glandular cells in endometriosis. <i>Histochemistry and Cell Biology</i> , 2021 , 156, 391-399	2.4	0
380	Cytoplasmic LXR expression is an independent marker of poor prognosis for patients with early stage primary breast cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2021 , 147, 2535-2544	4.9	3
379	Epigenetic modification via H3K4me3 and H3K9ac in human placenta is reduced in preeclampsia. <i>Journal of Reproductive Immunology</i> , 2021 , 145, 103287	4.2	4
378	Identification of a Novel Tumor Microenvironment Prognostic Signature for Advanced-Stage Serous Ovarian Cancer. <i>Cancers</i> , 2021 , 13,	6.6	3
377	Interleukin 15 and Eotaxin correlate with the outcome of breast cancer patients vice versa independent of CTC status. <i>Archives of Gynecology and Obstetrics</i> , 2021 , 303, 217-230	2.5	2
376	Nuclear Enolase-1/ MBP-1 expression and its association with the Wnt signaling in epithelial ovarian cancer. <i>Translational Oncology</i> , 2021 , 14, 100910	4.9	3
375	The Prognostic Impact of Retinoid X Receptor and Thyroid Hormone Receptor alpha in Unifocal vs. Multifocal/Multicentric Breast Cancer. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	2
374	G Protein-Coupled Estrogen Receptor Correlates With Dkk2 Expression and Has Prognostic Impact in Ovarian Cancer Patients. <i>Frontiers in Endocrinology</i> , 2021 , 12, 564002	5.7	4
373	First Evidence for a Role of Siglec-8 in Breast Cancer. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	2
372	Immunogenomic Identification for Predicting the Prognosis of Cervical Cancer Patients. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	4
371	Pregnancy Zone Protein (PZP) is significantly upregulated in the decidua of recurrent and spontaneous miscarriage and negatively correlated to Glycodelin A (GdA). <i>Journal of Reproductive Immunology</i> , 2021 , 143, 103267	4.2	2
370	Trace Amine-Associated Receptor 1 (TAAR1) Is a Positive Prognosticator for Epithelial Ovarian Cancer. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	1
369	Comparison of Histone H3K4me3 between IVF and ICSI Technologies and between Boy and Girl Offspring. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	2
368	Actin Beta-Like 2 as a New Mediator of Proliferation and Migration in Epithelial Ovarian Cancer. <i>Frontiers in Oncology</i> , 2021 , 11, 713026	5.3	
367	The role of E-Cadherin expression in primary site of breast cancer. <i>Archives of Gynecology and Obstetrics</i> , 2021 , 1	2.5	0
366	Role of Peroxisome Proliferator-Activated Receptors (PPARs) in Trophoblast Functions. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	4

365	Medawar@PostEra: Galectins Emerged as Key Players During Fetal-Maternal Glycoimmune Adaptation.. <i>Frontiers in Immunology</i> , 2021 , 12, 784473	8.4	1
364	The role of resveratrol, Sirtuin1 and RXR α s prognostic markers in ovarian cancer. <i>Archives of Gynecology and Obstetrics</i> , 2021 , 1	2.5	
363	LDOC1 as Negative Prognostic Marker for Vulvar Cancer Patients. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	1
362	COX-2-PGE-EPs in gynecological cancers. <i>Archives of Gynecology and Obstetrics</i> , 2020 , 301, 1365-1375	2.5	14
361	M2 Macrophages Infiltrating Epithelial Ovarian Cancer Express MDR1: A Feature That May Account for the Poor Prognosis. <i>Cells</i> , 2020 , 9,	7.9	10
360	Prostaglandin E2 receptor 3 (EP3) signaling promotes migration of cervical cancer via urokinase-type plasminogen activator receptor (uPAR). <i>Journal of Cancer Research and Clinical Oncology</i> , 2020 , 146, 2189-2203	4.9	4
359	Expression of H3K4me3 and H3K9ac in breast cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2020 , 146, 2017-2027	4.9	3
358	Spliceosome protein EFTUD2 is upregulated in the trophoblast of spontaneous miscarriage and hydatidiform mole. <i>Journal of Reproductive Immunology</i> , 2020 , 140, 103149	4.2	1
357	Cell Type- and Sex-Specific Dysregulation of Thyroid Hormone Receptors in Placentas in Gestational Diabetes Mellitus. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	5
356	Cytoplasmic versus nuclear THR alpha expression determines survival of ovarian cancer patients. <i>Journal of Cancer Research and Clinical Oncology</i> , 2020 , 146, 1923-1932	4.9	3
355	EP3 Is an Independent Prognostic Marker Only for Unifocal Breast Cancer Cases. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	1
354	Multiple Roles of Prostaglandin E2 Receptors in Female Reproduction. <i>Endocrines</i> , 2020 , 1, 22-34	0.8	4
353	Regulation of LCoR and RIP140 expression in cervical intraepithelial neoplasia and correlation with CIN progression and dedifferentiation. <i>Journal of Cancer Research and Clinical Oncology</i> , 2020 , 146, 1847-1855	4.9	3
352	H3K4me3 Is a Potential Mediator for Antiproliferative Effects of Calcitriol (1,25(OH) $_2$ D $_3$) in Ovarian Cancer Biology. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	4
351	Cytoplasmic VDR expression as an independent risk factor for ovarian cancer. <i>Histochemistry and Cell Biology</i> , 2020 , 154, 421-429	2.4	2
350	Sirtuin1 expression and survival in endometrial and clear-cell uterine cancer. <i>Histochemistry and Cell Biology</i> , 2020 , 154, 189-195	2.4	2
349	MSX1-A Potential Marker for Uterus-Preserving Therapy of Endometrial Carcinomas. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	4
348	PD-L1 expression and survival in p16-negative and -positive squamous cell carcinomas of the vulva. <i>Journal of Cancer Research and Clinical Oncology</i> , 2020 , 146, 569-577	4.9	6

347	Cytoplasmic PPAR α is a marker of poor prognosis in patients with Cox-1 negative primary breast cancers. <i>Journal of Translational Medicine</i> , 2020 , 18, 94	8.5	7
346	The prostaglandin receptor EP2 determines prognosis in EP3-negative and galectin-3-high cervical cancer cases. <i>Scientific Reports</i> , 2020 , 10, 1154	4.9	4
345	Cytoplasmic and Nuclear Forms of Thyroid Hormone Receptor β Are Inversely Associated with Survival in Primary Breast Cancer. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	5
344	Sex-specific epigenetic gene activation profiles are differentially modulated in human placentas affected by intrauterine growth restriction. <i>Journal of Reproductive Immunology</i> , 2020 , 139, 103124	4.2	2
343	High Galectin-7 and Low Galectin-8 Expression and the Combination of both are Negative Prognosticators for Breast Cancer Patients. <i>Cancers</i> , 2020 , 12,	6.6	8
342	The Distinct Roles of Transcriptional Factor KLF11 in Normal Cell Growth Regulation and Cancer as a Mediator of TGF- β Signaling Pathway. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	1
341	Evaluation of the anti-Thomsen-Friedenreich antibodies Nemod-TF1 and Nemod-TF2 as prognostic markers in breast cancer. <i>Breast Cancer Research and Treatment</i> , 2020 , 179, 643-652	4.4	
340	Errestin 2 Is a Prognostic Factor for Survival of Ovarian Cancer Patients Upregulating Cell Proliferation. <i>Frontiers in Endocrinology</i> , 2020 , 11, 554733	5.7	9
339	Expression of trophoblast derived prostaglandin E2 receptor 2 (EP2) is reduced in patients with recurrent miscarriage and EP2 regulates cell proliferation and expression of inflammatory cytokines. <i>Journal of Reproductive Immunology</i> , 2020 , 142, 103210	4.2	2
338	The chimera-type galectin-3 is a positive modulator of trophoblast functions with dysregulated expression in gestational diabetes mellitus. <i>American Journal of Reproductive Immunology</i> , 2020 , 84, e13311	3.8	8
337	Early Life Oxidative Stress and Long-Lasting Cardiovascular Effects on Offspring Conceived by Assisted Reproductive Technologies: A Review. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	6
336	Potential of platinum-resensitization by Wnt signaling modulators as treatment approach for epithelial ovarian cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2020 , 146, 2559-2574	4.9	1
335	Development and Validation of a Novel 11-Gene Prognostic Model for Serous Ovarian Carcinomas Based on Lipid Metabolism Expression Profile. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	12
334	Lysine-specific histone demethylase 1A (LSD1) in cervical cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2020 , 146, 2843-2850	4.9	4
333	Sex Specific Expression of Interleukin 7, 8 and 15 in Placentas of Women with Gestational Diabetes. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	4
332	The role of EP-2 receptor expression in cervical intraepithelial neoplasia. <i>Histochemistry and Cell Biology</i> , 2020 , 154, 655-662	2.4	1
331	L-Dopa-Decarboxylase (DDC) Is a Positive Prognosticator for Breast Cancer Patients and Epinephrine Regulates Breast Cancer Cell (MCF7 and T47D) Growth In Vitro According to Their Different Expression of. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	1
330	Oropharyngeal HPV Detection Techniques in HPV-associated Head and Neck Cancer Patients. <i>Anticancer Research</i> , 2020 , 40, 2117-2123	2.3	3

329	Placental Galectin-2 Expression in Gestational Diabetes: A Systematic, Histological Analysis. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	8
328	EP3 receptor is a prognostic factor in TA-MUC1-negative ovarian cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2019 , 145, 2519-2527	4.9	5
327	EP3 receptor antagonist L798,106 reduces proliferation and migration of SK-BR-3 breast cancer cells. <i>OncoTargets and Therapy</i> , 2019 , 12, 6053-6068	4.4	10
326	Prognostic relevance of RIP140 and ER α expression in unifocal versus multifocal breast cancers: a preliminary report. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	7
325	Large scale multifactorial likelihood quantitative analysis of BRCA1 and BRCA2 variants: An ENIGMA resource to support clinical variant classification. <i>Human Mutation</i> , 2019 , 40, 1557-1578	4.7	52
324	Correlation of the Aryl Hydrocarbon Receptor with FSHR in Ovarian Cancer Patients. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	8
323	Glucocorticoid receptors α and β are modulated sex specifically in human placentas of intrauterine growth restriction (IUGR). <i>Archives of Gynecology and Obstetrics</i> , 2019 , 300, 323-335	2.5	7
322	Breast cancer, placenta and pregnancy. <i>European Journal of Cancer</i> , 2019 , 115, 68-78	7.5	16
321	Anti Enolase antibody is a novel autoimmune biomarker for unexplained recurrent miscarriages. <i>EBioMedicine</i> , 2019 , 41, 610-622	8.8	10
320	The Prognostic Impact of the Aryl Hydrocarbon Receptor (AhR) in Primary Breast Cancer Depends on the Lymph Node Status. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	12
319	Thyronamine regulation of TAAR1 expression in breast cancer cells and investigation of its influence on viability and migration. <i>Breast Cancer: Targets and Therapy</i> , 2019 , 11, 87-97	3.9	9
318	Prevalence of oral HPV infection in cervical HPV positive women and their sexual partners. <i>Archives of Gynecology and Obstetrics</i> , 2019 , 299, 1659-1665	2.5	11
317	Comprehensive analysis of PD-L1 expression, HER2 amplification, ALK/EML4 fusion, and mismatch repair deficiency as putative predictive and prognostic factors in ovarian carcinoma. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2019 , 474, 599-608	5.1	11
316	The Formation and Therapeutic Update of Tumor-Associated Macrophages in Cervical Cancer. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	11
315	Extracapsular Lymph Node Involvement in Ovarian Carcinoma. <i>Cancers</i> , 2019 , 11,	6.6	3
314	Correlation of NRF2 and progesterone receptor and its effects on ovarian cancer biology. <i>Cancer Management and Research</i> , 2019 , 11, 7673-7684	3.6	8
313	Hormone Receptor Expression in Multicentric/Multifocal versus Unifocal Breast Cancer: Especially the VDR Determines the Outcome Related to Focality. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	7
312	Higher CCL22+ Cell Infiltration is Associated with Poor Prognosis in Cervical Cancer Patients. <i>Cancers</i> , 2019 , 11,	6.6	8

311	The role of EP3-receptor expression in cervical dysplasia. <i>Journal of Cancer Research and Clinical Oncology</i> , 2019 , 145, 313-319	4.9	3
310	Das veränderte Mikrobiom in Uterus und Plazenta. <i>Der Gynakologe</i> , 2019 , 52, 25-29	0.1	
309	Potential Interplay of the Gatipotuzumab Epitope TA-MUC1 and Estrogen Receptors in Ovarian Cancer. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	4
308	Involvement of ILR4 and TLR4 in miscarriages. <i>Journal of Reproductive Immunology</i> , 2019 , 131, 36-43	4.2	8
307	Glucocorticoid receptor in cervical cancer: an immunohistochemical analysis. <i>Archives of Gynecology and Obstetrics</i> , 2019 , 299, 203-209	2.5	6
306	Correlation of Vitamin D3 (Calcitriol) Serum Concentrations with Vitamin B12 and Folic Acid in Women Undergoing in vitro Fertilisation/Intracytoplasmatic Sperm Injection. <i>Gynecologic and Obstetric Investigation</i> , 2019 , 84, 128-135	2.5	6
305	Effects of green tea, matcha tea and their components epigallocatechin gallate and quercetin on MCF-7 and MDA-MB-231 breast carcinoma cells. <i>Oncology Reports</i> , 2019 , 41, 387-396	3.5	28
304	Can We Find Breast Cancer via Salivary Fluid Glycosylation Analyses?. <i>EBioMedicine</i> , 2018 , 28, 4	8.8	1
303	Yolk sac macrophage progenitors traffic to the embryo during defined stages of development. <i>Nature Communications</i> , 2018 , 9, 75	17.4	114
302	Dopamine synthesis and dopamine receptor expression are disturbed in recurrent miscarriages. <i>Endocrine Connections</i> , 2018 , 7, 727-738	3.5	3
301	Prostaglandin E receptor 3 signaling is induced in placentas with unexplained recurrent pregnancy losses. <i>Endocrine Connections</i> , 2018 , 7, 749-761	3.5	11
300	TAAR1 induces a disturbed GSK3 phosphorylation in recurrent miscarriages through the ODC. <i>Endocrine Connections</i> , 2018 , 7, 372-384	3.5	9
299	The G protein-coupled estrogen receptor (GPER/GPR30) may serve as a prognostic marker in early-stage cervical cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2018 , 144, 13-19	4.9	21
298	TA-MUC1 as detected by the fully humanized, therapeutic antibody Gatipotzumab predicts poor prognosis in cervical cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2018 , 144, 1899-1907	4.9	1
297	Importance of RIP140 and LCoR Sub-Cellular Localization for Their Association With Breast Cancer Aggressiveness and Patient Survival. <i>Translational Oncology</i> , 2018 , 11, 1090-1096	4.9	10
296	PPAR Expression Is Diminished in Macrophages of Recurrent Miscarriage Placentas. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	15
295	EP3 (prostaglandin E2 receptor 3) expression is a prognostic factor for progression-free and overall survival in sporadic breast cancer. <i>BMC Cancer</i> , 2018 , 18, 431	4.8	13
294	The ARID1A, p53 and E-catenin statuses are strong prognosticators in clear cell and endometrioid carcinoma of the ovary and the endometrium. <i>PLoS ONE</i> , 2018 , 13, e0192881	3.7	32

293	Prostaglandin receptor EP3 regulates cell proliferation and migration with impact on survival of endometrial cancer patients. <i>Oncotarget</i> , 2018 , 9, 982-994	3.3	12
292	Interaction of ER α and NRF2 Impacts Survival in Ovarian Cancer Patients. <i>International Journal of Molecular Sciences</i> , 2018 , 20,	6.3	17
291	Induction of apoptosis in breast cancer cells in vitro by Fas ligand reverse signaling. <i>Journal of Cancer Research and Clinical Oncology</i> , 2018 , 144, 249-256	4.9	12
290	Prostaglandin E2 receptor EP1 in healthy and diseased human endometrium. <i>Histochemistry and Cell Biology</i> , 2018 , 149, 153-160	2.4	7
289	Epithelial-mesenchymal transition was identified as a potential marker for breast cancer aggressiveness using reverse transcription-quantitative polymerase chain reaction. <i>Molecular Medicine Reports</i> , 2018 , 18, 1733-1739	2.9	1
288	Histone H3 lysine 9 acetylation is downregulated in GDM Placentas and Calcitriol supplementation enhanced this effect. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	8
287	CCL1 is a major regulatory T cell attracting factor in human breast cancer. <i>BMC Cancer</i> , 2018 , 18, 1278	4.8	32
286	Overall Survival of Ovarian Cancer Patients Is Determined by Expression of Galectins-8 and -9. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	15
285	Alpha tocopherol transfer protein (ATTP) is expressed in endometrial carcinoma and is correlated with FIGO stage and 5-year survival. <i>Journal of Cancer Research and Clinical Oncology</i> , 2017 , 143, 773-784	4.9	3
284	Vitamin D receptor, Retinoid X receptor and peroxisome proliferator-activated receptor β are overexpressed in BRCA1 mutated breast cancer and predict prognosis. <i>Journal of Experimental and Clinical Cancer Research</i> , 2017 , 36, 57	12.8	13
283	Increased trace amine-associated receptor 1 (TAAR1) expression is associated with a positive survival rate in patients with breast cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2017 , 143, 1637-1647	4.9	16
282	Triple-negative breast cancer: New therapeutic options via signalling transduction cascades. <i>Oncology Reports</i> , 2017 , 37, 3055-3060	3.5	9
281	Unexplained recurrent miscarriages are associated with an aberrant sperm protamine mRNA content. <i>Human Reproduction</i> , 2017 , 32, 1574-1582	5.7	19
280	Influence of vitamin D signaling on hormone receptor status and HER2 expression in breast cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2017 , 143, 1107-1122	4.9	15
279	Coexistence of adenomyosis uteri and endometrial cancer is associated with an improved prognosis compared with endometrial cancer only. <i>Oncology Letters</i> , 2017 , 14, 3302-3308	2.6	7
278	Impact of Etoposide on BRCA1 Expression in Various Breast Cancer Cell Lines. <i>Drugs in R and D</i> , 2017 , 17, 569-583	3.4	1
277	PIM kinases 1, 2 and 3 in intracellular LIF signaling, proliferation and apoptosis in trophoblastic cells. <i>Experimental Cell Research</i> , 2017 , 359, 275-283	4.2	11
276	The involvement of E6, p53, p16, MDM2 and Gal-3 in the clinical outcome of patients with cervical cancer. <i>Oncology Letters</i> , 2017 , 14, 4467-4476	2.6	23

275	Expression of Sialyl Lewis a, Sialyl Lewis x, Lewis y, Gal-3, Gal-7, STMN1 and p16 in cervical dysplasia. <i>Future Oncology</i> , 2017 , 13, 145-157	3.6	6
274	Role of Placental VDR Expression and Function in Common Late Pregnancy Disorders. <i>International Journal of Molecular Sciences</i> , 2017 , 18,	6.3	31
273	The Prostaglandin EP3 Receptor Is an Independent Negative Prognostic Factor for Cervical Cancer Patients. <i>International Journal of Molecular Sciences</i> , 2017 , 18,	6.3	14
272	Histone H3 Acetyl K9 and Histone H3 Tri Methyl K4 as Prognostic Markers for Patients with Cervical Cancer. <i>International Journal of Molecular Sciences</i> , 2017 , 18,	6.3	30
271	Vitamin D and VDR in Gynecological Cancers-A Systematic Review. <i>International Journal of Molecular Sciences</i> , 2017 , 18,	6.3	37
270	Galectins-1, -3, and -7 Are Prognostic Markers for Survival of Ovarian Cancer Patients. <i>International Journal of Molecular Sciences</i> , 2017 , 18,	6.3	28
269	The Role of HCG in Implantation: A Mini-Review of Molecular and Clinical Evidence. <i>International Journal of Molecular Sciences</i> , 2017 , 18,	6.3	30
268	Fluorescence Analysis of Vitamin D Receptor Status of Circulating Tumor Cells (CTCS) in Breast Cancer: From Cell Models to Metastatic Patients. <i>International Journal of Molecular Sciences</i> , 2017 , 18,	6.3	4
267	Role of Plasminogen Activator Inhibitor Type 1 in Pathologies of Female Reproductive Diseases. <i>International Journal of Molecular Sciences</i> , 2017 , 18,	6.3	48
266	Inhibition of Wnt signaling as therapeutic option in platinum-resistant ovarian cancer.. <i>Journal of Clinical Oncology</i> , 2017 , 35, e17050-e17050	2.2	2
265	Investigation of RIP140 and LCoR as independent markers for poor prognosis in cervical cancer. <i>Oncotarget</i> , 2017 , 8, 105356-105371	3.3	9
264	The Effects of Petroselinum Crispum on Estrogen Receptor-positive Benign and Malignant Mammary Cells (MCF12A/MCF7). <i>Anticancer Research</i> , 2017 , 37, 95-102	2.3	4
263	Promotor analysis of ESR1 in endometrial cancer cell lines, endometrial and endometriotic tissue. <i>Archives of Gynecology and Obstetrics</i> , 2017 , 296, 269-276	2.5	4
262	Bedeutung immunologischer Prozesse im 2./3. Trimenon 2017 , 35-44		
261	Gal-1 silenced trophoblast tumor cells (BeWo) show decreased syncytium formation and different miRNA production compared to non-target silenced BeWo cells. <i>Cell Adhesion and Migration</i> , 2016 , 10, 28-38	3.2	8
260	Binding of galectin-1 to breast cancer cells MCF7 induces apoptosis and inhibition of proliferation in vitro in a 2D- and 3D- cell culture model. <i>BMC Cancer</i> , 2016 , 16, 870	4.8	11
259	Real-Time qPCR-Based Detection of Circulating Tumor Cells from Blood Samples of Adjuvant Breast Cancer Patients: A Preliminary Study. <i>Breast Care</i> , 2016 , 11, 194-8	2.4	5
258	Influence of VEGFR and LHCGR on endometrial adenocarcinoma. <i>Oncology Letters</i> , 2016 , 12, 2092-2098	2.6	10

257	Disseminated and circulating tumor cells in bone marrow and blood of breast cancer patients: properties, enrichment, and potential targets. <i>Journal of Cancer Research and Clinical Oncology</i> , 2016 , 142, 1883-95	4.9	17
256	Unique trophoblast stem cell- and pluripotency marker staining patterns depending on gestational age and placenta-associated pregnancy complications. <i>Cell Adhesion and Migration</i> , 2016 , 10, 56-65	3.2	10
255	Real-time RT-PCR systems for CTC detection from blood samples of breast cancer and gynaecological tumour patients (Review). <i>Oncology Reports</i> , 2016 , 35, 1905-15	3.5	24
254	The controversial role of human chorionic gonadotropin in the development of breast cancer and other types of tumors. <i>Breast</i> , 2016 , 26, 135-40	3.6	6
253	p53 determines prognostic significance of the carbohydrate stem cell marker TF1 (CD176) in ovarian cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2016 , 142, 1163-70	4.9	8
252	The role of TF- and Tn-antigens in breast cancer metastasis. <i>Histology and Histopathology</i> , 2016 , 31, 613-214	2.4	12
251	Comparative analyses on expression of galectins 1-4, 7-10 and 12 in first trimester placenta, decidua and isolated trophoblast cells in vitro. <i>Histology and Histopathology</i> , 2016 , 31, 1095-111	1.4	7
250	Influence of Circulating Tumour Cells on Production of IL-1 β , IL-1 α and IL-12 in Sera of Patients with Primary Diagnosis of Breast Cancer Before Treatment. <i>Anticancer Research</i> , 2016 , 36, 5227-5236	2.3	11
249	Cytoplasmic GPER predicts excellent overall and progression free survival in early stage cervical cancer. <i>Geburtshilfe Und Frauenheilkunde</i> , 2016 , 76,	2	1
248	RXR α s upregulated in first trimester endometrial glands of spontaneous abortions unlike LXR and PPAR α <i>European Journal of Histochemistry</i> , 2016 , 60, 2665	2.1	5
247	Prototype and Chimera-Type Galectins in Placentas with Spontaneous and Recurrent Miscarriages. <i>International Journal of Molecular Sciences</i> , 2016 , 17,	6.3	13
246	Do signal transduction cascades influence survival in triple-negative breast cancer? A preliminary study. <i>OncoTargets and Therapy</i> , 2016 , 9, 3163-9	4.4	
245	Quantitative PCR marker genes for endometrial adenocarcinoma. <i>Molecular Medicine Reports</i> , 2016 , 14, 2199-205	2.9	2
244	The Significance of Epithelial-to-Mesenchymal Transition for Circulating Tumor Cells. <i>International Journal of Molecular Sciences</i> , 2016 , 17,	6.3	35
243	Placental Expression Patterns of Galectin-1, Galectin-2, Galectin-3 and Galectin-13 in Cases of Intrauterine Growth Restriction (IUGR). <i>International Journal of Molecular Sciences</i> , 2016 , 17, 523	6.3	20
242	Effects of Phytoestrogen Extracts Isolated from Elder Flower on Hormone Production and Receptor Expression of Trophoblast Tumor Cells JEG-3 and BeWo, as well as MCF7 Breast Cancer Cells. <i>Nutrients</i> , 2016 , 8,	6.7	6
241	Angiogenic cytokines and their influence on circulating tumour cells in sera of patients with the primary diagnosis of breast cancer before treatment. <i>BMC Cancer</i> , 2016 , 16, 547	4.8	8
240	Role of N-acetylgalactosaminyltransferase 6 in early tumorigenesis and formation of metastasis. <i>Molecular Medicine Reports</i> , 2016 , 13, 4309-14	2.9	10

239	Comparison of HER2 Expression in Primary Tumor and Disseminated Tumor Cells in the Bone Marrow of Breast Cancer Patients. <i>Oncology</i> , 2016 , 90, 232-8	3.6	12
238	Sera of patients with recurrent miscarriages containing anti-trophoblast antibodies (ATAB) reduce hCG and progesterone production in trophoblast cells in vitro. <i>Journal of Reproductive Immunology</i> , 2016 , 117, 52-6	4.2	5
237	Determination of Interleukin-4, -5, -6, -8 and -13 in Serum of Patients with Breast Cancer Before Treatment and its Correlation to Circulating Tumor Cells. <i>Anticancer Research</i> , 2016 , 36, 3123-30	2.3	20
236	Immunohistochemical Evaluation of the Role of p53 Mutation in Cervical Cancer: Ser-20 p53-Mutant Correlates with Better Prognosis. <i>Anticancer Research</i> , 2016 , 36, 3131-7	2.3	11
235	FOXP3+ Cells Recruited by CCL22 into Breast Cancer Correlates with Less Tumor Nodal Infiltration. <i>Anticancer Research</i> , 2016 , 36, 3139-45	2.3	5
234	Effect of BSA-coated Superparamagnetic Iron Oxide Nanoparticles on Granulosa Cells. <i>Anticancer Research</i> , 2016 , 36, 3147-54	2.3	1
233	Expression of the Tumor-associated Mucin 1 Epitope Analyzed with the Humanized PankoMab-GEXI Antibody in Malignant and Normal Tissues of the Head and Neck. <i>Anticancer Research</i> , 2016 , 36, 3179-84	2.3	1
232	Thyroid Hormones and Vitamin D in Patients with Breast Cancer with Mutations in BRCA1 or BRCA2 Genes. <i>Anticancer Research</i> , 2016 , 36, 3185-90	2.3	
231	Immunohistochemical Evaluation of E6/E7 HPV Oncoproteins Staining in Cervical Cancer. <i>Anticancer Research</i> , 2016 , 36, 3195-8	2.3	12
230	Methylation of the ER-alpha Promoter Is Influenced by its Ligand Estrogen in Osteosarcoma Cells SAOS-2 In Vitro. <i>Anticancer Research</i> , 2016 , 36, 3199-204	2.3	3
229	Endometrial Adenocarcinoma: Analysis of Circulating Tumour Cells by RT-qPCR. <i>Anticancer Research</i> , 2016 , 36, 3205-9	2.3	1
228	New Marker Genes for Real-Time PCR-based Detection of Circulating Tumour Cells from Blood of Breast Cancer Patients. <i>Anticancer Research</i> , 2016 , 36, 3211-6	2.3	
227	Immunocytochemical Characterization of Disseminated Tumour Cells from Bone Marrow of Breast Cancer Patients. <i>Anticancer Research</i> , 2016 , 36, 3217-22	2.3	1
226	Change of steroid receptor expression in the posterior vaginal wall after local estrogen therapy. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2015 , 187, 45-50	2.4	13
225	Galectin 2 (gal-2) expression is downregulated on protein and mRNA level in placentas of preeclamptic (PE) patients. <i>Placenta</i> , 2015 , 36, 438-45	3.4	13
224	Immunoreactivity of the fully humanized therapeutic antibody PankoMab-GEXI is an independent prognostic marker for breast cancer patients. <i>Journal of Experimental and Clinical Cancer Research</i> , 2015 , 34, 50	12.8	12
223	Fetal gender specific expression of tandem-repeat galectins in placental tissue from normally progressed human pregnancies and intrauterine growth restriction (IUGR). <i>Placenta</i> , 2015 , 36, 1352-61	3.4	11
222	The expression of thyroid hormone receptors (THR) is regulated by the progesterone receptor system in first trimester placental tissue and in BeWo cells in vitro. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2015 , 195, 31-9	2.4	8

221	Expression of Thyroid Hormone Receptors in Villous Trophoblasts and Decidual Tissue at Protein and mRNA Levels Is Downregulated in Spontaneous and Recurrent Miscarriages. <i>Journal of Histochemistry and Cytochemistry</i> , 2015 , 63, 511-23	3.4	18
220	Gestational diabetes mellitus upregulates vitamin D receptor in extravillous trophoblasts and fetoplacental endothelial cells. <i>Reproductive Sciences</i> , 2015 , 22, 358-66	3	21
219	Effective ovarian stimulation in a patient with resistant ovary syndrome and antigonadotrophin antibodies. <i>American Journal of Reproductive Immunology</i> , 2015 , 73, 185-91	3.8	8
218	Estrogen Receptor and HER2 Status on Disseminated Tumor Cells and Primary Tumor in Patients with Early Breast Cancer. <i>Translational Oncology</i> , 2015 , 8, 509-16	4.9	16
217	Glycosyltransferases as marker genes for the quantitative polymerase chain reaction-based detection of circulating tumour cells from blood samples of patients with breast cancer undergoing adjuvant therapy. <i>Molecular Medicine Reports</i> , 2015 , 12, 2933-8	2.9	8
216	Expression of CCL22 and Infiltration by Regulatory T Cells are Increased in the Decidua of Human Miscarriage Placentas. <i>American Journal of Reproductive Immunology</i> , 2015 , 74, 216-27	3.8	18
215	Genotoxicity of Superparamagnetic Iron Oxide Nanoparticles in Granulosa Cells. <i>International Journal of Molecular Sciences</i> , 2015 , 16, 26280-90	6.3	23
214	The Role of Glycosylation in Breast Cancer Metastasis and Cancer Control. <i>Frontiers in Oncology</i> , 2015 , 5, 219	5.3	36
213	Thyroid Hormone Receptors Predict Prognosis in BRCA1 Associated Breast Cancer in Opposing Ways. <i>PLoS ONE</i> , 2015 , 10, e0127072	3.7	22
212	Glycosyltransferases as Markers for Early Tumorigenesis. <i>BioMed Research International</i> , 2015 , 2015, 792672	3	13
211	GDM Alters Expression of Placental Estrogen Receptor α in a Cell Type and Gender-Specific Manner. <i>Reproductive Sciences</i> , 2015 , 22, 1488-95	3	23
210	Galectin-13/PP-13 expression in term placentas of gestational diabetes mellitus pregnancies. <i>Placenta</i> , 2015 , 36, 191-8	3.4	15
209	Distinct expression of cytokeratin, N-cadherin and CD133 in circulating tumor cells of metastatic breast cancer patients. <i>Future Oncology</i> , 2014 , 10, 1751-65	3.6	19
208	Estrogen receptor promoter methylation predicts survival in low-grade ovarian carcinoma patients. <i>Journal of Cancer Research and Clinical Oncology</i> , 2014 , 140, 1681-7	4.9	8
207	Strong correlation between N-cadherin and CD133 in breast cancer: role of both markers in metastatic events. <i>Journal of Cancer Research and Clinical Oncology</i> , 2014 , 140, 1873-81	4.9	29
206	The G-protein-coupled estrogen receptor (GPER/GPR30) in ovarian granulosa cell tumors. <i>International Journal of Molecular Sciences</i> , 2014 , 15, 15161-72	6.3	22
205	Getting too sweet: galectin-1 dysregulation in gestational diabetes mellitus. <i>Molecular Human Reproduction</i> , 2014 , 20, 644-9	4.4	17
204	Involvement of galectin-1 in reproduction: past, present and future. <i>Human Reproduction Update</i> , 2014 , 20, 175-93	15.8	50

203	Peroxisome proliferator-activated receptor-gamma (PPAR γ) is down regulated in trophoblast cells of gestational diabetes mellitus (GDM) and in trophoblast tumour cells BeWo in vitro after stimulation with PPAR γ agonists. <i>Journal of Perinatal Medicine</i> , 2014 , 42, 179-87	2.7	13
202	Galectin-1 overexpression in endometriosis and its regulation by neuropeptides (CRH, UCN) indicating its important role in reproduction and inflammation. <i>PLoS ONE</i> , 2014 , 9, e114229	3.7	13
201	Significance of the tumor protease cathepsin D for the biology of breast cancer. <i>Histology and Histopathology</i> , 2014 , 29, 433-8	1.4	12
200	ESR1 promoter methylation in squamous cell cervical cancer. <i>Anticancer Research</i> , 2014 , 34, 723-7	2.3	12
199	Glycodelin A - a famous lipocalin and its role in breast cancer. <i>Anticancer Research</i> , 2014 , 34, 1079-85	2.3	5
198	Detection and characterisation of disseminated tumour cells in bone marrow of breast cancer patients by immunostaining of Her-2 and MUC-1 in combination with Thomsen-Friedenreich (CD176). <i>Histology and Histopathology</i> , 2014 , 29, 913-23	1.4	1
197	Diagnostic biomarkers of pro-inflammatory immune-mediated preterm birth. <i>Archives of Gynecology and Obstetrics</i> , 2013 , 287, 673-85	2.5	22
196	Multicentric and multifocal versus unifocal breast cancer: differences in the expression of E-cadherin suggest differences in tumor biology. <i>BMC Cancer</i> , 2013 , 13, 361	4.8	16
195	An ethanolic extract of <i>Linum usitatissimum</i> caused cell lethality and inhibition of cell vitality/ -proliferation of MCF-7 and BT20 mamma carcinoma cells in vitro. <i>Archives of Gynecology and Obstetrics</i> , 2013 , 288, 149-53	2.5	4
194	Thyroid (dys-)function in normal and disturbed pregnancy. <i>Archives of Gynecology and Obstetrics</i> , 2013 , 287, 1-7	2.5	24
193	Immunosuppressive Glycodelin A is an independent marker for poor prognosis in endometrial cancer. <i>BMC Cancer</i> , 2013 , 13, 616	4.8	15
192	KRAS, BRAF genotyping reveals genetic heterogeneity of ovarian borderline tumors and associated implants. <i>BMC Cancer</i> , 2013 , 13, 483	4.8	8
191	Plazentaforschung. <i>Der Gynakologe</i> , 2013 , 46, 798-802	0.1	
190	Inducers of G-protein coupled estrogen receptor (GPER) in endometriosis: potential implications for macrophages and follicle maturation. <i>Journal of Reproductive Immunology</i> , 2013 , 97, 95-103	4.2	24
189	Expression and function of galectins in the endometrium and at the human feto-maternal interface. <i>Placenta</i> , 2013 , 34, 863-72	3.4	28
188	Her-2/neu expression is a negative prognosticator in ovarian cancer cases that do not express the follicle stimulating hormone receptor (FSHR). <i>Journal of Ovarian Research</i> , 2013 , 6, 6	5.5	17
187	Comparison of circulating tumor cells (CTC) in peripheral blood and disseminated tumor cells in the bone marrow (DTC-BM) of breast cancer patients. <i>Journal of Cancer Research and Clinical Oncology</i> , 2013 , 139, 1055-62	4.9	40
186	Effects of phytoestrogen extracts isolated from pumpkin seeds on estradiol production and ER/PR expression in breast cancer and trophoblast tumor cells. <i>Nutrition and Cancer</i> , 2013 , 65, 739-45	2.8	20

185	Detection of breast cancer cells in blood samples by immunostaining of the Thomsen-Friedenreich antigen. <i>Future Oncology</i> , 2013 , 9, 747-52	3.6	3
184	The Role of PPARs in Placental Immunology: A Systematic Review of the Literature. <i>PPAR Research</i> , 2013 , 2013, 970276	4.3	15
183	Detection of Circulating Tumour Cells from Blood of Breast Cancer Patients via RT-qPCR. <i>Cancers</i> , 2013 , 5, 1212-20	6.6	12
182	Detection of tumor cell-specific mRNA in the peripheral blood of patients with breast cancer Evaluation of several markers with real-time reverse transcription-PCR. <i>International Journal of Molecular Sciences</i> , 2013 , 14, 1093-104	6.3	12
181	Analysis of Epithelial Growth Factor-Receptor (EGFR) Phosphorylation in Uterine Smooth Muscle Tumors: Correlation to Mucin-1 and Galectin-3 Expression. <i>International Journal of Molecular Sciences</i> , 2013 , 14, 4783-92	6.3	4
180	Differential expression of CRH, UCN, CRHR1 and CRHR2 in eutopic and ectopic endometrium of women with endometriosis. <i>PLoS ONE</i> , 2013 , 8, e62313	3.7	16
179	The liver x receptor in correlation with other nuclear receptors in spontaneous and recurrent abortions. <i>PPAR Research</i> , 2013 , 2013, 575604	4.3	11
178	Ontogenetic regulation of leukocyte recruitment in mouse yolk sac vessels. <i>Blood</i> , 2013 , 121, e118-28	2.2	27
177	Detection of circulating tumour cells on mRNA levels with established breast cancer cell lines. <i>Biomedical Reports</i> , 2013 , 1, 231-234	1.8	2
176	Macrophages: are they involved in endometriosis, abortion and preeclampsia and how?. <i>Journal of Nippon Medical School</i> , 2013 , 80, 97-103	1.3	22
175	The G-protein coupled estrogen receptor (GPER/GPR30) is a gonadotropin receptor dependent positive prognosticator in ovarian carcinoma patients. <i>PLoS ONE</i> , 2013 , 8, e71791	3.7	29
174	Thyroid hormone receptor (TR)alpha and TRbeta expression in breast cancer. <i>Histology and Histopathology</i> , 2013 , 28, 227-37	1.4	29
173	Staining of MUC1 in ovarian cancer tissues with PankoMab-GEX detecting the tumour-associated epitope, TA-MUC1, as compared to antibodies HMFG-1 and 115D8. <i>Histology and Histopathology</i> , 2013 , 28, 239-44	1.4	17
172	Nuclear hormone receptors and female reproduction. <i>Current Molecular Medicine</i> , 2013 , 13, 1066-78	2.5	15
171	Human chorionic gonadotropin and its relation to grade, stage and patient survival in ovarian cancer. <i>BMC Cancer</i> , 2012 , 12, 2	4.8	36
170	Association of placental inflammation with fetomaternal hemorrhage and loss of placental mucin-1. <i>Archives of Gynecology and Obstetrics</i> , 2012 , 285, 605-12	2.5	10
169	Correlation of thyroid hormone, retinoid X, peroxisome proliferator-activated, vitamin D and oestrogen/progesterone receptors in breast carcinoma. <i>Oncology Letters</i> , 2012 , 4, 665-671	2.6	15
168	Trophoblastic cell lines ACH1P and AC-1M32 react with a distinctive cytokine pattern toward <i>Listeria monocytogenes</i> and show morphologic differences. <i>American Journal of Reproductive Immunology</i> , 2012 , 68, 387-91	3.8	1

167	Heterogeneity of ER α and ErbB2 Status in Cell Lines and Circulating Tumor Cells of Metastatic Breast Cancer Patients. <i>Translational Oncology</i> , 2012 , 5, 475-85	4.9	14
166	The G-protein-coupled estrogen receptor (GPER) is expressed in normal human ovaries and is upregulated in ovarian endometriosis and pelvic inflammatory disease involving the ovary. <i>Reproductive Sciences</i> , 2012 , 19, 1197-204	3	26
165	Mucin-1 and its relation to grade, stage and survival in ovarian carcinoma patients. <i>BMC Cancer</i> , 2012 , 12, 600	4.8	17
164	Steroid hormone receptor expression in ovarian cancer: progesterone receptor B as prognostic marker for patient survival. <i>BMC Cancer</i> , 2012 , 12, 553	4.8	53
163	Glycodelin A is a prognostic marker to predict poor outcome in advanced stage ovarian cancer patients. <i>BMC Research Notes</i> , 2012 , 5, 551	2.3	24
162	Expression of signal transducer and activator of transcription 3 (STAT3) and its activated forms is negatively altered in trophoblast and decidual stroma cells derived from preeclampsia placentae. <i>Histopathology</i> , 2012 , 60, 657-62	7.3	10
161	Decidual macrophages are significantly increased in spontaneous miscarriages and over-express FasL: a potential role for macrophages in trophoblast apoptosis. <i>International Journal of Molecular Sciences</i> , 2012 , 13, 9069-80	6.3	50
160	The association between vitamin D receptor expression and prolonged overall survival in breast cancer. <i>Journal of Histochemistry and Cytochemistry</i> , 2012 , 60, 121-9	3.4	69
159	Effects of phytoestrogen extracts isolated from flax on hormone production of trophoblast tumour cells Jeg 3 and BeWo. <i>Gynecological Endocrinology</i> , 2012 , 28, 330-5	2.4	
158	Aberrant expression of corticotropin-releasing hormone in pre-eclampsia induces expression of FasL in maternal macrophages and extravillous trophoblast apoptosis. <i>Molecular Human Reproduction</i> , 2012 , 18, 535-45	4.4	24
157	Oxidative stress stimulates β -tocopherol transfer protein in human trophoblast tumor cells BeWo. <i>Journal of Perinatal Medicine</i> , 2012 , 40, 373-8	2.7	17
156	Lack of prognostic relevance of Her-2/neu, topoisomerase II α and EGFR in advanced ovarian carcinoma. <i>Experimental and Therapeutic Medicine</i> , 2012 , 3, 828-834	2.1	5
155	Expression of the carbohydrate tumour marker Sialyl Lewis A, Sialyl Lewis X, Lewis Y and Thomsen-Friedenreich antigen in normal squamous epithelium of the uterine cervix, cervical dysplasia and cervical cancer. <i>Histology and Histopathology</i> , 2012 , 27, 507-14	1.4	18
154	Retinoid X receptor alpha (RXR α) and peroxisome proliferator-activated receptor gamma (PPAR γ) expression in breast cancer: an immunohistochemical study. <i>In Vivo</i> , 2012 , 26, 87-92	2.3	11
153	Expression of cathepsin-D in primary breast cancer and corresponding local recurrence or metastasis: an immunohistochemical study. <i>Anticancer Research</i> , 2012 , 32, 901-5	2.3	13
152	Two-marker combinations for preoperative discrimination of benign and malignant ovarian masses. <i>Anticancer Research</i> , 2012 , 32, 2003-8	2.3	17
151	Expression of different carbohydrate tumour markers and galectins 1 and 3 in normal squamous and malignant epithelia of the upper aerodigestive tract. <i>Anticancer Research</i> , 2012 , 32, 2023-9	2.3	
150	Expression of the tumor markers sialyl Lewis A, sialyl Lewis X, Lewis Y, Thomsen-Friedenreich antigen, galectin-1 and galectin-3 in human osteoblasts in vitro. <i>Anticancer Research</i> , 2012 , 32, 2159-64	2.3	2

149	Determination of MUC1 in sera of ovarian cancer patients and in sera of patients with benign changes of the ovaries with CA15-3, CA27.29, and PankoMab. <i>Anticancer Research</i> , 2012 , 32, 2185-9	2.3	10
148	Quantification of breast cancer cells in peripheral blood samples by real-time rt-PCR. <i>Anticancer Research</i> , 2012 , 32, 5387-91	2.3	4
147	Hypoxia-induced factor-1 in endometrial carcinoma: a mini-review of current evidence. <i>Histology and Histopathology</i> , 2012 , 27, 1247-53	1.4	6
146	Opposed roles of follicle-stimulating hormone and luteinizing hormone receptors in ovarian cancer survival. <i>Histopathology</i> , 2011 , 58, 990-4	7.3	27
145	Recent advances in understanding immunology of reproductive failure. <i>Journal of Reproductive Immunology</i> , 2011 , 90, 96-104	4.2	51
144	The role of galectin-1 in trophoblast differentiation and signal transduction. <i>Journal of Reproductive Immunology</i> , 2011 , 90, 35-40	4.2	7
143	Expression of CRH, CRH-related peptide and CRH receptor in the ovary and potential CRH signalling pathways. <i>Journal of Reproductive Immunology</i> , 2011 , 90, 67-73	4.2	13
142	Immunolocalization of glycodelin in human adenocarcinoma of the lung, squamous cell carcinoma of the lung and lung metastases of colonic adenocarcinoma. <i>Acta Histochemica</i> , 2011 , 113, 798-802	2	18
141	Induction of G protein-coupled estrogen receptor (GPER) and nuclear steroid hormone receptors by gonadotropins in human granulosa cells. <i>Histochemistry and Cell Biology</i> , 2011 , 136, 289-99	2.4	26
140	Retinoid X receptor and retinoids are key regulators in apoptosis of trophoblasts of patients with recurrent miscarriages. <i>Journal of Molecular Endocrinology</i> , 2011 , 47, 145-56	4.5	11
139	Is galectin-1 a trigger for trophoblast cell fusion?: the MAP-kinase pathway and syncytium formation in trophoblast tumour cells BeWo. <i>Molecular Human Reproduction</i> , 2011 , 17, 747-57	4.4	18
138	Expression of mucin-1, galectin-1 and galectin-3 in human leiomyosarcoma in comparison to leiomyoma and myometrium. <i>Anticancer Research</i> , 2011 , 31, 451-7	2.3	9
137	Leptin gene (TTTC)(n) microsatellite polymorphism as well as leptin receptor R223Q and PPARgamma2 P12A substitutions are not associated with hypertensive disorders in pregnancy. <i>American Journal of Reproductive Immunology</i> , 2010 , 63, 310-7	3.8	8
136	Placental interleukin-15 expression in recurrent miscarriage. <i>American Journal of Reproductive Immunology</i> , 2010 , 64, 402-10	3.8	38
135	Governing the invasive trophoblast: current aspects on intra- and extracellular regulation. <i>American Journal of Reproductive Immunology</i> , 2010 , 63, 492-505	3.8	71
134	Nuclear receptors of the peroxisome proliferator-activated receptor (PPAR) family in gestational diabetes: from animal models to clinical trials. <i>Biology of Reproduction</i> , 2010 , 83, 168-76	3.9	42
133	Prognostic significance of estrogen receptor alpha and beta expression in human serous carcinomas of the ovary. <i>Archives of Gynecology and Obstetrics</i> , 2010 , 281, 511-7	2.5	47
132	Inhibin/activin-betaC and -betaE subunits in the Ishikawa human endometrial adenocarcinoma cell line. <i>Archives of Gynecology and Obstetrics</i> , 2010 , 282, 185-91	2.5	16

131	Topoisomerase IIalpha expression rather than gene amplification predicts responsiveness of adjuvant anthracycline-based chemotherapy in women with primary breast cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2010 , 136, 1029-37	4.9	25
130	Multicentric and multifocal versus unifocal breast cancer: is the tumor-node-metastasis classification justified?. <i>Breast Cancer Research and Treatment</i> , 2010 , 122, 27-34	4.4	103
129	Glycoprotein and carbohydrate binding protein expression in the placenta in early pregnancy loss. <i>Journal of Reproductive Immunology</i> , 2010 , 85, 99-105	4.2	31
128	Recurrent miscarriage: current concepts in diagnosis and treatment. <i>Journal of Reproductive Immunology</i> , 2010 , 85, 25-32	4.2	142
127	Stimulation of syncytium formation in vitro in human trophoblast cells by galectin-1. <i>Placenta</i> , 2010 , 31, 825-32	3.4	32
126	Glycodelin expression in correlation to grading, nodal involvement and steroid receptor expression in human breast cancer patients. <i>Anticancer Research</i> , 2010 , 30, 1599-603	2.3	3
125	Determination of glycodelin-A expression correlated to grading and staging in ovarian carcinoma tissue. <i>Anticancer Research</i> , 2010 , 30, 1637-40	2.3	4
124	Effects of phytoestrogen extracts isolated from flax on estradiol production and ER/PR expression in MCF7 breast cancer cells. <i>Anticancer Research</i> , 2010 , 30, 1695-9	2.3	12
123	CEA-, Her2/neu-, BCRP- and Hsp27-positive microparticles in breast cancer patients. <i>Anticancer Research</i> , 2010 , 30, 1707-12	2.3	22
122	Expression of the carbohydrate tumor marker Sialyl Lewis a (Ca19-9) in squamous cell carcinoma of the larynx. <i>Anticancer Research</i> , 2010 , 30, 1849-53	2.3	5
121	Inhibin/activin-betaC subunit in human endometrial adenocarcinomas and HEC-1a adenocarcinoma cell line. <i>In Vivo</i> , 2010 , 24, 695-8	2.3	3
120	Effects of progesterone and its antagonist mifepristone on progesterone receptor a expression in human umbilical vein endothelial cells. <i>Gynecologic and Obstetric Investigation</i> , 2009 , 67, 269-74	2.5	4
119	The human endometrium expresses the glycoprotein mucin-1 and shows positive correlation for Thomsen-Friedenreich epitope expression and galectin-1 binding. <i>Journal of Histochemistry and Cytochemistry</i> , 2009 , 57, 871-81	3.4	30
118	Is prostate cancer screening justified in the Bedouin population?. <i>Onkologie</i> , 2009 , 32, 260-2		7
117	Insulin and leptin receptors as possible new candidates for endocrine control in normal and disturbed human pregnancy. <i>Molecular Human Reproduction</i> , 2009 , 15, 231-9	4.4	15
116	Inhibition of RET and JAK2 signals and upregulation of VEGFR3 phosphorylation in vitro by galectin-1 in trophoblast tumor cells BeWo. <i>Placenta</i> , 2009 , 30, 1078-82	3.4	18
115	Knocking off the suppressors of cytokine signaling (SOCS): their roles in mammalian pregnancy. <i>Journal of Reproductive Immunology</i> , 2009 , 83, 117-23	4.2	30
114	Immunohistochemistry, glycosylation and immunosuppression of glycodelin in human ovarian cancer. <i>Histochemistry and Cell Biology</i> , 2009 , 131, 283-95	2.4	14

113	Increased expression of glycodelin mRNA and protein in rat lungs during ovalbumin-induced allergic airway inflammation. <i>Histochemistry and Cell Biology</i> , 2009 , 131, 383-90	2.4	6
112	Galectin-1 induced activation of the mitochondrial apoptotic pathway: evidence for a connection between death-receptor and mitochondrial pathways in human Jurkat T lymphocytes. <i>Histochemistry and Cell Biology</i> , 2009 , 132, 211-23	2.4	14
111	Schwangerschaft und maternales Immunsystem. <i>Der Gynakologe</i> , 2009 , 42, 25-30	0.1	1
110	Inhibin-alpha subunit is an independent prognostic parameter in human endometrial carcinomas: analysis of inhibin/activin-alpha, -betaA and -betaB subunits in 302 cases. <i>European Journal of Cancer</i> , 2009 , 45, 1304-1314	7.5	28
109	Estrogen receptor modulators and estrogen receptor beta immunolabelling in human umbilical vein endothelial cells. <i>Acta Histochemica</i> , 2009 , 111, 508-19	2	8
108	Immunohistochemical labelling of steroid receptors in normal and malignant human endometrium. <i>Acta Histochemica</i> , 2009 , 111, 349-59	2	17
107	Development and characterisation of an antibody for the immunohistochemical detection of inhibin/activin betaE (betaE) in normal human ovarian and placental tissue. <i>Acta Histochemica</i> , 2009 , 111, 366-71	2	6
106	Peroxisome proliferator-activated receptor-gamma in normal human pregnancy and miscarriage. <i>Acta Histochemica</i> , 2009 , 111, 372-8	2	13
105	Evaluation of a novel anti-mucin 1 (MUC1) antibody (PankoMab) as a potential diagnostic tool in human ductal breast cancer; comparison with two established antibodies. <i>Oncology Research and Treatment</i> , 2009 , 32, 238-44	2.8	19
104	Effects of phytoestrogens genistein and daidzein on progesterone and estrogen (estradiol) production of human term trophoblast cells in vitro. <i>Gynecological Endocrinology</i> , 2009 , 25, 32-8	2.4	24
103	Ovarian cancer-derived glycodelin impairs in vitro dendritic cell maturation. <i>Journal of Immunotherapy</i> , 2009 , 32, 492-7	5	8
102	Immunohistochemical expression of glycodelin in breast cancer correlates with estrogen-receptor alpha and progesterone-receptor A positivity. <i>Histology and Histopathology</i> , 2009 , 24, 467-71	1.4	9
101	Mitochondrial toxicity in HIV type-1-exposed pregnancies in the era of highly active antiretroviral therapy. <i>Antiviral Therapy</i> , 2009 , 14, 331-338	1.6	21
100	Erythropoietin and erythropoietin receptor expression in normal and disturbed pregnancy. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2008 , 140, 192-200	2.4	5
99	The metastasis-associated gene MTA1 is upregulated in advanced ovarian cancer, represses ERbeta, and enhances expression of oncogenic cytokine GRO. <i>Cancer Biology and Therapy</i> , 2008 , 7, 1460-7	4.6	60
98	Glycodelin protein and mRNA is downregulated in human first trimester abortion and partially upregulated in mole pregnancy. <i>Journal of Histochemistry and Cytochemistry</i> , 2008 , 56, 477-85	3.4	30
97	Immunomagnetic enrichment of disseminated tumor cells in bone marrow and blood of breast cancer patients by the Thomsen-Friedenreich-Antigen. <i>Clinical and Experimental Metastasis</i> , 2008 , 25, 233-40	4.7	24
96	Galectin-1 induced activation of the apoptotic death-receptor pathway in human Jurkat T lymphocytes. <i>Histochemistry and Cell Biology</i> , 2008 , 129, 599-609	2.4	43

95	Human umbilical vascular endothelial cells express estrogen receptor beta (ERbeta) and progesterone receptor A (PR-A), but not ERalpha and PR-B. <i>Histochemistry and Cell Biology</i> , 2008 , 130, 399-405	2.4	37
94	Distribution and maturity of dendritic cells in diseases of insufficient placentation. <i>American Journal of Reproductive Immunology</i> , 2008 , 60, 238-45	3.8	30
93	Glycodelin A induces a tolerogenic phenotype in monocyte-derived dendritic cells in vitro. <i>American Journal of Reproductive Immunology</i> , 2008 , 60, 501-12	3.8	43
92	Leptin and peroxisome proliferator-activated receptors: impact on normal and disturbed first trimester human pregnancy. <i>Histology and Histopathology</i> , 2008 , 23, 1465-75	1.4	15
91	Histochemistry for placenta research: theory and application. <i>Journal of Nippon Medical School</i> , 2007 , 74, 268-73	1.3	2
90	Peroxisome proliferator-activated receptors: new players in the field of reproduction. <i>American Journal of Reproductive Immunology</i> , 2007 , 58, 289-310	3.8	38
89	Induction of Syncytium Formation in Trophoblast Tumour Cells BeWo by Galectin-1. <i>American Journal of Reproductive Immunology</i> , 2007 , 58, 179-180	3.8	
88	Expression of galectin-1, -3 (gal-1, gal-3) and the Thomsen-Friedenreich (TF) antigen in normal, IUGR, preeclamptic and HELLP placentas. <i>Placenta</i> , 2007 , 28, 1165-73	3.4	72
87	Neuroendocrine-immune disequilibrium and endometriosis: an interdisciplinary approach. <i>Seminars in Immunopathology</i> , 2007 , 29, 193-210	12	80
86	Prognostic impact of Thomsen-Friedenreich tumor antigen and disseminated tumor cells in the bone marrow of breast cancer patients. <i>Breast Cancer Research and Treatment</i> , 2007 , 101, 17-25	4.4	26
85	Expression of the blood-group-related antigens Sialyl Lewis a, Sialyl Lewis x and Lewis y in term placentas of normal, preeclampsia, IUGR- and HELLP-complicated pregnancies. <i>Histochemistry and Cell Biology</i> , 2007 , 128, 55-63	2.4	11
84	Expression of E-cadherin and its repressor snail in placental tissue of normal, preeclamptic and HELLP pregnancies. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2007 , 450, 195-202	5.1	44
83	Intratumoral CRH modulates immuno-escape of ovarian cancer cells through FasL regulation. <i>British Journal of Cancer</i> , 2007 , 97, 637-45	8.7	39
82	Abortion is associated with increased expression of FasL in decidual leukocytes and apoptosis of extravillous trophoblasts: a role for CRH and urocortin. <i>Molecular Human Reproduction</i> , 2007 , 13, 663-73	4.4	46
81	Prognostic significance of oestrogen receptor alpha (ERalpha) and beta (ERbeta), progesterone receptor A (PR-A) and B (PR-B) in endometrial carcinomas. <i>European Journal of Cancer</i> , 2007 , 43, 2434-44	7.5	83
80	Maternal serum corticotropin-releasing hormone and ACTH levels as predictive markers of premature labor. <i>International Journal of Gynecology and Obstetrics</i> , 2007 , 97, 115-9	4	30
79	Expression of the inhibin/activin subunits (-alpha, -betaA and -betaB) in normal and carcinogenic endometrial tissue: possible immunohistochemical differentiation markers. <i>Oncology Reports</i> , 2007 , 17, 97-104	3.5	24
78	Expression of E-cadherin in human ductal breast cancer carcinoma in situ, invasive carcinomas, their lymph node metastases, their distant metastases, carcinomas with recurrence and in recurrence. <i>Anticancer Research</i> , 2007 , 27, 1969-74	2.3	40

77	Mucin 1, Thomsen-Friedenreich expression and galectin-1 binding in endometrioid adenocarcinoma: an immunohistochemical analysis. <i>Anticancer Research</i> , 2007 , 27, 1975-80	2.3	10
76	Expression of the carbohydrate tumour marker SLeX, SLeA (CA19-9), LeY and Thomsen-Friedenreich (TF) antigen on normal squamous epithelial tissue of the penis and vagina. <i>Anticancer Research</i> , 2007 , 27, 1981-8	2.3	2
75	Expression of inhibins in the endometrial carcinoma cell line RL-95-2 after stimulation with cortisol and estradiol. <i>Anticancer Research</i> , 2007 , 27, 1989-93	2.3	1
74	Inhibin/activin subunits are immunohistochemically expressed in complete and partial hydatidiform moles. <i>Anticancer Research</i> , 2007 , 27, 1995-2000	2.3	8
73	Expression of the pantumour Thomsen-Friedenreich antigen in the human placenta with the diagnosis of hydatidiform mole. <i>Anticancer Research</i> , 2007 , 27, 2001-3	2.3	
72	The immunohistochemical expression of the inhibin/activin subunits is up-regulated by interferon-beta1a in Ishikawa cell line. <i>Anticancer Research</i> , 2007 , 27, 2005-10	2.3	2
71	Expression of HPV, steroid receptors (ERalpha, ERbeta, PR-A and PR-B) and inhibin/activin subunits (alpha, betaA and betaB) in adenosquamous endometrial carcinoma. <i>Anticancer Research</i> , 2007 , 27, 2011-7	2.3	5
70	Expression of estrogen receptors alpha and beta, and progesterone receptors A and B in human mucinous carcinoma of the endometrium. <i>Anticancer Research</i> , 2007 , 27, 2027-33	2.3	10
69	Immunohistochemical visualisation of cathepsin-D expression in breast cancer. <i>Anticancer Research</i> , 2007 , 27, 2035-9	2.3	5
68	Stimulation of progesterone, estradiol and cortisol in trophoblast tumor bewo cells by glycodelin A N-glycans. <i>Anticancer Research</i> , 2007 , 27, 2101-8	2.3	14
67	Steroid receptors ERalpha, ERbeta, PR-A and PR-B are differentially expressed in normal and atrophic human endometrium. <i>Histology and Histopathology</i> , 2007 , 22, 169-76	1.4	43
66	Expression of estrogen receptor-alpha, estrogen receptor-beta and placental endothelial and inducible NO synthase in intrauterine growth-restricted and normal placentals. <i>Archives of Medical Research</i> , 2006 , 37, 967-75	6.6	15
65	Effects of phytoestrogen extracts isolated from rye, green and yellow pea seeds on hormone production and proliferation of trophoblast tumor cells Jeg3. <i>Hormone Research in Paediatrics</i> , 2006 , 65, 276-88	3.3	14
64	Inhibin/activin subunits beta-A (-betaA) and beta-B (-betaB) are differentially localised in normal, hyperplastic and malignant human endometrial tissue. <i>Acta Histochemica</i> , 2006 , 108, 1-11	2	16
63	Glycodelin A is expressed differentially in normal human endometrial tissue throughout the menstrual cycle as assessed by immunohistochemistry and in situ hybridization. <i>Fertility and Sterility</i> , 2006 , 86, 1488-97	4.8	21
62	Expression of the proliferation marker Ki-67 and of p53 tumor protein in trophoblastic tissue of preeclamptic, HELLP, and intrauterine growth-restricted pregnancies. <i>International Journal of Gynecological Pathology</i> , 2006 , 25, 354-60	3.2	27
61	Development and characterization of monoclonal antibodies for the immunohistochemical detection of glycodelin A in decidual, endometrial and gynaecological tumour tissues. <i>Histopathology</i> , 2006 , 48, 394-406	7.3	13
60	Expression of inhibin/activin subunits alpha (-alpha), betaA (-betaA), and betaB (-betaB) in placental tissue of normal, preeclamptic, and HELLP pregnancies. <i>Endocrine Pathology</i> , 2006 , 17, 19-33	4.2	32

59	Expression of inhibin/activin subunits alpha (-alpha), beta A (-beta (A)) and beta B (-beta (B)) in placental tissue of normal and intrauterine growth restricted (IUGR) pregnancies. <i>Journal of Molecular Histology</i> , 2006 , 37, 43-52	3.3	25
58	Plasma- and urine concentrations of nitrite/nitrate and cyclic Guanosinemonophosphate in intrauterine growth restricted and preeclamptic pregnancies. <i>Archives of Gynecology and Obstetrics</i> , 2006 , 274, 150-4	2.5	49
57	Binding of galectin-1 (gal-1) to the Thomsen-Friedenreich (TF) antigen on trophoblast cells and inhibition of proliferation of trophoblast tumor cells in vitro by gal-1 or an anti-TF antibody. <i>Histochemistry and Cell Biology</i> , 2006 , 126, 437-44	2.4	47
56	Leukaemia inhibitory factor (LIF) is immunohistochemically expressed in normal, hyperplastic and malignant endometrial tissue. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2005 , 118, 101-8	2.4	13
55	Expression of endothelial NO synthase, inducible NO synthase, and estrogen receptors alpha and beta in placental tissue of normal, preeclamptic, and intrauterine growth-restricted pregnancies. <i>Journal of Histochemistry and Cytochemistry</i> , 2005 , 53, 1441-9	3.4	67
54	Prognostic relevance of disseminated tumor cells in the bone marrow and biological factors of 265 primary breast carcinomas. <i>Breast Cancer Research</i> , 2005 , 7, R1174-85	8.3	22
53	Expression of the inhibin/activin subunits alpha (alpha), beta-A (betaA) and beta-B (betaB) in benign human endometrial polyps and tamoxifen-associated polyps. <i>Archives of Gynecology and Obstetrics</i> , 2005 , 272, 59-66	2.5	15
52	Glycodelin A and differentiation of first trimester trophoblast cells in vitro. <i>Archives of Gynecology and Obstetrics</i> , 2005 , 272, 151-9	2.5	10
51	Regulation of progesterone production in human term trophoblasts in vitro by CRH, ACTH and cortisol (prednisolone). <i>Archives of Gynecology and Obstetrics</i> , 2005 , 272, 7-12	2.5	20
50	Characterisation of disseminated tumor cells in the bone marrow of breast cancer patients by the Thomsen-Friedenreich tumor antigen. <i>Histochemistry and Cell Biology</i> , 2005 , 123, 631-7	2.4	25
49	Expression of glycodelin A in decidual tissue of preeclamptic, HELLP and intrauterine growth-restricted pregnancies. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2005 , 446, 360-8	5.1	26
48	Immunolocalization of glycodelin in the genital tract of rats. <i>Journal of Molecular Histology</i> , 2005 , 36, 111-7	3.3	8
47	Effects of phytoestrogens genistein and daidzein on production of human chorionic gonadotropin in term trophoblast cells in vitro. <i>Gynecological Endocrinology</i> , 2005 , 21, 180-4	2.4	20
46	Stimulation of hCG protein and mRNA in first trimester villous cytotrophoblast cells in vitro by glycodelin A. <i>Journal of Perinatal Medicine</i> , 2005 , 33, 212-8	2.7	20
45	Inhibin/activin subunits (inhibin-alpha, -betaA and -betaB) are differentially expressed in human breast cancer and their metastasis. <i>Oncology Reports</i> , 2005 , 13, 81-8	3.5	24
44	Expression of glycodelin protein and mRNA in human ductal breast cancer carcinoma in situ, invasive ductal carcinomas, their lymph node and distant metastases, and ductal carcinomas with recurrence. <i>Oncology Reports</i> , 2005 , 13, 413-9	3.5	12
43	Induction of apoptosis in human breast cancer and trophoblast tumor cells by galectin-1. <i>Anticancer Research</i> , 2005 , 25, 1575-80	2.3	20
42	Development of monoclonal and polyclonal antibodies and an ELISA for the determination of glycodelin in human serum, amniotic fluid and cystic fluid of benign and malignant ovarian tumors. <i>Anticancer Research</i> , 2005 , 25, 1581-9	2.3	9

41	Expression of sialyl lewis X, sialyl Lewis A, E-cadherin and cathepsin-D in human breast cancer: immunohistochemical analysis in mammary carcinoma in situ, invasive carcinomas and their lymph node metastasis. <i>Anticancer Research</i> , 2005 , 25, 1615-22	2.3	48
40	Parathyroid hormone-related peptide (PTH-rp) in normal, hyperplastic and malignant endometrial tissue: an immunohistochemical analysis. <i>Anticancer Research</i> , 2005 , 25, 1633-8	2.3	2
39	Measurement of glycodelin A in fluids of benign ovarian cysts, borderline tumours and malignant ovarian cancer. <i>Anticancer Research</i> , 2005 , 25, 1639-44	2.3	11
38	Expression of the Thomsen-Friedenreich (TF) tumor antigen in human abort placentas. <i>Anticancer Research</i> , 2005 , 25, 1675-8	2.3	4
37	Normal and malignant human endometrium express immunohistochemically estrogen receptor alpha (ER-alpha), estrogen receptor beta (ER-beta) and progesterone receptor (PR). <i>Anticancer Research</i> , 2005 , 25, 1679-86	2.3	33
36	Expression of Her2/neu, steroid receptors (ER and PR), Ki67 and p53 in invasive mammary ductal carcinoma associated with ductal carcinoma In Situ (DCIS) Versus invasive breast cancer alone. <i>Anticancer Research</i> , 2005 , 25, 1719-23	2.3	37
35	Expression of inhibin/activin subunits, sialyl-lewis A (CA 19-9, sLea) and sialyl-Lewis X (sLex) carbohydrate antigens in a hydatidiform mole with persistent polymorphic trophoblastic hyperplasia. <i>Anticancer Research</i> , 2005 , 25, 1725-30	2.3	2
34	TGF-alpha, c-erbB-2 expression and neoangiogenesis in vulvar squamous cell carcinoma. <i>Anticancer Research</i> , 2005 , 25, 1731-7	2.3	9
33	P53 expression in vulvar carcinoma, vulvar intraepithelial neoplasia, squamous cell hyperplasia and lichen sclerosus. <i>Anticancer Research</i> , 2005 , 25, 1739-45	2.3	26
32	Expression of glycodelin in human breast cancer: immunohistochemical analysis in mammary carcinoma in situ, invasive carcinomas and their lymph node metastases. <i>Anticancer Research</i> , 2005 , 25, 1761-4	2.3	12
31	Human chorionic gonadotropin (hCG) as inhibitor of E-selectin-mediated cell adhesion. <i>Anticancer Research</i> , 2005 , 25, 1811-6	2.3	9
30	Flax-seed extracts with phytoestrogenic effects on a hormone receptor-positive tumour cell line. <i>Anticancer Research</i> , 2005 , 25, 1817-22	2.3	11
29	N-glycans of human amniotic fluid transferrin stimulate progesterone production in human first trimester trophoblast cells in vitro. <i>Journal of Perinatal Medicine</i> , 2004 , 32, 248-53	2.7	5
28	Expression of the inhibin-alpha subunit in normal, hyperplastic and malignant endometrial tissue: an immunohistochemical analysis. <i>Gynecologic Oncology</i> , 2004 , 93, 92-7	4.9	26
27	Binding of galectin-1 (gal-1) on trophoblast cells and inhibition of hormone production of trophoblast tumor cells in vitro by gal-1. <i>Histochemistry and Cell Biology</i> , 2004 , 121, 501-8	2.4	28
26	Immunohistochemical analysis of estrogen receptor alpha, estrogen receptor beta and progesterone receptor in normal human endometrium. <i>Acta Histochemica</i> , 2004 , 106, 245-52	2	57
25	Human amniotic fluid glycoproteins expressing sialyl Lewis carbohydrate antigens stimulate progesterone production in human trophoblasts in vitro. <i>Gynecologic and Obstetric Investigation</i> , 2004 , 58, 207-11	2.5	10
24	Inhibin/activin subunits alpha, beta-A and beta-B are differentially expressed in normal human endometrium throughout the menstrual cycle. <i>Histochemistry and Cell Biology</i> , 2004 , 122, 461-71	2.4	43

23	Glycodelin and amniotic fluid transferrin as inhibitors of E-selectin-mediated cell adhesion. <i>Histochemistry and Cell Biology</i> , 2003 , 119, 345-54	2.4	35
22	Stimulation of hCG and inhibition of hPL in isolated human trophoblast cells in vitro by glycodelin A. <i>Archives of Gynecology and Obstetrics</i> , 2003 , 268, 162-7	2.5	19
21	Immunohistochemical expression of inhibin-alpha in human endometrium and the in vitro secretion of inhibin, estradiol and cortisol in cultured human endometrial glandular cells. <i>Archives of Gynecology and Obstetrics</i> , 2003 , 268, 142-50	2.5	29
20	Cathepsin D expression in normal, hyperplastic and malignant endometrial tissue: an immunohistochemical analysis. <i>Acta Histochemica</i> , 2003 , 105, 245-52	2	30
19	Immunohistochemical expression of the tumour marker CA-125 in normal, hyperplastic and malignant endometrial tissue. <i>Anticancer Research</i> , 2003 , 23, 1075-80	2.3	19
18	Effects of phytoestrogens on the trophoblast tumour cell lines BeWo and Jeg3. <i>Anticancer Research</i> , 2003 , 23, 1081-6	2.3	16
17	hCG in trophoblast tumour cells of the cell line Jeg3 and hCG isolated from amniotic fluid and serum of pregnant women carry oligosaccharides of the sialyl Lewis X and sialyl Lewis a type. <i>Anticancer Research</i> , 2003 , 23, 1087-92	2.3	19
16	Stimulation of hCG protein and mRNA levels in trophoblast tumour cells Jeg3 and BeWo by glycodelin A. <i>Anticancer Research</i> , 2003 , 23, 1107-13	2.3	15
15	Immunohistochemical expression of steroid receptors and glycodelin A in isolated proliferative human endometrial glandular cells after stimulation with tamoxifen and phytoestrogens (genistein and daidzein). <i>Anticancer Research</i> , 2003 , 23, 1119-25	2.3	17
14	Expression of the Thomsen-Friedenreich antigen and of its putative carrier protein mucin 1 in the human placenta and in trophoblast cells in vitro. <i>Histochemistry and Cell Biology</i> , 2002 , 117, 219-26	2.4	55
13	Simultaneous immunohistochemical detection of tumor cells in lymph nodes and bone marrow aspirates in breast cancer and its correlation with other prognostic factors. <i>Journal of Clinical Oncology</i> , 2001 , 19, 960-71	2.2	146
12	Absolute quantification of human chorionic gonadotropin-beta mRNA with TaqMan detection. 4. <i>Molecular Biotechnology</i> , 2000 , 14, 47-57	3	18
11	Immunohistochemical analysis of steroid receptors and glycodelin A (PP14) in isolated glandular epithelial cells of normal human endometrium. <i>Histochemistry and Cell Biology</i> , 2000 , 114, 405-11	2.4	34
10	Expression of the apoptosis-inducing ligands FasL and TRAIL in malignant and benign human breast tumors. <i>Histochemistry and Cell Biology</i> , 2000 , 113, 189-94	2.4	51
9	Expression of cytokeratins and vimentin in normal human endometrial cells in vitro: an immunohistochemical analysis on isolated glandular epithelial cells. <i>Anticancer Research</i> , 2000 , 20, 5125-8 ³	2.3	1
8	Expression of the Thomsen-Friedenreich (TF) antigen in the human placenta. <i>Anticancer Research</i> , 2000 , 20, 5129-33	2.3	16
7	Differential diagnosis of peri- and postmenopausal ovarian cysts. <i>Maturitas</i> , 1999 , 31, 123-32	5	10
6	Expression of N-linked sialyl Le(x) determinants and O-glycans in the carbohydrate moiety of human amniotic fluid transferrin during pregnancy. <i>Glycobiology</i> , 1998 , 8, 1053-64	5.8	35

- 5 Neue Ergebnisse zur hCG-Regulation in der Plazenta. *Geburtshilfe Und Frauenheilkunde*, **1997**, 57, 681-684 3
- 4 Mesomorphic derivatives of the 6-amino-6-deoxy-D-galactose. *Journal of Materials Chemistry*, **1995**, 5, 2073 6
- 3 Mesomorphic amino sugars. *Liquid Crystals*, **1994**, 17, 589-595 2.3 17
- 2 A carbohydrate with a rectangular columnar phase. *Liquid Crystals*, **1993**, 15, 733-737 2.3 10
- 1 D-Galacturons- β -rederivate, VI. D-Galacturons- β -rederivate mit flüssigkristallinen Eigenschaften. *Liebigs Annalen Der Chemie*, **1992**, 1992, 1171-1177 15