
Tae-Won Jang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8437560/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|--|-------------------|--------------------|
| 1 | Comparative analyses of occupational injuries among temporary agency worker and direct contract workers: Findings from the Korea Health Panel 2009–2018. Journal of Occupational Health, 2022, 64, e12326. | 2.1 | 2 |
| 2 | Occupational physical activity, not leisure-time physical activity, is associated with increased high-sensitivity C reactive protein levels. Occupational and Environmental Medicine, 2021, 78, 86-91. | 2.8 | 14 |
| 3 | The relationship between working hours and lifestyle behaviors: Evidence from a population-based panel study in Korea. Journal of Occupational Health, 2021, 63, e12280. | 2.1 | 22 |
| 4 | Work-Fitness Evaluation for Shift Work Disorder. International Journal of Environmental Research and Public Health, 2021, 18, 1294. | 2.6 | 6 |
| 5 | Impact of Long Working Hours and Shift Work on Perceived Unmet Dental Need: A Panel Study. International Journal of Environmental Research and Public Health, 2021, 18, 2939. | 2.6 | 8 |
| 6 | Exercise and cardiovascular load in workers with high occupational physical activity. Archives of Environmental and Occupational Health, 2020, 75, 339-345. | 1.4 | 4 |
| 7 | The relationship between the pattern of shift work and sleep disturbances in Korean firefighters. International Archives of Occupational and Environmental Health, 2020, 93, 391-398. | 2.3 | 28 |
| 8 | The Development of a Sleep Intervention for Firefighters: The FIT-IN (Firefighter's Therapy for Insomnia) Tj E 8738. | [Qq0 0 0 r 2.6 | gBT /Overlock 5 |
| 9 | Association between Shift Work and Neurocognitive Function among Firefighters in South Korea: A Prospective before–after Study. International Journal of Environmental Research and Public Health, 2020, 17, 4647. | 2.6 | 13 |
| 10 | Comparison of Cortisol level by Shift Cycle in Korean Firefighters. International Journal of Environmental Research and Public Health, 2020, 17, 4760. | 2.6 | 13 |
| 11 | Association between shift work and biological factors including FGF-23, klotho, and serum 25-(OH) vitamin D3 among Korean firefighters: a cross-sectional study. Sleep, 2020, 43, . | 1.1 | 4 |
| 12 | Poor glycemic control in workers with diabetes mellitus in relation to long working hours: a cross-sectional study. Industrial Health, 2020, 58, 451-459. | 1.0 | 7 |
| 13 | Descriptive analysis of prevalence and medical expenses of cancer, cardio-cerebrovascular disease, psychiatric disease, and musculoskeletal disease in Korean firefighters. Annals of Occupational and Environmental Medicine, 2020, 32, e7. | 1.0 | 4 |
| 14 | Sleep Assessment During Shift Work in Korean Firefighters: A Cross-Sectional Study. Safety and Health at Work, 2019, 10, 254-259. | 0.6 | 20 |
| 15 | The Fourth Industrial Revolution and Its Impact on Occupational Health and Safety, Worker's Compensation and Labor Conditions. Safety and Health at Work, 2019, 10, 400-408. | 0.6 | 105 |
| 16 | Risk of olfactory dysfunction of the workers in the automobile repair, printing, shoemaking and plating industries in Korea: a cross-sectional study. BMJ Open, 2018, 8, e022678. | 1.9 | 4 |
| 17 | Evaluation for Fatigue and Accident Risk of Korean Commercial Bus Drivers. Tohoku Journal of Experimental Medicine, 2018, 246, 191-197. | 1.2 | 13 |
| 18 | The relationship between night work and breast cancer. Annals of Occupational and Environmental Medicine, 2018, 30, 11. | 1.0 | 29 |

TAE-WON JANG

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Circadian Rhythm of Wrist Temperature among Shift Workers in South Korea: A Prospective Observational Study. International Journal of Environmental Research and Public Health, 2017, 14, 1109. | 2.6 | 13 |
| 20 | Evaluation of mercury exposure level, clinical diagnosis and treatment for mercury intoxication. Annals of Occupational and Environmental Medicine, 2016, 28, 5. | 1.0 | 132 |
| 21 | Heavy smoking rate trends and related factors in Korean occupational groups: analysis of KNHANES 2007-2012 data. BMJ Open, 2015, 5, e008229-e008229. | 1.9 | 12 |
| 22 | Evaluation and management of lead exposure. Annals of Occupational and Environmental Medicine, 2015, 27, 30. | 1.0 | 98 |
| 23 | Overwork and cerebrocardiovascular disease in Korean adult workers. Journal of Occupational Health, 2015, 57, 51-57. | 2.1 | 17 |
| 24 | Weekend work and depressive symptoms among Korean employees. Chronobiology International, 2015, 32, 262-269. | 2.0 | 6 |
| 25 | Association between Blood Cadmium Levels and 10-Year Coronary Heart Disease Risk in the General Korean Population: The Korean National Health and Nutrition Examination Survey 2008–2010. PLoS ONE, 2014, 9, e111909. | 2.5 | 33 |
| 26 | Work-Related Musculoskeletal Diseases and the Workers' Compensation. Journal of Korean Medical Science, 2014, 29, S18. | 2.5 | 9 |
| 27 | Long Work Hours and Obesity in Korean Adult Workers. Journal of Occupational Health, 2013, 55, 359-366. | 2.1 | 35 |
| 28 | Smoking Rate Trends in Korean Occupational Groups: Analysis of KNHANES 1998–2009 Data. Journal of Occupational Health, 2012, 54, 452-458. | 2.1 | 16 |
| 29 | Estimation of Maximal Oxygen Uptake without Exercise Testing in Korean Healthy Adult Workers. Tohoku Journal of Experimental Medicine, 2012, 227, 313-319. | 1.2 | 19 |