

# Niansheng Yang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8437674/publications.pdf>

Version: 2024-02-01

19  
papers

1,095  
citations

567281

15  
h-index

839539

18  
g-index

20  
all docs

20  
docs citations

20  
times ranked

1685  
citing authors

#	ARTICLE	IF	CITATIONS
1	Podocyte Activation of NLRP3 Inflammasomes Contributes to the Development of Proteinuria in Lupus Nephritis. <i>Arthritis and Rheumatology</i> , 2017, 69, 1636-1646.	5.6	146
2	The ratio of circulating follicular T helper cell to follicular T regulatory cell is correlated with disease activity in systemic lupus erythematosus. <i>Clinical Immunology</i> , 2017, 183, 46-53.	3.2	122
3	Myeloid-derived suppressor cells are proinflammatory and regulate collagen-induced arthritis through manipulating Th17 cell differentiation. <i>Clinical Immunology</i> , 2015, 157, 175-186.	3.2	103
4	Pathogenesis of lupus nephritis: RIP3 dependent necroptosis and NLRP3 inflammasome activation. <i>Journal of Autoimmunity</i> , 2019, 103, 102286.	6.5	98
5	Blockage of JAK/STAT signalling attenuates renal ischaemia-reperfusion injury in rats. <i>Nephrology Dialysis Transplantation</i> , 2007, 23, 91-100.	0.7	93
6	Anti-dsDNA antibodies bind to TLR4 and activate NLRP3 inflammasome in lupus monocytes/macrophages. <i>Journal of Translational Medicine</i> , 2016, 14, 156.	4.4	93
7	RIP3 dependent NLRP3 inflammasome activation is implicated in acute lung injury in mice. <i>Journal of Translational Medicine</i> , 2018, 16, 233.	4.4	72
8	Myeloid-derived suppressor cells contribute to bone erosion in collagen-induced arthritis by differentiating to osteoclasts. <i>Journal of Autoimmunity</i> , 2015, 65, 82-89.	6.5	63
9	Time of day influences immune response to an inactivated vaccine against SARS-CoV-2. <i>Cell Research</i> , 2021, 31, 1215-1217.	12.0	61
10	Blockage of P2X7 attenuates acute lung injury in mice by inhibiting NLRP3 inflammasome. <i>International Immunopharmacology</i> , 2015, 27, 38-45.	3.8	55
11	JAK/STAT signaling controls the fate of CD8+CD103+ tissue-resident memory T cell in lupus nephritis. <i>Journal of Autoimmunity</i> , 2020, 109, 102424.	6.5	48
12	Pim-1 as a Therapeutic Target in Lupus Nephritis. <i>Arthritis and Rheumatology</i> , 2019, 71, 1308-1318.	5.6	38
13	Anti-dsDNA antibodies induce inflammation via endoplasmic reticulum stress in human mesangial cells. <i>Journal of Translational Medicine</i> , 2015, 13, 178.	4.4	30
14	The usage of biological DMARDs and clinical remission of rheumatoid arthritis in China: a real-world large scale study. <i>Clinical Rheumatology</i> , 2017, 36, 35-43.	2.2	30
15	Innate lymphoid cell disturbance with increase in ILC1 in systemic lupus erythematosus. <i>Clinical Immunology</i> , 2019, 202, 49-58.	3.2	28
16	Tfh cells with NLRP3 inflammasome activation are essential for high-affinity antibody generation, germinal centre formation and autoimmunity. <i>Annals of the Rheumatic Diseases</i> , 2022, 81, 1006-1012.	0.9	10
17	CRAC Channel Controls the Differentiation of Pathogenic B Cells in Lupus Nephritis. <i>Frontiers in Immunology</i> , 2021, 12, 779560.	4.8	3
18	Fine Comparison of the Efficacy and Safety Between GB242 and Infliximab in Patients with Rheumatoid Arthritis: A Phase III Study. <i>Rheumatology and Therapy</i> , 2022, 9, 175-189.	2.3	2

#	ARTICLE	IF	CITATIONS
19	Circulating TFH cells is correlated with disease activity in anti-MDA5 antibody positive idiopathic inflammatory myopathies. <i>Clinical and Experimental Rheumatology</i> , 2021, 39, 804-810.	0.8	0