Carlos Jimenez

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8439421/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Phenylethanoid glycosides in plants: structure and biological activity. Natural Product Reports, 1994, 11, 591-606.	5.2	203
2	Marine Natural Products in Medicinal Chemistry. ACS Medicinal Chemistry Letters, 2018, 9, 959-961.	1.3	193
3	NMR methods for unravelling the spectra of complex mixtures. Natural Product Reports, 2011, 28, 78-98.	5.2	111
4	Novel marine sponge derived amino acids 13. Additional psammaplin derivatives from Psammaplysilla purpurea. Tetrahedron, 1991, 47, 2097-2102.	1.0	105
5	Novel sponge-derived amino acids. 12. Tryptophan-derived pigments and accompanying sesterterpenes from Fascaplysinopsis reticulata. Journal of Organic Chemistry, 1991, 56, 3403-3410.	1.7	98
6	Signaling the Induction of Sporulation Involves the Interaction of Two Secondary Metabolites in <i>Aspergillus nidulans</i> . ACS Chemical Biology, 2012, 7, 599-606.	1.6	72
7	Didemniserinolipids Aâ~'C, Unprecedented Serinolipids from the TunicateDidemnumsp Journal of Organic Chemistry, 1999, 64, 5705-5707.	1.7	65
8	Novel Marine Sponge Amino Acids, 10. Xestoaminoh from Xestaspongia sp Journal of Natural Products, 1990, 53, 978-982.	1.5	64
9	Evaluation of the effects of several zoanthamine-type alkaloids on the aggregation of human platelets. Bioorganic and Medicinal Chemistry, 2003, 11, 2301-2306.	1.4	64
10	Isolation and synthesis of the first natural 6-hydroximino 4-en-3-one- steroids from the sponges Cinachyrella spp. Tetrahedron Letters, 1997, 38, 1833-1836.	0.7	63
11	Structural characterization of vanchrobactin, a new catechol siderophore produced by the fish pathogen Vibrio anguillarum serotype O2. Tetrahedron Letters, 2006, 47, 7113-7116.	0.7	60
12	Mauritamide A and accompanying oroidin alkaloids from the sponge agelas mauritiana. Tetrahedron Letters, 1994, 35, 1375-1378.	0.7	56
13	Chemical defenses of tunicates of the genus Aplidium from the Weddell Sea (Antarctica). Polar Biology, 2010, 33, 1319-1329.	0.5	54
14	Absolute Structures of New Briarane Diterpenoids fromJunceella fragilis. Journal of Natural Products, 1999, 62, 257-260.	1.5	52
15	Synthesis and evaluation of new 6-hydroximinosteroid analogs as cytotoxic agents. Bioorganic and Medicinal Chemistry, 2007, 15, 4722-4740.	1.4	49
16	Structure and Biosynthetic Assembly of Piscibactin, a Siderophore from <i>Photobacterium damselae</i> subsp. <i>piscicida</i> , Predicted from Genome Analysis. European Journal of Organic Chemistry, 2012, 2012, 5693-5700.	1.2	49
17	A Transmissible Plasmid-Borne Pathogenicity Island Confers Piscibactin Biosynthesis in the Fish Pathogen Photobacterium damselae subsp. piscicida. Applied and Environmental Microbiology, 2015, 81, 5867-5879.	1.4	48
18	New cytotoxic steroids from the gorgonian Isis hippuris . Structure–activity studies. Tetrahedron, 2001, 57, 3487-3497.	1.0	47

#	Article	IF	CITATIONS
19	Isolation, Biological Significance, Synthesis, and Cytotoxic Evaluation of New Natural Parathiosteroids Aâ^'C and Analogues from the Soft Coral <i>Paragorgia</i> sp Journal of Organic Chemistry, 2008, 73, 7978-7984.	1.7	46
20	3-Nitroasterric Acid Derivatives from an Antarctic Sponge-Derived <i>Pseudogymnoascus</i> sp. Fungus. Journal of Natural Products, 2015, 78, 919-923.	1.5	45
21	Triterpene Glycosides from the Far-Eastern Sea CucumberPentamera calcigera.1. Monosulfated Glycosides and Cytotoxicity of Their Unsulfated Derivatives. Journal of Natural Products, 2000, 63, 65-71.	1.5	44
22	Hemolytic Polar Steroidal Constituents of the StarfishAphelasteriasjaponica. Journal of Natural Products, 2000, 63, 1178-1181.	1.5	44
23	Synthesis of Cytotoxic 6E-Hydroximino-4-ene Steroids:Â Structure/Activity Studies. Journal of Medicinal Chemistry, 2001, 44, 2612-2618.	2.9	44
24	Total Synthesis of (â^')-Dysithiazolamide. Organic Letters, 2008, 10, 2175-2178.	2.4	44
25	The Siderophore Piscibactin Is a Relevant Virulence Factor for Vibrio anguillarum Favored at Low Temperatures. Frontiers in Microbiology, 2018, 9, 1766.	1.5	40
26	Novel Cytotoxic Oxygenated C29 Sterols from the Colombian Marine SpongePolymastiatenax. Journal of Natural Products, 2002, 65, 1161-1164.	1.5	39
27	Dolabelladienols A–C, New Diterpenes Isolated from Brazilian Brown Alga Dictyota pfaffii. Marine Drugs, 2014, 12, 4247-4259.	2.2	39
28	Peruvioses A to F, sucrose esters from the exudate of Physalis peruviana fruit as α-amylase inhibitors. Carbohydrate Research, 2018, 461, 4-10.	1.1	39
29	The Occurrence of the Human GlycoconjugateC2-α-d-Mannosylpyranosyl-l-tryptophan in Marine Ascidians. Organic Letters, 2000, 2, 2765-2767.	2.4	38
30	New Xenia Diterpenoids from the Indonesian Soft Coral Xenia sp Journal of Natural Products, 2002, 65, 766-768.	1.5	38
31	Two Catechol Siderophores, Acinetobactin and Amonabactin, Are Simultaneously Produced by <i>Aeromonas salmonicida</i> subsp. <i>salmonicida</i> Sharing Part of the Biosynthetic Pathway. ACS Chemical Biology, 2015, 10, 2850-2860.	1.6	38
32	Sarasinosides D-G: four new triterpenoid saponins from the sponge asteropus sarasinosum. Tetrahedron, 1992, 48, 8685-8696.	1.0	37
33	An enyne metathesis approach to the synthesis of the 1,3-diene system of mycothiazole. Tetrahedron Letters, 2001, 42, 6699-6702.	0.7	36
34	Clionapyrrolidine A—A Metabolite from the Encrusting and Excavating Sponge Cliona tenuis that Kills Coral Tissue upon Contact. Journal of Chemical Ecology, 2008, 34, 1565-1574.	0.9	36
35	Synthesis and antibacterial activity of conjugates between norfloxacin and analogues of the siderophore vanchrobactin. Bioorganic and Medicinal Chemistry, 2013, 21, 295-302.	1.4	36
36	Pharmacological Effects of Three Phenylpropanoid Glycosides fromMussatia. Planta Medica, 1990, 56, 24-26.	0.7	34

#	Article	IF	CITATIONS
37	Koreoside A, a New Nonholostane Triterpene Glycoside from the Sea CucumberCucumariakoraiensis. Journal of Natural Products, 1997, 60, 808-810.	1.5	34
38	Triterpene Glycosides from the Far Eastern Sea CucumberCucumaria conicospermium. Journal of Natural Products, 2003, 66, 910-916.	1.5	34
39	Highly diastereoselective indium-mediated synthesis of β-lactam carbohydrates from imines. Tetrahedron, 2011, 67, 2617-2622.	1.0	33
40	A New Secosterol from the Indonesian OctocoralPachyclavulariaviolacea. Journal of Natural Products, 2002, 65, 1357-1359.	1.5	32
41	NMR J-based analysis of nitrogen-containing moieties and application to dysithiazolamide, a new polychlorinated dipeptide from Dysidea sp Tetrahedron, 2005, 61, 10093-10098.	1.0	32
42	Novel marine sponge alkaloids 3. Î ² -carbolinium salts from Fascaplysinopsis reticulata. Tetrahedron Letters, 1991, 32, 1843-1846.	0.7	31
43	Isolation and Synthesis of (â^')-(5S)-2-Imino-1-methylpyrrolidine-5- carboxylic Acid fromClionatenuis: Structure Revision of Pyrostatins. Organic Letters, 2006, 8, 4967-4970.	2.4	30
44	Absolute stereochemistry of antifouling cembranoid epimers at C-8 from the Caribbean octocoral Pseudoplexaura flagellosa. Revised structures of plexaurolones. Tetrahedron, 2011, 67, 9112-9121.	1.0	30
45	Triterpene Glycosides from the Far Eastern Sea CucumberPentamera calcigerall:Â Disulfated Glycosides. Journal of Natural Products, 2000, 63, 1349-1355.	1.5	29
46	Structure-based design, synthesis, and biological evaluation of withaferin A-analogues as potent apoptotic inducers. European Journal of Medicinal Chemistry, 2017, 140, 52-64.	2.6	29
47	Villagorgin A and B. New type of indole alkaloids with acetylcholine antagonist activity from the gorgonian Villagorgia rubra. Tetrahedron Letters, 1993, 34, 7773-7776.	0.7	27
48	Structure of Eximisoside A, a Novel Triterpene Glycoside from the Far-Eastern Sea CucumberPsoluseximius. Journal of Natural Products, 1997, 60, 817-819.	1.5	27
49	Can Stereoclusters Separated by Two Methylene Groups Be Related by DFT Studies? The Case of the Cytotoxic Meroditerpenes Halioxepines. Journal of Natural Products, 2018, 81, 343-348.	1.5	27
50	AHL-lactonase expression in three marine emerging pathogenic Vibrio spp. reduces virulence and mortality in brine shrimp (Artemia salina) and Manila clam (Venerupis philippinarum). PLoS ONE, 2018, 13, e0195176.	1.1	27
51	Epidioxy Sterols from the Tunicates Dendrodoa grossularia and Ascidiella aspersa and the Gastropoda Aplysia depilans and Aplysia punctata. Journal of Natural Products, 1986, 49, 905-909.	1.5	26
52	Minalemines A-F: Sulfamic acid peptide guanidine derivatives isolated from the marine tunicate Didemnun rodriguesi. Tetrahedron, 1998, 54, 7539-7550.	1.0	26
53	Using spectroscopic and database strategies to unravel structures of polycyclic bioactive marine sponge sesterterpenes. Tetrahedron, 1991, 47, 3585-3600.	1.0	25
54	Agrochelin, a new cytotoxic alkaloid from the marine bacteria Agrobacterium sp Tetrahedron Letters, 1999, 40, 6841-6844.	0.7	25

#	Article	IF	CITATIONS
55	Cyclobutenbriarein A, the First Diterpene with a Tricyclo[8.4.0.03,6]tetradec-4-ene Ring System Isolated from the GorgonianBriareumasbestinum. Journal of Organic Chemistry, 2002, 67, 5117-5123.	1.7	25
56	Relative configuration of micrograms of natural compounds using proton residual chemical shift anisotropy. Nature Communications, 2020, 11, 4372.	5.8	25
57	New Briarane Stecholide Diterpenes from the Indonesian GorgonianBriareumsp.â€. Journal of Natural Products, 1998, 61, 313-317.	1.5	24
58	Photodamage attenuation effect by a tetraprenyltoluquinol chromane meroterpenoid isolated from Sargassum muticum. Journal of Photochemistry and Photobiology B: Biology, 2015, 148, 51-58.	1.7	24
59	Frondoside C, a new nonholostane triterpene glycoside from the sea cucumber <i>Cucumaria frondosa</i> : structure and cytotoĂ—icity of its desulfated derivative. Canadian Journal of Chemistry, 1998, 76, 137-141.	0.6	23
60	Cytotoxic Triterpene Glycosides from Far-Eastern Sea Cucumbers Belonging to the GenusCucumaria. Liebigs Annalen, 1997, 1997, 2351-2356.	0.8	22
61	Triterpene Glycosides from the Deep-Water North-Pacific Sea CucumberSynallactesnozawaiMitsukuri. Journal of Natural Products, 2002, 65, 1802-1808.	1.5	22
62	Synthesis of a new cytotoxic cephalostatin/ritterazine analogue from hecogenin and 22-epi-hippuristanol. Bioorganic and Medicinal Chemistry, 2010, 18, 58-63.	1.4	22
63	Thelepamide: An Unprecedented Ketide-Amino Acid from Thelepus crispus, a Marine Annelid Worm. Organic Letters, 2014, 16, 464-467.	2.4	22
64	A Short Stereoselective Synthesis of Prepiscibactin Using a Sml ₂ -Mediated Reformatsky Reaction and Zn ²⁺ -Induced Asymmetric Thiazolidine Formation. Organic Letters, 2014, 16, 5820-5823.	2.4	22
65	Cytotoxic Anomoian B and Aplyzanzine B, New Bromotyrosine Alkaloids from Indonesian Sponges. ACS Omega, 2017, 2, 3494-3501.	1.6	22
66	Secreted Citrate Serves as Iron Carrier for the Marine Pathogen Photobacterium damselae subsp damselae. Frontiers in Cellular and Infection Microbiology, 2017, 7, 361.	1.8	22
67	Lignans and Other Constituents from South and Central AmericanZanthoxylumSpecies. Planta Medica, 1990, 56, 89-91.	0.7	21
68	6E-Hydroximinosteroid homodimerization by cross-metathesis processes. Steroids, 2007, 72, 729-735.	0.8	21
69	Vanchrobactin: absolute configuration and total synthesis. Tetrahedron Letters, 2007, 48, 3021-3024.	0.7	20
70	<i>>J</i> â€Based Analysis and DFT–NMR Assignments of Natural Complex Molecules: Application to 3î²,7â€Dihydroxyâ€5,6â€epoxycholestanes. European Journal of Organic Chemistry, 2008, 2008, 3960-3969.	1.2	20
71	Three phenylpropanoid glycosides from Mussatia. Phytochemistry, 1987, 26, 1805-1810.	1.4	19
72	In Vitro and In Vivo Assessment of the Efficacy of Bromoageliferin, an Alkaloid Isolated from the Sponge Agelas dilatata, against Pseudomonas aeruginosa. Marine Drugs, 2020, 18, 326.	2.2	19

#	Article	IF	CITATIONS
73	A chromone from Zanthoxylum species. Phytochemistry, 1989, 28, 1992-1993.	1.4	18
74	An approach to speed up the isolation of hydrophilic metabolites from natural sources at semipreparative level by using a hydrophilic–lipophilic balance/mixed-mode strong cation exchange–high-performance liquid chromatography/mass spectrometry system. Journal of Chromatography A, 2011, 1218, 1790-1794.	1.8	18
75	New Cytotoxic Cembranes from the Sea PenGyrophyllumsibogae. Journal of Natural Products, 2004, 67, 1190-1192.	1.5	17
76	Iron(iii) complexation by Vanchrobactin, a siderophore of the bacterial fish pathogen Vibrio anguillarum. Metallomics, 2011, 3, 521.	1.0	17
77	Lanesoic Acid: A Cytotoxic Zwitterion from <i>Theonella</i> sp Organic Letters, 2016, 18, 5832-5835.	2.4	17
78	New cytotoxic cembranolides: isolation, biogenetic studies, and synthesis of analogues. Tetrahedron, 2006, 62, 11747-11754.	1.0	16
79	Anti-Inflammatory Effects of 5α,8α-Epidioxycholest-6-en-3β-ol, a Steroidal Endoperoxide Isolated from Aplysia depilans, Based on Bioguided Fractionation and NMR Analysis. Marine Drugs, 2019, 17, 330.	2.2	16
80	The unusual presence of hydroxylated furanosesquiterpenes in the deep ocean tunicate Ritterella rete. Chemical interconversions and absolute stereochemistry. Tetrahedron, 1998, 54, 5385-5406.	1.0	15
81	Bistratamides M and N, Oxazole-Thiazole Containing Cyclic Hexapeptides Isolated from Lissoclinum bistratum Interaction of Zinc (II) with Bistratamide K. Marine Drugs, 2017, 15, 209.	2.2	15
82	The Fish Pathogen Vibrio ordalii Under Iron Deprivation Produces the Siderophore Piscibactin. Microorganisms, 2019, 7, 313.	1.6	15
83	Identification of α-Amylase and α-Glucosidase Inhibitors and Ligularoside A, a New Triterpenoid Saponin from <i>Passiflora ligularis</i> Juss (Sweet Granadilla) Leaves, by a Nuclear Magnetic Resonance-Based Metabolomic Study. Journal of Agricultural and Food Chemistry, 2021, 69, 2919-2931.	2.4	15
84	Triterpene glycosides from Mussatia species. Phytochemistry, 1989, 28, 2773-2776.	1.4	14
85	The Dietary Origin of Epidioxysteroids in Actinia equina. A Carbon-14 Incorporation Experiment. Journal of Natural Products, 1989, 52, 619-622.	1.5	14
86	A study of polychlorinated leucine derivatives: synthesis of (2S,4S)-5,5-dichloroleucine. Tetrahedron Letters, 2004, 45, 3241-3243.	0.7	14
87	Mycothiazole: Synthesis of the C8–C18 Subunit and Further Evidence of the (Z)-Δ14 Double Bond Configuration. European Journal of Organic Chemistry, 2007, 2007, 934-942.	1.2	14
88	Pembamide, a N -methylated linear peptide from a sponge Cribrochalina sp Tetrahedron Letters, 2016, 57, 3239-3242.	0.7	14
89	Cereusitin A, a cyclic tetrapeptide from a Bacillus cereus strain isolated from the soft coral Antillogorgia (syn. Pseudopterogorgia) elisabethae. Tetrahedron Letters, 2017, 58, 634-637.	0.7	14
90	13C-nmr Assignments and Cytotoxicity Assessment of Zoanthoxanthin Alkaloids from Zoanthid Corals. Journal of Natural Products, 1993, 56, 9-14.	1.5	13

#	Article	IF	CITATIONS
91	Isonitenin and Acetylhomoagmatine new Metabolites from the SpongesSpongia OfficinalisandCliona celatacollected at the Galician Coast (NW Spain). Natural Product Research, 1996, 8, 15-23.	0.4	13
92	New Dammarane Triterpenes from the Aerial Parts of Ibicella lutea Grown in Argentina. Journal of Natural Products, 2003, 66, 1586-1592.	1.5	13
93	Cytotoxic Furanoditerpenes from the Sponge Spongia tubulifera Collected in the Mexican Caribbean. Marine Drugs, 2019, 17, 416.	2.2	13
94	Outer membrane protein FrpA, the siderophore piscibactin receptor of Photobacterium damselae subsp. piscicida, as a subunit vaccine against photobacteriosis in sole (Solea senegalensis). Fish and Shellfish Immunology, 2019, 94, 723-729.	1.6	13
95	In-Depth Analysis of the Role of the Acinetobactin Cluster in the Virulence of Acinetobacter baumannii. Frontiers in Microbiology, 2021, 12, 752070.	1.5	13
96	Five phenylpropanoid glycosides from Mussatia. Phytochemistry, 1988, 27, 2947-2951.	1.4	12
97	Stereoselective synthesis of (â \in ")-4-epiaxinyssamine. Tetrahedron, 2007, 63, 1544-1552.	1.0	12
98	Synthesis and biological activity of analogues of vanchrobactin, a siderophore from Vibrio anguillarum serotype O2. Organic and Biomolecular Chemistry, 2008, 6, 1278.	1.5	12
99	Bicarbonate gradients modulate growth and colony morphology inAspergillus nidulans. FEMS Microbiology Letters, 2009, 300, 216-221.	0.7	12
100	A mild oxidative method for the preparation of î³-hydroxy-α-nitroolefins from α,β-epoxyketoximes using IBX. Tetrahedron Letters, 2009, 50, 7395-7398.	0.7	12
101	Identification of the Ferric-Acinetobactin Outer Membrane Receptor in <i>Aeromonas salmonicida</i> subsp. <i>salmonicida</i> and Structure–Activity Relationships of Synthetic Acinetobactin Analogues. ACS Chemical Biology, 2017, 12, 479-493.	1.6	12
102	Daedophamide, a Cytotoxic Cyclodepsipeptide from a Daedalopelta sp. Sponge Collected in Indonesia. Journal of Natural Products, 2017, 80, 3054-3059.	1.5	12
103	Insights into the virulenceâ€related genes of <i>Edwardsiella tarda</i> isolated from turbot in Europe: genetic homogeneity and evidence for vibrioferrin production. Journal of Fish Diseases, 2016, 39, 565-576.	0.9	11
104	Protoxenicins A and B, Cytotoxic Long-Chain Acylated Xenicanes from the Soft Coral <i>Protodendron repens</i> . Journal of Natural Products, 2017, 80, 713-719.	1.5	11
105	Polychlorinated Leucine Derivatives: Synthesis of (2S,4R)-5,5-Dichloroleucine and ItsJ-Based Analysis. European Journal of Organic Chemistry, 2006, 2006, 3645-3651.	1.2	10
106	Mass spectrometry detection of minor new meridianins from the antarctic colonial ascidians <i>Aplidium falklandicum</i> and <i>Aplidium meridianum</i> . Journal of Mass Spectrometry, 2015, 50, 103-111.	0.7	10
107	Njaoamine I, a cytotoxic polycyclic alkaloid from the Haplosclerida sponge Haliclona (Reniera) sp Tetrahedron Letters, 2018, 59, 2577-2580.	0.7	10
108	Marine Natural Products from the Yucatan Peninsula. Marine Drugs, 2020, 18, 59.	2.2	10

#	Article	IF	CITATIONS
109	Marine sulfur-containing natural products. Studies in Natural Products Chemistry, 2001, , 811-917.	0.8	9
110	Synthesis of Thelepamide via Catalyst-Controlled 1,4-Addition of Cysteine Derivatives and Structure Revision of Thelepamide. Organic Letters, 2018, 20, 594-597.	2.4	9
111	Preparation of functionalized magnetic nanoparticles conjugated with feroxamine and their evaluation for pathogen detection. RSC Advances, 2019, 9, 13533-13542.	1.7	9
112	Antiviral and Antiproliferative Potential of Marine Organisms From the Yucatan Peninsula, Mexico. Frontiers in Marine Science, 2020, 7, .	1.2	9
113	Convergent Total Synthesis of the Siderophore Piscibactin as Its Ga ³⁺ Complex. Organic Letters, 2021, 23, 340-345.	2.4	9
114	Enigmazole C: A Cytotoxic Macrocyclic Lactone and Its Ring-Opened Derivatives from a New Species of <i>Homophymia</i> Sponge. Journal of Natural Products, 2022, 85, 1059-1066.	1.5	9
115	Phenylpropanoid Glycosides from Mussatia hyacinthina. Journal of Natural Products, 1989, 52, 408-410.	1.5	8
116	The Outer Membrane Protein FstC of Aeromonas salmonicida subsp. salmonicida Acts as Receptor for Amonabactin Siderophores and Displays a Wide Ligand Plasticity. Structure–Activity Relationships of Synthetic Amonabactin Analogues. ACS Infectious Diseases, 2019, 5, 1936-1951.	1.8	8
117	Marine Organisms from the Yucatan Peninsula (Mexico) as a Potential Natural Source of Antibacterial Compounds. Marine Drugs, 2020, 18, 369.	2.2	8
118	Absolute configuration by vibrational circular dichroism of anti-inflammatory macrolide briarane diterpenoids from the Gorgonian Briareum asbestinum. Scientific Reports, 2021, 11, 496.	1.6	8
119	Vibrio neptunius Produces Piscibactin and Amphibactin and Both Siderophores Contribute Significantly to Virulence for Clams. Frontiers in Cellular and Infection Microbiology, 2021, 11, 750567.	1.8	8
120	Boussingoside E, a New Triterpenoid Saponin from the Tubers of Boussingaultia baselloides. Journal of Natural Products, 1997, 60, 17-19.	1.5	7
121	Anti-aggregant effects on human platelets of the crude aqueous extract and polar fractions of the microalga Dunaliella tertiolecta. Phytotherapy Research, 1997, 11, 70-72.	2.8	7
122	Low-Temperature NMRJ-Based Configurational Analysis of Flexible Acyclic Systems. Journal of Organic Chemistry, 2010, 75, 7227-7232.	1.7	7
123	Combining JBCA and Marfey's methodology to determine the absolute configuration of threonines: the case of gunungamide A, a new cyclic depsipeptide containing chloropyrrole from the sponge <i>Discodermia</i> sp Organic Chemistry Frontiers, 2019, 6, 15-21.	2.3	7
124	The marine bivalve molluscs pathogen Vibrio neptunius produces the siderophore amphibactin, which is widespread in molluscs microbiota. Environmental Microbiology, 2020, 22, 5467-5482.	1.8	7
125	Cytotoxic and Antimicrobial Diterpenes Isolated from Hyptis dilatata. Current Bioactive Compounds, 2015, 11, 189-197.	0.2	6
126	FrpA is the outer membrane piscibactin transporter in Vibrio anguillarum: structural elements in synthetic piscibactin analogues required for transport. Journal of Biological Inorganic Chemistry, 2022, 27, 133-142.	1.1	5

#	Article	IF	CITATIONS
127	Synthesis of a new hapten for generating catalytic antibodies that activate doxorubicin prodrugs. Tetrahedron Letters, 2001, 42, 7819-7822.	0.7	4
128	Dermacozine N, the First Natural Linear Pentacyclic Oxazinophenazine with UV–Vis Absorption Maxima in the Near Infrared Region, along with Dermacozines O and P Isolated from the Mariana Trench Sediment Strain Dermacoccus abyssi MT 1.1T. Marine Drugs, 2021, 19, 325.	2.2	4
129	Antimicrobial Diterpene Alkaloids from an Agelas citrina Sponge Collected in the Yucatán Peninsula. Marine Drugs, 2022, 20, 298.	2.2	4
130	Connection of Isolated Stereoclusters by Combining 13C-RCSA, RDC, and J-Based Configurational Analyses and Structural Revision of a Tetraprenyltoluquinol Chromane Meroterpenoid from Sargassum muticum. Marine Drugs, 2022, 20, 462.	2.2	4
131	Synthesis of Acetylhomoagmatine. Marine Drugs, 2006, 4, 286-289.	2.2	3
132	Selective detection of Aeromonas spp. by a fluorescent probe based on the siderophore amonabactin. Journal of Inorganic Biochemistry, 2022, 230, 111743.	1.5	3
133	Siderophores from Fish Pathogenic Bacteria. Topics in Heterocyclic Chemistry, 2021, , 175-207.	0.2	1
134	Tuberosides A, B, and C, Novel Triterpenoid Saponins from the Hypoglucaemic Fraction of Ullucus tuberosus. Liebigs Annalen, 2006, 1996, 781-784.	0.8	0
135	Synthesis of Functionalized Magnetic Nanoparticles, Their Conjugation with the Siderophore Feroxamine and its Evaluation for Bacteria Detection. Journal of Visualized Experiments, 2020, , .	0.2	0