

# Lars Kutzbach

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8440817/publications.pdf>

Version: 2024-02-01

66  
papers

3,376  
citations

159525

30  
h-index

168321

53  
g-index

111  
all docs

111  
docs citations

111  
times ranked

3756  
citing authors

#	ARTICLE	IF	CITATIONS
1	Diurnal dynamics of CH <sub>4</sub> from a boreal peatland during snowmelt. <i>Tellus, Series B: Chemical and Physical Meteorology</i> , 2022, 62, 133.	0.8	32
2	The ABCflux database: Arctic boreal CO <sub>2</sub> flux observations and ancillary information aggregated to monthly time steps across terrestrial ecosystems. <i>Earth System Science Data</i> , 2022, 14, 179-208.	3.7	22
3	Ignoring carbon emissions from thermokarst ponds results in overestimation of tundra net carbon uptake. <i>Biogeosciences</i> , 2022, 19, 1225-1244.	1.3	10
4	Earlier snowmelt may lead to late season declines in plant productivity and carbon sequestration in Arctic tundra ecosystems. <i>Scientific Reports</i> , 2022, 12, 3986.	1.6	16
5	Assessing methane emissions for northern peatlands in ORCHIDEE-PEAT revision 7020. <i>Geoscientific Model Development</i> , 2022, 15, 2813-2838.	1.3	8
6	Introduction of a guideline for measurements of greenhouse gas fluxes from soils using non-steady-state chambers. <i>Journal of Plant Nutrition and Soil Science</i> , 2022, 185, 447-461.	1.1	13
7	Identifying Drivers Behind Spatial Variability of Methane Concentrations in East Siberian Ponds. <i>Frontiers in Earth Science</i> , 2021, 9, .	0.8	7
8	Cushion bog plant community responses to passive warming in southern Patagonia. <i>Biogeosciences</i> , 2021, 18, 4817-4839.	1.3	3
9	Are Remote Sensing Evapotranspiration Models Reliable Across South American Ecoregions?. <i>Water Resources Research</i> , 2021, 57, e2020WR028752.	1.7	17
10	Soil Chamber Measurements. <i>Springer Handbooks</i> , 2021, , 1603-1624.	0.3	5
11	Modeled Microbial Dynamics Explain the Apparent Temperature Sensitivity of Wetland Methane Emissions. <i>Global Biogeochemical Cycles</i> , 2020, 34, e2020GB006678.	1.9	34
12	Increasing contribution of peatlands to boreal evapotranspiration in a warming climate. <i>Nature Climate Change</i> , 2020, 10, 555-560.	8.1	106
13	Comparison of eddy covariance CO <sub>2</sub> and CH <sub>4</sub> fluxes from mined and recently rewetted sections in a northwestern German cutover bog. <i>Biogeosciences</i> , 2020, 17, 2853-2874.	1.3	11
14	The biophysical climate mitigation potential of boreal peatlands during the growing season. <i>Environmental Research Letters</i> , 2020, 15, 104004.	2.2	31
15	Analyzing links between simulated Laptev Sea sea ice and atmospheric conditions over adjoining landmasses using causal-effect networks. <i>Cryosphere</i> , 2020, 14, 4201-4215.	1.5	3
16	Effects of disturbance on the carbon dioxide balance of an anthropogenic peatland in northern Patagonia. <i>Wetlands Ecology and Management</i> , 2019, 27, 635-650.	0.7	7
17	Scaling and balancing carbon dioxide fluxes in a heterogeneous tundra ecosystem of the Lena River Delta. <i>Biogeosciences</i> , 2019, 16, 2591-2615.	1.3	7
18	Evaluating closed chamber evapotranspiration estimates against eddy covariance measurements in an arctic wetland. <i>Journal of Hydrology</i> , 2019, 578, 124030.	2.3	4

#	ARTICLE	IF	CITATIONS
19	Partitioning net ecosystem exchange of CO <sub>2</sub> on the pedon scale in the Lena River Delta, Siberia. <i>Biogeosciences</i> , 2019, 16, 1543-1562.	1.3	15
20	Assessing the long-term carbon sequestration potential of the semi-natural salt marshes in the European Wadden Sea. <i>Ecosphere</i> , 2019, 10, e02556.	1.0	42
21	Cushion bogs are stronger carbon dioxide net sinks than moss-dominated bogs as revealed by eddy covariance measurements on Tierra del Fuego, Argentina. <i>Biogeosciences</i> , 2019, 16, 3397-3423.	1.3	16
22	Large loss of CO <sub>2</sub> in winter observed across the northern permafrost region. <i>Nature Climate Change</i> , 2019, 9, 852-857.	8.1	225
23	Scaling and balancing methane fluxes in a heterogeneous tundra ecosystem of the Lena River Delta. <i>Agricultural and Forest Meteorology</i> , 2019, 266-267, 243-255.	1.9	7
24	Monthly gridded data product of northern wetland methane emissions based on upscaling eddy covariance observations. <i>Earth System Science Data</i> , 2019, 11, 1263-1289.	3.7	69
25	A long-term (2002 to 2017) record of closed-path and open-path eddy covariance CO <sub>2</sub> net ecosystem exchange fluxes from the Siberian Arctic. <i>Earth System Science Data</i> , 2019, 11, 221-240.	3.7	20
26	A 16-year record (2002–2017) of permafrost, active-layer, and meteorological conditions at the Samoylov Island Arctic permafrost research site, Lena River delta, northern Siberia: an opportunity to validate remote-sensing data and land surface, snow, and permafrost models. <i>Earth System Science Data</i> , 2019, 11, 261-299.	3.7	69
27	ORCHIDEE-PEAT (revision 4596), a model for northern peatland CO <sub>2</sub> , water, and energy fluxes on daily to annual scales. <i>Geoscientific Model Development</i> , 2018, 11, 497-519.	1.3	43
28	Permafrost Thaw and Liberation of Inorganic Nitrogen in Eastern Siberia. <i>Permafrost and Periglacial Processes</i> , 2017, 28, 605-618.	1.5	43
29	Carbon stocks and fluxes in the high latitudes: using site-level data to evaluate Earth system models. <i>Biogeosciences</i> , 2017, 14, 5143-5169.	1.3	43
30	Dissolved organic matter dynamics during the spring snowmelt at a boreal river valley mire complex in Northwest Russia. <i>Hydrological Processes</i> , 2016, 30, 1727-1741.	1.1	7
31	Russian boreal peatlands dominate the natural European methane budget. <i>Environmental Research Letters</i> , 2016, 11, 014004.	2.2	10
32	Environmental Impacts of Terrestrial Ecosystems. <i>Regional Climate Studies</i> , 2016, , 341-372.	1.2	2
33	Regulation of methane production, oxidation, and emission by vascular plants and bryophytes in ponds of the northeast Siberian polygonal tundra. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2015, 120, 2525-2541.	1.3	60
34	Modeling micro-topographic controls on boreal peatland hydrology and methane fluxes. <i>Biogeosciences</i> , 2015, 12, 5689-5704.	1.3	30
35	High methane emissions dominated annual greenhouse gas balances 30 years after bog rewetting. <i>Biogeosciences</i> , 2015, 12, 4361-4371.	1.3	58
36	Stoichiometric analysis of nutrient availability (N, P, K) within soils of polygonal tundra. <i>Biogeochemistry</i> , 2015, 122, 211-227.	1.7	38

#	ARTICLE	IF	CITATIONS
37	Analysing uncertainties in the calculation of fluxes using whole-plant chambers: random and systematic errors. <i>Plant and Soil</i> , 2015, 393, 229-244.	1.8	29
38	Assessing the spatial variability in peak season CO <sub>2</sub> exchange characteristics across the Arctic tundra using a light response curve parameterization. <i>Biogeosciences</i> , 2014, 11, 4897-4912.	1.3	20
39	Trace metal distribution in pristine permafrost-affected soils of the Lena River delta and its hinterland, northern Siberia, Russia. <i>Biogeosciences</i> , 2014, 11, 1-15.	1.3	57
40	Permafrost-affected soils and their carbon pools with a focus on the Russian Arctic. <i>Solid Earth</i> , 2014, 5, 595-609.	1.2	55
41	Spatial Variations in Pore-Water Biogeochemistry Greatly Exceed Temporal Changes During Baseflow Conditions in a Boreal River Valley Mire Complex, Northwest Russia. <i>Wetlands</i> , 2014, 34, 1171-1182.	0.7	14
42	Comparative modeling of annual CO <sub>2</sub> flux of temperate peat soils under permanent grassland management. <i>Agriculture, Ecosystems and Environment</i> , 2014, 186, 64-76.	2.5	32
43	The surface energy balance and its drivers in a boreal peatland fen of northwestern Russia. <i>Journal of Hydrology</i> , 2014, 511, 359-373.	2.3	48
44	Application of high-resolution spectral absorbance measurements to determine dissolved organic carbon concentration in remote areas. <i>Journal of Hydrology</i> , 2014, 517, 435-446.	2.3	53
45	Hydrology-driven ecosystem respiration determines the carbon balance of a boreal peatland. <i>Science of the Total Environment</i> , 2013, 463-464, 675-682.	3.9	24
46	Spatial and seasonal variability of polygonal tundra water balance: Lena River Delta, northern Siberia (Russia). <i>Hydrogeology Journal</i> , 2013, 21, 133-147.	0.9	71
47	A stochastic model for the polygonal tundra based on Poisson-Voronoi diagrams. <i>Earth System Dynamics</i> , 2013, 4, 187-198.	2.7	29
48	Baseline characteristics of climate, permafrost and land cover from a new permafrost observatory in the Lena River Delta, Siberia (1998-2011). <i>Biogeosciences</i> , 2013, 10, 2105-2128.	1.3	144
49	Bulk partitioning the growing season net ecosystem exchange of CO <sub>2</sub> in Siberian tundra reveals the seasonality of its carbon sequestration strength. <i>Biogeosciences</i> , 2013, 10, 1337-1349.	1.3	39
50	Organic carbon and total nitrogen stocks in soils of the Lena River Delta. <i>Biogeosciences</i> , 2013, 10, 3507-3524.	1.3	81
51	Carbon dioxide exchange fluxes of a boreal peatland over a complete growing season, Komi Republic, NW Russia. <i>Biogeochemistry</i> , 2012, 111, 485-513.	1.7	32
52	Attenuation Correction Procedures for Water Vapour Fluxes from Closed-Path Eddy-Covariance Systems. <i>Boundary-Layer Meteorology</i> , 2012, 142, 401-423.	1.2	25
53	Cross-evaluation of measurements of peatland methane emissions on microform and ecosystem scales using high-resolution landcover classification and source weight modelling. <i>Agricultural and Forest Meteorology</i> , 2011, 151, 864-874.	1.9	56
54	Identification of linear relationships from noisy data using errors-in-variables models—relevance for reconstruction of past climate from tree-ring and other proxy information. <i>Climatic Change</i> , 2011, 105, 155-177.	1.7	13

#	ARTICLE	IF	CITATIONS
55	A comparison of linear and exponential regression for estimating diffusive CH <sub>4</sub> fluxes by closed-chambers in peatlands. <i>Soil Biology and Biochemistry</i> , 2010, 42, 507-515.	4.2	58
56	Environmental controls on CH <sub>4</sub> emission from polygonal tundra on the microsite scale in the Lena river delta, Siberia. <i>Global Change Biology</i> , 2010, 16, 3096-3110.	4.2	97
57	Evapotranspiration dynamics in a boreal peatland and its impact on the water and energy balance. <i>Journal of Geophysical Research</i> , 2010, 115, .	3.3	42
58	A comment on "Vulnerability of permafrost carbon to global warming. Part I: model description and role of heat generated by organic matter decomposition" by D. V. Khvorostyanov et al. (2008). <i>Tellus, Series B: Chemical and Physical Meteorology</i> , 2009, 61, 577-578.	0.8	1
59	Overestimation of CO <sub>2</sub> respiration fluxes by the closed chamber method in low-turbulence nighttime conditions. <i>Journal of Geophysical Research</i> , 2009, 114, .	3.3	25
60	Methane emission from Siberian arctic polygonal tundra: eddy covariance measurements and modeling. <i>Global Change Biology</i> , 2008, 14, 1395-1408.	4.2	224
61	Environmental controls on ecosystem-scale CH <sub>4</sub> emission from polygonal tundra in the Lena River Delta, Siberia. <i>Journal of Geophysical Research</i> , 2008, 113, .	3.3	132
62	Do we miss the hot spots? " The use of very high resolution aerial photographs to quantify carbon fluxes in peatlands. <i>Biogeosciences</i> , 2008, 5, 1387-1393.	1.3	32
63	The exchange of carbon dioxide between wet arctic tundra and the atmosphere at the Lena River Delta, Northern Siberia. <i>Biogeosciences</i> , 2007, 4, 869-890.	1.3	82
64	CO <sub>2</sub> flux determination by closed-chamber methods can be seriously biased by inappropriate application of linear regression. <i>Biogeosciences</i> , 2007, 4, 1005-1025.	1.3	254
65	Element Redistribution along Hydraulic and Redox Gradients of Low-Centered Polygons, Lena Delta, Northern Siberia. <i>Soil Science Society of America Journal</i> , 2004, 68, 1002-1011.	1.2	50
66	Effect of microrelief and vegetation on methane emission from wet polygonal tundra, Lena Delta, Northern Siberia. <i>Biogeochemistry</i> , 2004, 69, 341-362.	1.7	207