

# Murat YÃœksel

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8443314/publications.pdf>

Version: 2024-02-01

57  
papers

923  
citations

516215

16  
h-index

500791

28  
g-index

67  
all docs

67  
docs citations

67  
times ranked

1412  
citing authors

#	ARTICLE	IF	CITATIONS
1	The association between platelet/lymphocyte ratio and coronary artery disease severity. <i>Anatolian Journal of Cardiology</i> , 2015, 15, 640-647.	0.5	80
2	The Utility of the Platelet-Lymphocyte Ratio for Predicting No Reflow in Patients With ST-Segment Elevation Myocardial Infarction. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2015, 21, 223-228.	0.7	69
3	Platelet-to-lymphocyte ratio is a predictor of in-hospital mortality patients with acute coronary syndrome. <i>Anatolian Journal of Cardiology</i> , 2015, 15, 277-283.	0.5	54
4	New inflammatory predictors for non-valvular atrial fibrillation: echocardiographic epicardial fat thickness and neutrophil to lymphocyte ratio. <i>International Journal of Cardiovascular Imaging</i> , 2014, 30, 81-89.	0.7	49
5	Relationship Between Hematologic Indices and Global Registry of Acute Coronary Events Risk Score in Patients With ST-Segment Elevation Myocardial Infarction. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2016, 22, 60-68.	0.7	45
6	Long-term exposure to electromagnetic radiation from mobile phones and Wi-Fi devices decreases plasma prolactin, progesterone, and estrogen levels but increases uterine oxidative stress in pregnant rats and their offspring. <i>Endocrine</i> , 2016, 52, 352-362.	1.1	45
7	New inflammatory markers in pre-eclampsia: echocardiographic epicardial fat thickness and neutrophil to lymphocyte ratio. <i>Clinical and Experimental Hypertension</i> , 2014, 36, 503-507.	0.5	40
8	Novel markers of endothelial dysfunction and inflammation in Behçet's disease patients with ocular involvement: epicardial fat thickness, carotid intima media thickness, serum ADMA level, and neutrophil-to-lymphocyte ratio. <i>Clinical Rheumatology</i> , 2016, 35, 701-708.	1.0	37
9	Association between neutrophil to lymphocyte ratio and pulmonary arterial hypertension. <i>Turk Kardiyoloji Dernegi Arsivi</i> , 2013, 41, 604-609.	0.6	37
10	Association of Neutrophil-Lymphocyte Ratio With the Presence and Severity of Rheumatic Mitral Valve Stenosis. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2014, 20, 793-798.	0.7	36
11	Relationship between platelet-to-lymphocyte ratio and coronary slow flow. <i>Anatolian Journal of Cardiology</i> , 2015, 15, 391-395.	0.5	25
12	The association between the neutrophil/lymphocyte ratio and functional capacity in patients with idiopathic dilated cardiomyopathy. <i>Anatolian Journal of Cardiology</i> , 2015, 15, 13-17.	0.4	23
13	Elevated serum uric acid in nondiabetic people mark pro-inflammatory state and HDL dysfunction and independently predicts coronary disease. <i>Clinical Rheumatology</i> , 2013, 32, 1767-1775.	1.0	22
14	Novel predictors of infarct-related artery patency for ST-segment elevation myocardial infarction: Platelet-to-lymphocyte ratio, uric acid, and neutrophil-to-lymphocyte ratio. <i>Anatolian Journal of Cardiology</i> , 2015, 15, 648-656.	0.5	22
15	Neutrophil to Lymphocyte Ratio is Predictor of Atrial Fibrillation Recurrence After Cardioversion With Amiodarone. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2015, 21, 5-9.	0.7	20
16	Assessment of the neutrophil/lymphocyte ratio in patients with supraventricular tachycardia. <i>Anatolian Journal of Cardiology</i> , 2015, 16, 29-33.	0.5	18
17	Epidemiology of atrial fibrillation in Turkey: preliminary results of the multicenter AFTER study. <i>Turk Kardiyoloji Dernegi Arsivi</i> , 2013, 41, 99-104.	0.6	18
18	The Atrial Fibrillation in Turkey: Epidemiologic Registry (AFTER). <i>Cardiology Journal</i> , 2013, 20, 447-452.	0.5	18

#	ARTICLE	IF	CITATIONS
19	A simple method for the assessment of arterial stiffness in pre-eclamptic patients. <i>Clinical and Experimental Hypertension</i> , 2014, 36, 531-537.	0.5	15
20	Assessment of Atrial Electromechanical Delay and Pâ€Wave Dispersion in Patients with Psoriasis. <i>Echocardiography</i> , 2014, 31, 1071-1076.	0.3	15
21	Lipoprotein(a)-activated immunity, insulin resistance and new-onset diabetes. <i>Postgraduate Medicine</i> , 2017, 129, 611-618.	0.9	15
22	Relation of epicardial fat thickness and brachial flow-mediated vasodilation with coronary artery disease. <i>Journal of Cardiology</i> , 2013, 62, 343-347.	0.8	13
23	The relationship between neutrophil to lymphocyte ratio, platelet to lymphocyte ratio and thrombolysis in myocardial infarction risk score in patients with ST elevation acute myocardial infarction before primary coronary intervention. <i>Postepy W Kardiologii Interwencyjnej</i> , 2015, 2, 126-135.	0.1	13
24	Serum Levels of IL-17 and IL-23 in Patients With Rheumatic Mitral Stenosis. <i>Medicine (United States)</i> , 2016, 95, e3562.	0.4	13
25	The Association Between the Neutrophil-to-Lymphocyte Ratio and the Presence of Ventricular Premature Contractions in Young Adults. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2015, 21, 475-479.	0.7	11
26	Atrial Fibrillation in Turkey: Epidemiologic Registry (AFTER) study design. <i>Anatolian Journal of Cardiology</i> , 2013, 13, 339-43.	0.4	10
27	Apparently â€œlowâ€ serum asymmetric dimethylarginine is associated with fasting glucose and tends toward association with type-2 diabetes. <i>Anatolian Journal of Cardiology</i> , 2013, 14, 26-33.	0.4	9
28	Relationship Between Red Cell Distribution Width and the GRACE Risk Score With In-Hospital Death in Patients With Acute Coronary Syndrome. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2014, 20, 577-582.	0.7	9
29	The relationship of TIMI risk index with SYNTAX and Gensini risk scores in predicting the extent and severity of coronary artery disease in patients with STEMI undergoing primary percutaneous coronary intervention. <i>Therapeutic Advances in Cardiovascular Disease</i> , 2015, 9, 257-266.	1.0	9
30	The protective role of glutamine against acute induced toxicity in rats. <i>Toxicology Mechanisms and Methods</i> , 2015, 25, 296-301.	1.3	9
31	Assessment of aortic elastic properties in patients with sarcoidosis. <i>Blood Pressure</i> , 2012, 21, 286-292.	0.7	7
32	Serum total and high-density lipoprotein phospholipids: Independent predictive value for cardiometabolic risk. <i>Clinical Nutrition</i> , 2014, 33, 815-822.	2.3	7
33	Apelin Levels In Isolated Coronary Artery Ectasia. <i>Korean Circulation Journal</i> , 2015, 45, 386.	0.7	7
34	Clinical Characteristics and Outcome of Cardiovascular Implantable Electronic Device Infections in Turkey. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2016, 22, 459-464.	0.7	7
35	Epidemiology, anticoagulant treatment and risk of thromboembolism in patients with valvular atrial fibrillation: Results from Atrial Fibrillation in Turkey: Epidemiologic Registry (AFTER). <i>Cardiology Journal</i> , 2014, 21, 158-162.	0.5	6
36	Visceral Fat Reflects Disease Activity in Patients with Ankylosing Spondylitis. <i>Clinical and Investigative Medicine</i> , 2014, 37, 186.	0.3	6

#	ARTICLE	IF	CITATIONS
37	Effect of Sleep Quality on Hemodynamic Response to Exercise and Heart Rate Recovery in Apparently Healthy Individuals. <i>Clinical and Investigative Medicine</i> , 2014, 37, 352.	0.3	5
38	Relationship between metabolic syndrome and epicardial fat tissue thickness in patients with chronic obstructive pulmonary disease.. <i>Anatolian Journal of Cardiology</i> , 2016, 16, 405-411.	0.5	5
39	Three Vessel Coronary Cameral Fistulae Associated with New Onset Atrial Fibrillation and Angina Pectoris. <i>Case Reports in Vascular Medicine</i> , 2014, 2014, 1-3.	0.1	4
40	A Thrombotic Right Sinus of Valsalva Aneurysm Causing Acute Myocardial Infarction and Ischemic Stroke. <i>Echocardiography</i> , 2015, 32, 189-191.	0.3	4
41	The usefulness of plateletcrit to predict cardiac syndrome X in patients with normal coronary angiogram. <i>Postepy W Kardiologii Interwencyjnej</i> , 2015, 3, 197-201.	0.1	4
42	Platelet-to-Lymphocyte Ratio and No-Reflow Phenomenon in Patients Undergoing Primary Percutaneous Coronary Intervention. <i>American Journal of Cardiology</i> , 2015, 115, 280-281.	0.7	4
43	Successful One Stage Surgical Removal of Intravenous Leiomyomatosis with On Pump Beating Heart Technique. <i>Heart Lung and Circulation</i> , 2016, 25, e72-e74.	0.2	4
44	Predictors of mortality in patients with prosthetic valve infective endocarditis: A nation-wide multicenter study. <i>Cardiology Journal</i> , 2013, 20, 323-328.	0.5	4
45	Paraoxonase and Arylesterase Activities in Dipper and Non-Dipper Prehypertensive Subjects. <i>Medicine (United States)</i> , 2015, 94, e786.	0.4	3
46	The assessment of arterial stiffness in pre-eclamptic patients. <i>Clinical and Experimental Hypertension</i> , 2014, 36, 603-603.	0.5	2
47	Resolution of Extensive Coronary Thrombosis under Rivaroxaban Treatment. <i>Arquivos Brasileiros De Cardiologia</i> , 2015, 105, 642-6.	0.3	2
48	Assessment of Right Ventricular Systolic Functions in Patients with Chronic Renal Failure before and after Hemodialysis. <i>Journal of the American College of Cardiology</i> , 2013, 62, C170.	1.2	1
49	Myocardial ischemia induced by three-vessel coronary-cameral fistulas. <i>Postepy W Kardiologii Interwencyjnej</i> , 2014, 2, 135-137.	0.1	1
50	Posterior Uveitis Associated with Large Vessel Giant Cell Arteritis. <i>Ocular Immunology and Inflammation</i> , 2021, , 1-4.	1.0	1
51	Low acylation stimulating protein levels are associated with cardiometabolic disordersâ€“secondary to autoimmune activation?. <i>Anatolian Journal of Cardiology</i> , 2017, 17, 97-106.	0.5	1
52	A giant congenital left ventricular diverticulum. <i>Turk Kardiyoloji Dernegi Arsivi</i> , 2014, 42, 585-585.	0.6	1
53	An epidemiological study to evaluate the use of vitamin K antagonists and new oral anticoagulants among nonvalvular atrial fibrillation patients in Turkey- AFTER-2 Study Design. <i>Turk Kardiyoloji Dernegi Arsivi</i> , 2015, 43, 169-77.	0.6	1
54	Assessment of Platelet to Lymphocyte Ratio to Predict Stent Thrombosis in Patients with ST Elevation Myocardial Infarction. <i>Journal of the American College of Cardiology</i> , 2013, 62, C230-C231.	1.2	0

#	ARTICLE	IF	CITATIONS
55	The prognostic value of white blood cell count-to-mean platelet volume ratio in patients with acute coronary syndrome. <i>Cardiology Journal</i> , 2015, 22, 351-352.	0.5	0
56	Author`s Reply. <i>Anatolian Journal of Cardiology</i> , 2016, 16, 225.	0.5	0
57	Author`s Reply. <i>Anatolian Journal of Cardiology</i> , 2016, 16, 640-1.	0.5	0