Paul Saftig

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8443879/publications.pdf

Version: 2024-02-01

205 papers

32,158 citations

4388 86 h-index 174 g-index

212 all docs 212 docs citations

212 times ranked 33583 citing authors

#	Article	IF	CITATIONS
1	LAMP2 regulates autophagy in the thymic epithelium and thymic stroma-dependent CD4 T cell development. Autophagy, 2023, 19, 426-439.	9.1	12
2	S-palmitoylation determines TMEM55B-dependent positioning of lysosomes. Journal of Cell Science, 2022, 135, .	2.0	3
3	Ectodomain shedding by ADAM proteases as a central regulator in kidney physiology and disease. Biochimica Et Biophysica Acta - Molecular Cell Research, 2022, 1869, 119165.	4.1	6
4	Lung emphysema and impaired macrophage elastase clearance in mucolipin 3 deficient mice. Nature Communications, 2022, 13, 318.	12.8	25
5	Intravitreal gene therapy restores the autophagy-lysosomal pathway and attenuates retinal degeneration in cathepsin D-deficient mice. Neurobiology of Disease, 2022, 164, 105628.	4.4	8
6	Inhibition of ADAM17 impairs endothelial cell necroptosis and blocks metastasis. Journal of Experimental Medicine, 2022, 219, .	8.5	35
7	Recombinant pro-CTSD (cathepsin D) enhances SNCA/α-Synuclein degradation in α-Synucleinopathy models. Autophagy, 2022, 18, 1127-1151.	9.1	20
8	Phagosomal signalling of the C-type lectin receptor Dectin-1 is terminated by intramembrane proteolysis. Nature Communications, 2022, 13, 1880.	12.8	17
9	How Lysosomes Sense, Integrate, and Cope with Stress. Trends in Biochemical Sciences, 2021, 46, 97-112.	7.5	84
10	ADAM10 hyperactivation acts on piccolo to deplete synaptic vesicle stores in Huntington's disease. Human Molecular Genetics, 2021, 30, 1175-1187.	2.9	11
11	ADAM10-Mediated Ectodomain Shedding Is an Essential Driver of Podocyte Damage. Journal of the American Society of Nephrology: JASN, 2021, 32, 1389-1408.	6.1	7
12	Rapid and Progressive Loss of Multiple Retinal Cell Types in Cathepsin D-Deficient Mice—An Animal Model of CLN10 Disease. Cells, 2021, 10, 696.	4.1	10
13	GPR37 is processed in the Nâ€ŧerminal ectodomain by ADAM10 and furin. FASEB Journal, 2021, 35, e21654.	0.5	11
14	Posttranslational modifications by ADAM10 shape myeloid antigen-presenting cell homeostasis in the splenic marginal zone. Proceedings of the National Academy of Sciences of the United States of America, 2021, 118, .	7.1	7
15	A09â€ADAM10 activity at the huntington's disease presynapse. , 2021, , .		1
16	Analysis of cathepsin B and cathepsin L treatment to clear toxic lysosomal protein aggregates in neuronal ceroid lipofuscinosis. Biochimica Et Biophysica Acta - Molecular Basis of Disease, 2021, 1867, 166205.	3.8	10
17	Ligands binding to the prion protein induce its proteolytic release with therapeutic potential in neurodegenerative proteinopathies. Science Advances, 2021, 7, eabj1826.	10.3	18
18	Enzyme replacement therapy with recombinant pro-CTSD (cathepsin D) corrects defective proteolysis and autophagy in neuronal ceroid lipofuscinosis. Autophagy, 2020, 16, 811-825.	9.1	70

#	Article	IF	CITATIONS
19	LAMP-2 Is Involved in Surface Expression of RANKL of Osteoblasts In Vitro. International Journal of Molecular Sciences, 2020, 21, 6110.	4.1	7
20	The FTLD Risk Factor TMEM106B Regulates the Transport of Lysosomes at the Axon Initial Segment of Motoneurons. Cell Reports, 2020, 30, 3506-3519.e6.	6.4	47
21	Cholesterol Handling in Lysosomes and Beyond. Trends in Cell Biology, 2020, 30, 452-466.	7.9	97
22	The tetraspanin Tspan15 is an essential subunit of an ADAM10 scissor complex. Journal of Biological Chemistry, 2020, 295, 12822-12839.	3.4	31
23	Meprin \hat{l}^2 induces activities of A disintegrin and metalloproteinases 9, 10, and 17 by specific prodomain cleavage. FASEB Journal, 2019, 33, 11925-11940.	0.5	18
24	Lysosomal integral membrane protein-2 (LIMP-2/SCARB2) is involved in lysosomal cholesterol export. Nature Communications, 2019, 10, 3521.	12.8	99
25	Presynaptic Endosomal Cathepsin D Regulates the Biogenesis of GABAergic Synaptic Vesicles. Cell Reports, 2019, 28, 1015-1028.e5.	6.4	17
26	Ubiquitin C-terminal hydrolase L1 (UCH-L1) loss causes neurodegeneration by altering protein turnover in the first postnatal weeks. Proceedings of the National Academy of Sciences of the United States of America, 2019, 116, 7963-7972.	7.1	36
27	The intramembrane protease <scp>SPPL</scp> 2c promotes male germ cell development by cleavingÂphospholamban. EMBO Reports, 2019, 20, .	4.5	27
28	Genetic LAMP2 deficiency accelerates the age-associated formation of basal laminar deposits in the retina. Proceedings of the National Academy of Sciences of the United States of America, 2019, 116, 23724-23734.	7.1	54
29	Lysosomal storage disorders – challenges, concepts and avenues for therapy: beyond rare diseases. Journal of Cell Science, 2019, 132, jcs221739.	2.0	141
30	Inhibiting pathologically active ADAM10 rescues synaptic and cognitive decline in Huntington's disease. Journal of Clinical Investigation, 2019, 129, 2390-2403.	8.2	38
31	The lysosomal transporter MFSD1 is essential for liver homeostasis and critically depends on its accessory subunit GLMP. ELife, 2019, 8, .	6.0	23
32	Unconventional Trafficking of Mammalian Phospholipase D3 to Lysosomes. Cell Reports, 2018, 22, 1040-1053.	6.4	31
33	Structural and mechanistic aspects influencing the ADAM10-mediated shedding of the prion protein. Molecular Neurodegeneration, 2018, 13, 18.	10.8	45
34	In vivo regulation of the A disintegrin and metalloproteinase 10 (ADAM10) by the tetraspanin 15. Cellular and Molecular Life Sciences, 2018, 75, 3251-3267.	5.4	37
35	Intracellular compartments of pathogens: Highways to hell or stairways to heaven?. International Journal of Medical Microbiology, 2018, 308, 1-2.	3.6	0
36	Vacuolar ATPase in phago(lyso)some biology. International Journal of Medical Microbiology, 2018, 308, 58-67.	3.6	37

#	Article	IF	Citations
37	Quantitative Proteome Analysis of Mouse Liver Lysosomes Provides Evidence for Mannose 6-phosphate-independent Targeting Mechanisms of Acid Hydrolases in Mucolipidosis II. Molecular and Cellular Proteomics, 2017, 16, 438-450.	3.8	30
38	Disruption of the vacuolar-type H+-ATPase complex in liver causes MTORC1-independent accumulation of autophagic vacuoles and lysosomes. Autophagy, 2017, 13, 670-685.	9.1	19
39	Sequestration of cholesterol within the host late endocytic pathway restricts liver-stage <i>Plasmodium</i> development. Molecular Biology of the Cell, 2017, 28, 726-735.	2.1	37
40	Progranulin functions as a cathepsin D chaperone to stimulate axonal outgrowth in vivo. Human Molecular Genetics, 2017, 26, 2850-2863.	2.9	111
41	The metalloproteinase ADAM10: A useful therapeutic target?. Biochimica Et Biophysica Acta - Molecular Cell Research, 2017, 1864, 2071-2081.	4.1	111
42	The Influence of MHC Class II on B Cell Defects Induced by Invariant Chain/CD74 N-Terminal Fragments. Journal of Immunology, 2017, 199, 172-185.	0.8	11
43	Long-term enzyme replacement therapy improves neurocognitive functioning and hippocampal synaptic plasticity in immune-tolerant alpha-mannosidosis mice. Neurobiology of Disease, 2017, 106, 255-268.	4.4	8
44	Absence of RNase H2 triggers generation of immunogenic micronuclei removed by autophagy. Human Molecular Genetics, 2017, 26, 3960-3972.	2.9	160
45	Lysosomal integral membrane protein-2 as a phospholipid receptor revealed by biophysical and cellular studies. Nature Communications, 2017, 8, 1908.	12.8	43
46	Diverse functions of the prion protein – Does proteolytic processing hold the key?. Biochimica Et Biophysica Acta - Molecular Cell Research, 2017, 1864, 2128-2137.	4.1	60
47	Tetraspanin 3: A central endocytic membrane component regulating the expression of ADAM10, presenilin and the amyloid precursor protein. Biochimica Et Biophysica Acta - Molecular Cell Research, 2017, 1864, 217-230.	4.1	26
48	Functional characterization of the lysosomal membrane protein TMEM192 in mice. Oncotarget, 2017, 8, 43635-43652.	1.8	8
49	The Emerging Role of Tetraspanins in the Proteolytic Processing of the Amyloid Precursor Protein. Frontiers in Molecular Neuroscience, 2016, 9, 149.	2.9	40
50	Dissecting the role of ADAM10 as a mediator of <i>Staphylococcus aureus</i> \hat{l} ±-toxin action. Biochemical Journal, 2016, 473, 1929-1940.	3.7	33
51	Substrate determinants of signal peptide peptidase-like 2a (SPPL2a)-mediated intramembrane proteolysis of the invariant chain CD74. Biochemical Journal, 2016, 473, 1405-1422.	3.7	24
52	Intramembrane proteolysis within lysosomes. Ageing Research Reviews, 2016, 32, 51-64.	10.9	14
53	Turn up the lysosome. Nature Cell Biology, 2016, 18, 1025-1027.	10.3	74
54	Parkinson's disease: acidâ€glucocerebrosidase activity and alphaâ€synuclein clearance. Journal of Neurochemistry, 2016, 139, 198-215.	3.9	59

#	Article	IF	Citations
55	LAMP proteins account for the maturation delay during the establishment of the <i>Coxiella burnetii </i> li>-containing vacuole. Cellular Microbiology, 2016, 18, 181-194.	2.1	34
56	Characterization of the complex formed by \hat{l}^2 -glucocerebrosidase and the lysosomal integral membrane protein type-2. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, 3791-3796.	7.1	45
57	Impaired Lysosomal Integral Membrane Protein 2-dependent Peroxiredoxin 6 Delivery to Lamellar Bodies Accounts for Altered Alveolar Phospholipid Content in Adaptor Protein-3-deficient pearl Mice. Journal of Biological Chemistry, 2016, 291, 8414-8427.	3.4	24
58	ADAM17 controls IL-6 signaling by cleavage of the murine IL-6Rα from the cell surface of leukocytes during inflammatory responses. Journal of Leukocyte Biology, 2016, 99, 749-760.	3.3	49
59	A disintegrin and metalloprotease 10 (ADAM10) is a central regulator of murine liver tissue homeostasis. Oncotarget, 2016, 7, 17431-17441.	1.8	17
60	Systematic substrate identification indicates a central role for the metalloprotease ADAM10 in axon targeting and synapse function. ELife, $2016, 5, .$	6.0	124
61	Chronic enzyme replacement therapy ameliorates neuropathology in alphaâ€mannosidosis mice. Annals of Clinical and Translational Neurology, 2015, 2, 987-1001.	3.7	8
62	Mannose 6â€phosphateâ€independent Lysosomal Sorting of <scp>LIMP</scp> â€2. Traffic, 2015, 16, 1127-1136.	2.7	23
63	TIMP-1 signaling via CD63 triggers granulopoiesis and neutrophilia in mice. Haematologica, 2015, 100, 1005-13.	3.5	37
64	Proteases at work: cues for understanding neural development and degeneration. Frontiers in Molecular Neuroscience, 2015, 8, 13.	2.9	16
65	\hat{l}^2 -Secretase BACE1 Regulates Hippocampal and Reconstituted M-Currents in a \hat{l}^2 -Subunit-Like Fashion. Journal of Neuroscience, 2015, 35, 3298-3311.	3.6	34
66	Vacuolar ATPase in Phagosome-Lysosome Fusion. Journal of Biological Chemistry, 2015, 290, 14166-14180.	3.4	75
67	Lysosomal integral membrane protein type-2 (LIMP-2/SCARB2) is a substrate of cathepsin-F, a cysteine protease mutated in type-B-Kufs-disease. Biochemical and Biophysical Research Communications, 2015, 457, 334-340.	2.1	13
68	Myeloid A Disintegrin and Metalloproteinase Domain 10 Deficiency Modulates Atherosclerotic Plaque Composition by Shifting the Balance from Inflammation toward Fibrosis. American Journal of Pathology, 2015, 185, 1145-1155.	3.8	46
69	LAMP-2 deficiency leads to hippocampal dysfunction but normal clearance of neuronal substrates of chaperone-mediated autophagy in a mouse model for Danon disease. Acta Neuropathologica Communications, 2015, 3, 6.	5.2	63
70	The alpha secretase ADAM10: A metalloprotease with multiple functions in the brain. Progress in Neurobiology, 2015, 135, 1-20.	5.7	190
71	Processing of CD74 by the Intramembrane Protease SPPL2a Is Critical for B Cell Receptor Signaling in Transitional B Cells. Journal of Immunology, 2015, 195, 1548-1563.	0.8	25
72	Cathepsin D deficiency induces oxidative damage in brain pericytes and impairs the blood–brain barrier. Molecular and Cellular Neurosciences, 2015, 64, 51-60.	2.2	21

#	Article	IF	Citations
73	The sheddase ADAM10 is a potent modulator of prion disease. ELife, 2015, 4, .	6.0	66
74	ADAM10: Alzheimer a-Sekretase und neurobiologischer Regulator. E-Neuroforum, 2014, 20, 212-221.	0.1	0
75	The Intramembrane Proteases Signal Peptide Peptidase-Like 2a and 2b Have Distinct Functions <i>In Vivo</i> . Molecular and Cellular Biology, 2014, 34, 1398-1411.	2.3	30
76	The endolysosomal cysteine cathepsins L and K are involved in macrophageâ€mediated clearance of <i>Staphylococcus aureus</i> and the concomitant cytokine induction. FASEB Journal, 2014, 28, 162-175.	0.5	44
77	ADAM metalloproteases promote a developmental switch in responsiveness to the axonal repellant Sema3A. Nature Communications, 2014, 5, 4058.	12.8	39
78	LIMP-2 expression is critical for \hat{l}^2 -glucocerebrosidase activity and \hat{l} ±-synuclein clearance. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, 15573-15578.	7.1	109
79	Signal-peptide-peptidase-like 2a is required for CD74 intramembrane proteolysis in human B cells. Biochemical and Biophysical Research Communications, 2014, 451, 48-53.	2.1	19
80	Lassa virus entry requires a trigger-induced receptor switch. Science, 2014, 344, 1506-1510.	12.6	251
81	High susceptibility to fatty liver disease in two-pore channel 2-deficient mice. Nature Communications, 2014, 5, 4699.	12.8	164
82	Regulated Proteolysis of NOTCH2 and NOTCH3 Receptors by ADAM10 and Presenilins. Molecular and Cellular Biology, 2014, 34, 2822-2832.	2.3	72
83	Natural history of alpha mannosidosis a longitudinal study. Orphanet Journal of Rare Diseases, 2013, 8, 88.	2.7	50
84	Postnatal Disruption of the Disintegrin/Metalloproteinase ADAM10 in Brain Causes Epileptic Seizures, Learning Deficits, Altered Spine Morphology, and Defective Synaptic Functions. Journal of Neuroscience, 2013, 33, 12915-12928.	3.6	107
85	Parallel regulation of renin and lysosomal integral membrane protein 2 in renin-producing cells: further evidence for a lysosomal nature of renin secretory vesicles. Pflugers Archiv European Journal of Physiology, 2013, 465, 895-905.	2.8	9
86	Structure of LIMP-2 provides functional insights with implications for SR-BI and CD36. Nature, 2013, 504, 172-176.	27.8	226
87	Lysosomal Membrane Proteins and Their Central Role in Physiology. Traffic, 2013, 14, 739-748.	2.7	175
88	Killing from the inside. Nature, 2013, 502, 312-313.	27.8	79
89	Regulation of adult hematopoiesis by the a disintegrin and metalloproteinase 10 (ADAM10). Biochemical and Biophysical Research Communications, 2013, 442, 234-241.	2.1	13
90	Extracellular cathepsin K exerts antimicrobial activity and is protective against chronic intestinal inflammation in mice. Gut, 2013, 62, 520-530.	12.1	31

#	Article	IF	Citations
91	Cathepsin F mutations cause Type B Kufs disease, an adult-onset neuronal ceroid lipofuscinosis. Human Molecular Genetics, 2013, 22, 1417-1423.	2.9	105
92	The intramembrane protease SPPL2a promotes B cell development and controls endosomal traffic by cleavage of the invariant chain. Journal of Experimental Medicine, 2013, 210, 41-58.	8.5	100
93	Mannose 6 Dephosphorylation of Lysosomal Proteins Mediated by Acid Phosphatases Acp2 and Acp5. Molecular and Cellular Biology, 2012, 32, 774-782.	2.3	43
94	The lysosomal polypeptide transporter TAPL is stabilized by the interaction with LAMP-1 and LAMP-2. Journal of Cell Science, 2012, 125, 4230-40.	2.0	39
95	Ectodomain shedding and ADAMs in development. Development (Cambridge), 2012, 139, 3693-3709.	2.5	211
96	Activity-Dependent Proteolytic Cleavage of Neuroligin-1. Neuron, 2012, 76, 410-422.	8.1	179
97	Tetraspanin15 regulates cellular trafficking and activity of the ectodomain sheddase ADAM10. Cellular and Molecular Life Sciences, 2012, 69, 2919-2932.	5.4	99
98	Physiological functions of the amyloid precursor protein secretases ADAM10, BACE1, and Presenilin. Experimental Brain Research, 2012, 217, 331-341.	1.5	52
99	A Critical Histidine Residue Within <scp>LIMP</scp> â€2 Mediates <scp>pH</scp> ÂSensitive Binding to Its Ligand βâ€Glucocerebrosidase. Traffic, 2012, 13, 1113-1123.	2.7	41
100	Sensitivity to Lysosome-Dependent Cell Death Is Directly Regulated by Lysosomal Cholesterol Content. PLoS ONE, 2012, 7, e50262.	2.5	66
101	The disintegrin/metalloproteinase Adam10 is essential for epidermal integrity and Notch-mediated signaling. Development (Cambridge), 2011, 138, 495-505.	2.5	130
102	The Tetraspanin CD63 Regulates ESCRT-Independent and -Dependent Endosomal Sorting during Melanogenesis. Developmental Cell, 2011, 21, 708-721.	7.0	687
103	Disrupted in renal carcinoma 2 (DIRC2), a novel transporter of the lysosomal membrane, is proteolytically processed by cathepsin L. Biochemical Journal, 2011, 439, 113-128.	3.7	29
104	Cerebellar Alterations and Gait Defects as Therapeutic Outcome Measures for Enzyme Replacement Therapy in α-Mannosidosis. Journal of Neuropathology and Experimental Neurology, 2011, 70, 83-94.	1.7	22
105	CD63 is an essential cofactor to leukocyte recruitment by endothelial P-selectin. Blood, 2011, 118, 4265-4273.	1.4	79
106	Deletion of Adam10 in endothelial cells leads to defects in organ-specific vascular structures. Blood, 2011, 118, 1163-1174.	1.4	69
107	Two dileucine motifs mediate late endosomal/lysosomal targeting of transmembrane protein 192 (TMEM192) and a C-terminal cysteine residue is responsible for disulfide bond formation in TMEM192 homodimers. Biochemical Journal, 2011, 434, 219-231.	3.7	25
108	Role for LAMP-2 in endosomal cholesterol transport. Journal of Cellular and Molecular Medicine, 2011, 15, 280-295.	3 . 6	70

#	Article	IF	CITATIONS
109	The "A Disintegrin And Metalloproteases―ADAM10 and ADAM17: Novel drug targets with therapeutic potential?. European Journal of Cell Biology, 2011, 90, 527-535.	3.6	256
110	Signal-peptide-peptidase-like 2a (SPPL2a) is targeted to lysosomes/late endosomes by a tyrosine motif in its C-terminal tail. FEBS Letters, 2011, 585, 2951-2957.	2.8	39
111	\hat{l}^2 -Site APP-cleaving enzyme 1 (BACE1) cleaves cerebellar Na+ channel \hat{l}^2 4-subunit and promotes Purkinje cell firing by slowing the decay of resurgent Na+ current. Pflugers Archiv European Journal of Physiology, 2011, 461, 355-371.	2.8	27
112	Lack of a-disintegrin-and-metalloproteinase ADAM10 leads to intracellular accumulation and loss of shedding of the cellular prion protein in vivo. Molecular Neurodegeneration, 2011, 6, 36.	10.8	93
113	Neuronal Brain-derived Neurotrophic Factor Is Synthesized in Excess, with Levels Regulated by Sortilin-mediated Trafficking and Lysosomal Degradation. Journal of Biological Chemistry, 2011, 286, 29556-29567.	3.4	91
114	Sphingolipid Storage Affects Autophagic Metabolism of the Amyloid Precursor Protein and Promotes Al 2 Generation. Journal of Neuroscience, 2011, 31, 1837-1849.	3.6	82
115	The proteome of lysosomes. Proteomics, 2010, 10, 4053-4076.	2.2	188
116	Disease-causing mutations within the lysosomal integral membrane protein type 2 (LIMP-2) reveal the nature of binding to its ligand \hat{l}^2 -glucocerebrosidase. Human Molecular Genetics, 2010, 19, 563-572.	2.9	86
117	Molecular characterisation of †transmembrane protein 192' (TMEM192), a novel protein of the lysosomal membrane. Biological Chemistry, 2010, 391, 695-704.	2.5	43
118	Activity-dependent \hat{l}_{\pm} -Cleavage of Nectin-1 Is Mediated by A Disintegrin and Metalloprotease 10 (ADAM10). Journal of Biological Chemistry, 2010, 285, 22919-22926.	3.4	46
119	Critical role of the disintegrin metalloprotease ADAM17 for intestinal inflammation and regeneration in mice. Journal of Experimental Medicine, 2010, 207, 1617-1624.	8.5	286
120	The Disintegrin/Metalloproteinase ADAM10 Is Essential for the Establishment of the Brain Cortex. Journal of Neuroscience, 2010, 30, 4833-4844.	3.6	327
121	ADAM17 is regulated by a rapid and reversible mechanism that controls access to its catalytic site. Journal of Cell Science, 2010, 123, 3913-3922.	2.0	165
122	Lysosomal membrane proteins: life between acid and neutral conditions. Biochemical Society Transactions, 2010, 38, 1420-1423.	3.4	73
123	CNS-Expressed Cathepsin D Prevents Lymphopenia in a Murine Model of Congenital Neuronal Ceroid Lipofuscinosis. American Journal of Pathology, 2010, 177, 271-279.	3.8	42
124	Alcadein Cleavages by Amyloid \hat{I}^2 -Precursor Protein (APP) \hat{I}_{\pm} - and \hat{I}^3 -Secretases Generate Small Peptides, p3-Alcs, Indicating Alzheimer Disease-related \hat{I}^3 -Secretase Dysfunction. Journal of Biological Chemistry, 2009, 284, 36024-36033.	3.4	46
125	Cytoplasmic Relaxation of Active Eph Controls Ephrin Shedding by ADAM10. PLoS Biology, 2009, 7, e1000215.	5.6	72
126	ADAMs 10 and 17 Represent Differentially Regulated Components of a General Shedding Machinery for Membrane Proteins Such as Transforming Growth Factor α, L-Selectin, and Tumor Necrosis Factor Ĩ±. Molecular Biology of the Cell, 2009, 20, 1785-1794.	2.1	230

#	Article	IF	Citations
127	Deficiency of the Tetraspanin CD63 Associated with Kidney Pathology but Normal Lysosomal Function. Molecular and Cellular Biology, 2009, 29, 1083-1094.	2.3	99
128	Non-proteolytic effect of \hat{l}^2 -site APP-cleaving enzyme 1 (BACE1) on sodium channel function. Neurobiology of Disease, 2009, 33, 282-289.	4.4	39
129	Autophagy: A lysosomal degradation pathway with a central role in health and disease. Biochimica Et Biophysica Acta - Molecular Cell Research, 2009, 1793, 664-673.	4.1	581
130	Klotho is a substrate for αâ€, βâ€and γâ€secretase. FEBS Letters, 2009, 583, 3221-3224.	2.8	215
131	Lysosome biogenesis and lysosomal membrane proteins: trafficking meets function. Nature Reviews Molecular Cell Biology, 2009, 10, 623-635.	37.0	1,320
132	The "A Disintegrin And Metalloprotease―(ADAM) family of sheddases: Physiological and cellular functions. Seminars in Cell and Developmental Biology, 2009, 20, 126-137.	5.0	356
133	Regulated intramembrane proteolysis—A story about sheddases and I-CliPs. Seminars in Cell and Developmental Biology, 2009, 20, 125.	5.0	5
134	Cathepsin D expression level affects alpha-synuclein processing, aggregation, and toxicity in vivo. Molecular Brain, 2009, 2, 5.	2.6	232
135	ADAM10, the Rate-limiting Protease of Regulated Intramembrane Proteolysis of Notch and Other Proteins, Is Processed by ADAMS-9, ADAMS-15, and the γ-Secretase. Journal of Biological Chemistry, 2009, 284, 11738-11747.	3.4	161
136	Array-Based Gene Discovery with Three Unrelated Subjects Shows SCARB2/LIMP-2 Deficiency Causes Myoclonus Epilepsy and Glomerulosclerosis. American Journal of Human Genetics, 2008, 82, 673-684.	6.2	230
137	ADAM10-Mediated E-Cadherin Release Is Regulated by Proinflammatory Cytokines and Modulates Keratinocyte Cohesion in Eczematous Dermatitis. Journal of Investigative Dermatology, 2008, 128, 1737-1746.	0.7	79
138	ADAM10 Regulates Endothelial Permeability and T-Cell Transmigration by Proteolysis of Vascular Endothelial Cadherin. Circulation Research, 2008, 102, 1192-1201.	4.5	264
139	LAMP-2: A control step for phagosome and autophagosome maturation. Autophagy, 2008, 4, 510-512.	9.1	190
140	A soluble form of the receptor for advanced glycation endproducts (RAGE) is produced by proteolytic cleavage of the membraneâ€bound form by the sheddase a disintegrin and metalloprotease 10 (ADAM10). FASEB Journal, 2008, 22, 3716-3727.	0.5	483
141	Regulated Intramembrane Proteolysis of Bri2 (Itm2b) by ADAM10 and SPPL2a/SPPL2b. Journal of Biological Chemistry, 2008, 283, 1644-1652.	3.4	132
142	Reversal of peripheral and central neural storage and ataxia after recombinant enzyme replacement therapy in \hat{l}_{\pm} -mannosidosis mice. Human Molecular Genetics, 2008, 17, 3437-3445.	2.9	60
143	Impaired Phagosomal Maturation in Neutrophils Leads to Periodontitis in Lysosomal-Associated Membrane Protein-2 Knockout Mice. Journal of Immunology, 2008, 180, 475-482.	0.8	67
144	Synaptic Changes in the Thalamocortical System of Cathepsin D-Deficient Mice. Journal of Neuropathology and Experimental Neurology, 2008, 67, 16-29.	1.7	79

#	Article	IF	CITATIONS
145	Lysosomal integral membrane protein 2 is a novel component of the cardiac intercalated disc and vital for load-induced cardiac myocyte hypertrophy. Journal of Experimental Medicine, 2007, 204, 1227-1235.	8.5	37
146	Substrate Selectivity of Epidermal Growth Factor-Receptor Ligand Sheddases and their Regulation by Phorbol Esters and Calcium Influx. Molecular Biology of the Cell, 2007, 18, 176-188.	2.1	276
147	Regulated Shedding of Transmembrane Chemokines by the Disintegrin and Metalloproteinase 10 Facilitates Detachment of Adherent Leukocytes. Journal of Immunology, 2007, 178, 8064-8072.	0.8	151
148	LIMP-2 Is a Receptor for Lysosomal Mannose-6-Phosphate-Independent Targeting of \hat{I}^2 -Glucocerebrosidase. Cell, 2007, 131, 770-783.	28.9	428
149	ADAM10 Inhibition of Human CD30 Shedding Increases Specificity of Targeted Immunotherapy In vitro. Cancer Research, 2007, 67, 332-338.	0.9	62
150	LAMP proteins are required for fusion of lysosomes with phagosomes. EMBO Journal, 2007, 26, 313-324.	7.8	542
151	Metalloproteases regulate T-cell proliferation and effector function via LAG-3. EMBO Journal, 2007, 26, 494-504.	7.8	203
152	Arrested maturation of Neisseria-containing phagosomes in the absence of the lysosome-associated membrane proteins, LAMP-1 and LAMP-2. Cellular Microbiology, 2007, 9, 2153-2166.	2.1	70
153	Cathepsin D Deficiency Is Associated with a Human Neurodegenerative Disorder. American Journal of Human Genetics, 2006, 78, 988-998.	6.2	255
154	Control of Peripheral Nerve Myelination by the ß-Secretase BACE1. Science, 2006, 314, 664-666.	12.6	652
155	ADAM10 is a principal 'sheddase' of the low-affinity immunoglobulin E receptor CD23. Nature Immunology, 2006, 7, 1293-1298.	14.5	189
156	Deafness in LIMP2-deficient mice due to early loss of the potassium channel KCNQ1/KCNE1 in marginal cells of the stria vascularis. Journal of Physiology, 2006, 576, 73-86.	2.9	54
157	LAMP-2 deficient mice show depressed cardiac contractile function without significant changes in calcium handling. Basic Research in Cardiology, 2006, 101, 281-291.	5.9	49
158	Multivariate neurocognitive and emotional profile of a mannosidosis murine model for therapy assessment. Neurobiology of Disease, 2006, 23, 422-432.	4.4	11
159	Breaking up the tie: Disintegrin-like metalloproteinases as regulators of cell migration in inflammation and invasion., 2006, $111,985-1006$.		115
160	Furin-, ADAM 10-, and \hat{I}^3 -Secretase-Mediated Cleavage of a Receptor Tyrosine Phosphatase and Regulation of \hat{I}^2 -Catenin's Transcriptional Activity. Molecular and Cellular Biology, 2006, 26, 3917-3934.	2.3	102
161	Regulated ADAM10-dependent Ectodomain Shedding of Î ³ -Protocadherin C3 Modulates Cell-Cell Adhesion. Journal of Biological Chemistry, 2006, 281, 21735-21744.	3.4	94
162	Proteomic Identification of Desmoglein 2 and Activated Leukocyte Cell Adhesion Molecule as Substrates of ADAM17 and ADAM10 by Difference Gel Electrophoresis. Molecular and Cellular Biology, 2006, 26, 5086-5095.	2.3	106

#	Article	IF	CITATIONS
163	ADAM10 cleavage of N-cadherin and regulation of cellâ \in "cell adhesion and \hat{l}^2 -catenin nuclear signalling. EMBO Journal, 2005, 24, 742-752.	7.8	438
164	The NH2-Terminal Transmembrane and Lumenal Domains of LGP85 are Needed for the Formation of Enlarged Endosomes/Lysosomes. Traffic, 2005, 6, 895-906.	2.7	21
165	Mannose 6-phosphate receptors, Niemann-Pick C2 protein, and lysosomal cholesterol accumulation. Journal of Lipid Research, 2005, 46, 2559-2569.	4.2	52
166	l ² Subunits of Voltage-gated Sodium Channels Are Novel Substrates of l ² -Site Amyloid Precursor Protein-cleaving Enzyme (BACE1) and l ³ -Secretase. Journal of Biological Chemistry, 2005, 280, 23009-23017.	3.4	260
167	The apoptosis/autophagy paradox: autophagic vacuolization before apoptotic death. Journal of Cell Science, 2005, 118, 3091-3102.	2.0	487
168	Neurocognitive and Psychotiform Behavioral Alterations and Enhanced Hippocampal Long-Term Potentiation in Transgenic Mice Displaying Neuropathological Features of Human Â-Mannosidosis. Journal of Neuroscience, 2005, 25, 6539-6549.	3.6	62
169	ADAM10 mediates E-cadherin shedding and regulates epithelial cell-cell adhesion, migration, and \hat{l}^2 -catenin translocation. Proceedings of the National Academy of Sciences of the United States of America, 2005, 102, 9182-9187.	7.1	604
170	Soluble Axl Is Generated by ADAM10-Dependent Cleavage and Associates with Gas6 in Mouse Serum. Molecular and Cellular Biology, 2005, 25, 9324-9339.	2.3	70
171	L1 Is Sequentially Processed by Two Differently Activated Metalloproteases and Presenilin \hat{I}^3 -Secretase and Regulates Neural Cell Adhesion, Cell Migration, and Neurite Outgrowth. Molecular and Cellular Biology, 2005, 25, 9040-9053.	2.3	212
172	Phenotypic and Biochemical Analyses of BACE1- and BACE2-deficient Mice. Journal of Biological Chemistry, 2005, 280, 30797-30806.	3.4	309
173	Participation of Autophagy in Storage of Lysosomes in Neurons from Mouse Models of Neuronal Ceroid-Lipofuscinoses (Batten Disease). American Journal of Pathology, 2005, 167, 1713-1728.	3.8	305
174	Disturbed Cholesterol Traffic but Normal Proteolytic Function in LAMP-1/LAMP-2 Double-deficient Fibroblasts. Molecular Biology of the Cell, 2004, 15, 3132-3145.	2.1	241
175	Natural Soluble Interleukin-15Rα Is Generated by Cleavage That Involves the Tumor Necrosis Factor-α-converting Enzyme (TACE/ADAM17). Journal of Biological Chemistry, 2004, 279, 40368-40375.	3.4	65
176	Efficacy of enzyme replacement therapy in Â-mannosidosis mice: a preclinical animal study. Human Molecular Genetics, 2004, 13, 1979-1988.	2.9	87
177	Partial loss of presenilins causes seborrheic keratosis and autoimmune disease in mice. Human Molecular Genetics, 2004, 13, 1321-1331.	2.9	76
178	The Transmembrane CXC-Chemokine Ligand 16 Is Induced by IFN- \hat{l}^3 and TNF- \hat{l}^{\pm} and Shed by the Activity of the Disintegrin-Like Metalloproteinase ADAM10. Journal of Immunology, 2004, 172, 6362-6372.	0.8	369
179	Distinct roles for ADAM10 and ADAM17 in ectodomain shedding of six EGFR ligands. Journal of Cell Biology, 2004, 164, 769-779.	5.2	895
180	Role for Rab7 in maturation of late autophagic vacuoles. Journal of Cell Science, 2004, 117, 4837-4848.	2.0	781

#	Article	IF	CITATIONS
181	Evidence for a Critical Role of the Tumor Necrosis Factor α Convertase (TACE) in Ectodomain Shedding of the p75 Neurotrophin Receptor (p75NTR). Journal of Biological Chemistry, 2004, 279, 4241-4249.	3.4	134
182	Cell–matrix interaction via CD44 is independently regulated by different metalloproteinases activated in response to extracellular Ca2+ influx and PKC activation. Journal of Cell Biology, 2004, 165, 893-902.	5.2	260
183	At the acidic edge: emerging functions for lysosomal membrane proteins. Trends in Cell Biology, 2003, 13, 137-145.	7.9	564
184	Involvement of two different cell death pathways in retinal atrophy of cathepsin D-deficient mice. Molecular and Cellular Neurosciences, 2003, 22, 146-161.	2.2	142
185	The Cell Adhesion Protein P-selectin Glycoprotein Ligand-1 Is a Substrate for the Aspartyl Protease BACE1. Journal of Biological Chemistry, 2003, 278, 48713-48719.	3.4	230
186	Cellular Cholesterol Depletion Triggers Shedding of the Human Interleukin-6 Receptor by ADAM10 and ADAM17 (TACE). Journal of Biological Chemistry, 2003, 278, 38829-38839.	3.4	332
187	LIMP-2/LGP85 deficiency causes ureteric pelvic junction obstruction, deafness and peripheral neuropathy in mice. Human Molecular Genetics, 2003, 12, 631-646.	2.9	110
188	Thyroid functions of mouse cathepsins B, K, and L. Journal of Clinical Investigation, 2003, 111, 1733-1745.	8.2	188
189	The disintegrin-like metalloproteinase ADAM10 is involved in constitutive cleavage of CX3CL1 (fractalkine) and regulates CX3CL1-mediated cell-cell adhesion. Blood, 2003, 102, 1186-1195.	1.4	624
190	LIMP-2/LGP85 deficiency causes ureteric pelvic junction obstruction, deafness and peripheral neuropathy in mice. Human Molecular Genetics, 2003, 12, 631-46.	2.9	49
191	The disintegrin/metalloprotease ADAM 10 is essential for Notch signalling but not for alpha-secretase activity in fibroblasts. Human Molecular Genetics, 2002, 11, 2615-2624.	2.9	580
192	A role for the lysosomal membrane protein LGP85 in the biogenesis and maintenance of endosomal and lysosomal morphology. Journal of Cell Science, 2002, 115, 4117-4131.	2.0	132
193	Role of LAMP-2 in Lysosome Biogenesis and Autophagy. Molecular Biology of the Cell, 2002, 13, 3355-3368.	2.1	309
194	Disease model: LAMP-2 enlightens Danon disease. Trends in Molecular Medicine, 2001, 7, 37-39.	6.7	98
195	Involvement of Nitric Oxide Released from Microglia–Macrophages in Pathological Changes of Cathepsin D-Deficient Mice. Journal of Neuroscience, 2001, 21, 7526-7533.	3. 6	113
196	The Disintegrins ADAM10 and TACE Contribute to the Constitutive and Phorbol Ester-regulated Normal Cleavage of the Cellular Prion Protein. Journal of Biological Chemistry, 2001, 276, 37743-37746.	3.4	222
197	The discrepancy between presenilin subcellular localization and $\langle b \rangle \hat{l}^3 \langle b \rangle$ -secretase processing of amyloid precursor protein. Journal of Cell Biology, 2001, 154, 731-740.	5. 2	155
198	Accumulation of autophagic vacuoles and cardiomyopathy in LAMP-2-deficient mice. Nature, 2000, 406, 902-906.	27.8	836

#	Article	IF	CITATIONS
199	Cathepsin D Deficiency Induces Lysosomal Storage with Ceroid Lipofuscin in Mouse CNS Neurons. Journal of Neuroscience, 2000, 20, 6898-6906.	3.6	353
200	Cathepsin L deficiency as molecular defect offurless:hyperproliferation of keratinocytes and pertubation of hair follicle cycling. FASEB Journal, 2000, 14, 2075-2086.	0.5	290
201	\hat{l} / $\!$	7.8	388
202	Cell Surface Presenilin-1 Participates in the \hat{I}^3 -Secretase-like Proteolysis of Notch. Journal of Biological Chemistry, 1999, 274, 36801-36807.	3.4	246
203	A presenilin-1-dependent \hat{I}^3 -secretase-like protease mediates release of Notch intracellular domain. Nature, 1999, 398, 518-522.	27.8	2,002
204	Presenilin-1 deficiency leads to loss of Cajal–Retzius neurons and cortical dysplasia similar to human type 2 lissencephaly. Current Biology, 1999, 9, 719-727.	3.9	132
205	Deficiency of presenilin-1 inhibits the normal cleavage of amyloid precursor protein. Nature, 1998, 391, 387-390.	27.8	1,765