Kun Wang

List of Publications by Citations

Source: https://exaly.com/author-pdf/844477/kun-wang-publications-by-citations.pdf

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

255
papers

7,544
citations

50
h-index
g-index

270
ext. papers

9,152
ext. citations

6.9
avg, IF

L-index

#	Paper	IF	Citations
255	Enhanced non-enzymatic glucose sensing based on copper nanoparticles decorated nitrogen-doped graphene. <i>Biosensors and Bioelectronics</i> , 2014 , 54, 273-8	11.8	192
254	Enhanced direct electrochemistry of glucose oxidase and biosensing for glucose via synergy effect of graphene and CdS nanocrystals. <i>Biosensors and Bioelectronics</i> , 2011 , 26, 2252-7	11.8	189
253	Energy big data: A survey. <i>IEEE Access</i> , 2016 , 4, 3844-3861	3.5	183
252	Synthesis and characterization of CeO2/g-C3N4 composites with enhanced visible-light photocatatalytic activity. <i>RSC Advances</i> , 2013 , 3, 22269	3.7	136
251	Visible light photoelectrochemical sensor for ultrasensitive determination of dopamine based on synergistic effect of graphene quantum dots and TiO2 nanoparticles. <i>Analytica Chimica Acta</i> , 2015 , 853, 258-264	6.6	122
250	Colorimetric aptasensing of ochratoxin A using Au@Fe3O4 nanoparticles as signal indicator and magnetic separator. <i>Biosensors and Bioelectronics</i> , 2016 , 77, 1183-91	11.8	122
249	A Mitochondria-Specific Fluorescent Probe for Visualizing Endogenous Hydrogen Cyanide Fluctuations in Neurons. <i>Journal of the American Chemical Society</i> , 2018 , 140, 1870-1875	16.4	114
248	Graphene enhanced electrochemiluminescence of CdS nanocrystal for H2O2 sensing. <i>Talanta</i> , 2010 , 82, 372-6	6.2	109
247	Amplified impedimetric aptasensor based on gold nanoparticles covalently bound graphene sheet for the picomolar detection of ochratoxin A. <i>Analytica Chimica Acta</i> , 2014 , 806, 128-35	6.6	108
246	Label-free impedimetric aptasensor for detection of femtomole level acetamiprid using gold nanoparticles decorated multiwalled carbon nanotube-reduced graphene oxide nanoribbon composites. <i>Biosensors and Bioelectronics</i> , 2015 , 70, 122-9	11.8	107
245	A highly sensitive and rapid organophosphate biosensor based on enhancement of CdS-decorated graphene nanocomposite. <i>Analytica Chimica Acta</i> , 2011 , 695, 84-8	6.6	105
244	A facile label-free colorimetric aptasensor for acetamiprid based on the peroxidase-like activity of hemin-functionalized reduced graphene oxide. <i>Biosensors and Bioelectronics</i> , 2015 , 65, 39-46	11.8	103
243	Multiple signal-amplification via Ag and TiO decorated 3D nitrogen doped graphene hydrogel for fabricating sensitive label-free photoelectrochemical thrombin aptasensor. <i>Biosensors and Bioelectronics</i> , 2018 , 101, 14-20	11.8	100
242	Solvent-Free Chemical Approach to Synthesize Various Morphological CoO for CO Oxidation. <i>ACS Applied Materials & District Materials & </i>	9.5	97
241	One-step thermal-treatment route to fabricate well-dispersed ZnO nanocrystals on nitrogen-doped graphene for enhanced electrochemiluminescence and ultrasensitive detection of pentachlorophenol. <i>ACS Applied Materials & Description (Communication)</i> 2015, 7, 3093-100	9.5	95
240	Boosting the Visible-Light Photoactivity of BiOCl/BiVO/N-GQD Ternary Heterojunctions Based on Internal Z-Scheme Charge Transfer of N-GQDs: Simultaneous Band Gap Narrowing and Carrier Lifetime Prolonging. ACS Applied Materials & Date of Carrier 2017, 9, 38832-38841	9.5	92
239	Atmospheric pressure synthesis of nitrogen doped graphene quantum dots for fabrication of BiOBr nanohybrids with enhanced visible-light photoactivity and photostability. <i>Carbon</i> , 2016 , 96, 1157-1165	10.4	85

(2012-2017)

238	majreto-controlled aptasensor for simultaneous electrochemical detection of dual mycotoxins in maize using metal sulfide quantum dots coated silica as labels. <i>Biosensors and Bioelectronics</i> , 2017 , 89, 802-809	11.8	85
237	Magnetic-fluorescent-targeting multifunctional aptasensorfor highly sensitive and one-step rapid detection of ochratoxin A. <i>Biosensors and Bioelectronics</i> , 2015 , 68, 783-790	11.8	83
236	Autocrine Complement Inhibits IL10-Dependent T-cell-Mediated Antitumor Immunity to Promote Tumor Progression. <i>Cancer Discovery</i> , 2016 , 6, 1022-35	24.4	82
235	AgBr nanoparticles/3D nitrogen-doped graphene hydrogel for fabricating all-solid-state luminol-electrochemiluminescence Escherichia coli aptasensors. <i>Biosensors and Bioelectronics</i> , 2017 , 97, 377-383	11.8	81
234	TiO2-decorated graphene nanohybrids for fabricating an amperometric acetylcholinesterase biosensor. <i>Analyst, The</i> , 2011 , 136, 3349-54	5	81
233	Nitrogen-Doped Graphene Quantum Dots@SiO2 Nanoparticles as Electrochemiluminescence and Fluorescence Signal Indicators for Magnetically Controlled Aptasensor with Dual Detection Channels. ACS Applied Materials & Detection Channels. ACS Applied Materials & Detection Channels.	9.5	8o
232	Engineering of Heterojunction-Mediated Biointerface for Photoelectrochemical Aptasensing: Case of Direct Z-Scheme CdTe-BiS Heterojunction with Improved Visible-Light-Driven Photoelectrical Conversion Efficiency. <i>ACS Applied Materials & Direct School</i> 2017, 9, 18369-18376	9.5	79
231	Mechanical properties and solubility in water of corn starch-collagen composite films: Effect of starch type and concentrations. <i>Food Chemistry</i> , 2017 , 216, 209-16	8.5	79
230	Label-free colorimetric aptasensor for sensitive detection of ochratoxin A utilizing hybridization chain reaction. <i>Analytica Chimica Acta</i> , 2015 , 860, 83-8	6.6	74
229	Design of a Dual Channel Self-Reference Photoelectrochemical Biosensor. <i>Analytical Chemistry</i> , 2017 , 89, 10133-10136	7.8	73
228	Facile wet chemical method for fabricating p-type BiOBr/n-type nitrogen doped graphene composites: Efficient visible-excited charge separation, and high-performance photoelectrochemical sensing. <i>Carbon</i> , 2016 , 102, 10-17	10.4	71
227	Onsite naked eye determination of cysteine and homocysteine using quencher displacement-induced fluorescence recovery of the dual-emission hybrid probes with desired intensity ratio. <i>Biosensors and Bioelectronics</i> , 2015 , 65, 83-90	11.8	69
226	Gold nanrods plasmon-enhanced photoelectrochemical aptasensing based on hematite/N-doped graphene films for ultrasensitive analysis of 17Eestradiol. <i>Biosensors and Bioelectronics</i> , 2017 , 91, 706-71	3 1.8	68
225	New Insights toward Efficient Charge-Separation Mechanism for High-Performance Photoelectrochemical Aptasensing: Enhanced Charge-Carrier Lifetime via Coupling Ultrathin MoS Nanoplates with Nitrogen-Doped Graphene Quantum Dots. <i>Analytical Chemistry</i> , 2017 , 89, 4525-4531	7.8	68
224	Fabricating photoelectrochemical aptasensor for selectively monitoring microcystin-LR residues in fish based on visible light-responsive BiOBr nanoflakes/N-doped graphene photoelectrode. <i>Biosensors and Bioelectronics</i> , 2016 , 81, 242-248	11.8	66
223	Silver nanoparticles anchored on nitrogen-doped graphene as a novel electrochemical biosensing platform with enhanced sensitivity for aptamer-based pesticide assay. <i>Analyst, The</i> , 2015 , 140, 6404-11	5	65
222	Facile one-pot synthesis of visible light-responsive BiPO/nitrogen doped graphene hydrogel for fabricating label-free photoelectrochemical tetracycline aptasensor. <i>Biosensors and Bioelectronics</i> , 2018 , 111, 131-137	11.8	65
221	Ultrasensitive photoelectrochemical sensing of nicotinamide adenine dinucleotide based on graphene-TiO2 nanohybrids under visible irradiation. <i>Analytica Chimica Acta</i> , 2012 , 745, 131-6	6.6	65

220	A sensitive Potentiometric resolved ratiometric Photoelectrochemical aptasensor for Escherichia coli detection fabricated with non-metallic nanomaterials. <i>Biosensors and Bioelectronics</i> , 2018 , 106, 57-	63 ^{11.8}	64
219	One-pot synthesis of BiPO4 functionalized reduced graphene oxide with enhanced photoelectrochemical performance for selective and sensitive detection of chlorpyrifos. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 13671-13678	13	64
218	Perovskite-type BiFeO/ultrathin graphite-like carbon nitride nanosheets p-n heterojunction: Boosted visible-light-driven photoelectrochemical activity for fabricating ampicillin aptasensor. <i>Biosensors and Bioelectronics</i> , 2019 , 124-125, 33-39	11.8	62
217	Fabrication of magnetically assembled aptasensing device for label-free determination of aflatoxin B1 based on EIS. <i>Biosensors and Bioelectronics</i> , 2018 , 108, 69-75	11.8	61
216	Ultrasensitive electrochemical aptasensor for ochratoxin A based on two-level cascaded signal amplification strategy. <i>Bioelectrochemistry</i> , 2014 , 96, 7-13	5.6	61
215	Performance of high amylose starch-composited gelatin films influenced by gelatinization and concentration. <i>International Journal of Biological Macromolecules</i> , 2017 , 94, 258-265	7.9	61
214	Electrochemical Biosensor Based on Tetrahedral DNA Nanostructures and G-Quadruplex-Hemin Conformation for the Ultrasensitive Detection of MicroRNA-21 in Serum. <i>Analytical Chemistry</i> , 2019 , 91, 7353-7359	7.8	60
213	Boron and nitrogen co-doped graphene aerogels: Facile preparation, tunable doping contents and bifunctional oxygen electrocatalysis. <i>Carbon</i> , 2018 , 137, 458-466	10.4	59
212	Fe2O3 cubes with high visible-light-activated photoelectrochemical activity towards glucose: hydrothermal synthesis assisted by a hydrophobic ionic liquid. <i>Chemistry - A European Journal</i> , 2014 , 20, 2244-53	4.8	58
211	Magnetically controlled fluorescence aptasensor for simultaneous determination of ochratoxin A and aflatoxin B1. <i>Analytica Chimica Acta</i> , 2018 , 1019, 119-127	6.6	55
210	Highly sensitive and simultaneous electrochemical determination of 2-aminophenol and 4-aminophenol based on poly(l-arginine)-Ecyclodextrin/carbon nanotubes@graphene nanoribbons modified electrode. <i>Biosensors and Bioelectronics</i> , 2016 , 77, 353-8	11.8	54
209	Photoelectrochemical aptasensor based on CdTe quantum dots-single walled carbon nanohorns for the sensitive detection of streptomycin. <i>Sensors and Actuators B: Chemical</i> , 2017 , 251, 564-571	8.5	53
208	Bi-color FRET from two nano-donors to a single nano-acceptor: A universal aptasensing platform for simultaneous determination of dual targets. <i>Chemical Engineering Journal</i> , 2020 , 401, 126017	14.7	53
207	Recent development of electrochemiluminescence sensors for food analysis. <i>Analytical and Bioanalytical Chemistry</i> , 2016 , 408, 7035-48	4.4	52
206	Resonance energy transfer from CdTe quantum dots to gold nanorods using MWCNTs/rGO nanoribbons as efficient signal amplifier for fabricating visible-light-driven Bn-off-on photoelectrochemical acetamiprid aptasensor. <i>Sensors and Actuators B: Chemical</i> , 2016 , 235, 647-654	8.5	50
205	A potentiometric resolved ratiometric photoelectrochemical aptasensor. <i>Chemical Communications</i> , 2017 , 53, 5810-5813	5.8	49
204	Preparation and Characterization of Fe2O3 Nanoparticles by Solid-Phase Method and Its Hydrogen Peroxide Sensing Properties. <i>ACS Sustainable Chemistry and Engineering</i> , 2016 , 4, 1069-1077	8.3	48
203	Fabrication of graphene oxide decorated with nitrogen-doped graphene quantum dots and its enhanced electrochemiluminescence for ultrasensitive detection of pentachlorophenol. <i>Analyst, The,</i> 2015 , 140, 1253-9	5	46

(2015-2013)

202	Magnetically Separable Fe3O4 Nanoparticles-Decorated Reduced Graphene Oxide Nanocomposite for Catalytic Wet Hydrogen Peroxide Oxidation. <i>Journal of Inorganic and Organometallic Polymers and Materials</i> , 2013 , 23, 907-916	3.2	45	
201	Engineering efficient charge transfer based on ultrathin graphite-like carbon nitride/WO 3 semiconductor nanoheterostructures for fabrication of high-performances non-enzymatic photoelectrochemical glucose sensor. <i>Electrochimica Acta</i> , 2016 , 215, 305-312	6.7	44	
200	Graphitic Carbon Nitride Nanorods for Photoelectrochemical Sensing of Trace Copper(II) Ions. <i>European Journal of Inorganic Chemistry</i> , 2014 , 2014, 3665-3673	2.3	44	
199	Building a Three-Dimensional Nano-Bio Interface for Aptasensing: An Analytical Methodology Based on Steric Hindrance Initiated Signal Amplification Effect. <i>Analytical Chemistry</i> , 2016 , 88, 9622-96	29 ^{7.8}	44	
198	Three-dimensional nitrogen-doped graphene porous hydrogel fabricated biosensing platform with enhanced photoelectrochemical performance. <i>Sensors and Actuators B: Chemical</i> , 2017 , 250, 476-483	8.5	43	
197	One-pot hydrothermal route to fabricate nitrogen doped graphene/Ag-TiO2: Efficient charge separation, and high-performance "on-off-on" switch system based photoelectrochemical biosensing. <i>Biosensors and Bioelectronics</i> , 2016 , 83, 149-55	11.8	43	
196	Design and construction of Z-scheme BiS/nitrogen-doped graphene quantum dots: Boosted photoelectric conversion efficiency for high-performance photoelectrochemical aptasensing of sulfadimethoxine. <i>Biosensors and Bioelectronics</i> , 2019 , 130, 230-235	11.8	42	
195	A FRET-based ratiometric fluorescent aptasensor for rapid and onsite visual detection of ochratoxin A. <i>Analyst, The</i> , 2015 , 140, 7434-42	5	41	
194	Recent developments of photoelectrochemical biosensors for food analysis. <i>Journal of Materials Chemistry B</i> , 2019 , 7, 7283-7300	7.3	41	
193	Preparation of graphene quantum dots based core-satellite hybrid spheres and their use as the ratiometric fluorescence probe for visual determination of mercury(II) ions. <i>Analytica Chimica Acta</i> , 2015 , 888, 173-81	6.6	40	
192	Sensitive electrochemical sensing for polycyclic aromatic amines based on a novel core-shell multiwalled carbon nanotubes@ graphene oxide nanoribbons heterostructure. <i>Analytica Chimica Acta</i> , 2014 , 845, 30-7	6.6	40	
191	MoS/nitrogen doped graphene hydrogels p-n heterojunction: Efficient charge transfer property for highly sensitive and selective photoelectrochemical analysis of chloramphenicol. <i>Biosensors and Bioelectronics</i> , 2019 , 126, 463-469	11.8	40	
190	Fluorescent "on-off-on" switching sensor based on CdTe quantum dots coupled with multiwalled carbon nanotubes@graphene oxide nanoribbons for simultaneous monitoring of dual foreign DNAs in transgenic soybean. <i>Biosensors and Bioelectronics</i> , 2017 , 92, 26-32	11.8	39	
189	A highly sensitive signal-amplified gold nanoparticle-based electrochemical immunosensor for dibutyl phthalate detection. <i>Biosensors and Bioelectronics</i> , 2017 , 91, 199-202	11.8	38	
188	An ultrasensitive electrochemical biosensor for detection of microRNA-21 based on redox reaction of ascorbic acid/iodine and duplex-specid nuclease assisted target recycling. <i>Biosensors and Bioelectronics</i> , 2019 , 130, 81-87	11.8	38	
187	A pH-Resolved Colorimetric Biosensor for Simultaneous Multiple Target Detection. <i>ACS Sensors</i> , 2018 , 3, 2159-2165	9.2	38	
186	CeO nanocrystallines ensemble-on-nitrogen-doped graphene nanocomposites: one-pot, rapid synthesis and excellent electrocatalytic activity for enzymatic biosensing. <i>Biosensors and Bioelectronics</i> , 2017 , 89, 681-688	11.8	37	
185	Amplified solid-state electrochemiluminescence detection of cholesterol in near-infrared range based on CdTe quantum dots decorated multiwalled carbon nanotubes@reduced graphene oxide paporibbons. <i>Biosepsors and Bioelectronics</i> 2015 , 73, 221-227	11.8	37	

184	Visible-light photocatalytic efficiencies and anti-photocorrosion behavior of CdS/graphene nanocomposites: Evaluation using methylene blue degradation. <i>Chinese Journal of Catalysis</i> , 2013 , 34, 1876-1882	11.3	37
183	Photocatalytic degradation of methylene blue on magnetically separable FePc/Fe3O4 nanocomposite under visible irradiation. <i>Pure and Applied Chemistry</i> , 2009 , 81, 2327-2335	2.1	37
182	Using Magnetic Multiwalled Carbon Nanotubes as Modified QuEChERS Adsorbent for Simultaneous Determination of Multiple Mycotoxins in Grains by UPLC-MS/MS. <i>Journal of Agricultural and Food Chemistry</i> , 2019 , 67, 8035-8044	5.7	35
181	A Sunlight Powered Portable Photoelectrochemical Biosensor Based on a Potentiometric Resolve Ratiometric Principle. <i>Analytical Chemistry</i> , 2018 , 90, 13207-13211	7.8	35
180	Oxygen Vacancy Engineering in Europia Clusters/Graphite-Like Carbon Nitride Nanostructures Induced Signal Amplification for Highly Efficient Electrochemiluminesce Aptasensing. <i>Analytical Chemistry</i> , 2018 , 90, 3615-3620	7.8	34
179	One-pot synthesis of CdxZn1\(\mathbb{L}\)Eeduced graphene oxide nanocomposites with improved photoelectrochemical performance for selective determination of Cu2+. RSC Advances, 2013, 3, 14451	3.7	34
178	One-dimensional ENi(OH)2 nanostructures: Ionic liquid etching synthesis, formation mechanism, and application for electrochemical capacitors. <i>CrystEngComm</i> , 2011 , 13, 7108	3.3	34
177	A colorimetric biosensor for simultaneous ochratoxin A and aflatoxins B1 detection in agricultural products. <i>Food Chemistry</i> , 2020 , 319, 126544	8.5	32
176	Dual signal amplification coupling dual inhibition effect for fabricating photoelectrochemical chlorpyrifos biosensor. <i>Sensors and Actuators B: Chemical</i> , 2017 , 238, 239-248	8.5	32
175	A disposable aptasensing device for label-free detection of fumonisin B1 by integrating PDMS film-based micro-cell and screen-printed carbon electrode. <i>Sensors and Actuators B: Chemical</i> , 2017 , 251, 192-199	8.5	31
174	Nitrogen functionlized graphene quantum dots/3D bismuth oxyiodine hybrid hollow microspheres as remarkable photoelectrode for photoelectrochemical sensing of chlopyrifos. <i>Sensors and Actuators B: Chemical</i> , 2018 , 260, 1034-1042	8.5	31
173	Mechanical and barrier properties of maize starch-gelatin composite films: effects of amylose content. <i>Journal of the Science of Food and Agriculture</i> , 2017 , 97, 3613-3622	4.3	30
172	A novel ratiometric near-infrared fluorescent probe for monitoring cyanide in food samples. <i>Food Chemistry</i> , 2020 , 331, 127359	8.5	30
171	Polyoxometalate@magnetic graphene as versatile immobilization matrix of Ru(bpy)3(2+) for sensitive magneto-controlled electrochemiluminescence sensor and its application in biosensing. <i>Biosensors and Bioelectronics</i> , 2014 , 57, 149-56	11.8	30
170	Oxygen vacancy enhanced photoelectrochemical performance of BiMoO/B, N co-doped graphene for fabricating lincomycin aptasensor. <i>Biosensors and Bioelectronics</i> , 2019 , 135, 145-152	11.8	29
169	Ultrasensitive and visible light-responsive photoelectrochemical aptasensor for edifenphos based on Zinc phthalocyanine sensitized MoS nanosheets. <i>Biosensors and Bioelectronics</i> , 2020 , 150, 111867	11.8	29
168	Target-driven switch-on fluorescence aptasensor for trace aflatoxin B1 determination based on highly fluorescent ternary CdZnTe quantum dots. <i>Analytica Chimica Acta</i> , 2019 , 1047, 163-171	6.6	29
167	Reactable ionic liquid assisted preparation of porous Co3O4 nanostructures with enhanced supercapacitive performance. <i>CrystEngComm</i> , 2014 , 16, 2395	3.3	28

166	Gold nanoparticles mediated designing of versatile aptasensor for colorimetric/electrochemical dual-channel detection of aflatoxin B1. <i>Biosensors and Bioelectronics</i> , 2020 , 166, 112443	11.8	28	
165	A novel universal colorimetric sensor for simultaneous dual target detection through DNA-directed self-assembly of graphene oxide and magnetic separation. <i>Chemical Communications</i> , 2017 , 53, 7096-70	959 8	27	
164	Ingenious Dual-Photoelectrode Internal-Driven Self-Powered Sensing Platform for the Power Generation and Simultaneous Microcystin Monitoring Based on the Membrane/Mediator-Free Photofuel Cell. <i>Analytical Chemistry</i> , 2019 , 91, 1728-1732	7.8	27	
163	Hepatic resection provided long-term survival for patients with intermediate and advanced-stage resectable hepatocellular carcinoma. <i>World Journal of Surgical Oncology</i> , 2016 , 14, 62	3.4	27	
162	A visible light photoelectrochemical biosensor coupling enzyme-inhibition for organophosphates monitoring based on a dual-functional Cd(0.5)Zn(0.5)S-reduced graphene oxide nanocomposite. <i>Analyst, The</i> , 2014 , 139, 1121-6	5	27	
161	Asymmetric Guerbet Reaction to Access Chiral Alcohols. <i>Angewandte Chemie - International Edition</i> , 2020 , 59, 11408-11415	16.4	27	
160	Ternary heterojunctions composed of BiOCl, BiVO4 and nitrogen-doped carbon quantum dots for use in photoelectrochemical sensing: effective charge separation and application to ultrasensitive sensing of dopamine. <i>Mikrochimica Acta</i> , 2017 , 184, 4827-4833	5.8	26	
159	Systematic oligoaniline-based derivatives: ACQAIE conversion with a tunable insertion effect and quantitative fluorescence Eurn-onEdetection of BSA. <i>Materials Chemistry Frontiers</i> , 2019 , 3, 331-338	7.8	26	
158	An intriguing signal-off responsive photoelectrochemical aptasensor for ultrasensitive detection of microcystin-LR and its mechanism study. <i>Sensors and Actuators B: Chemical</i> , 2018 , 259, 316-324	8.5	26	
157	A novel signal amplification strategy based on the competitive reaction between 2D Cu-TCPP(Fe) and polyethyleneimine (PEI) in the application of an enzyme-free and ultrasensitive electrochemical immunosensor for sulfonamide detection. <i>Biosensors and Bioelectronics</i> , 2020 , 150, 111883	11.8	26	
156	Porous Gold Nanocages: High Atom Utilization for Thiolated Aptamer Immobilization to Well Balance the Simplicity, Sensitivity, and Cost of Disposable Aptasensors. <i>Analytical Chemistry</i> , 2019 , 91, 8660-8666	7.8	25	
155	Long-term postoperative survival prediction in patients with colorectal liver metastasis. <i>Oncotarget</i> , 2017 , 8, 79927-79934	3.3	25	
154	Photoelectrochemical CaMV35S biosensor for discriminating transgenic from non-transgenic soybean based on SiO@CdTe quantum dots core-shell nanoparticles as signal indicators. <i>Talanta</i> , 2016 , 161, 211-218	6.2	25	
153	Fabrication of l-cysteine-capped CdTe quantum dots based ratiometric fluorescence nanosensor for onsite visual determination of trace TNT explosive. <i>Analytica Chimica Acta</i> , 2016 , 946, 80-87	6.6	25	
152	Postoperative adjuvant transcatheter arterial chemoembolization should be considered selectively in patients who have hepatocellular carcinoma with microvascular invasion. <i>Hpb</i> , 2019 , 21, 425-433	3.8	25	
151	One-step hydrothermal treatment to fabricate BiWO-reduced graphene oxide nanocomposites for enhanced visible light photoelectrochemical performance. <i>Journal of Materials Chemistry B</i> , 2017 , 5, 37	18-372	.7 ²⁴	
150	The preparation of Fe2O3 nanoparticles by liquid phase-based ultrasonic-assisted method and its application as enzyme-free sensor for the detection of H2O2. <i>RSC Advances</i> , 2015 , 5, 21161-21169	3.7	24	
149	The impact of primary tumour location in patients undergoing hepatic resection for colorectal liver metastasis. European Journal of Surgical Oncology, 2018, 44, 771-777	3.6	24	

148	Fibrinogen-Albumin Ratio Index (FARI): A More Promising Inflammation-Based Prognostic Marker for Patients Undergoing Hepatectomy for Colorectal Liver Metastases. <i>Annals of Surgical Oncology</i> , 2019 , 26, 3682-3692	3.1	24
147	Characterisation of microemulsion nanofilms based on Tilapia fish skin gelatine and ZnO nanoparticles incorporated with ginger essential oil: meat packaging application. <i>International Journal of Food Science and Technology</i> , 2017 , 52, 1670-1679	3.8	23
146	Determination of Cyanide in Water and Food Samples Using an Efficient Naphthalene-Based Ratiometric Fluorescent Probe. <i>ACS Omega</i> , 2019 , 4, 10784-10790	3.9	23
145	Flavin mononucleotide (FMN)-based fluorescent protein (FbFP) as reporter for promoter screening in Clostridium cellulolyticum. <i>Journal of Microbiological Methods</i> , 2015 , 119, 37-43	2.8	23
144	Construction of a Novel Fluorescent Probe for On-site Measuring Hydrogen Sulfide Levels in Food Samples. <i>Food Analytical Methods</i> , 2019 , 12, 852-858	3.4	23
143	High-performance photoelectrochemical aptasensor for enrofloxacin based on Bi-doped ultrathin polymeric carbon nitride nanocomposites with SPR effect and carbon vacancies. <i>Sensors and Actuators B: Chemical</i> , 2020 , 316, 128142	8.5	23
142	Controllable ionic liquid-assisted electrochemical exfoliation of carbon fibers for the green and large-scale preparation of functionalized graphene quantum dots endowed with multicolor emission and size tunability. <i>Journal of Materials Chemistry C</i> , 2017 , 5, 6092-6100	7.1	21
141	Simultaneous Discrimination of Hypochlorite and Single Oxygen during Sepsis by a Dual-Functional Fluorescent Probe. <i>Analytical Chemistry</i> , 2020 , 92, 6072-6080	7.8	21
140	Synthesis, characterization, and bioactivities of copper complexes with N-substituted Di(picolyl)amines. <i>Transition Metal Chemistry</i> , 2009 , 34, 337-345	2.1	21
139	A portable solar-driven ratiometric photo-electrochromic visualization biosensor for detection of ochratoxin A. <i>Sensors and Actuators B: Chemical</i> , 2020 , 306, 127594	8.5	21
138	Ternary Z-scheme heterojunction of Bi SPR-promoted BiVO/g-CN with effectively boosted photoelectrochemical activity for constructing oxytetracycline aptasensor. <i>Biosensors and Bioelectronics</i> , 2020 , 166, 112453	11.8	21
137	Green solid-state synthesis and photocatalytic hydrogen production activity of anatase TiO2 nanoplates with super heat-stability. <i>RSC Advances</i> , 2017 , 7, 11827-11833	3.7	19
136	A facile strategy to construct pure thiophene-sulfur-doped graphene/ZnO nanoplates sensitized structure for fabricating a novel bn-off-onlawitch photoelectrochemical aptasensor. Sensors and Actuators B: Chemical, 2017, 251, 99-107	8.5	19
135	An ON(1)-OFF-ON(2) electrochemiluminescence response: combining the intermolecular specific binding with a radical scavenger. <i>Chemical Communications</i> , 2015 , 51, 11236-9	5.8	19
134	Core-shell LaFeO3@g-C3N4 p-n heterostructure with improved photoelectrochemical performance for fabricating streptomycin aptasensor. <i>Applied Surface Science</i> , 2020 , 511, 145571	6.7	19
133	A homogeneous assay for highly sensitive detection of CaMV35S promoter in transgenic soybean by fEster resonance energy transfer between nitrogen-doped graphene quantum dots and Ag nanoparticles. <i>Analytica Chimica Acta</i> , 2016 , 948, 90-97	6.6	19
132	Preparation of 1D CuO Nanorods by Means of a Metal Ion Containing Ionic Liquid and Their Supercapacitance. <i>European Journal of Inorganic Chemistry</i> , 2013 , 2013, 2315-2323	2.3	19
131	Ionic Liquid Assisted Solvothermal Synthesis of Cu Polyhedron-Pattern Nanostructures and Their Application as Enhanced Nanoelectrocatalysts for Glucose Detection. <i>European Journal of Inorganic Chemistry</i> , 2011 , 2011, 1361-1365	2.3	19

130	Determination of pentachlorophenol by anodic electrochemiluminescence of Ru(bpy)32+ based on nitrogen-doped graphene quantum dots as co-reactant. <i>RSC Advances</i> , 2017 , 7, 50634-50642	3.7	18
129	A universal photoelectrochemical biosensor for dual microRNA detection based on two CdTe nanocomposites. <i>Journal of Materials Chemistry B</i> , 2019 , 7, 1133-1141	7.3	18
128	A Green, Simple, and Rapid Detection for Amaranth in Candy Samples Based on the Fluorescence Quenching of Nitrogen-Doped Graphene Quantum Dots. <i>Food Analytical Methods</i> , 2019 , 12, 1658-1665	3.4	18
127	A competitive immunosensor for ultrasensitive detection of sulphonamides from environmental waters using silver nanoparticles decorated single-walled carbon nanohorns as labels. <i>Chemosphere</i> , 2019 , 225, 282-287	8.4	18
126	A sensitive and stable visible-light-driven photoelectrochemical aptasensor for determination of oxytetracycline in tomato samples. <i>Journal of Hazardous Materials</i> , 2020 , 398, 122944	12.8	18
125	An ultrasensitive competitive immunosensor using silica nanoparticles as an enzyme carrier for simultaneous impedimetric detection of tetrabromobisphenol A bis(2-hydroxyethyl) ether and tetrabromobisphenol A mono(hydroxyethyl) ether. <i>Biosensors and Bioelectronics</i> , 2018 , 105, 77-80	11.8	18
124	Knowledge based differential evolution for cloud computing service composition. <i>Journal of Ambient Intelligence and Humanized Computing</i> , 2018 , 9, 565-574	3.7	18
123	Optimum Balance of Cu+ and Oxygen Vacancies of CuOx-CeO2 Composites for CO Oxidation Based on Thermal Treatment. <i>European Journal of Inorganic Chemistry</i> , 2019 , 2019, 1714-1723	2.3	17
122	A novel self-powered aptasensor for digoxin monitoring based on the dual-photoelectrode membrane/mediator-free photofuel cell. <i>Biosensors and Bioelectronics</i> , 2020 , 156, 112135	11.8	17
121	The primary tumor location impacts survival outcome of colorectal liver metastases after hepatic resection: A systematic review and meta-analysis. <i>European Journal of Surgical Oncology</i> , 2019 , 45, 1349)- 1 356	16
120	Visible/near-infrared light response VOPc/carbon nitride nanocomposites: VOPc sensitizing carbon nitride to improve photo-to-current conversion efficiency for fabricating photoelectrochemical diclofenac aptasensor. <i>Sensors and Actuators B: Chemical</i> , 2019 , 299, 126834	8.5	16
119	A photoelectrochemical/colorimetric immunosensor for broad-spectrum detection of ochratoxins using bifunctional copper oxide nanoflowers. <i>Sensors and Actuators B: Chemical</i> , 2021 , 330, 129380	8.5	16
118	Facile Preparation of Unsubstituted Iron(II) Phthalocyanine/Carbon Nitride Nanocomposites: A Multipurpose Catalyst with Reciprocally Enhanced Photo/Electrocatalytic Activity. <i>ACS Sustainable Chemistry and Engineering</i> , 2019 , 7, 3319-3328	8.3	16
117	A novel electrochemical immunosensor based on catalase functionalized AuNPs-loaded self-assembled polymer nanospheres for ultrasensitive detection of tetrabromobisphenol A bis(2-hydroxyethyl) ether. <i>Analytica Chimica Acta</i> , 2019 , 1048, 50-57	6.6	16
116	Pavement Distress Detection Based on Transfer Learning 2018,		16
115	"Signal on" electrochemiluminescence pentachlorophenol sensor based on luminol-MWCNTs@graphene oxide nanoribbons system. <i>Talanta</i> , 2015 , 134, 448-452	6.2	15
114	An Improved Routing Algorithm Based on Social Link Awareness in Delay Tolerant Networks. Wireless Personal Communications, 2014 , 75, 397-414	1.9	15
113	Palladium-catalyzed SuzukiMiyaura coupling with aryl and heteroaryl bromides using N,N,N?,N?-tetra(diphenylphosphinomethyl)-1,2-ethylenediamine. <i>Applied Organometallic Chemistry</i> , 2012 , 26, 342-346	3.1	15

112	Construction of a fluorescent probe for selectively detecting singlet oxygen with a high sensitivity and large concentration range based on a two-step cascade sensing reaction. <i>Chemical Communications</i> , 2019 , 55, 8462-8465	5.8	14
111	Nomogram predicted disease free survival for colorectal liver metastasis patients with preoperative chemotherapy followed by hepatic resection. <i>European Journal of Surgical Oncology</i> , 2019 , 45, 2070-2077	3.6	14
110	Electrochemical immunosensor based on Ag-dependent CTAB-AuNPs for ultrasensitive detection of sulfamethazine. <i>Biosensors and Bioelectronics</i> , 2019 , 144, 111643	11.8	14
109	Development and Validation of a Nomogram to Preoperatively Estimate Post-hepatectomy Liver Dysfunction Risk and Long-term Survival in Patients With Hepatocellular Carcinoma. <i>Annals of Surgery</i> , 2021 , 274, e1209-e1217	7.8	14
108	Anti-Markovnikov Hydroamination of Racemic Allylic Alcohols to Access Chiral EAmino Alcohols. <i>Angewandte Chemie - International Edition</i> , 2020 , 59, 21959-21964	16.4	14
107	One-step hydrothermal synthesis of telluride molybdenum/reduced graphene oxide with Schottky barrier for fabricating label-free photoelectrochemical profenofos aptasensor. <i>Chemical Engineering Journal</i> , 2021 , 407, 127213	14.7	14
106	Highly active metal-free peroxidase mimics based on oxygen-doped carbon nitride by promoting electron transfer capacity. <i>Chemical Communications</i> , 2020 , 56, 1409-1412	5.8	13
105	In situ solid-state fabrication of hybrid AgCl/AgI/AgIO with improved UV-to-visible photocatalytic performance. <i>Scientific Reports</i> , 2017 , 7, 12365	4.9	12
104	Asymmetric Guerbet Reaction to Access Chiral Alcohols. <i>Angewandte Chemie</i> , 2020 , 132, 11505-11512	3.6	12
103	Effect of two formulations on the decline curves and residue levels of rotenone in cabbage and soil under field conditions. <i>Ecotoxicology and Environmental Safety</i> , 2014 , 104, 23-7	7	12
102	Synergy effect of specific electrons and surface plasmonic resonance enhanced visible-light photoelectrochemical sensing for sensitive analysis of the CaMV 35S promoter. <i>Journal of Materials Chemistry B</i> , 2017 , 5, 8999-9005	7.3	12
101	Insecticidal, fumigant, and repellent activities of sweet wormwood oil and its individual components against red imported fire ant workers (Hymenoptera: Formicidae). <i>Journal of Insect Science</i> , 2014 , 14,	2	12
100	Controlling over the terminal functionalities of thiol-capped CdZnTe QDs to develop fluorescence nanosensor for selective discrimination and determination of Fe(II) ions. <i>Sensors and Actuators B: Chemical</i> , 2020 , 322, 128636	8.5	12
99	Portable Photoelectrochromic Visualization Sensor for Detection of Chemical Oxygen Demand. Analytical Chemistry, 2020 , 92, 13604-13609	7.8	12
98	Copper(I) oxide nanospheres decorated with graphene quantum dots display improved electrocatalytic activity for enhanced luminol electrochemiluminescence. <i>Mikrochimica Acta</i> , 2016 , 183, 1591-1599	5.8	12
97	A modified staging of early and intermediate hepatocellular carcinoma based on single tumour >7 Lm and multiple tumours beyond up-to-seven criteria. <i>Alimentary Pharmacology and Therapeutics</i> , 2019, 49, 202-210	6.1	12
96	Visible light-driven photoelectrochemical ampicillin aptasensor based on an artificial Z-scheme constructed from Ru(bpy)-sensitized BiOI microspheres. <i>Biosensors and Bioelectronics</i> , 2020 , 173, 11277	7111.8	12
95	Overexpression of a -Adenosylmethionine Decarboxylase from Sugar Beet M14 Increased Salt Tolerance. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	11

94	V-modified Co3O4 nanorods with superior catalytic activity and thermostability for CO oxidation. <i>CrystEngComm</i> , 2018 , 20, 5191-5199	3.3	11
93	Tetraphosphine/palladium-catalyzed SuzukiMiyaura coupling of heteroaryl halides with 3-pyridine-and 3-thiopheneboronic acid: an efficient catalyst for the formation of biheteroaryls. <i>Applied Organometallic Chemistry</i> , 2013 , 27, 232-238	3.1	11
92	Electrodeposition of unsubstituted iron phthalocyanine nano-structure film in a functionalized ionic liquid and its electrocatalytic and electroanalysis applications. <i>Analyst, The</i> , 2011 , 136, 4344-9	5	11
91	Enhanced electrochemiluminescence sensing platform using nitrogen-doped graphene as a novel two-dimensional mat of silver nanoparticles. <i>Talanta</i> , 2015 , 132, 146-9	6.2	10
90	Non-light-driven reduced graphene oxide anchored TiO nanocatalysts with enhanced catalytic oxidation performance. <i>Journal of Colloid and Interface Science</i> , 2017 , 507, 35-41	9.3	10
89	Ultrafine Fe2O3 nanocrystals anchored on N-doped graphene: a nanomaterial with long hole diffusion length and efficient visible light-excited charge separation for use in photoelectrochemical sensing. <i>Mikrochimica Acta</i> , 2017 , 184, 137-145	5.8	10
88	Measure-specific environmental benefits of air pollution control for coal-fired industrial boilers in China from 2015 to 2017. <i>Environmental Pollution</i> , 2021 , 273, 116470	9.3	10
87	Selective and sensitive photoelectrochemical aptasensor for streptomycin detection based on BiVOBr/TiC nanohybrids. <i>Journal of Hazardous Materials</i> , 2021 , 414, 125539	12.8	10
86	A homogeneous DNA nanosphere for fluorescence detection of microRNAs with high-ordered aggregation enhanced emission and enzyme-free cascade amplification. <i>Sensors and Actuators B: Chemical</i> , 2020 , 320, 128394	8.5	9
85	One-pot hydrothermal synthesis of platinum nanoparticle-decorated three-dimensional nitrogen-doped graphene aerogel as a highly efficient electrocatalyst for methanol oxidation. <i>RSC Advances</i> , 2016 , 6, 69973-69976	3.7	9
84	Role of intrinsic hydrogen bonds in the assembly of perylene imide derivatives in solution and at the liquid-solid interface. <i>Physical Chemistry Chemical Physics</i> , 2017 , 19, 23007-23014	3.6	9
83	Survival prediction in patients with resectable colorectal liver metastases: Clinical risk scores and tumor response to chemotherapy. <i>Oncology Letters</i> , 2017 , 14, 8051-8059	2.6	9
82	A Multiplexed Self-Powered Dual-Photoelectrode Biosensor for Detecting Dual Analytes Based on an Electron-Transfer-Regulated Conversion Strategy. <i>Analytical Chemistry</i> , 2021 , 93, 6214-6222	7.8	9
81	Mass-produced flexible Br doped PEDOT modified carbon paper electrodes for constructing mercury ion photoelectrochemical sensor. <i>Sensors and Actuators B: Chemical</i> , 2021 , 339, 129871	8.5	9
80	Modified FOLFOXIRI With or Without Cetuximab as Conversion Therapy in Patients with RAS/BRAF Wild-Type Unresectable Liver Metastases Colorectal Cancer: The FOCULM Multicenter Phase II Trial. <i>Oncologist</i> , 2021 , 26, e90-e98	5.7	9
79	Simultaneous detection of enrofloxacin and ciprofloxacin in milk using a bias potentials controlling-based photoelectrochemical aptasensor. <i>Journal of Hazardous Materials</i> , 2021 , 416, 125988	12.8	9
78	Biomimic Nanozymes with Tunable Peroxidase-like Activity Based on the Confinement Effect of Metal-Organic Frameworks (MOFs) for Biosensing <i>Analytical Chemistry</i> , 2022 ,	7.8	9
77	Effect of photochemical UV/riboflavin-mediated cross-links on different properties of fish gelatin films. <i>Journal of Food Process Engineering</i> , 2017 , 40, e12536	2.4	8

76	Sub-millimeter surgical margin is acceptable in patients with good tumor biology after liver resection for colorectal liver metastases. <i>European Journal of Surgical Oncology</i> , 2019 , 45, 1551-1558	3.6	8
75	Laboratory evaluation of aqueous leaf extract of Tephrosia vogelii against larvae of Aedes albopictus (Diptera: Culicidae) and non-target aquatic organisms. <i>Acta Tropica</i> , 2015 , 146, 36-41	3.2	8
74	Engineering CuOxIIrO2IIeO2 nanocatalysts with abundant surface Cu species and oxygen vacancies toward high catalytic performance in CO oxidation and 4-nitrophenol reduction. <i>CrystEngComm</i> , 2020 , 22, 4005-4013	3.3	8
73	Catalytic Membrane Microreactors with an Ultrathin Freestanding Membrane for Nitrobenzene Hydrogenation. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 9806-9813	9.5	8
72	A rapid approach to assess cardiac contractility by ballistocardiogram and electrocardiogram. <i>Biomedizinische Technik</i> , 2018 , 63, 113-122	1.3	8
71	A nitro-capped tetraaniline derivative with AIE features for BSA detection and the selective imaging of Gram-positive bacteria. <i>New Journal of Chemistry</i> , 2019 , 43, 11816-11820	3.6	8
70	One-pot hydrothermal preparation of B and N co-doped graphene aerogels loaded with cobalt oxides for the synergistic enhancement of oxygen reduction electrocatalysis. <i>Journal of Electroanalytical Chemistry</i> , 2020 , 877, 114555	4.1	8
69	A facile design for multifunctional AIEgen based on tetraaniline derivatives. <i>Science China Chemistry</i> , 2019 , 62, 732-738	7.9	7
68	A Highly Sensitive Carbendazim Sensor Based on Electrochemically Reduced Graphene Oxide. <i>Electrochemistry</i> , 2014 , 82, 1061-1066	1.2	7
67	Development of gold nanoparticle based colorimetric method for quantitatively studying the inhibitors of Cu(2+)/Zn(2+) induced Emyloid peptide assembly. <i>Analytica Chimica Acta</i> , 2015 , 858, 42-8	6.6	7
66	An Efficient Palladium-Catalyzed Synthesis of Cinnamyl Ethers from Aromatic Halides, Phenols, and Allylic Chloride. <i>Advanced Synthesis and Catalysis</i> , 2014 , 356, 616-622	5.6	7
65	Preparation of hierarchical mesoporous Co3O4 bundle using [Bmim]TA as a multi-role starting material and its supercapacitor application. <i>Monatshefte Fil Chemie</i> , 2014 , 145, 19-22	1.4	7
64	Interfacial Engineering of Bimetallic Carbide and Cobalt Encapsulated in Nitrogen-Doped Carbon Nanotubes for Electrocatalytic Oxygen Reduction. <i>ChemSusChem</i> , 2020 , 13, 5539-5548	8.3	7
63	Zwitterionic modified electrostatic flocking surfaces for diatoms and mussels resistance. <i>Journal of Colloid and Interface Science</i> , 2021 , 588, 9-18	9.3	7
62	Role of a liver-first approach for synchronous colorectal liver metastases. <i>World Journal of Gastroenterology</i> , 2016 , 22, 2126-32	5.6	7
61	Novel Anti-Interference Strategy for a Self-Powered Sensor: Mediator-Free and Biospecific Photocathode Interface. <i>Analytical Chemistry</i> , 2021 , 93, 12690-12697	7.8	7
60	Genome-Wide Identification and Characterization of JAZ Protein Family in Two Progenitors. <i>Plants</i> , 2019 , 8,	4.5	6
59	An Easily Prepared Tetraphosphine and Its Use in the Palladium-Catalyzed Suzuki M iyaura Coupling of Aryl Chlorides. <i>Catalysis Letters</i> , 2013 , 143, 1214-1219	2.8	6

(2020-2017)

58	Polyurethanes with aggregation-enhanced emission characteristics: preparation and properties. <i>Faraday Discussions</i> , 2017 , 196, 43-54	3.6	6
57	Amplified photocurrent signal for fabricating photoelectrochemical sulfadimethoxine aptasensor based on carbon nitride photosensitization with visible/near-infrared light responsive zinc phthalocyanine. <i>Journal of Hazardous Materials</i> , 2021 , 406, 124749	12.8	6
56	Nanoparticles-doped induced defective ZIF-8 as the novel cathodic luminophore for fabricating high-performance electrochemiluminescence aptasensor for detection of omethoate. <i>Biosensors and Bioelectronics</i> , 2021 , 192, 113492	11.8	6
55	Visualization of two-phase reacting flow behavior in a gas[IquidBolid microreactor. <i>Reaction Chemistry and Engineering</i> , 2019 , 4, 715-723	4.9	5
54	Mechano-fluorochromic behavior of AEE polyurethane films and their high sensitivity to halogen acid gas <i>RSC Advances</i> , 2019 , 9, 9517-9521	3.7	5
53	Stereoselective synthesis of amino-substituted cyclopentafullerenes promoted by magnesium perchlorate/ferric perchlorate. <i>Organic and Biomolecular Chemistry</i> , 2020 , 18, 964-974	3.9	5
52	Fabrication of acid-swollen collagen fiber-based composite films: Effect of nano-hydroxyapatite on packaging related properties. <i>International Journal of Food Properties</i> , 2017 , 20, 968-978	3	5
51	Occupational benzene exposure and the risk of genetic damage: a systematic review and meta-analysis. <i>BMC Public Health</i> , 2020 , 20, 1113	4.1	5
50	Accurately monitoring of sulfur dioxide derivatives in agricultural crop leaf tissues by a novel sensing system. <i>Sensors and Actuators B: Chemical</i> , 2020 , 323, 128711	8.5	5
49	g-CN/FeO Nanocomposites as Adsorbents Analyzed by UPLC-MS/MS for Highly Sensitive Simultaneous Determination of 27 Mycotoxins in Maize: Aiming at Increasing Purification Efficiency and Reducing Time. <i>Journal of Agricultural and Food Chemistry</i> , 2021 , 69, 4874-4882	5.7	5
48	B, N co-doped graphene synergistic catalyzed ZnO quantum dots with amplified cathodic electrochemiluminescence for fabricating microcystin-LR aptasensor. <i>Sensors and Actuators B: Chemical</i> , 2021 , 349, 130795	8.5	5
47	Turning on High-Sensitive Organic Electrochemical Transistor-Based Photoelectrochemical-Type Sensor over Modulation of Fe-MOF by PEDOT. <i>Advanced Functional Materials</i> ,2202735	15.6	5
46	An Attempt of Using Esitosterol-Corn Oil Oleogels to Improve Water Barrier Properties of Gelatin Film. <i>Journal of Food Science</i> , 2019 , 84, 1447-1455	3.4	4
45	On Full Duplex Scheduling for Energy Efficiency Maximization in Multi-Hop Wireless Networks. <i>IEEE Access</i> , 2018 , 6, 2604-2614	3.5	4
44	Impact of Linear Alkyl Length on the Assembly of Twisted Perylene Bisimides: From Molecular Arrangement to Nanostructures. <i>Chemistry - an Asian Journal</i> , 2017 , 12, 2827-2833	4.5	4
43	3D nanostructured Ni(OH)2 microspheres as an efficient immobilization matrix of Ru(bpy)3(2+) for high-performance electrochemiluminescence sensor. <i>Talanta</i> , 2010 , 82, 1068-71	6.2	4
42	An upgraded 2D nanosheet-based FRET biosensor: insights into avoiding background and eliminating effects of background fluctuations <i>Chemical Communications</i> , 2021 ,	5.8	4
41	Electroacupuncture Ameliorates Acute Myocardial Ischemia: A Potential Role of the Locus Coeruleus. <i>Evidence-based Complementary and Alternative Medicine</i> , 2020 , 2020, 4298657	2.3	4

40	Rapid heavy metal sensing platform: A case of triple signal amplification strategy for the sensitive detection of serum copper. <i>Analytica Chimica Acta</i> , 2021 , 1181, 338908	6.6	4
39	Catalysis-induced performance enhancement of an electrochemical microcystin-LR aptasensor based on cobalt-based oxide on a B, N co-doped graphene hydrogel. <i>Analyst, The</i> , 2021 , 146, 2574-2580	5	4
38	In Situ Synthesis of a Multilayered (PSS-PAH-Pd)n Catalytic Hybrid Film Synthesized by the Layer-by-Layer Self-Assembly. <i>Industrial & Engineering Chemistry Research</i> , 2019 , 58, 9038-9047	3.9	3
37	Simultaneous detection of TNOS and P35S in transgenic soybean based on magnetic bicolor fluorescent probes. <i>Talanta</i> , 2020 , 212, 120764	6.2	3
36	A disposable ratiometric electrochemical aptasensor with exonuclease I-powered target recycling amplification for highly sensitive detection of aflatoxin B1. <i>Sensors and Actuators B: Chemical</i> , 2022 , 355, 131238	8.5	3
35	Thermally responsive AIE-active polyurethanes based on a tetraaniline derivative <i>RSC Advances</i> , 2020 , 10, 41424-41429	3.7	3
34	Anti-Markovnikov Hydroamination of Racemic Allylic Alcohols to Access Chiral EAmino Alcohols. <i>Angewandte Chemie</i> , 2020 , 132, 22143-22148	3.6	3
33	The solid-state in situ construction of Cu2O/CuO heterostructures with adjustable phase compositions to promote CO oxidation activity. <i>CrystEngComm</i> , 2020 , 22, 7808-7815	3.3	3
32	Rapid Potentiometric Detection of Chemical Oxygen Demand Using a Portable Self-Powered Sensor Chip. <i>Analytical Chemistry</i> , 2021 , 93, 8393-8398	7.8	3
31	Hollow porous nitrogen-doped carbon embedded with ultrafine Co nanoparticles boosting lithium-ion storage. <i>CrystEngComm</i> , 2021 , 23, 2006-2015	3.3	3
30	A dual-photoelectrode photofuel cell based self-powered aptasensor using a multimeter as a direct visual readout strategy. <i>Chemical Communications</i> , 2021 , 57, 5973-5976	5.8	3
29	Enhanced cathodic electrochemiluminescent microcystin-LR aptasensor based on surface plasmon resonance of Bi nanoparticles <i>Journal of Hazardous Materials</i> , 2022 , 434, 128877	12.8	3
28	Structured Ni B amorphous alloy catalysts on Ni foam for a gas[]quid[]olid microreactor. <i>Catalysis Science and Technology</i> , 2020 , 10, 1933-1940	5.5	2
27	Bifunctional Fluorescent Probe for Sequential Sensing of Thiols and Primary Aliphatic Amines in Distinct Fluorescence Channels. <i>Chemistry - an Asian Journal</i> , 2018 , 13, 560-567	4.5	2
26	Controlled growth of BaMoO4 hierarchical superstructures in functionalized ionic liquids. <i>Pure and Applied Chemistry</i> , 2009 , 81, 2355-2367	2.1	2
25	Development and Application of Rapid Clinical Visualization Molecular Diagnostic Technology for / Based on Recombinase Polymerase Amplification Combined With a Lateral Flow Strip Frontiers in Cellular and Infection Microbiology, 2021, 11, 803798	5.9	2
24	Ultrasensitive photoelectrochemical aptasensor for carbendazim detection based on in-situ constructing Schottky junction via photoreducing Pd nanoparticles onto CdS microsphere <i>Biosensors and Bioelectronics</i> , 2022 , 203, 114036	11.8	2
23	High-Throughput Detection of Multiple Contaminants Based on Portable Photoelectrochromic Sensor Chip. <i>Analytical Chemistry</i> , 2021 , 93, 14053-14058	7.8	2

(2020-2021)

22	Recurrent colorectal liver metastasis patients could benefit from repeat hepatic resection. <i>BMC Surgery</i> , 2021 , 21, 327	2.3	2
21	Development of a model to predict pathologic response to chemotherapy in patients with colorectal liver metastases. <i>Journal of Gastrointestinal Oncology</i> , 2021 , 12, 1498-1508	2.8	2
20	Highly-resolved spatial-temporal variations of air pollutants from Chinese industrial boilers. <i>Environmental Pollution</i> , 2021 , 289, 117931	9.3	2
19	Spatial receptive field shift by preceding cross-modal stimulation in the cat superior colliculus. <i>Journal of Physiology</i> , 2018 , 596, 5033-5050	3.9	1
18	New Micro- and Nanotechnologies for Electrochemical Biosensor Development 2019 , 279-313		1
17	Investigation on electrical tree propagation in polyethylene based on etching method. <i>AIP Advances</i> , 2017 , 7, 115012	1.5	1
16	An improved BP algorithm over out-of-order streams for big data 2013,		1
15	Cys-SH based quantitative redox proteomics of salt induced response in sugar beet monosomic addition line M14. <i>Botanical Studies</i> , 2021 , 62, 16	2.3	1
14	Robust Conformal Perfect Absorber Involving Lossy Ultrathin Film. <i>Photonics</i> , 2020 , 7, 57	2.2	1
13	Identification of NO hotspots from oversampled TROPOMI NO column based on image segmentation method. <i>Science of the Total Environment</i> , 2022 , 803, 150007	10.2	1
12	Effect of Electroacupuncture at Wushu Acupoints of the Cardiopulmonary Meridian on the Autophagy in Rats with Acute Myocardial Ischemia <i>Evidence-based Complementary and Alternative Medicine</i> , 2022 , 2022, 2114517	2.3	1
11	2D/2D Heterojunction of ZnIn2S4/N-doped Graphene Nanosheets for Off-Type High-Performance Photoelectrochemical Aptasensor. <i>Sensors and Actuators B: Chemical</i> , 2022 , 132033	8.5	1
10	The prognostic impact of resection margin status varies according to the genetic and morphological evaluation (GAME) score for colorectal liver metastasis. <i>Journal of Surgical Oncology</i> , 2021 , 124, 619-626	2.8	0
9	Characterization of genomic alterations in Chinese colorectal cancer patients with liver metastases. <i>Journal of Translational Medicine</i> , 2021 , 19, 313	8.5	О
8	Closed bipolar electrode based fluorescence visualization biosensor for anti-interference detection of T-2 toxin. <i>Chemical Communications</i> , 2021 , 57, 6511-6513	5.8	0
7	Region separation type bio-photoelectrode based all-solid-state self-powered aptasensor for ochratoxin A and aflatoxin B1 detection. <i>Sensors and Actuators B: Chemical</i> , 2022 , 364, 131897	8.5	O
6	Unit-based emissions and environmental impacts of industrial condensable particulate matter in China in 2020 <i>Chemosphere</i> , 2022 , 134759	8.4	0
5	REktitelbild: Asymmetric Guerbet Reaction to Access Chiral Alcohols (Angew. Chem. 28/2020). <i>Angewandte Chemie</i> , 2020 , 132, 11768-11768	3.6	

4	Application of intra-molecular fluorescence complementation in the topology examination of polytopic proteins in living cells. <i>Acta Biochimica Et Biophysica Sinica</i> , 2015 , 47, 654-6	2.8
3	Controlling the ligands of CdZnTe quantum dots to design a super simple ratiometric fluorescence nanosensor for silver ion detection. <i>Analyst, The</i> , 2021 , 146, 5747-5755	5
2	A Visualized Isothermal Amplification Method for Rapid and Specific Detection of Emetic and Non-emetic in Dairy Products <i>Frontiers in Microbiology</i> , 2022 , 13, 802656	5-7
1	Simulation design of natural enzyme binding pocket structure in MOFs for enhanced catalytic activity. Chemical Communications,	5.8