

Tetsuya Ando

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8446647/publications.pdf>

Version: 2024-02-01

21
papers

937
citations

933264

10
h-index

713332

21
g-index

22
all docs

22
docs citations

22
times ranked

2130
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Shared genetic risk between eating disorder and substance use-related phenotypes: Evidence from genome-wide association studies. <i>Addiction Biology</i> , 2021, 26, e12880. | 1.4 | 28 |
| 2 | Eating Disorder Neuroimaging Initiative (EDNI): a multicentre prospective cohort study protocol for elucidating the neural effects of cognitive-behavioural therapy for eating disorders. <i>BMJ Open</i> , 2021, 11, e042685. | 0.8 | 5 |
| 3 | Hybrid Cognitive Behavioral Therapy With Interoceptive Exposure for Irritable Bowel Syndrome: A Feasibility Study. <i>Frontiers in Psychiatry</i> , 2021, 12, 673939. | 1.3 | 3 |
| 4 | Urocortin 1: A putative excitatory neurotransmitter in the enteric nervous system. <i>Neurogastroenterology and Motility</i> , 2020, 32, e13842. | 1.6 | 2 |
| 5 | Effectiveness of enhanced cognitive behavior therapy for bulimia nervosa in Japan: a randomized controlled trial protocol. <i>BioPsychoSocial Medicine</i> , 2020, 14, 2. | 0.9 | 4 |
| 6 | Genome-wide association study identifies eight risk loci and implicates metabo-psychiatric origins for anorexia nervosa. <i>Nature Genetics</i> , 2019, 51, 1207-1214. | 9.4 | 641 |
| 7 | Cognitive behavioral therapy with interoceptive exposure and complementary video materials for irritable bowel syndrome (IBS): protocol for a multicenter randomized controlled trial in Japan. <i>BioPsychoSocial Medicine</i> , 2019, 13, 14. | 0.9 | 7 |
| 8 | Negatively Skewed Locomotor Activity Is Related to Autistic Traits and Behavioral Problems in Typically Developing Children and Those With Autism Spectrum Disorders. <i>Frontiers in Human Neuroscience</i> , 2018, 12, 518. | 1.0 | 4 |
| 9 | Neural correlates of body comparison and weight estimation in weight-recovered anorexia nervosa: a functional magnetic resonance imaging study. <i>BioPsychoSocial Medicine</i> , 2018, 12, 15. | 0.9 | 13 |
| 10 | Acoustic Hyper-Reactivity and Negatively Skewed Locomotor Activity in Children With Autism Spectrum Disorders: An Exploratory Study. <i>Frontiers in Psychiatry</i> , 2018, 9, 355. | 1.3 | 11 |
| 11 | Purging behaviors relate to impaired subjective sleep quality in female patients with anorexia nervosa: a prospective observational study. <i>BioPsychoSocial Medicine</i> , 2017, 11, 22. | 0.9 | 14 |
| 12 | Development of an ecological momentary assessment scale for appetite. <i>BioPsychoSocial Medicine</i> , 2015, 9, 2. | 0.9 | 14 |
| 13 | Influence of psychological factors on acute exacerbation of tension-type headache: Investigation by ecological momentary assessment. <i>Journal of Psychosomatic Research</i> , 2015, 79, 239-242. | 1.2 | 13 |
| 14 | Association of the c.385C>A (p.Pro129Thr) polymorphism of the fatty acid amide hydrolase gene with anorexia nervosa in the Japanese population. <i>Molecular Genetics & Genomic Medicine</i> , 2014, 2, 313-318. | 0.6 | 14 |
| 15 | Ghrelin Gene Variants and Eating Disorders. <i>Vitamins and Hormones</i> , 2013, 92, 107-123. | 0.7 | 5 |
| 16 | No association of brain-derived neurotrophic factor Val66Met polymorphism with anorexia nervosa in Japanese. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2012, 159B, 48-52. | 1.1 | 10 |
| 17 | A ghrelin gene variant may predict crossover rate from restricting-type anorexia nervosa to other phenotypes of eating disorders: a retrospective survival analysis. <i>Psychiatric Genetics</i> , 2010, 20, 153-159. | 0.6 | 19 |
| 18 | Variations in the preproghrelin gene correlate with higher body mass index, fat mass, and body dissatisfaction in young Japanese women. <i>American Journal of Clinical Nutrition</i> , 2007, 86, 25-32. | 2.2 | 50 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Development and validation of the psychosomatic scale for atopic dermatitis in adults. <i>Journal of Dermatology</i> , 2006, 33, 439-450. | 0.6 | 14 |
| 20 | Possible role of preproghrelin gene polymorphisms in susceptibility to bulimia nervosa. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2006, 141B, 929-934. | 1.1 | 57 |
| 21 | Uncoupling protein-2/uncoupling protein-3 gene polymorphism is not associated with anorexia nervosa. <i>Psychiatric Genetics</i> , 2004, 14, 215-218. | 0.6 | 9 |