

Andres H Neuhaus

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8447138/andres-h-neuhaus-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

53
papers

1,009
citations

20
h-index

29
g-index

56
ext. papers

1,143
ext. citations

4.9
avg, IF

3.91
L-index

#	Paper	IF	Citations
53	Motor cognition in schizophrenia: Control of automatic imitation and mapping of action context are reduced.. <i>Schizophrenia Research</i> , 2022 , 240, 116-124	3.6	
52	Mapping adaptation, deviance detection, and prediction error in auditory processing. <i>NeuroImage</i> , 2020 , 207, 116432	7.9	8
51	Sample Size, Model Robustness, and Classification Accuracy in Diagnostic Multivariate Neuroimaging Analyses. <i>Biological Psychiatry</i> , 2018 , 84, e81-e82	7.9	6
50	Emotional context restores cortical prediction error responses in schizophrenia. <i>Schizophrenia Research</i> , 2018 , 197, 434-440	3.6	2
49	Impact of sample size and matching on single-subject classification of schizophrenia: A meta-analysis. <i>Schizophrenia Research</i> , 2018 , 192, 479-480	3.6	5
48	Disentangling the interaction of sex differences and hemispheric specialization for face processing - Evidence from ERPs. <i>Biological Psychology</i> , 2018 , 136, 144-150	3.2	2
47	Machine learning provides novel neurophysiological features that predict performance to inhibit automated responses. <i>Scientific Reports</i> , 2018 , 8, 16235	4.9	20
46	Opposing Effects of Cannabis Use on Late Auditory Repetition Suppression in Schizophrenia Patients and Healthy Control Subjects. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2017 , 2, 263-271	3.4	4
45	Face identity is encoded in the duration of N170 adaptation. <i>Cortex</i> , 2017 , 86, 55-63	3.8	9
44	Single-subject prediction of response inhibition behavior by event-related potentials. <i>Journal of Neurophysiology</i> , 2016 , 115, 1252-62	3.2	37
43	Importance of Control Biotypes to Distinguish Distinct Psychosis Biotypes. <i>American Journal of Psychiatry</i> , 2016 , 173, 838	11.9	1
42	Mirror neuron deficit in schizophrenia: Evidence from repetition suppression. <i>Schizophrenia Research</i> , 2015 , 168, 174-9	3.6	7
41	Emotional context facilitates cortical prediction error responses. <i>Human Brain Mapping</i> , 2015 , 36, 3641-529	5.9	20
40	Auditory mismatch negativity and repetition suppression deficits in schizophrenia explained by irregular computation of prediction error. <i>PLoS ONE</i> , 2015 , 10, e0126775	3.7	25
39	Critical evaluation of auditory event-related potential deficits in schizophrenia: evidence from large-scale single-subject pattern classification. <i>Schizophrenia Bulletin</i> , 2014 , 40, 1062-71	1.3	21
38	ERP adaptation provides direct evidence for early mirror neuron activation in the inferior parietal lobule. <i>International Journal of Psychophysiology</i> , 2014 , 94, 76-83	2.9	5
37	Neurocognitive pattern analysis reveals classificatory hierarchy of attention deficits in schizophrenia. <i>Schizophrenia Bulletin</i> , 2014 , 40, 878-85	1.3	15

36	Smoking improves divided attention in schizophrenia. <i>Psychopharmacology</i> , 2014 , 231, 3871-7	4.7	20
35	Spatiotemporal dynamics of early cortical gesture processing. <i>NeuroImage</i> , 2014 , 99, 42-9	7.9	6
34	Assessing long-term test-retest reliability of the CPT-IP in schizophrenia. <i>PLoS ONE</i> , 2014 , 9, e84780	3.7	3
33	Single-subject classification of schizophrenia using event-related potentials obtained during auditory and visual oddball paradigms. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2013 , 263, 241-7	5.1	16
32	Evidence for impaired visual prediction error in schizophrenia. <i>Schizophrenia Research</i> , 2013 , 147, 326-30	3.6	20
31	Exploring the time course of N170 repetition suppression: a preliminary study. <i>International Journal of Psychophysiology</i> , 2013 , 87, 183-8	2.9	17
30	Effects of smoking history on selective attention in schizophrenia. <i>Neuropharmacology</i> , 2012 , 62, 1897-903	3.6	21
29	Memory enhancement and deep-brain stimulation of the entorhinal area. <i>New England Journal of Medicine</i> , 2012 , 366, 1945; author reply 1946	59.2	8
28	Visual P3 amplitude modulation deficit in schizophrenia is independent of duration of illness. <i>Schizophrenia Research</i> , 2011 , 130, 210-5	3.6	12
27	Test-retest reliability of Attention Network Test measures in schizophrenia. <i>Schizophrenia Research</i> , 2011 , 133, 218-22	3.6	19
26	Single-subject classification of schizophrenia by event-related potentials during selective attention. <i>NeuroImage</i> , 2011 , 55, 514-21	7.9	30
25	Dissection of early bottom-up and top-down deficits during visual attention in schizophrenia. <i>Clinical Neurophysiology</i> , 2011 , 122, 90-8	4.3	23
24	Smoking reduces language lateralization: a dichotic listening study with control participants and schizophrenia patients. <i>Brain and Cognition</i> , 2011 , 76, 300-9	2.7	18
23	Persistent deficits of visual recall in Kleine-Levin syndrome. <i>Journal of Clinical Neuroscience</i> , 2011 , 18, 439-40	2.2	7
22	Attention Network Test reveals alerting network dysfunction in multiple sclerosis. <i>Multiple Sclerosis Journal</i> , 2010 , 16, 93-9	5	57
21	Association of HTR2C, but not LEP or INSIG2, genes with antipsychotic-induced weight gain in a German sample. <i>Pharmacogenomics</i> , 2010 , 11, 773-80	2.6	62
20	Evidence of specificity of a visual P3 amplitude modulation deficit in schizophrenia. <i>Schizophrenia Research</i> , 2010 , 124, 119-26	3.6	25
19	Event-related potentials associated with Attention Network Test. <i>International Journal of Psychophysiology</i> , 2010 , 76, 72-9	2.9	94

18	COMT Val 158 Met polymorphism is associated with cognitive flexibility in a signal discrimination task in schizophrenia. <i>Pharmacopsychiatry</i> , 2009 , 42, 141-4	2	13
17	Spatiotemporal mapping of sex differences during attentional processing. <i>Human Brain Mapping</i> , 2009 , 30, 2997-3008	5.9	16
16	Attention network test (ANT) reveals gender-specific alterations of executive function in schizophrenia. <i>Psychiatry Research</i> , 2009 , 168, 102-9	9.9	34
15	Acute dopamine depletion with branched chain amino acids decreases auditory top-down event-related potentials in healthy subjects. <i>Schizophrenia Research</i> , 2009 , 111, 167-73	3.6	14
14	Genetic variation in the DAOA gene complex: impact on susceptibility for schizophrenia and on cognitive performance. <i>Schizophrenia Research</i> , 2008 , 103, 169-77	3.6	27
13	ATTENTION NETWORK TEST (ANT) REVEALS GENDER-SPECIFIC ALTERATIONS OF EXECUTIVE FUNCTION IN SCHIZOPHRENIA. <i>Schizophrenia Research</i> , 2008 , 102, 148	3.6	
12	Comparison of midlatency auditory sensory gating at short and long interstimulus intervals. <i>Neuropsychobiology</i> , 2008 , 58, 11-8	4	16
11	Executive attention in schizophrenic males and the impact of COMT Val108/158Met genotype on performance on the attention network test. <i>Schizophrenia Bulletin</i> , 2008 , 34, 1231-9	1.3	41
10	P300 is enhanced in responders to vagus nerve stimulation for treatment of major depressive disorder. <i>Journal of Affective Disorders</i> , 2007 , 100, 123-8	6.6	26
9	Selective anterior cingulate cortex deficit during conflict solution in schizophrenia: an event-related potential study. <i>Journal of Psychiatric Research</i> , 2007 , 41, 635-44	5.2	66
8	Electroconvulsive monotherapy in confusion psychosis: a potential standard regimen?. <i>Pharmacopsychiatry</i> , 2007 , 40, 170-1	2	1
7	Transient hyperglycemia and decreased glucose tolerance during antipsychotic monotherapy with amisulpride. <i>Journal of Clinical Psychopharmacology</i> , 2007 , 27, 92-3	1.7	0
6	Eosinophilia indicating subclinical clozapine-induced pericarditis. <i>Journal of Clinical Psychiatry</i> , 2007 , 68, 1147-8	4.6	9
5	Untersuchungen zu psychopathologischen und neuropsychologischen Symptomen des Delirs. <i>Zeitschrift Fuer Gerontopsychologie Und Psychiatrie</i> , 2007 , 20, 141-149		1
4	Persistent dysfunctional frontal lobe activation in former smokers. <i>Psychopharmacology</i> , 2006 , 186, 191-200	4.9	54
3	Electrophysiological and neuropsychological analysis of a delirious state: the role of the anterior cingulate gyrus. <i>Psychiatry Research - Neuroimaging</i> , 2005 , 138, 171-81	2.9	27
2	Electroconvulsive monotherapy in the treatment of acute confusion psychosis. A case report. <i>Pharmacopsychiatry</i> , 2005 , 38, 330-2	2	4
1	Interictal slow-wave focus in left medial temporal lobe during bilateral electroconvulsive therapy. <i>Neuropsychobiology</i> , 2005 , 52, 183-9	4	6

