

Mehdi Karoui

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8447199/publications.pdf>

Version: 2024-02-01

51
papers

1,731
citations

361388

20
h-index

289230

40
g-index

51
all docs

51
docs citations

51
times ranked

2520
citing authors

#	ARTICLE	IF	CITATIONS
1	Amoxicillin plus clavulanic acid versus appendicectomy for treatment of acute uncomplicated appendicitis: an open-label, non-inferiority, randomised controlled trial. <i>Lancet</i> , The, 2011, 377, 1573-1579.	13.7	520
2	Plasma Circulating Tumor DNA in Pancreatic Cancer Patients Is a Prognostic Marker. <i>Clinical Cancer Research</i> , 2017, 23, 116-123.	7.0	205
3	Laparoscopic Peritoneal Lavage or Primary Anastomosis With Defunctioning Stoma for Hinchey 3 Complicated Diverticulitis. <i>Diseases of the Colon and Rectum</i> , 2009, 52, 609-615.	1.3	94
4	Droplet digital PCR of circulating tumor cells from colorectal cancer patients can predict KRAS mutations before surgery. <i>Molecular Oncology</i> , 2016, 10, 1221-1231.	4.6	78
5	Combined first-stage hepatectomy and colorectal resection in a two-stage hepatectomy strategy for bilobar synchronous liver metastases. <i>British Journal of Surgery</i> , 2010, 97, 1354-1362.	0.3	74
6	Perioperative FOLFOX 4 Versus FOLFOX 4 Plus Cetuximab Versus Immediate Surgery for High-Risk Stage II and III Colon Cancers. <i>Annals of Surgery</i> , 2020, 271, 637-645.	4.2	65
7	Right Colon to Rectal Anastomosis (Deloyers Procedure) as a Salvage Technique for Low Colorectal or Coloanal Anastomosis. <i>Diseases of the Colon and Rectum</i> , 2012, 55, 363-368.	1.3	63
8	Single-incision Laparoscopy Versus Multiport Laparoscopy for Colonic Surgery. <i>Annals of Surgery</i> , 2018, 268, 740-746.	4.2	53
9	Neoadjuvant FOLFOX 4 versus FOLFOX 4 with Cetuximab versus immediate surgery for high-risk stage II and III colon cancers: a multicentre randomised controlled phase II trial – the PRODIGE 22 - ECKINOXE trial. <i>BMC Cancer</i> , 2015, 15, 511.	2.6	43
10	What is the Best Option Between Primary Diverting Stoma or Endoscopic Stent as a Bridge to Surgery with a Curative Intent for Obstructed Left Colon Cancer? Results from a Propensity Score Analysis of the French Surgical Association Multicenter Cohort of 518 Patients. <i>Annals of Surgical Oncology</i> , 2019, 26, 756-764.	1.5	35
11	Place of colorectal stents in therapeutic management of malignant large bowel obstructions. <i>Endoscopy</i> , 2014, 46, 546-552.	1.8	33
12	End Colostomy With or Without Mesh to Prevent a Parastomal Hernia (GRECCAR 7). <i>Annals of Surgery</i> , 2021, 274, 928-934.	4.2	33
13	Primary chemotherapy with or without colonic stent for management of irresectable stage IV colorectal cancer. <i>European Journal of Surgical Oncology</i> , 2010, 36, 58-64.	1.0	31
14	Elective subtotal colectomy with ileosigmoid anastomosis for colon cancer preserves bowel function and quality of life. <i>Colorectal Disease</i> , 2013, 15, 1078-1085.	1.4	29
15	Short-term and Long-term Outcome of Endoluminal Vacuum Therapy for Colorectal or Coloanal Anastomotic Leakage: Results of a Nationwide Multicenter Cohort Study From the French GRECCAR Group. <i>Diseases of the Colon and Rectum</i> , 2020, 63, 371-380.	1.3	29
16	Surgical management of obstructive right-sided colon cancer at a national level results of a multicenter study of the French Surgical Association in 776 patients. <i>European Journal of Surgical Oncology</i> , 2018, 44, 1522-1531.	1.0	28
17	Emergency Surgery for Obstructive Colon Cancer in Elderly Patients: Results of a Multicentric Cohort of the French National Surgical Association. <i>Diseases of the Colon and Rectum</i> , 2019, 62, 941-951.	1.3	26
18	Is primary tumor resection associated with a longer survival in colon cancer and unresectable synchronous metastases? A 4-year multicentre experience. <i>European Journal of Surgical Oncology</i> , 2014, 40, 685-691.	1.0	25

#	ARTICLE	IF	CITATIONS
19	Elective surgery for tumours of the splenic flexure: a French inter-group (AFC, SFCO, FRENCH,) Tj ETQq1 1 0.784314 1.85 / Overlock 101	1.8	24
20	Does neoadjuvant FOLFOX chemotherapy improve the prognosis of high-risk Stage II and III colon cancers? Three years' follow-up results of the PRODIGE 22 phase II randomized multicentre trial. Colorectal Disease, 2021, 23, 1357-1369.	1.4	23
21	What Is the Optimal Elective Colectomy for Splenic Flexure Cancer: End of the Debate? A Multicenter Study From the GRECCAR Group With a Propensity Score Analysis. Diseases of the Colon and Rectum, 2022, 65, 55-65.	1.3	23
22	Lymph node metastases in splenic flexure colon cancer: Is subtotal colectomy warranted?. Journal of Surgical Oncology, 2018, 118, 1027-1033.	1.7	22
23	Right-sided vs. left-sided obstructing colonic cancer: results of a multicenter study of the French Surgical Association in 2325 patients and literature review. International Journal of Colorectal Disease, 2019, 34, 1021-1032.	2.2	20
24	Prognostic factors and patterns of recurrence after emergency management for obstructing colon cancer: multivariate analysis from a series of 2120 patients. Langenbeck's Archives of Surgery, 2019, 404, 717-729.	1.9	19
25	Surgical management of obstructive left colon cancer at a national level: Results of a multicentre study of the French Surgical Association in 1500 patients. Journal of Visceral Surgery, 2019, 156, 197-208.	0.8	15
26	How I treat stage II colon cancer patients. ESMO Open, 2021, 6, 100184.	4.5	14
27	Neoadjuvant Treatment in Upper Rectal Cancer Does Not Improve Oncologic Outcomes But Increases Postoperative Morbidity. Anticancer Research, 2020, 40, 3579-3587.	1.1	12
28	Influence of Molecular Status on Recurrence Site in Patients Treated for a Stage III Colon Cancer: a Post Hoc Analysis of the PETACC-8 Trial. Annals of Surgical Oncology, 2019, 26, 3561-3567.	1.5	11
29	Thirty-day mortality after emergency surgery for obstructing colon cancer: survey and dedicated score from the French Surgical Association. Colorectal Disease, 2019, 21, 782-790.	1.4	11
30	30-Day Postoperative Morbidity of Emergency Surgery for Obstructive Right- and Left-Sided Colon Cancer in Obese Patients: A Multicenter Cohort Study of the French Surgical Association. Digestive Surgery, 2020, 37, 111-118.	1.2	10
31	Outpatient Appendectomy in an Emergency Outpatient Surgery Unit 24 h a Day: An Intentional Treatment Analysis of 194 Patients. World Journal of Surgery, 2017, 41, 2471-2479.	1.6	9
32	Is Adjuvant Chemotherapy Necessary for Obstructing Stage II Colon Cancer? Results From a Propensity Score Analysis of the French Surgical Association Database. Annals of Surgery, 2022, 275, 149-156.	4.2	9
33	En bloc stapled diaphragmatic resection for local invasion during hepatectomy: a simple technique without opening the pleural cavity. American Journal of Surgery, 2007, 193, 786-788.	1.8	7
34	Colon sparing resection versus extended colectomy for left-sided obstructing colon cancer with caecal ischaemia or perforation: a nationwide study from the French Surgical Association. Colorectal Disease, 2020, 22, 1304-1313.	1.4	6
35	Multicenter phase III randomized trial comparing laparoscopy and laparotomy for colon cancer surgery in patients older than 75 years: the CELL study, a Fédération de Recherche en Chirurgie (FRENCH) trial. BMC Cancer, 2019, 19, 1185.	2.6	5
36	Impact of hospital volume on outcomes after emergency management of obstructive colon cancer: a nationwide study of 1957 patients. International Journal of Colorectal Disease, 2020, 35, 1865-1874.	2.2	4

#	ARTICLE	IF	CITATIONS
37	Upfront progression under pembrolizumab followed by a complete response after encorafenib and cetuximab treatment in BRAF V600E mutated and microsatellite unstable metastatic colorectal cancer patient: A case report. <i>Genes Chromosomes and Cancer</i> , 2022, 61, 114-118.	2.8	4
38	YpN0 rectal cancer patients with sterilized lymph nodes after neoadjuvant chemoradiotherapy are of greater risk of recurrence. <i>Digestive and Liver Disease</i> , 2020, 52, 214-220.	0.9	3
39	Impact of laparoscopy on oncological outcomes after colectomy for stage III colon cancer: A post-hoc multivariate analysis from PETACC8 European randomized clinical trial. <i>Digestive and Liver Disease</i> , 2021, 53, 1034-1040.	0.9	3
40	The "Immunoscore" in rectal cancer: could we search quality beyond quantity of life?. <i>Oncotarget</i> , 2022, 13, 18-31.	1.8	3
41	Imaging of postoperative complications following Ivor-Lewis esophagectomy. <i>Diagnostic and Interventional Imaging</i> , 2022, 103, 67-78.	3.2	3
42	The "Short-Cut" Laparoscopic Reverse Approach: A Novel Strategy for Synchronous Colorectal Cancer and Liver Metastases Requiring Major or Complex Procedures?. <i>World Journal of Surgery</i> , 2019, 43, 2086-2089.	1.6	2
43	Outcomes of surgical management for borderline (BR)/locally advanced (LA) pancreatic adenocarcinoma (PAC) after neoadjuvant FOLFIRINOX chemotherapy: Results of an AGEO/French multicenter study.. <i>Journal of Clinical Oncology</i> , 2014, 32, e15250-e15250.	1.6	2
44	Computed Tomography Colonography Angiography (CTC-A) prior to colectomy for cancer: A new tool for surgeons. <i>Journal of Visceral Surgery</i> , 2022, 159, 136-143.	0.8	1
45	Emergency surgery for obstructive splenic flexure colon cancer: results of a multicentric study of the French Surgical Association (AFC). <i>Updates in Surgery</i> , 2021, , 1.	2.0	1
46	Pathological complete response of liver metastases of cholangiocarcinoma using hepatic intra-arterial gemcitabine-oxaliplatin. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2022, , 101920.	1.5	1
47	Response to Dr. Veld et al. Regarding the Manuscript Titled "What is the Best Option Between Primary Diverting Stoma or Endoscopic Stent as a Bridge to Surgery with a Curative Intent for Obstructed Left Colon Cancer? Results from a Propensity Score Analysis of the French Surgical Association Multicenter Cohort of 518 patients". <i>Annals of Surgical Oncology</i> , 2019, 26, 1954-1955.	1.5	0
48	How I do a colonic J-pouch prolapse repair after coloanal anastomosis with an aponeurotic graft. <i>ANZ Journal of Surgery</i> , 2019, 89, 115-116.	0.7	0
49	Comments On "A Prospective, Single-Arm, Multicenter Trial of Diverting Stoma Followed By Neoadjuvant Chemotherapy Using mFOLFOX6 for Obstructive Colon Cancer: YCOG 1305 (PROBE study)". <i>Ann Surg</i> 2020 [Epub ahead of print]. DOI: 10.1097/SLA.0000000000004494. <i>Annals of Surgery</i> , 2021, 274, e878-e879.	4.2	0
50	Chirurgie du cancer du clon gauche en occlusion: rsultat de lâtude multicentrique de lâAssociation franaise de chirurgie sur 1500patients. <i>Journal De Chirurgie Viscrale</i> , 2019, 156, 223-235.	0.0	0
51	Nonmetastatic ypt0 rectal cancer after neoadjuvant treatment and total mesorectal excision: Lessons from a retrospective multicentric cohort of 383 patients. <i>Surgery</i> , 2022, , .	1.9	0