

# Yuko Kaneko

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/8448098/yuko-kaneko-publications-by-citations.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

91  
papers

1,250  
citations

18  
h-index

32  
g-index

99  
ext. papers

1,663  
ext. citations

4  
avg, IF

4.99  
L-index

#	Paper	IF	Citations
91	Number of Circulating Follicular Helper 2 T Cells Correlates With IgG4 and Interleukin-4 Levels and Plasmablast Numbers in IgG4-Related Disease. <i>Arthritis and Rheumatology</i> , <b>2015</b> , 67, 2476-81	9.5	128
90	Enhanced IgG4 production by follicular helper 2T cells and the involvement of follicular helper 1T cells in the pathogenesis of IgG4-related disease. <i>Arthritis Research and Therapy</i> , <b>2016</b> , 18, 167	5.7	104
89	Tocilizumab in patients with adult-onset Still's disease refractory to glucocorticoid treatment: a randomised, double-blind, placebo-controlled phase III trial. <i>Annals of the Rheumatic Diseases</i> , <b>2018</b> , 77, 1720-1729	2.4	83
88	Peripheral blood CD4(+)CD25(+)CD127(low) regulatory T cells are significantly increased by tocilizumab treatment in patients with rheumatoid arthritis: increase in regulatory T cells correlates with clinical response. <i>Arthritis Research and Therapy</i> , <b>2015</b> , 17, 10	5.7	71
87	Comparison of adding tocilizumab to methotrexate with switching to tocilizumab in patients with rheumatoid arthritis with inadequate response to methotrexate: 52-week results from a prospective, randomised, controlled study (SURPRISE study). <i>Annals of the Rheumatic Diseases</i> , <b>2016</b> , 75, 1917-1923	2.4	69
86	Reduction of plasma IL-6 but not TNF- $\alpha$ by methotrexate in patients with early rheumatoid arthritis: a potential biomarker for radiographic progression. <i>Clinical Rheumatology</i> , <b>2013</b> , 32, 1661-6	3.9	52
85	Sensitivity and specificity of 2010 rheumatoid arthritis classification criteria. <i>Rheumatology</i> , <b>2011</b> , 50, 1268-74	3.9	51
84	Follicular helper T cells in the pathogenesis of IgG4-related disease. <i>Rheumatology</i> , <b>2018</b> , 57, 236-245	3.9	46
83	Association of disease activity with acute exacerbation of interstitial lung disease during tocilizumab treatment in patients with rheumatoid arthritis: a retrospective, case-control study. <i>Rheumatology International</i> , <b>2016</b> , 36, 881-9	3.6	39
82	Effectiveness and safety of adalimumab in Japanese patients with rheumatoid arthritis: retrospective analyses of data collected during the first year of adalimumab treatment in routine clinical practice (HARMONY study). <i>Modern Rheumatology</i> , <b>2012</b> , 22, 327-338	3.3	36
81	Tocilizumab discontinuation after attaining remission in patients with rheumatoid arthritis who were treated with tocilizumab alone or in combination with methotrexate: results from a prospective randomised controlled study (the second year of the SURPRISE study). <i>Annals of the Rheumatic Diseases</i> , <b>2018</b> , 77, 1268-1275	2.4	32
80	The effect of tocilizumab on preventing relapses in adult-onset Still's disease: A retrospective, single-center study. <i>Modern Rheumatology</i> , <b>2015</b> , 25, 401-4	3.3	30
79	Characteristics and prognosis of IgG4-related periaortitis/periarteritis: A systematic literature review. <i>Autoimmunity Reviews</i> , <b>2019</b> , 18, 102354	13.6	30
78	Pneumocystis jiroveci pneumonia associated with low-dose methotrexate treatment for rheumatoid arthritis: report of two cases and review of the literature. <i>Modern Rheumatology</i> , <b>2006</b> , 16, 36-38	3.3	30
77	Discordance in global assessments between patient and estimator in patients with newly diagnosed rheumatoid arthritis: associations with progressive joint destruction and functional impairment. <i>Journal of Rheumatology</i> , <b>2014</b> , 41, 1061-6	4.1	27
76	Distinct features distinguishing IgG4-related disease from multicentric Castleman's disease. <i>RMD Open</i> , <b>2017</b> , 3, e000432	5.9	25
75	Postoperative complications in patients with rheumatoid arthritis using a biological agent - A systematic review and meta-analysis. <i>Modern Rheumatology</i> , <b>2015</b> , 25, 672-8	3.3	23

74	Effectiveness of tocilizumab in Behcet's disease: A systematic literature review. <i>Seminars in Arthritis and Rheumatism</i> , <b>2020</b> , 50, 797-804	5.3	20
73	A paradigm shift in rheumatoid arthritis over the past decade. <i>Internal Medicine</i> , <b>2014</b> , 53, 1895-903	1.1	17
72	Pneumocystis jiroveci pneumonia associated with low-dose methotrexate treatment for rheumatoid arthritis: report of two cases and review of the literature. <i>Modern Rheumatology</i> , <b>2006</b> , 16, 36-8	3.3	16
71	Comparison of the clinical effectiveness of tumour necrosis factor inhibitors and abatacept after insufficient response to tocilizumab in patients with rheumatoid arthritis. <i>Clinical Rheumatology</i> , <b>2016</b> , 35, 2829-2834	3.9	15
70	Safety of Biologic Agents in Elderly Patients with Rheumatoid Arthritis. <i>Journal of Rheumatology</i> , <b>2016</b> , 43, 1984-1988	4.1	15
69	IgG4-related disease involving vital organs diagnosed with lip biopsy: A case report and literature review. <i>Medicine (United States)</i> , <b>2016</b> , 95, e3970	1.8	14
68	Pre-treatment interleukin-6 levels strongly affect bone erosion progression and repair detected by magnetic resonance imaging in rheumatoid arthritis patients. <i>Rheumatology</i> , <b>2017</b> , 56, 1089-1094	3.9	13
67	Rituximab for the treatment of eosinophilic granulomatosis with polyangiitis: A systematic literature review. <i>Autoimmunity Reviews</i> , <b>2021</b> , 20, 102737	13.6	13
66	Expression of Nav1.1 in rat retinal All amacrine cells. <i>Neuroscience Letters</i> , <b>2007</b> , 424, 83-8	3.3	12
65	Subclinical labial salivary gland involvement in IgG4-related disease affected with vital organs. <i>Clinical and Experimental Rheumatology</i> , <b>2015</b> , 33, 949-50	2.2	12
64	Importance of Obtaining Remission for Work Productivity and Activity of Patients with Rheumatoid Arthritis. <i>Journal of Rheumatology</i> , <b>2017</b> , 44, 1112-1117	4.1	11
63	Clinical Characteristics of Patients with Spondyloarthritis in Japan in Comparison with Other Regions of the World. <i>Journal of Rheumatology</i> , <b>2019</b> , 46, 896-903	4.1	10
62	Tocilizumab in isolated polymyalgia rheumatica: A systematic literature review. <i>Seminars in Arthritis and Rheumatism</i> , <b>2020</b> , 50, 521-525	5.3	10
61	Determinants of Patient's Global Assessment of Disease Activity and Physician's Global Assessment of Disease Activity in patients with rheumatoid arthritis: A post hoc analysis of overall and Japanese results from phase 3 clinical trials. <i>Modern Rheumatology</i> , <b>2018</b> , 28, 960-967	3.3	10
60	Polymyositis with elevated serum IgG4 levels and abundant IgG4+ plasma cell infiltration: A case report and literature review. <i>Medicine (United States)</i> , <b>2017</b> , 96, e8710	1.8	10
59	Systemic lupus erythematosus associated with recurrent lupus enteritis and peritonitis. <i>Clinical Rheumatology</i> , <b>2004</b> , 23, 351-4	3.9	10
58	The process of collecting and evaluating evidences for the development of Guidelines for the management of rheumatoid arthritis, Japan College of Rheumatology 2014: Utilization of GRADE approach. <i>Modern Rheumatology</i> , <b>2016</b> , 26, 175-9	3.3	9
57	Peripheral TIGIT+ T Follicular Helper Cells That Produce High Levels of Interleukin-21 OX40 Represent Disease Activity in IgG4-Related Disease. <i>Frontiers in Immunology</i> , <b>2021</b> , 12, 651357	8.4	8

56	Lymphadenopathy in IgG4-related disease: a phenotype of severe activity and poor prognosis, with eotaxin-3 as a new biomarker. <i>Rheumatology</i> , <b>2021</b> , 60, 967-975	3.9	8
55	Serum soluble interleukin-2 receptor is a useful biomarker for disease activity but not for differential diagnosis in IgG4-related disease and primary Sjögren's syndrome adults from a defined population. <i>Clinical and Experimental Rheumatology</i> , <b>2018</b> , 36 Suppl 112, 157-164	2.2	8
54	Comparison of the Clinical Characteristics of Pneumocystis Pneumonia between Patients with Rheumatoid Arthritis Being Treated with Biologics and Those Being Treated without Biologics. <i>BioMed Research International</i> , <b>2017</b> , 2017, 3710652	3	7
53	Sustained discontinuation of infliximab with a raising-dose strategy after obtaining remission in patients with rheumatoid arthritis: the RRRR study, a randomised controlled trial. <i>Annals of the Rheumatic Diseases</i> , <b>2020</b> , 79, 94-102	2.4	7
52	Characteristics and prognosis of ANCA-positive retroperitoneal fibrosis: A systematic literature review. <i>Autoimmunity Reviews</i> , <b>2020</b> , 19, 102642	13.6	7
51	Eosinophilic granulomatosis with polyangiitis can manifest lacrimal and salivary glands swelling by granulomatous inflammation: a potential mimicker of IgG4-related disease. <i>Annals of the Rheumatic Diseases</i> , <b>2020</b> ,	2.4	6
50	Characteristics of patients with difficult-to-treat rheumatoid arthritis in clinical practice. <i>Rheumatology</i> , <b>2021</b> , 60, 5247-5256	3.9	6
49	CDAI and DAS28 in the management of rheumatoid arthritis in clinical practice. <i>Annals of the Rheumatic Diseases</i> , <b>2020</b> , 79, 671-674	2.4	5
48	Structural damages disturb functional improvement in patients with rheumatoid arthritis treated with etanercept. <i>Modern Rheumatology</i> , <b>2012</b> , 22, 186-194	3.3	5
47	American College of Rheumatology/European League Against Rheumatism remission criteria for rheumatoid arthritis maintain reliable performance when evaluated in 44 joints. <i>Journal of Rheumatology</i> , <b>2013</b> , 40, 1254-8	4.1	5
46	Pathogenesis, clinical features, and treatment strategy for rheumatoid arthritis-associated interstitial lung disease.. <i>Autoimmunity Reviews</i> , <b>2022</b> , 21, 103056	13.6	5
45	Tocilizumab for the treatment of polyarteritis nodosa: a systematic literature review. <i>Annals of the Rheumatic Diseases</i> , <b>2020</b> ,	2.4	5
44	Does microbiome contribute to HLA-B52-positive Takayasu arteritis?. <i>Modern Rheumatology</i> , <b>2020</b> , 30, 213-217	3.3	5
43	Biomarkers for disease flare in patients with adult-onset Still's disease undergoing treatment with tocilizumab. <i>Rheumatology</i> , <b>2020</b> , 59, 440-442	3.9	5
42	Integrating patients' perceptions into clinical practice guidelines for the management of rheumatoid arthritis in Japan. <i>Modern Rheumatology</i> , <b>2017</b> , 27, 924-929	3.3	4
41	Impact of subclinical synovitis in ankles and feet detected by ultrasonography in patients with rheumatoid arthritis. <i>International Journal of Rheumatic Diseases</i> , <b>2019</b> , 22, 62-67	2.3	4
40	Association of radiographic findings in hand X-ray with clinical features and autoantibodies in patients with systemic sclerosis. <i>Clinical Rheumatology</i> , <b>2020</b> , 39, 113-118	3.9	4
39	Risk factors of relapse following glucocorticoid tapering in IgG4-related disease. <i>Clinical and Experimental Rheumatology</i> , <b>2018</b> , 36 Suppl 112, 186-189	2.2	4

38	Unusual retinal layer organization in HPC-1/syntaxin 1A knockout mice. <i>Journal of Molecular Histology</i> , <b>2011</b> , 42, 483-9	3.3	3
37	Interleukin-6 inhibitors for the treatment of adult-onset Still's disease. <i>Modern Rheumatology</i> , <b>2021</b> , ,	3.3	3
36	Tocilizumab for the treatment of TAFRO syndrome: a systematic literature review. <i>Annals of Hematology</i> , <b>2020</b> , 99, 2463-2475	3	3
35	Lupus aortitis: A fatal, inflammatory cardiovascular complication in systemic lupus erythematosus. <i>Lupus</i> , <b>2020</b> , 29, 1652-1654	2.6	3
34	Salivary gland involvement in ANCA-associated vasculitis. <i>Autoimmunity Reviews</i> , <b>2021</b> , 20, 102940	13.6	3
33	Interleukin-4 as an emerging therapeutic target for IgG4-related disease. <i>Annals of the Rheumatic Diseases</i> , <b>2020</b> ,	2.4	2
32	High serum IgA and activated Th17 and Treg predict the efficacy of abatacept in patients with early, seropositive rheumatoid arthritis. <i>Clinical Rheumatology</i> , <b>2021</b> , 40, 3615-3626	3.9	2
31	Characteristics and prognosis of IgG4-related skin disease: A case report and systematic literature review. <i>Autoimmunity Reviews</i> , <b>2021</b> , 20, 102805	13.6	2
30	IgG4-Related Disease: A Growing Appreciation of Follicular Helper T Cell Expansion. <i>Clinical and Translational Gastroenterology</i> , <b>2019</b> , 10, e00076	4.2	2
29	Assessment of discordance of treatment satisfaction between patients with rheumatoid arthritis in low disease activity or in remission and their treating physicians: A cross-sectional survey. <i>Modern Rheumatology</i> , <b>2021</b> , 31, 326-333	3.3	2
28	Efficacy and safety of tacrolimus in patients with rheumatoid arthritis - A systematic review and meta-analysis. <i>Modern Rheumatology</i> , <b>2021</b> , 31, 61-69	3.3	2
27	Does exercise therapy improve patient-reported outcomes in rheumatoid arthritis? A systematic review and meta-analysis for the update of the 2020 JCR guidelines for the management of rheumatoid arthritis. <i>Modern Rheumatology</i> , <b>2021</b> , 1-14	3.3	2
26	Comment on: Persistence of circulating T-follicular helper cells after rituximab is associated with relapse of IgG4-related disease. <i>Rheumatology</i> , <b>2021</b> , 60, e412-e413	3.9	2
25	Clinical characteristics of non-radiographic versus radiographic axial spondyloarthritis in Asia and non-radiographic axial spondyloarthritis in other regions: results of the cross-sectional ASAS-COMOSPA study. <i>RMD Open</i> , <b>2021</b> , 7,	5.9	2
24	An update on the pathogenic role of IL-6 in rheumatic diseases. <i>Cytokine</i> , <b>2021</b> , 146, 155645	4	2
23	COVID-19 shares clinical features with anti-melanoma differentiation-associated protein 5 positive dermatomyositis and adult Still's disease. <i>Clinical and Experimental Rheumatology</i> , <b>2021</b> , 39, 631-638	2.2	2
22	Efficacy and safety of peficitinib in rheumatoid arthritis. <i>Modern Rheumatology</i> , <b>2020</b> , 30, 773-778	3.3	1
21	Etiology of IgG4-Related Pulmonary Hypertension. <i>Cardiology</i> , <b>2020</b> , 145, 263-266	1.6	1

20	Ground Glass Opacity with Mixed Consolidation on Chest Computed Tomography Reflects the Severe Condition of Pneumocystis Pneumonia in Association with a Poor Prognosis in Patients with Connective Tissue Diseases. <i>Internal Medicine</i> , <b>2019</b> , 58, 3379-3383	1.1	1
19	Osteolytic change of distal interphalangeal joints and sacroiliac joints in subluxing arthropathy associated with anti-Jo-1 antibody. <i>Joint Bone Spine</i> , <b>2013</b> , 80, 544-5	2.9	1
18	Comment on: HHV-8-negative multicentric Castleman disease patients with serological, histopathological and imaging features of IgG4-related disease. <i>Rheumatology</i> , <b>2021</b> , 60, e73-e75	3.9	1
17	A retrospective analysis of the relationship between anti-cyclic citrullinated peptide antibody and the effectiveness of abatacept in rheumatoid arthritis patients. <i>Scientific Reports</i> , <b>2020</b> , 10, 19717	4.9	1
16	Systematic review and meta-analysis of biosimilar for the treatment of rheumatoid arthritis informing the 2020 update of the Japan College of Rheumatology clinical practice guidelines for the management of rheumatoid arthritis. <i>Modern Rheumatology</i> , <b>2021</b> , 1-13	3.3	1
15	Proton Pump Inhibitor and Tacrolimus Uses are Associated With Hypomagnesemia in Connective Tissue Disease: a Potential Link With Renal Dysfunction and Recurrent Infection. <i>Frontiers in Pharmacology</i> , <b>2021</b> , 12, 616719	5.6	1
14	Interleukin-6 inhibition: a therapeutic strategy for the management of adult-onset Still's disease. <i>Expert Opinion on Biological Therapy</i> , <b>2021</b> , 1-7	5.4	1
13	Comprehensive risk analysis of postoperative complications in patients with rheumatoid arthritis for the 2020 update of the Japan College of Rheumatology clinical practice guidelines for the management of rheumatoid arthritis. <i>Modern Rheumatology</i> , <b>2021</b> , 1-11	3.3	1
12	IgG4-related disease and idiopathic multicentric Castleman's disease: confusable immune-mediated disorders. <i>Rheumatology</i> , <b>2021</b> ,	3.9	1
11	Response to a letter to the editor entitled "Is tocilizumab as efficient as steroids early in polymyalgia rheumatica?". <i>Seminars in Arthritis and Rheumatism</i> , <b>2020</b> , 50, 890	5.3	0
10	Subtypes in eosinophilic granulomatosis with polyangiitis classified according to rheumatoid factor. <i>Clinical Rheumatology</i> , <b>2019</b> , 38, 3493-3499	3.9	0
9	Safety and tolerability of ultrasound-guided synovial needle biopsy in Japanese arthritis patients. <i>Modern Rheumatology</i> , <b>2021</b> , 31, 960-965	3.3	0
8	Systematic review for the treatment of older rheumatoid arthritis patients informing the 2020 update of the Japan College of Rheumatology clinical practice guidelines for the management of rheumatoid arthritis. <i>Modern Rheumatology</i> , <b>2021</b> , 1-15	3.3	0
7	Patients' perspectives of rheumatoid arthritis treatment: a questionnaire survey for the 2020 update of the Japan college of rheumatology clinical practice guidelines. <i>Modern Rheumatology</i> , <b>2021</b> , 1-6	3.3	0
6	Current status of shared decision making for rheumatoid arthritis treatment in Japan: a web-based survey on physicians and patients.. <i>Current Medical Research and Opinion</i> , <b>2022</b> , 1-16	2.5	0
5	Localization of ENaC subunit mRNAs in adult bullfrog skin. <i>Acta Histochemica</i> , <b>2012</b> , 114, 172-6	2	
4	VIII. Patient Reported Outcome in Rheumatoid Arthritis. <i>The Journal of the Japanese Society of Internal Medicine</i> , <b>2019</b> , 108, 2124-2128	0	
3	Recent Advances in Understanding the Role of TIGIT+ Follicular Helper T Cells in IgG4-Related Disease. <i>Immuno</i> , <b>2021</b> , 1, 380-390		

- 2 Patient satisfaction with total joint replacement surgery for rheumatoid arthritis: a questionnaire survey for the 2020 update of the Japan college of rheumatology clinical practice guidelines. *Modern Rheumatology*, **2021**, 1-6 3.3
- 1 Response to Tocilizumab in patients with adult-onset Still's disease refractory to glucocorticoid treatment by Lee. *Annals of the Rheumatic Diseases*, **2019**, 78, e134 2.4