Jeong-Hyung Lee

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/8450275/jeong-hyung-lee-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

38	585	15	23
papers	citations	h-index	g-index
41	729	5.4	3.7
ext. papers	ext. citations	avg, IF	L-index

#	Paper	IF	Citations
38	Syntenin-1-mediated small extracellular vesicles promotes cell growth, migration, and angiogenesis by increasing onco-miRNAs secretion in lung cancer cells <i>Cell Death and Disease</i> , 2022 , 13, 122	9.8	3
37	REDD1 is a determinant of low-dose metronomic doxorubicin-elicited endothelial cell dysfunction through downregulation of VEGFR-2/3 expression. <i>Experimental and Molecular Medicine</i> , 2021 , 53, 1612	!- 162 2	1
36	Anti-osteoclastogenic Effects of Indole Alkaloids Isolated from Barley (Var.) Grass. <i>Journal of Agricultural and Food Chemistry</i> , 2021 , 69, 12994-13005	5.7	O
35	Phytochemicals Targeting JAK-STAT Pathways in Inflammatory Bowel Disease: Insights from Animal Models. <i>Molecules</i> , 2021 , 26,	4.8	4
34	Human plasminogen-derived N-acetyl-Arg-Leu-Tyr-Glu antagonizes VEGFR-2 to prevent blood-retinal barrier breakdown in diabetic mice. <i>Biomedicine and Pharmacotherapy</i> , 2021 , 134, 111110	7.5	2
33	Epigenetic regulation of TGF-Induced EMT by JMJD3/KDM6B histone H3K27 demethylase. <i>Oncogenesis</i> , 2021 , 10, 17	6.6	7
32	Structural characterization of prenylated compounds from Broussonetia kazinoki and their antiosteoclastogenic activity. <i>Phytochemistry</i> , 2021 , 188, 112791	4	O
31	Anti-osteoclastogenic activity of metabolites isolated from Viburnum lutescens Blume. <i>Phytochemistry Letters</i> , 2021 , 45, 13-18	1.9	O
30	Anti-osteoclastogenic cycloartane saponins from Natural Product Research, 2021, 1-8	2.3	O
29	C5, A Cassaine Diterpenoid Amine, Induces Apoptosis via the Extrinsic Pathways in Human Lung Cancer Cells and Human Lymphoma Cells. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	4
28	3-Hydroxyolean-12-en-27-oic Acids Inhibit RANKL-Induced Osteoclastogenesis in Vitro and Inflammation-Induced Bone Loss in Vivo. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	3
27	Albanol B from Mulberries Exerts Anti-Cancer Effect through Mitochondria ROS Production in Lung Cancer Cells and Suppresses In Vivo Tumor Growth. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	3
26	6,7,4VTrihydroxyflavone inhibits osteoclast formation and bone resorption in vitro and in vivo. <i>Phytotherapy Research</i> , 2019 , 33, 2948-2959	6.7	9
25	Identification of anti-osteoclastogenic compounds from Cleistocalyx operculatus flower buds and their effects on RANKL-induced osteoclastogenesis. <i>Journal of Functional Foods</i> , 2019 , 60, 103388	5.1	5
24	Protective effects of extract of Cleistocalyx operculatus flower buds and its isolated major constituent against LPS-induced endotoxic shock by activating the Nrf2/HO-1 pathway. <i>Food and Chemical Toxicology</i> , 2019 , 129, 125-137	4.7	7
23	Ethanol extract of Polyscias fruticosa leaves suppresses RANKL-mediated osteoclastogenesis in vitro and LPS-induced bone loss in vivo. <i>Phytomedicine</i> , 2019 , 59, 152908	6.5	7
22	Ganomycin I from Ganoderma lucidum attenuates RANKL-mediated osteoclastogenesis by inhibiting MAPKs and NFATc1. <i>Phytomedicine</i> , 2019 , 55, 1-8	6.5	17

(2014-2018)

21	A prenylated flavonoid, 10-oxomornigrol F, exhibits anti-inflammatory effects by activating the Nrf2/heme oxygenase-1 pathway in macrophage cells. <i>International Immunopharmacology</i> , 2018 , 55, 165-173	5.8	11
20	Triterpenoids from Ziziphus jujuba induce apoptotic cell death in human cancer cells through mitochondrial reactive oxygen species production. <i>Food and Function</i> , 2018 , 9, 3895-3905	6.1	20
19	Desoxyrhapontigenin inhibits RANKL-induced osteoclast formation and prevents inflammation-mediated bone loss. <i>International Journal of Molecular Medicine</i> , 2018 , 42, 569-578	4.4	8
18	Degalactotigonin, a Steroidal Glycoside from , Induces Apoptosis and Cell Cycle Arrest via Inhibiting the EGFR Signaling Pathways in Pancreatic Cancer Cells. <i>BioMed Research International</i> , 2018 , 2018, 312	o ³ 972	8
17	Alkaloids from Piper nigrum Exhibit Antiinflammatory Activity via Activating the Nrf2/HO-1 Pathway. <i>Phytotherapy Research</i> , 2017 , 31, 663-670	6.7	21
16	Anti-inflammatory activities of compounds from twigs of Morus alba. <i>Floterap</i> [] 2017 , 120, 17-24	3.2	17
15	Sappanone A inhibits RANKL-induced osteoclastogenesis in BMMs and prevents inflammation-mediated bone loss. <i>International Immunopharmacology</i> , 2017 , 52, 230-237	5.8	21
14	Syntenin promotes VEGF-induced VEGFR2 endocytosis and angiogenesis by increasing ephrin-B2 function in endothelial cells. <i>Oncotarget</i> , 2017 , 8, 38886-38901	3.3	13
13	A cassaine diterpene alkaloid, 3Eacetyl-nor-erythrophlamide, suppresses VEGF-induced angiogenesis and tumor growth via inhibiting eNOS activation. <i>Oncotarget</i> , 2017 , 8, 92346-92358	3.3	9
12	A new anti-inflammatory Etarboline alkaloid from the hairy-root cultures of Eurycoma longifolia. <i>Natural Product Research</i> , 2016 , 30, 1360-5	2.3	19
11	7-Methoxy-(9H-ECarbolin-1-il)-(E)-1-Propenoic Acid, a ECarboline Alkaloid From Eurycoma longifolia, Exhibits Anti-Inflammatory Effects by Activating the Nrf2/Heme Oxygenase-1 Pathway. <i>Journal of Cellular Biochemistry</i> , 2016 , 117, 659-70	4.7	31
10	CD99 inhibits CD98-mediated 1 integrin signaling through SHP2-mediated FAK dephosphorylation. <i>Experimental Cell Research</i> , 2015 , 336, 211-22	4.2	8
9	Sappanone A exhibits anti-inflammatory effects via modulation of Nrf2 and NF- B . <i>International Immunopharmacology</i> , 2015 , 28, 328-36	5.8	38
8	Caffeoylglycolic acid methyl ester, a major constituent of sorghum, exhibits anti-inflammatory activity via the Nrf2/heme oxygenase-1 pathway. <i>RSC Advances</i> , 2015 , 5, 17786-17796	3.7	18
7	Hypoxia-induced IL-32[increases glycolysis in breast cancer cells. Cancer Letters, 2015, 356, 800-8	9.9	22
6	Chelidonine suppresses migration and invasion of MDA-MB-231 cells by inhibiting formation of the integrin-linked kinase/PINCH/Eparvin complex. <i>Molecular Medicine Reports</i> , 2015 , 12, 2161-8	2.9	13
5	Anti-inflammatory and heme oxygenase-1 inducing activities of lanostane triterpenes isolated from mushroom Ganoderma lucidum in RAW264.7 cells. <i>Toxicology and Applied Pharmacology</i> , 2014 , 280, 434	- 4 2	30
4	The anti-inflammatory effect of 3-deoxysappanchalcone is mediated by inducing heme oxygenase-1 via activating the AKT/mTOR pathway in murine macrophages. <i>International Immunopharmacology</i> , 2014 , 22, 420-6	5.8	21

3	Activation of the integrin effector kinase focal adhesion kinase in cancer cells is regulated by crosstalk between protein kinase Calpha and the PDZ adapter protein mda-9/Syntenin. <i>Cancer Research</i> , 2010 , 70, 1645-55	10.1	68
2	Overexpression of humbug promotes malignant progression in human gastric cancer cells. <i>Oncology Reports</i> , 2008 , 19, 795-800	3.5	15
1	Syntenin is overexpressed and promotes cell migration in metastatic human breast and gastric cancer cell lines. <i>Oncogene</i> , 2002 , 21, 4080-8	9.2	100