Bradley Anawalt

List of Publications by Citations

Source: https://exaly.com/author-pdf/8450864/bradley-anawalt-publications-by-citations.pdf

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

82
papers
4,421
citations
4,845
ext. papers
4,845
ext. citations
35
h-index
g-index
5.6
avg, IF
L-index

| # | Paper | IF | Citations |
|----|---|-------------------|-----------|
| 82 | Exogenous testosterone (T) alone or with finasteride increases physical performance, grip strength, and lean body mass in older men with low serum T. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005 , 90, 1502-10 | 5.6 | 450 |
| 81 | Exogenous testosterone or testosterone with finasteride increases bone mineral density in older men with low serum testosterone. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2004 , 89, 503-10 | 5.6 | 373 |
| 80 | Testosterone treatment and mortality in men with low testosterone levels. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012 , 97, 2050-8 | 5.6 | 327 |
| 79 | Serum inhibin B levels reflect Sertoli cell function in normal men and men with testicular dysfunction. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1996 , 81, 3341-5 | 5.6 | 290 |
| 78 | Serum inhibin B levels reflect Sertoli cell function in normal men and men with testicular dysfunction. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1996 , 81, 3341-3345 | 5.6 | 236 |
| 77 | Copper, zinc, manganese, and magnesium status and complications of diabetes mellitus. <i>Diabetes Care</i> , 1991 , 14, 1050-6 | 14.6 | 223 |
| 76 | Intramuscular testosterone esters and plasma lipids in hypogonadal men: a meta-analysis. <i>American Journal of Medicine</i> , 2001 , 111, 261-9 | 2.4 | 187 |
| 75 | The effect of 5alpha-reductase inhibition with dutasteride and finasteride on semen parameters and serum hormones in healthy men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007 , 92, 1659-6 | 55 ^{5.6} | 184 |
| 74 | Medical risks for women who drink alcohol. <i>Journal of General Internal Medicine</i> , 1998 , 13, 627-39 | 4 | 120 |
| 73 | Combined administration of levonorgestrel and testosterone induces more rapid and effective suppression of spermatogenesis than testosterone alone: a promising male contraceptive approach. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1996 , 81, 757-62 | 5.6 | 116 |
| 72 | Low-dose human chorionic gonadotropin maintains intratesticular testosterone in normal men with testosterone-induced gonadotropin suppression. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005 , 90, 2595-602 | 5.6 | 103 |
| 71 | Intratesticular testosterone concentrations comparable with serum levels are not sufficient to maintain normal sperm production in men receiving a hormonal contraceptive regimen. <i>Journal of Andrology</i> , 2004 , 25, 931-8 | | 95 |
| 70 | Determinants of the rate and extent of spermatogenic suppression during hormonal male contraception: an integrated analysis. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008 , 93, 1774- | 83 ^{.6} | 86 |
| 69 | Approach to male infertility and induction of spermatogenesis. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013 , 98, 3532-42 | 5.6 | 82 |
| 68 | Desogestrel plus testosterone effectively suppresses spermatogenesis but also causes modest weight gain and high-density lipoprotein suppression. <i>Fertility and Sterility</i> , 2000 , 74, 707-14 | 4.8 | 73 |
| 67 | Suppression of spermatogenesis in man induced by Nal-Glu gonadotropin releasing hormone antagonist and testosterone enanthate (TE) is maintained by TE alone. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1998 , 83, 3527-33 | 5.6 | 69 |
| 66 | Testosterone gel combined with depomedroxyprogesterone acetate is an effective male hormonal contraceptive regimen and is not enhanced by the addition of a GnRH antagonist. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006 , 91, 4374-80 | 5.6 | 68 |

(2005-1999)

| 65 | A lower dosage levonorgestrel and testosterone combination effectively suppresses spermatogenesis and circulating gonadotropin levels with fewer metabolic effects than higher dosage combinations. <i>Journal of Andrology</i> , 1999 , 20, 407-14 | | 67 | |
|----|---|-----|----|--|
| 64 | The effect of 5alpha-reductase inhibition with dutasteride and finasteride on bone mineral density, serum lipoproteins, hemoglobin, prostate specific antigen and sexual function in healthy young men. <i>Journal of Urology</i> , 2008 , 179, 2333-8 | 2.5 | 60 | |
| 63 | Elevated end-of-treatment serum INSL3 is associated with failure to completely suppress spermatogenesis in men receiving male hormonal contraception. <i>Journal of Andrology</i> , 2007 , 28, 548-54 | 1 | 58 | |
| 62 | Neuroendocrine aging in men. Andropause and somatopause. <i>Endocrinology and Metabolism Clinics of North America</i> , 2001 , 30, 647-69 | 5.5 | 58 | |
| 61 | A single dose of the potent gonadotropin-releasing hormone antagonist acyline suppresses gonadotropins and testosterone for 2 weeks in healthy young men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2004 , 89, 5959-65 | 5.6 | 57 | |
| 60 | Preoperative supraphysiological testosterone in older men undergoing knee replacement surgery. Journal of the American Geriatrics Society, 2002 , 50, 1698-701 | 5.6 | 56 | |
| 59 | Dose-dependent increase in intratesticular testosterone by very low-dose human chorionic gonadotropin in normal men with experimental gonadotropin deficiency. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010 , 95, 3806-13 | 5.6 | 52 | |
| 58 | The association of obesity with sex hormone-binding globulin is stronger than the association with ageingimplications for the interpretation of total testosterone measurements. <i>Clinical Endocrinology</i> , 2015 , 83, 828-33 | 3.4 | 51 | |
| 57 | Acyline: the first study in humans of a potent, new gonadotropin-releasing hormone antagonist. Journal of Clinical Endocrinology and Metabolism, 2002 , 87, 3215-20 | 5.6 | 50 | |
| 56 | Relationship between serum gonadotropins and spermatogenic suppression in men undergoing steroidal contraceptive treatment. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2004 , 89, 142-9 | 5.6 | 49 | |
| 55 | Cognitive effects of short-term manipulation of serum sex steroids in healthy young men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2002 , 87, 3090-6 | 5.6 | 48 | |
| 54 | Assessment and management of low bone density in inflammatory bowel disease and performance of professional society guidelines. <i>Inflammatory Bowel Diseases</i> , 2011 , 17, 2122-9 | 4.5 | 46 | |
| 53 | Acceptability of a combination testosterone gel and depomedroxyprogesterone acetate male contraceptive regimen. <i>Contraception</i> , 2007 , 75, 218-23 | 2.5 | 41 | |
| 52 | Intratesticular androgens and spermatogenesis during severe gonadotropin suppression induced by male hormonal contraceptive treatment. <i>Journal of Andrology</i> , 2007 , 28, 734-41 | | 40 | |
| 51 | Male hypogonadism: an update on diagnosis and treatment. <i>Treatments in Endocrinology: Guiding Your Management of Endocrine Disorders</i> , 2005 , 4, 293-309 | | 39 | |
| 50 | Performance of total testosterone measurement to predict free testosterone for the biochemical evaluation of male hypogonadism. <i>Journal of Urology</i> , 2012 , 187, 1369-73 | 2.5 | 36 | |
| 49 | Klinefelter's syndrome. Lancet, The, 2000 , 356, 333-5 | 40 | 36 | |
| 48 | Intramuscular testosterone enanthate plus very low dosage oral levonorgestrel suppresses spermatogenesis without causing weight gain in normal young men: a randomized clinical trial. | | 35 | |

| 47 | Serum LH correlates highly with intratesticular steroid levels in normal men. <i>Journal of Andrology</i> , 2010 , 31, 138-45 | | 34 |
|----|---|----------------------|----|
| 46 | Diagnosis and Management of Anabolic Androgenic Steroid Use. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019 , 104, 2490-2500 | 5.6 | 32 |
| 45 | Serum insulin-like factor 3 is highly correlated with intratesticular testosterone in normal men with acute, experimental gonadotropin deficiency stimulated with low-dose human chorionic gonadotropin: a randomized, controlled trial. <i>Fertility and Sterility</i> , 2013 , 99, 132-139 | 4.8 | 29 |
| 44 | Daily testosterone and gonadotropin levels are similar in azoospermic and nonazoospermic normal men administered weekly testosterone: implications for male contraceptive development. <i>Journal of Andrology</i> , 2001 , 22, 1053-60 | | 28 |
| 43 | The male contraceptive regimen of testosterone and levonorgestrel significantly increases lean mass in healthy young men in 4 weeks, but attenuates a decrease in fat mass induced by testosterone alone. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2003 , 88, 1167-73 | 5.6 | 27 |
| 42 | Safety and Pharmacokinetics of Single-Dose Novel Oral Androgen 11EMethyl-19-Nortestosterone-17EDodecylcarbonate in Men. <i>Journal of Clinical Endocrinology</i> and Metabolism, 2019 , 104, 629-638 | 5.6 | 24 |
| 41 | Serum 17-hydroxyprogesterone strongly correlates with intratesticular testosterone in gonadotropin-suppressed normal men receiving various dosages of human chorionic gonadotropin. <i>Fertility and Sterility</i> , 2008 , 89, 380-6 | 4.8 | 20 |
| 40 | A multidisciplinary care pathway significantly increases the number of early morning discharges in a large academic medical center. <i>Quality Management in Health Care</i> , 2015 , 24, 45-51 | 1 | 17 |
| 39 | Advances in male hormonal contraception. <i>Annals of Medicine</i> , 2001 , 33, 587-95 | 1.5 | 17 |
| 38 | Clinical practice patterns in the assessment and management of low testosterone in men: an international survey of endocrinologists. <i>Clinical Endocrinology</i> , 2015 , 82, 234-41 | 3.4 | 16 |
| 37 | Guidelines for testosterone therapy for men: how to avoid a mad (t)ea party by getting personal. Journal of Clinical Endocrinology and Metabolism, 2010 , 95, 2614-7 | 5.6 | 16 |
| 36 | Combined nestorone-testosterone gel suppresses serum gonadotropins to concentrations associated with effective hormonal contraception in men. <i>Andrology</i> , 2019 , 7, 878-887 | 4.2 | 15 |
| 35 | Daily salivary cortisol patterns in midlife women with hot flashes. <i>Clinical Endocrinology</i> , 2016 , 84, 672-9 | 9 3.4 | 15 |
| 34 | Computer Order Entry System Decreased Use of Sliding Scale Insulin Regimens. <i>Methods of Information in Medicine</i> , 2002 , 41, 277-281 | 1.5 | 14 |
| 33 | Clinical decisions. Testosterone-replacement therapy. New England Journal of Medicine, 2014, 371, 2032 | 2 -5 49.2 | 13 |
| 32 | "Can we just stop and talk?" patients value verbal communication about discharge care plans. <i>Journal of Hospital Medicine</i> , 2012 , 7, 504-7 | 2.7 | 13 |
| 31 | Androgen synthesis in the gonadotropin-suppressed human testes can be markedly suppressed by ketoconazole. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013 , 98, 1198-206 | 5.6 | 13 |
| 30 | Daily Oral Administration of the Novel Androgen 11EMNTDC Markedly Suppresses Serum Gonadotropins in Healthy Men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020 , 105, | 5.6 | 11 |

(2004-2018)

| 29 | Detection of anabolic androgenic steroid use by elite athletes and by members of the general public. <i>Molecular and Cellular Endocrinology</i> , 2018 , 464, 21-27 | 4.4 | 11 |
|----|--|------|----|
| 28 | Standardized Review and Approval Process for High-Cost Medication Use Promotes Value-Based Care in a Large Academic Medical System. <i>American Health and Drug Benefits</i> , 2018 , 11, 65-73 | 1.7 | 10 |
| 27 | Serum Testosterone is Inversely and Sex Hormone-binding Globulin is Directly Associated with All-cause Mortality in Men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021 , 106, e625-e637 | 5.6 | 10 |
| 26 | Male hypogonadism in the primary care clinic. <i>Primary Care - Clinics in Office Practice</i> , 2003 , 30, 743-63, vii | 2.2 | 9 |
| 25 | The effect of gonadotropin withdrawal and stimulation with human chorionic gonadotropin on intratesticular androstenedione and DHEA in normal men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011 , 96, 1175-81 | 5.6 | 7 |
| 24 | Preventing secondary exposure to women from men applying a novel nestorone/testosterone contraceptive gel. <i>Andrology</i> , 2019 , 7, 235-243 | 4.2 | 7 |
| 23 | Suboptimal osteoporosis evaluation and treatment in older men with and without additional high-risk factors for fractures. <i>Journal of Investigative Medicine</i> , 2019 , 67, 743-749 | 2.9 | 5 |
| 22 | Acceptability of oral dimethandrolone undecanoate in a 28-day placebo-controlled trial of a hormonal male contraceptive prototype. <i>Contraception</i> , 2020 , 102, 52-57 | 2.5 | 5 |
| 21 | The silent spermatozoon: are man-made endocrine disruptors killing male fertility?. <i>Asian Journal of Andrology</i> , 2013 , 15, 165-8 | 2.8 | 5 |
| 20 | Male hormonal contraceptives. Expert Opinion on Pharmacotherapy, 2001 , 2, 1389-98 | 4 | 3 |
| 19 | Testicular fine-needle aspiration for the assessment of intratesticular hormone concentrations. <i>Asian Journal of Andrology</i> , 2016 , 18, 21-4 | 2.8 | 3 |
| 18 | Pocket change: a simple educational intervention increases hospitalist documentation of comorbidities and improves hospital quality performance measures. <i>Quality Management in Health Care</i> , 2015 , 24, 74-8 | 1 | 2 |
| 17 | Should survivors of childhood cancer or testicular cancer be screened for androgen deficiency?. <i>Clinical Endocrinology</i> , 2018 , 89, 397-398 | 3.4 | 2 |
| 16 | Male hormonal contraceptives: a potentially patentable and profitable product. <i>Expert Opinion on Therapeutic Patents</i> , 2005 , 15, 1727-1737 | 6.8 | 2 |
| 15 | Male hormonal contraception: an update on research progress. <i>Treatments in Endocrinology:</i> Guiding Your Management of Endocrine Disorders, 2002 , 1, 217-27 | | 2 |
| | | | |
| 14 | Testosterone and the brain: the power of a negative study. <i>Lancet Diabetes and Endocrinology,the</i> , 2016 , 4, 632-633 | 18.1 | 2 |
| 13 | | 0.7 | 1 |

| 1 | Epidemiology of Male Hypogonadisn 51, 1-27 | n Endocrinology and Metabolism Clinics of North America, 2022 , | 5.5 | 1 |
|---|--|---|------|---|
| 1 | 10 Androgens in Primary Care 2003 , 419 | 9-438 | | 1 |
| 9 | | ale contraceptive prototype, 11Emethyl-19-nortestosterone 28-day placebo-controlled trial. <i>Contraception</i> , 2021 , 104, 531-537 | 2.5 | 1 |
| 8 | | and Sex Hormone-Binding Globulin With Incident d to Older Men <i>Annals of Internal Medicine</i> , 2021 , | 8 | 1 |
| 7 | 7 Male Contraception: Hormonal Meth | ods. Trends in Andrology and Sexual Medicine, 2021 , 439-460 | 0.5 | 0 |
| 6 | Toxic masculinity in red blood cell un Transfusion, 2021 , 61, 3174-3180 | its? Testosterone therapy in blood donors revisited. | 2.9 | O |
| 5 | Reproductive endocrinology: Are int <i>Endocrinology</i> , 2015 , 11, 510-1 | ramuscular testosterone injections harmful?. Nature Reviews | 15.2 | |
| 4 | | LONE OR WITH FINASTERIDE INCREASES PHYSICAL ND LEAN BODY MASS IN OLDER MEN WITH LOW SERUM Itive Medicine, 2005 , 53, S97.4-S97 | 2.9 | |
| 3 | 3 Male Contraception. <i>Endocrinology</i> , 2 | 2017 , 1-22 | 0.1 | |
| 2 | 2 Male Contraception. <i>Endocrinology</i> , 2 | 2017 , 1213-1234 | 0.1 | |
| 1 | 1 Testosterone therapy and physical for | unction. <i>Lancet Diabetes and Endocrinology,the</i> , 2018 , 6, 839-840 | 18.1 | |