

Bradley Anawalt

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8450864/bradley-anawalt-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

82
papers

4,421
citations

35
h-index

66
g-index

93
ext. papers

4,845
ext. citations

5.6
avg. IF

5.36
L-index

#	Paper	IF	Citations
82	Epidemiology of Male Hypogonadism.. <i>Endocrinology and Metabolism Clinics of North America</i> , 2022 , 51, 1-27	5.5	1
81	Serum Testosterone is Inversely and Sex Hormone-binding Globulin is Directly Associated with All-cause Mortality in Men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021 , 106, e625-e637	5.6	10
80	Acceptability of the oral hormonal male contraceptive prototype, 11Methyl-19-nortestosterone dodecylcarbonate (11MNTDC), in a 28-day placebo-controlled trial. <i>Contraception</i> , 2021 , 104, 531-537	2.5	1
79	Male Contraception: Hormonal Methods. <i>Trends in Andrology and Sexual Medicine</i> , 2021 , 439-460	0.5	0
78	Toxic masculinity in red blood cell units? Testosterone therapy in blood donors revisited. <i>Transfusion</i> , 2021 , 61, 3174-3180	2.9	0
77	Associations of Serum Testosterone and Sex Hormone-Binding Globulin With Incident Cardiovascular Events in Middle-Aged to Older Men.. <i>Annals of Internal Medicine</i> , 2021 ,	8	1
76	Acceptability of oral dimethandrolone undecanoate in a 28-day placebo-controlled trial of a hormonal male contraceptive prototype. <i>Contraception</i> , 2020 , 102, 52-57	2.5	5
75	Daily Oral Administration of the Novel Androgen 11MNTDC Markedly Suppresses Serum Gonadotropins in Healthy Men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020 , 105,	5.6	11
74	Diagnosis and Management of Anabolic Androgenic Steroid Use. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019 , 104, 2490-2500	5.6	32
73	Combined nesterone-testosterone gel suppresses serum gonadotropins to concentrations associated with effective hormonal contraception in men. <i>Andrology</i> , 2019 , 7, 878-887	4.2	15
72	Suboptimal osteoporosis evaluation and treatment in older men with and without additional high-risk factors for fractures. <i>Journal of Investigative Medicine</i> , 2019 , 67, 743-749	2.9	5
71	Preventing secondary exposure to women from men applying a novel nesterone/testosterone contraceptive gel. <i>Andrology</i> , 2019 , 7, 235-243	4.2	7
70	Safety and Pharmacokinetics of Single-Dose Novel Oral Androgen 11Methyl-19-Nortestosterone-17Dodecylcarbonate in Men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019 , 104, 629-638	5.6	24
69	Detection of anabolic androgenic steroid use by elite athletes and by members of the general public. <i>Molecular and Cellular Endocrinology</i> , 2018 , 464, 21-27	4.4	11
68	Should survivors of childhood cancer or testicular cancer be screened for androgen deficiency?. <i>Clinical Endocrinology</i> , 2018 , 89, 397-398	3.4	2
67	Standardized Review and Approval Process for High-Cost Medication Use Promotes Value-Based Care in a Large Academic Medical System. <i>American Health and Drug Benefits</i> , 2018 , 11, 65-73	1.7	10
66	Testosterone therapy and physical function. <i>Lancet Diabetes and Endocrinology,the</i> , 2018 , 6, 839-840	18.1	

65	High concentrations of LH cause virilization in a postmenopausal woman. <i>Clinical Case Reports (discontinued)</i> , 2017 , 5, 225-228	0.7	1
64	Male Contraception. <i>Endocrinology</i> , 2017 , 1-22	0.1	
63	Male Contraception. <i>Endocrinology</i> , 2017 , 1213-1234	0.1	
62	Testicular fine-needle aspiration for the assessment of intratesticular hormone concentrations. <i>Asian Journal of Andrology</i> , 2016 , 18, 21-4	2.8	3
61	Daily salivary cortisol patterns in midlife women with hot flashes. <i>Clinical Endocrinology</i> , 2016 , 84, 672-9	3.4	15
60	Testosterone and the brain: the power of a negative study. <i>Lancet Diabetes and Endocrinology</i> , 2016 , 4, 632-633	18.1	2
59	Reproductive endocrinology: Are intramuscular testosterone injections harmful?. <i>Nature Reviews Endocrinology</i> , 2015 , 11, 510-1	15.2	
58	A multidisciplinary care pathway significantly increases the number of early morning discharges in a large academic medical center. <i>Quality Management in Health Care</i> , 2015 , 24, 45-51	1	17
57	Pocket change: a simple educational intervention increases hospitalist documentation of comorbidities and improves hospital quality performance measures. <i>Quality Management in Health Care</i> , 2015 , 24, 74-8	1	2
56	Clinical practice patterns in the assessment and management of low testosterone in men: an international survey of endocrinologists. <i>Clinical Endocrinology</i> , 2015 , 82, 234-41	3.4	16
55	The association of obesity with sex hormone-binding globulin is stronger than the association with ageing—implications for the interpretation of total testosterone measurements. <i>Clinical Endocrinology</i> , 2015 , 83, 828-33	3.4	51
54	Clinical decisions. Testosterone-replacement therapy. <i>New England Journal of Medicine</i> , 2014 , 371, 2032-4	39.2	13
53	Approach to male infertility and induction of spermatogenesis. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013 , 98, 3532-42	5.6	82
52	Serum insulin-like factor 3 is highly correlated with intratesticular testosterone in normal men with acute, experimental gonadotropin deficiency stimulated with low-dose human chorionic gonadotropin: a randomized, controlled trial. <i>Fertility and Sterility</i> , 2013 , 99, 132-139	4.8	29
51	The silent spermatozoon: are man-made endocrine disruptors killing male fertility?. <i>Asian Journal of Andrology</i> , 2013 , 15, 165-8	2.8	5
50	Androgen synthesis in the gonadotropin-suppressed human testes can be markedly suppressed by ketoconazole. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013 , 98, 1198-206	5.6	13
49	Performance of total testosterone measurement to predict free testosterone for the biochemical evaluation of male hypogonadism. <i>Journal of Urology</i> , 2012 , 187, 1369-73	2.5	36
48	"Can we just stop and talk?" patients value verbal communication about discharge care plans. <i>Journal of Hospital Medicine</i> , 2012 , 7, 504-7	2.7	13

47	Testosterone treatment and mortality in men with low testosterone levels. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012 , 97, 2050-8	5.6	327
46	Assessment and management of low bone density in inflammatory bowel disease and performance of professional society guidelines. <i>Inflammatory Bowel Diseases</i> , 2011 , 17, 2122-9	4.5	46
45	The effect of gonadotropin withdrawal and stimulation with human chorionic gonadotropin on intratesticular androstenedione and DHEA in normal men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011 , 96, 1175-81	5.6	7
44	Guidelines for testosterone therapy for men: how to avoid a mad (t)ea party by getting personal. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010 , 95, 2614-7	5.6	16
43	Dose-dependent increase in intratesticular testosterone by very low-dose human chorionic gonadotropin in normal men with experimental gonadotropin deficiency. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010 , 95, 3806-13	5.6	52
42	Serum LH correlates highly with intratesticular steroid levels in normal men. <i>Journal of Andrology</i> , 2010 , 31, 138-45		34
41	The effect of 5alpha-reductase inhibition with dutasteride and finasteride on bone mineral density, serum lipoproteins, hemoglobin, prostate specific antigen and sexual function in healthy young men. <i>Journal of Urology</i> , 2008 , 179, 2333-8	2.5	60
40	Serum 17-hydroxyprogesterone strongly correlates with intratesticular testosterone in gonadotropin-suppressed normal men receiving various dosages of human chorionic gonadotropin. <i>Fertility and Sterility</i> , 2008 , 89, 380-6	4.8	20
39	Determinants of the rate and extent of spermatogenic suppression during hormonal male contraception: an integrated analysis. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008 , 93, 1774-83	5.6	86
38	Elevated end-of-treatment serum INSL3 is associated with failure to completely suppress spermatogenesis in men receiving male hormonal contraception. <i>Journal of Andrology</i> , 2007 , 28, 548-54		58
37	Intratesticular androgens and spermatogenesis during severe gonadotropin suppression induced by male hormonal contraceptive treatment. <i>Journal of Andrology</i> , 2007 , 28, 734-41		40
36	The effect of 5alpha-reductase inhibition with dutasteride and finasteride on semen parameters and serum hormones in healthy men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007 , 92, 1659-65	5.6	184
35	Acceptability of a combination testosterone gel and depot medroxyprogesterone acetate male contraceptive regimen. <i>Contraception</i> , 2007 , 75, 218-23	2.5	41
34	Testosterone gel combined with depot medroxyprogesterone acetate is an effective male hormonal contraceptive regimen and is not enhanced by the addition of a GnRH antagonist. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006 , 91, 4374-80	5.6	68
33	Male hormonal contraceptives: a potentially patentable and profitable product. <i>Expert Opinion on Therapeutic Patents</i> , 2005 , 15, 1727-1737	6.8	2
32	Intramuscular testosterone enanthate plus very low dosage oral levonorgestrel suppresses spermatogenesis without causing weight gain in normal young men: a randomized clinical trial. <i>Journal of Andrology</i> , 2005 , 26, 405-13		35
31	Male hypogonadism : an update on diagnosis and treatment. <i>Treatments in Endocrinology: Guiding Your Management of Endocrine Disorders</i> , 2005 , 4, 293-309		39
30	Exogenous testosterone (T) alone or with finasteride increases physical performance, grip strength, and lean body mass in older men with low serum T. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005 , 90, 1502-10	5.6	450

29	Low-dose human chorionic gonadotropin maintains intratesticular testosterone in normal men with testosterone-induced gonadotropin suppression. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005 , 90, 2595-602	5.6	103
28	115 EXOGENOUS TESTOSTERONE ALONE OR WITH FINASTERIDE INCREASES PHYSICAL PERFORMANCE, GRIP STRENGTH, AND LEAN BODY MASS IN OLDER MEN WITH LOW SERUM TESTOSTERONE. <i>Journal of Investigative Medicine</i> , 2005 , 53, S97.4-S97	2.9	
27	Relationship between serum gonadotropins and spermatogenic suppression in men undergoing steroidal contraceptive treatment. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2004 , 89, 142-9	5.6	49
26	Exogenous testosterone or testosterone with finasteride increases bone mineral density in older men with low serum testosterone. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2004 , 89, 503-10	5.6	373
25	A single dose of the potent gonadotropin-releasing hormone antagonist acyline suppresses gonadotropins and testosterone for 2 weeks in healthy young men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2004 , 89, 5959-65	5.6	57
24	Male hormonal contraception. <i>Expert Opinion on Emerging Drugs</i> , 2004 , 9, 335-44	3.7	1
23	Intratesticular testosterone concentrations comparable with serum levels are not sufficient to maintain normal sperm production in men receiving a hormonal contraceptive regimen. <i>Journal of Andrology</i> , 2004 , 25, 931-8		95
22	The male contraceptive regimen of testosterone and levonorgestrel significantly increases lean mass in healthy young men in 4 weeks, but attenuates a decrease in fat mass induced by testosterone alone. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2003 , 88, 1167-73	5.6	27
21	Male hypogonadism in the primary care clinic. <i>Primary Care - Clinics in Office Practice</i> , 2003 , 30, 743-63, vii	2.2	9
20	Androgens in Primary Care 2003 , 419-438		1
19	Computer Order Entry System Decreased Use of Sliding Scale Insulin Regimens. <i>Methods of Information in Medicine</i> , 2002 , 41, 277-281	1.5	14
18	Preoperative supraphysiological testosterone in older men undergoing knee replacement surgery. <i>Journal of the American Geriatrics Society</i> , 2002 , 50, 1698-701	5.6	56
17	Acyline: the first study in humans of a potent, new gonadotropin-releasing hormone antagonist. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2002 , 87, 3215-20	5.6	50
16	Cognitive effects of short-term manipulation of serum sex steroids in healthy young men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2002 , 87, 3090-6	5.6	48
15	Male hormonal contraception: an update on research progress. <i>Treatments in Endocrinology: Guiding Your Management of Endocrine Disorders</i> , 2002 , 1, 217-27		2
14	Intramuscular testosterone esters and plasma lipids in hypogonadal men: a meta-analysis. <i>American Journal of Medicine</i> , 2001 , 111, 261-9	2.4	187
13	Daily testosterone and gonadotropin levels are similar in azoospermic and nonazoospermic normal men administered weekly testosterone: implications for male contraceptive development. <i>Journal of Andrology</i> , 2001 , 22, 1053-60		28
12	Neuroendocrine aging in men. Andropause and somatopause. <i>Endocrinology and Metabolism Clinics of North America</i> , 2001 , 30, 647-69	5.5	58

11	Advances in male hormonal contraception. <i>Annals of Medicine</i> , 2001 , 33, 587-95	1.5	17
10	Male hormonal contraceptives. <i>Expert Opinion on Pharmacotherapy</i> , 2001 , 2, 1389-98	4	3
9	Klinefelter's syndrome. <i>Lancet, The</i> , 2000 , 356, 333-5	40	36
8	Desogestrel plus testosterone effectively suppresses spermatogenesis but also causes modest weight gain and high-density lipoprotein suppression. <i>Fertility and Sterility</i> , 2000 , 74, 707-14	4.8	73
7	A lower dosage levonorgestrel and testosterone combination effectively suppresses spermatogenesis and circulating gonadotropin levels with fewer metabolic effects than higher dosage combinations. <i>Journal of Andrology</i> , 1999 , 20, 407-14		67
6	Medical risks for women who drink alcohol. <i>Journal of General Internal Medicine</i> , 1998 , 13, 627-39	4	120
5	Suppression of spermatogenesis in man induced by Nal-Glu gonadotropin releasing hormone antagonist and testosterone enanthate (TE) is maintained by TE alone. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1998 , 83, 3527-33	5.6	69
4	Combined administration of levonorgestrel and testosterone induces more rapid and effective suppression of spermatogenesis than testosterone alone: a promising male contraceptive approach. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1996 , 81, 757-62	5.6	116
3	Serum inhibin B levels reflect Sertoli cell function in normal men and men with testicular dysfunction. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1996 , 81, 3341-5	5.6	290
2	Serum inhibin B levels reflect Sertoli cell function in normal men and men with testicular dysfunction. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1996 , 81, 3341-3345	5.6	236
1	Copper, zinc, manganese, and magnesium status and complications of diabetes mellitus. <i>Diabetes Care</i> , 1991 , 14, 1050-6	14.6	223