Mark R Denison

List of Publications by Citations

Source: https://exaly.com/author-pdf/8452167/mark-r-denison-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

126 15,956 56 124 h-index g-index citations papers 6.56 20,015 130 9.5 L-index avg, IF ext. papers ext. citations

#	Paper	IF	Citations
124	An mRNA Vaccine against SARS-CoV-2 - Preliminary Report. <i>New England Journal of Medicine</i> , 2020 , 383, 1920-1931	59.2	1704
123	Comparative therapeutic efficacy of remdesivir and combination lopinavir, ritonavir, and interferon beta against MERS-CoV. <i>Nature Communications</i> , 2020 , 11, 222	17.4	1059
122	Broad-spectrum antiviral GS-5734 inhibits both epidemic and zoonotic coronaviruses. <i>Science Translational Medicine</i> , 2017 , 9,	17.5	983
121	Coronavirus Susceptibility to the Antiviral Remdesivir (GS-5734) Is Mediated by the Viral Polymerase and the Proofreading Exoribonuclease. <i>MBio</i> , 2018 , 9,	7.8	880
120	Safety and Immunogenicity of SARS-CoV-2 mRNA-1273 Vaccine in Older Adults. <i>New England Journal of Medicine</i> , 2020 , 383, 2427-2438	59.2	737
119	Immunogenicity and structures of a rationally designed prefusion MERS-CoV spike antigen. Proceedings of the National Academy of Sciences of the United States of America, 2017, 114, E7348-E7357	7 ^{11.5}	615
118	SARS-CoV-2 mRNA vaccine design enabled by prototype pathogen preparedness. <i>Nature</i> , 2020 , 586, 567-571	50.4	594
117	An orally bioavailable broad-spectrum antiviral inhibits SARS-CoV-2 in human airway epithelial cell cultures and multiple coronaviruses in mice. <i>Science Translational Medicine</i> , 2020 , 12,	17.5	534
116	Distinct patterns of IFITM-mediated restriction of filoviruses, SARS coronavirus, and influenza A virus. <i>PLoS Pathogens</i> , 2011 , 7, e1001258	7.6	417
115	Durability of Responses after SARS-CoV-2 mRNA-1273 Vaccination. <i>New England Journal of Medicine</i> , 2021 , 384, 80-82	59.2	392
114	Coronaviruses: an RNA proofreading machine regulates replication fidelity and diversity. <i>RNA Biology</i> , 2011 , 8, 270-9	4.8	329
113	Coronavirus replication complex formation utilizes components of cellular autophagy. <i>Journal of Biological Chemistry</i> , 2004 , 279, 10136-41	5.4	329
112	Infidelity of SARS-CoV Nsp14-exonuclease mutant virus replication is revealed by complete genome sequencing. <i>PLoS Pathogens</i> , 2010 , 6, e1000896	7.6	304
111	Reverse genetics with a full-length infectious cDNA of severe acute respiratory syndrome coronavirus. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003 , 100, 12995-3000	11.5	295
110	Coronaviruses lacking exoribonuclease activity are susceptible to lethal mutagenesis: evidence for proofreading and potential therapeutics. <i>PLoS Pathogens</i> , 2013 , 9, e1003565	7.6	292
109	Broad spectrum antiviral remdesivir inhibits human endemic and zoonotic deltacoronaviruses with a highly divergent RNA dependent RNA polymerase. <i>Antiviral Research</i> , 2019 , 169, 104541	10.8	288
108	Middle East Respiratory Syndrome. <i>New England Journal of Medicine</i> , 2017 , 376, 584-594	59.2	277

(2003-2020)

107	Remdesivir Inhibits SARS-CoV-2 in Human Lung Cells and Chimeric SARS-CoV Expressing the SARS-CoV-2 RNA Polymerase in Mice. <i>Cell Reports</i> , 2020 , 32, 107940	10.6	260
106	Systematic assembly of a full-length infectious cDNA of mouse hepatitis virus strain A59. <i>Journal of Virology</i> , 2002 , 76, 11065-78	6.6	251
105	High fidelity of murine hepatitis virus replication is decreased in nsp14 exoribonuclease mutants. Journal of Virology, 2007 , 81, 12135-44	6.6	225
104	Evaluation of candidate vaccine approaches for MERS-CoV. <i>Nature Communications</i> , 2015 , 6, 7712	17.4	218
103	Severe acute respiratory syndrome coronavirus group-specific open reading frames encode nonessential functions for replication in cell cultures and mice. <i>Journal of Virology</i> , 2005 , 79, 14909-22	6.6	212
102	Identification and characterization of severe acute respiratory syndrome coronavirus replicase proteins. <i>Journal of Virology</i> , 2004 , 78, 9977-86	6.6	206
101	A live, impaired-fidelity coronavirus vaccine protects in an aged, immunocompromised mouse model of lethal disease. <i>Nature Medicine</i> , 2012 , 18, 1820-6	50.5	181
100	Synthetic recombinant bat SARS-like coronavirus is infectious in cultured cells and in mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008 , 105, 19944-9	11.5	178
99	Coronavirus replication does not require the autophagy gene ATG5. <i>Autophagy</i> , 2007 , 3, 581-5	10.2	166
98	Localization of mouse hepatitis virus nonstructural proteins and RNA synthesis indicates a role for late endosomes in viral replication. <i>Journal of Virology</i> , 1999 , 73, 7641-57	6.6	161
97	Durability of mRNA-1273 vaccine-induced antibodies against SARS-CoV-2 variants. <i>Science</i> , 2021 , 373, 1372-1377	33.3	150
96	The nsp2 replicase proteins of murine hepatitis virus and severe acute respiratory syndrome coronavirus are dispensable for viral replication. <i>Journal of Virology</i> , 2005 , 79, 13399-411	6.6	139
95	Small-Molecule Antiviral EdHydroxycytidine Inhibits a Proofreading-Intact Coronavirus with a High Genetic Barrier to Resistance. <i>Journal of Virology</i> , 2019 , 93,	6.6	128
94	Importance of Neutralizing Monoclonal Antibodies Targeting Multiple Antigenic Sites on the Middle East Respiratory Syndrome Coronavirus Spike Glycoprotein To Avoid Neutralization Escape. <i>Journal of Virology</i> , 2018 , 92,	6.6	119
93	Homology-Based Identification of a Mutation in the Coronavirus RNA-Dependent RNA Polymerase That Confers Resistance to Multiple Mutagens. <i>Journal of Virology</i> , 2016 , 90, 7415-7428	6.6	103
92	Four proteins processed from the replicase gene polyprotein of mouse hepatitis virus colocalize in the cell periphery and adjacent to sites of virion assembly. <i>Journal of Virology</i> , 2000 , 74, 3379-87	6.6	102
91	Nucleoside analogues for the treatment of coronavirus infections. <i>Current Opinion in Virology</i> , 2019 , 35, 57-62	7.5	101
90	Characterization of the expression, intracellular localization, and replication complex association of the putative mouse hepatitis virus RNA-dependent RNA polymerase. <i>Journal of Virology</i> , 2003 , 77, 1051	15-27	97

89	SARS coronavirus replicase proteins in pathogenesis. <i>Virus Research</i> , 2008 , 133, 88-100	6.4	94
88	Coronavirus protein processing and RNA synthesis is inhibited by the cysteine proteinase inhibitor E64d. <i>Virology</i> , 1995 , 208, 1-8	3.6	92
87	Ligand-induced Dimerization of Middle East Respiratory Syndrome (MERS) Coronavirus nsp5 Protease (3CLpro): IMPLICATIONS FOR nsp5 REGULATION AND THE DEVELOPMENT OF ANTIVIRALS. <i>Journal of Biological Chemistry</i> , 2015 , 290, 19403-22	5.4	85
86	Evaluation of serologic and antigenic relationships between middle eastern respiratory syndrome coronavirus and other coronaviruses to develop vaccine platforms for the rapid response to emerging coronaviruses. <i>Journal of Infectious Diseases</i> , 2014 , 209, 995-1006	7	83
85	Single-amino-acid substitutions in open reading frame (ORF) 1b-nsp14 and ORF 2a proteins of the coronavirus mouse hepatitis virus are attenuating in mice. <i>Journal of Virology</i> , 2005 , 79, 3391-400	6.6	83
84	Intracellular processing of the N-terminal ORF 1a proteins of the coronavirus MHV-A59 requires multiple proteolytic events. <i>Virology</i> , 1992 , 189, 274-84	3.6	83
83	The putative helicase of the coronavirus mouse hepatitis virus is processed from the replicase gene polyprotein and localizes in complexes that are active in viral RNA synthesis. <i>Journal of Virology</i> , 1999 , 73, 6862-71	6.6	82
82	Multicenter Initial Guidance on Use of Antivirals for Children With Coronavirus Disease 2019/Severe Acute Respiratory Syndrome Coronavirus 2. <i>Journal of the Pediatric Infectious Diseases Society</i> , 2020 , 9, 701-715	4.8	79
81	The coronavirus proofreading exoribonuclease mediates extensive viral recombination. <i>PLoS Pathogens</i> , 2021 , 17, e1009226	7.6	79
80	Thinking Outside the Triangle: Replication Fidelity of the Largest RNA Viruses. <i>Annual Review of Virology</i> , 2014 , 1, 111-32	14.6	75
79	Coronaviruses as DNA wannabes: a new model for the regulation of RNA virus replication fidelity. <i>PLoS Pathogens</i> , 2013 , 9, e1003760	7.6	72
78	Chimeric exchange of coronavirus nsp5 proteases (3CLpro) identifies common and divergent regulatory determinants of protease activity. <i>Journal of Virology</i> , 2013 , 87, 12611-8	6.6	71
77	Translation and processing of mouse hepatitis virus virion RNA in a cell-free system. <i>Journal of Virology</i> , 1986 , 60, 12-8	6.6	70
76	Seeking membranes: positive-strand RNA virus replication complexes. <i>PLoS Biology</i> , 2008 , 6, e270	9.7	67
75	Mouse hepatitis virus replicase protein complexes are translocated to sites of M protein accumulation in the ERGIC at late times of infection. <i>Virology</i> , 2001 , 285, 21-9	3.6	64
74	SARS-CoV-2 mRNA Vaccine Development Enabled by Prototype Pathogen Preparedness 2020 ,		62
73	Use of intravenous zanamivir after development of oseltamivir resistance in a critically Ill immunosuppressed child infected with 2009 pandemic influenza A (H1N1) virus. <i>Clinical Infectious Diseases</i> , 2010 , 50, 1493-6	11.6	61
72	Murine hepatitis virus nonstructural protein 4 regulates virus-induced membrane modifications and replication complex function. <i>Journal of Virology</i> , 2010 , 84, 280-90	6.6	61

(2018-2000)

71	Mouse hepatitis virus replicase proteins associate with two distinct populations of intracellular membranes. <i>Journal of Virology</i> , 2000 , 74, 5647-54	6.6	61
70	Processing of open reading frame 1a replicase proteins nsp7 to nsp10 in murine hepatitis virus strain A59 replication. <i>Journal of Virology</i> , 2007 , 81, 10280-91	6.6	60
69	Mutagenesis of the murine hepatitis virus nsp1-coding region identifies residues important for protein processing, viral RNA synthesis, and viral replication. <i>Virology</i> , 2005 , 340, 209-23	3.6	58
68	Structural Definition of a Neutralization-Sensitive Epitope on the MERS-CoV S1-NTD. <i>Cell Reports</i> , 2019 , 28, 3395-3405.e6	10.6	53
67	Survival experience of 789 children with the acquired immunodeficiency syndrome. <i>Pediatric Infectious Disease Journal</i> , 1993 , 12, 310-20	3.4	53
66	Mouse hepatitis virus 3C-like protease cleaves a 22-kilodalton protein from the open reading frame 1a polyprotein in virus-infected cells and in vitro. <i>Journal of Virology</i> , 1998 , 72, 2265-71	6.6	48
65	Inhibition of Polyamine Biosynthesis Is a Broad-Spectrum Strategy against RNA Viruses. <i>Journal of Virology</i> , 2016 , 90, 9683-9692	6.6	47
64	A mouse model for Betacoronavirus subgroup 2c using a bat coronavirus strain HKU5 variant. <i>MBio</i> , 2014 , 5, e00047-14	7.8	47
63	Intracellular and in vitro-translated 27-kDa proteins contain the 3C-like proteinase activity of the coronavirus MHV-A59. <i>Virology</i> , 1996 , 222, 375-82	3.6	47
62	Identification and characterization of a 65-kDa protein processed from the gene 1 polyprotein of the murine coronavirus MHV-A59. <i>Virology</i> , 1995 , 207, 316-20	3.6	46
61	Intracellular localization and protein interactions of the gene 1 protein p28 during mouse hepatitis virus replication. <i>Journal of Virology</i> , 2004 , 78, 11551-62	6.6	45
60	Mutations in coronavirus nonstructural protein 10 decrease virus replication fidelity. <i>Journal of Virology</i> , 2015 , 89, 6418-26	6.6	43
59	Murine hepatitis virus replicase protein nsp10 is a critical regulator of viral RNA synthesis. <i>Journal of Virology</i> , 2007 , 81, 6356-68	6.6	42
58	Cleavage between replicase proteins p28 and p65 of mouse hepatitis virus is not required for virus replication. <i>Journal of Virology</i> , 2004 , 78, 5957-65	6.6	42
57	Mutagenesis of S-Adenosyl-l-Methionine-Binding Residues in Coronavirus nsp14 N7-Methyltransferase Demonstrates Differing Requirements for Genome Translation and Resistance to Innate Immunity. <i>Journal of Virology</i> , 2016 , 90, 7248-7256	6.6	39
56	Analysis of murine hepatitis virus strain A59 temperature-sensitive mutant TS-LA6 suggests that nsp10 plays a critical role in polyprotein processing. <i>Journal of Virology</i> , 2007 , 81, 7086-98	6.6	38
55	Multicenter Interim Guidance on Use of Antivirals for Children With Coronavirus Disease 2019/Severe Acute Respiratory Syndrome Coronavirus 2. <i>Journal of the Pediatric Infectious Diseases Society</i> , 2021 , 10, 34-48	4.8	37
54	Murine Hepatitis Virus nsp14 Exoribonuclease Activity Is Required for Resistance to Innate Immunity. <i>Journal of Virology</i> , 2018 , 92,	6.6	36

53	Identification of polypeptides encoded in open reading frame 1b of the putative polymerase gene of the murine coronavirus mouse hepatitis virus A59. <i>Journal of Virology</i> , 1991 , 65, 3076-82	6.6	36
52	Coronaviruses induce entry-independent, continuous macropinocytosis. <i>MBio</i> , 2014 , 5, e01340-14	7.8	35
51	Severe acute respiratory syndrome coronavirus pathogenesis, disease and vaccines: an update. <i>Pediatric Infectious Disease Journal</i> , 2004 , 23, S207-14	3.4	35
50	Mutations across murine hepatitis virus nsp4 alter virus fitness and membrane modifications. Journal of Virology, 2015 , 89, 2080-9	6.6	34
49	Determinants of mouse hepatitis virus 3C-like proteinase activity. Virology, 1997, 230, 335-42	3.6	33
48	Proofreading-Deficient Coronaviruses Adapt for Increased Fitness over Long-Term Passage without Reversion of Exoribonuclease-Inactivating Mutations. <i>MBio</i> , 2017 , 8,	7.8	32
47	In Situ Tagged nsp15 Reveals Interactions with Coronavirus Replication/Transcription Complex-Associated Proteins. <i>MBio</i> , 2017 , 8,	7.8	31
46	Replication of murine hepatitis virus is regulated by papain-like proteinase 1 processing of nonstructural proteins 1, 2, and 3. <i>Journal of Virology</i> , 2006 , 80, 11610-20	6.6	31
45	Implications of altered replication fidelity on the evolution and pathogenesis of coronaviruses. <i>Current Opinion in Virology</i> , 2012 , 2, 519-24	7.5	30
44	Genetic analysis of Murine hepatitis virus nsp4 in virus replication. <i>Journal of Virology</i> , 2007 , 81, 12554-6	3 .6	30
43	Temperature-sensitive mutants and revertants in the coronavirus nonstructural protein 5 protease (3CLpro) define residues involved in long-distance communication and regulation of protease activity. <i>Journal of Virology</i> , 2012 , 86, 4801-10	6.6	25
42	Murine coronaviruses encoding nsp2 at different genomic loci have altered replication, protein expression, and localization. <i>Journal of Virology</i> , 2008 , 82, 11964-9	6.6	25
41	Novel poxvirus infection in 2 patients from the United States. <i>Clinical Infectious Diseases</i> , 2015 , 60, 195-2	2 02 6	22
40	Serotonin Receptor Agonist 5-Nonyloxytryptamine Alters the Kinetics of Reovirus Cell Entry. <i>Journal of Virology</i> , 2015 , 89, 8701-12	6.6	21
39	Middle East respiratory syndrome coronavirus not detected in children hospitalized with acute respiratory illness in Amman, Jordan, March 2010 to September 2012. <i>Clinical Microbiology and Infection</i> , 2014 , 20, 678-82	9.5	20
38	The nsp2 proteins of mouse hepatitis virus and SARS coronavirus are dispensable for viral replication. <i>Advances in Experimental Medicine and Biology</i> , 2006 , 581, 67-72	3.6	20
37	Coronavirus replicase-reporter fusions provide quantitative analysis of replication and replication complex formation. <i>Journal of Virology</i> , 2014 , 88, 5319-27	6.6	18
36	ANDES: Statistical tools for the ANalyses of DEep Sequencing. <i>BMC Research Notes</i> , 2010 , 3, 199	2.3	18

35	Stabilized coronavirus spike stem elicits a broadly protective antibody. <i>Cell Reports</i> , 2021 , 37, 109929	10.6	18
34	Selective Packaging in Murine Coronavirus Promotes Virulence by Limiting Type I Interferon Responses. <i>MBio</i> , 2018 , 9,	7.8	15
33	Neonatal renal abscess caused by Staphylococcus aureus. <i>Pediatric Infectious Disease Journal</i> , 1991 , 10, 463-6	3.4	15
32	Remdesivir potently inhibits SARS-CoV-2 in human lung cells and chimeric SARS-CoV expressing the SARS-CoV-2 RNA polymerase in mice 2020 ,		15
31	Effects of mutagenesis of murine hepatitis virus nsp1 and nsp14 on replication in culture. <i>Advances in Experimental Medicine and Biology</i> , 2006 , 581, 55-60	3.6	14
30	A novel mutation in murine hepatitis virus nsp5, the viral 3C-like proteinase, causes temperature-sensitive defects in viral growth and protein processing. <i>Journal of Virology</i> , 2008 , 82, 599	99-600	8 ¹³
29	Exchange of the coronavirus replicase polyprotein cleavage sites alters protease specificity and processing. <i>Journal of Virology</i> , 2010 , 84, 6894-8	6.6	11
28	Remdesivir Potently Inhibits SARS-CoV-2 in Human Lung Cells and Chimeric SARS-CoV Expressing the SARS-CoV-2 RNA Polymerase in Mice. <i>SSRN Electronic Journal</i> ,	1	11
27	FATAL FAT EMBOLISM SYNDROME IN A CHILD WITH UNDIAGNOSED HEMOGLOBIN S/Beta+ THALASSEMIA: A Complication of Acute Parvovirus B19 Infection. <i>Pediatric Pathology & Laboratory Medicine: Journal of the Society for Pediatric Pathology, Affiliated With the International Paediatric</i>		11
26	Pathology Association, 1996 , 16, 71-82 An orally bioavailable broad-spectrum antiviral inhibits SARS-CoV-2 and multiple endemic, epidemic and bat coronavirus		11
25	The coronavirus proofreading exoribonuclease mediates extensive viral recombination		9
24	Unilateral facial paralysis occurring in an infant with enteroviral otitis media and aseptic meningitis. Journal of Emergency Medicine, 2002 , 22, 267-71	1.5	8
23	Passive Immunity Trial for Our Nation (PassITON): study protocol for a randomized placebo-control clinical trial evaluating COVID-19 convalescent plasma in hospitalized adults. <i>Trials</i> , 2021 , 22, 221	2.8	8
22	Fitness Barriers Limit Reversion of a Proofreading-Deficient Coronavirus. <i>Journal of Virology</i> , 2019 , 93,	6.6	7
21	Proofreading-deficient coronaviruses adapt over long-term passage for increased fidelity and fitness without reversion of exoribonuclease-inactivating mutations		6
20	The cell biology of coronavirus infection. <i>Advances in Experimental Medicine and Biology</i> , 2001 , 494, 609	1-3,46	6
19	Murine hepatitis virus nsp4 N258T mutants are not temperature-sensitive. Virology, 2013 , 435, 210-3	3.6	5
18	Inhibition of coronavirus MHV-A59 replication by proteinase inhibitors. <i>Advances in Experimental Medicine and Biology</i> , 1995 , 380, 391-7	3.6	5

17	Mutations in the SARS-CoV-2 RNA dependent RNA polymerase confer resistance to remdesivir by distinct mechanisms <i>Science Translational Medicine</i> , 2022 , eabo0718	17.5	5
16	Reovirus RNA recombination is sequence directed and generates internally deleted defective genome segments during passage. <i>Journal of Virology</i> , 2021 ,	6.6	4
15	A newly identified MHV-A59 ORF1a polypeptide p65 is temperature sensitive in two RNA negative mutants. <i>Advances in Experimental Medicine and Biology</i> , 1993 , 342, 221-6	3.6	4
14	Molecular targets for the rational design of drugs to inhibit SARS coronavirus. <i>Drug Discovery Today Disease Mechanisms</i> , 2004 , 1, 205-209		3
13	Viral pharyngitis. Seminars in Pediatric Infectious Diseases, 1995, 6, 62-68		3
12	Fatal Fat Embolism Syndrome in a Child with Undiagnosed Hemoglobin S/\(\mathbb{H}\) Thalassemia: A Complication of Acute Parvovirus B19 Infection. <i>Pediatric Pathology & Laboratory Medicine: Journal of the Society for Pediatric Pathology, Affiliated With the International Paediatric Pathology</i>		3
11	MHV-A59 ORF1a replicase protein nsp7-nsp10 processing in replication. <i>Advances in Experimental Medicine and Biology</i> , 2006 , 581, 101-4	3.6	3
10	MHV-A59 gene 1 proteins are associated with two distinct membrane populations. <i>Advances in Experimental Medicine and Biology</i> , 2001 , 494, 655-61	3.6	3
9	H1N1 infection mimicking the clinical presentation of gastrointestinal GVHD in a patient following allo-SCT. <i>Bone Marrow Transplantation</i> , 2011 , 46, 152-3	4.4	2
8	Mouse hepatitis virus nsp14 exoribonuclease activity is required for resistance to innate immunity		2
7	Distinct genetic determinants and mechanisms of SARS-CoV-2 resistance to remdesivir		1
6	Standardized two-step testing of antibody activity in COVID-19 convalescent plasma <i>IScience</i> , 2022 , 25, 103602	6.1	1
5	Cell Biology of Nidovirus Replication Complexes103-113		1
4	Reovirus RNA recombination is sequence directed and generates internally deleted defective genome segments during passage		1
3	Fitness barriers limit reversion of a proofreading-deficient coronavirus		1
2	Coronavirus Picornain-like Cysteine Proteinase 2013 , 2436-2441		О

Antiviral Agents for SARS **2008**, 184-202