

Giada Sebastiani

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8452538/giada-sebastiani-publications-by-year.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

113
papers

4,207
citations

36
h-index

64
g-index

121
ext. papers

5,344
ext. citations

4.9
avg, IF

5.64
L-index

#	Paper	IF	Citations
113	Metabolic-Associated Fatty Liver Disease Is Highly Prevalent in the Postacute COVID Syndrome.. <i>Open Forum Infectious Diseases</i> , 2022 , 9, ofac003	1	1
112	Quantitative ultrasound, elastography, and machine learning for assessment of steatosis, inflammation, and fibrosis in chronic liver disease.. <i>PLoS ONE</i> , 2022 , 17, e0262291	3.7	0
111	Liver-related and extrahepatic events in patients with non-alcoholic fatty liver disease: a retrospective competing risks analysis.. <i>Alimentary Pharmacology and Therapeutics</i> , 2022 ,	6.1	2
110	Current considerations for clinical management and care of non-alcoholic fatty liver disease: Insights from the 1st International Workshop of the Canadian NASH Network (CanNASH). <i>Canadian Liver Journal</i> , 2022 , 5, 61-90	0.3	0
109	A110 FEASIBILITY OF EUS-GUIDED PORTAL PRESSURE GRADIENT MEASUREMENT WITHOUT DEEP SEDATION: A PATH TO ACCURATE PORTAL PRESSURE DETERMINATION. <i>Journal of the Canadian Association of Gastroenterology</i> , 2022 , 5, 127-128	0.5	
108	A220 THE IMPACT OF DIABETES AND AGE ON PERFORMANCE OF NON-INVASIVE SERUM-BASED TESTS FOR PREDICTION OF ADVANCED FIBROSIS IN BIOPSY-PROVEN NAFLD. <i>Journal of the Canadian Association of Gastroenterology</i> , 2022 , 5, 109-110	0.5	
107	Diagnosis of liver fibrosis in ageing patients with HIV at risk for non-alcoholic fatty liver disease in Italy and Canada: assessment of a two-tier pathway.. <i>Lancet HIV,the</i> , 2022 , 9 Suppl 1, S4	7.8	
106	Development and validation of an ensemble machine learning framework for detection of all-cause advanced hepatic fibrosis: a retrospective cohort study.. <i>The Lancet Digital Health</i> , 2022 , 4, e188-e199	14.4	1
105	Increased Body Mass Index and Type 2 Diabetes Are the Main Predictors of Nonalcoholic Fatty Liver Disease and Advanced Fibrosis in Liver Biopsies of Patients With Human Immunodeficiency Virus Monoinfection. <i>Clinical Infectious Diseases</i> , 2021 , 73, e2184-e2193	11.6	5
104	FIB-4 Improves LSM-Based Prediction of Complications in Overweight or Obese Patients With Compensated Advanced Chronic Liver Disease. <i>Clinical Gastroenterology and Hepatology</i> , 2021 ,	6.9	1
103	Effectiveness and Renal Safety of Tenofovir Alafenamide Fumarate among Chronic Hepatitis B Patients: Real-World Study. <i>Journal of Viral Hepatitis</i> , 2021 , 28, 942-950	3.4	2
102	Metabolic and cardiovascular complications after virological cure in hepatitis C: What awaits beyond. <i>World Journal of Gastroenterology</i> , 2021 , 27, 1959-1972	5.6	1
101	Monitoring Occurrence of Liver-Related Events and Survival by Transient Elastography in Patients With Nonalcoholic Fatty Liver Disease and Compensated Advanced Chronic Liver Disease. <i>Clinical Gastroenterology and Hepatology</i> , 2021 , 19, 806-815.e5	6.9	21
100	The case for simplifying and using absolute targets for viral hepatitis elimination goals. <i>Journal of Viral Hepatitis</i> , 2021 , 28, 12-19	3.4	12
99	Distinct Hepatitis B and HIV co-infected populations in Canada. <i>Journal of Viral Hepatitis</i> , 2021 , 28, 517-527	3.7	5
98	Reply to Giannini et al. <i>Clinical Infectious Diseases</i> , 2021 , 72, 1863-1864	11.6	
97	Intravoxel incoherent motion diffusion-weighted MRI for the characterization of inflammation in chronic liver disease. <i>European Radiology</i> , 2021 , 31, 1347-1358	8	6

96	A Stepwise Algorithmic Approach and External Validation Study for Noninvasive Prediction of Advanced Fibrosis in Nonalcoholic Fatty Liver Disease. <i>Digestive Diseases and Sciences</i> , 2021 , 66, 4046-4057	4.5	0
95	Non-alcoholic fatty liver disease in premenopausal women with polycystic ovary syndrome: A systematic review and meta-analysis. <i>JGH Open</i> , 2021 , 5, 434-445	1.8	5
94	Current Considerations for Clinical Management and Care of People with HIV: Findings from the 11th Annual International HIV and Aging Workshop. <i>AIDS Research and Human Retroviruses</i> , 2021 , 37, 807-820	1.6	0
93	Non-invasive diagnosis of nonalcoholic fatty liver disease in patients with type 2 diabetes. <i>Journal of Diabetes and Its Complications</i> , 2021 , 35, 107978	3.2	1
92	Non-alcoholic steatohepatitis in liver transplant recipients diagnosed by serum cytokeratin 18 and transient elastography: A prospective study.. <i>World Journal of Hepatology</i> , 2021 , 13, 2179-2191	3.4	0
91	Burden of nonalcoholic fatty liver disease in Canada, 2019-2030: a modelling study. <i>CMAJ Open</i> , 2020 , 8, E429-E436	2.5	16
90	New Drugs for NASH and HIV Infection: Great Expectations for a Great Need. <i>Hepatology</i> , 2020 , 71, 1831-1844	11.44	10
89	Limitations of non-invasive tests for assessment of liver fibrosis. <i>JHEP Reports</i> , 2020 , 2, 100067	10.3	54
88	Association Between Fibrosis Stage and Outcomes of Patients With Nonalcoholic Fatty Liver Disease: A Systematic Review and Meta-Analysis. <i>Gastroenterology</i> , 2020 , 158, 1611-1625.e12	13.3	234
87	Nonalcoholic Fatty Liver Disease and the Development of Metabolic Comorbid Conditions in Patients With Human Immunodeficiency Virus Infection. <i>Journal of Infectious Diseases</i> , 2020 , 222, 787-797	7	4
86	Noninvasive Markers of Portal Hypertension Detect Decompensation in Overweight or Obese Patients With Compensated Advanced Chronic Liver Disease. <i>Clinical Gastroenterology and Hepatology</i> , 2020 , 18, 3017-3025.e6	6.9	11
85	Prevalence, Predictors, and Severity of Lean Nonalcoholic Fatty Liver Disease in Patients Living With Human Immunodeficiency Virus. <i>Clinical Infectious Diseases</i> , 2020 , 71, e694-e701	11.6	9
84	The 8th Canadian Symposium on Hepatitis C virus: [Improving diagnosis and linkage to care] <i>Canadian Liver Journal</i> , 2020 , 3, 3-14	0.3	0
83	Prevalence and predictors of nonalcoholic fatty liver disease in South Asian women with polycystic ovary syndrome. <i>World Journal of Gastroenterology</i> , 2020 , 26, 7046-7060	5.6	6
82	Fibrosis Assessment via Liver Stiffness Measurements: How Many Patients Are Spared from a Liver Biopsy? 2020 , 563-588		
81	NASH in HIV. <i>Current HIV/AIDS Reports</i> , 2020 , 17, 601-614	5.9	6
80	Application of guidelines for the management of nonalcoholic fatty liver disease in three prospective cohorts of HIV-monoinfected patients. <i>HIV Medicine</i> , 2020 , 21, 96-108	2.7	6
79	Using the barriers and facilitators to linkage to HIV care to inform hepatitis C virus (HCV) linkage to care strategies for people released from prison: Findings from a systematic review. <i>Journal of Viral Hepatitis</i> , 2020 , 27, 205-220	3.4	12

78	Prediction of Esophageal Varices by Liver Stiffness and Platelets in Persons With Human Immunodeficiency Virus Infection and Compensated Advanced Chronic Liver Disease. <i>Clinical Infectious Diseases</i> , 2020 , 71, 2810-2817	11.6	7
77	Vitamin E is an effective treatment for nonalcoholic steatohepatitis in HIV mono-infected patients. <i>Aids</i> , 2020 , 34, 237-244	3.5	12
76	Liver steatosis and nonalcoholic fatty liver disease with fibrosis are predictors of frailty in people living with HIV. <i>Aids</i> , 2020 , 34, 1915-1921	3.5	4
75	Optimizing patients with non-alcoholic fatty liver disease pre-transplant. <i>Canadian Liver Journal</i> , 2020 , 3, 237-250	0.3	
74	2019 update of the European AIDS Clinical Society Guidelines for treatment of people living with HIV version 10.0. <i>HIV Medicine</i> , 2020 , 21, 617-624	2.7	46
73	Inference about time-dependent prognostic accuracy measures in the presence of competing risks. <i>BMC Medical Research Methodology</i> , 2020 , 20, 219	4.7	0
72	Nonalcoholic Fatty Liver Disease in Human Immunodeficiency Virus: The (Not So) New Kid on the Block?. <i>Clinical Infectious Diseases</i> , 2020 , 71, 243-244	11.6	1
71	MRI cine-tagging of cardiac-induced motion for noninvasive staging of liver fibrosis. <i>Journal of Magnetic Resonance Imaging</i> , 2020 , 51, 1570-1580	5.6	4
70	Reply to "Transient Elastography in IBD Patients". <i>Inflammatory Bowel Diseases</i> , 2019 , 25, e95	4.5	1
69	Screening for Nonalcoholic Fatty Liver Disease in Inflammatory Bowel Diseases: A Cohort Study Using Transient Elastography. <i>Inflammatory Bowel Diseases</i> , 2019 , 25, 124-133	4.5	30
68	Prospective comparison of transient, point shear wave, and magnetic resonance elastography for staging liver fibrosis. <i>European Radiology</i> , 2019 , 29, 6477-6488	8	46
67	HIV, Elevated Transaminases, Fatty Liver: The Perfect Storm?. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2019 , 81, e23-e25	3.1	3
66	Clinical significance of elevated liver transaminases in HIV-infected patients. <i>Aids</i> , 2019 , 33, 1267-1282	3.5	13
65	The hepatitis C virus cascade of care in a Quebec provincial prison: a retrospective cohort study. <i>CMAJ Open</i> , 2019 , 7, E674-E679	2.5	8
64	Liver-related Events in Human Immunodeficiency Virus-infected Persons With Occult Cirrhosis. <i>Clinical Infectious Diseases</i> , 2019 , 69, 1422-1430	11.6	7
63	Interventions to increase testing, linkage to care and treatment of hepatitis C virus (HCV) infection among people in prisons: A systematic review. <i>International Journal of Drug Policy</i> , 2018 , 57, 95-103	5.5	36
62	Transient elastography is an unreliable marker of liver fibrosis in patients with portal vein thrombosis. <i>Hepatology</i> , 2018 , 68, 783-785	11.2	9
61	A199 SCREENING FOR NONALCOHOLIC FATTY LIVER DISEASE BY TRANSIENT ELASTOGRAPHY WITH CONTROLLED ATTENUATION PARAMETER IN UNSELECTED PATIENTS WITH INFLAMMATORY BOWEL DISEASE. <i>Journal of the Canadian Association of Gastroenterology</i> , 2018 , 1, 347-348	0.5	1

60	Screening for nonalcoholic steatohepatitis by using cytokeratin 18 and transient elastography in HIV mono-infection. <i>PLoS ONE</i> , 2018 , 13, e0191985	3.7	19
59	A190 REGRESSION OF LIVER FIBROSIS AFTER SUCCESSFUL ALL ORAL ANTIVIRAL THERAPY IN HCV CIRRHOSIS: A PILOT STUDY EMPLOYING TRANSIENT ELASTOGRAPHY AND CONTROLLED ATTENUATION PARAMETER (CAP). <i>Journal of the Canadian Association of Gastroenterology</i> , 2018 , 1, 331-331	0.5	1
58	Reply to: "Non-invasive prediction of oesophageal varices in patients with cirrhosis secondary to non-alcoholic fatty liver disease". <i>Journal of Hepatology</i> , 2018 , 69, 1203-1204	13.4	
57	Non-invasive prediction of esophageal varices by stiffness and platelet in non-alcoholic fatty liver disease cirrhosis. <i>Journal of Hepatology</i> , 2018 , 69, 878-885	13.4	75
56	Increased risk of mortality by fibrosis stage in nonalcoholic fatty liver disease: Systematic review and meta-analysis. <i>Hepatology</i> , 2017 , 65, 1557-1565	11.2	796
55	Hepatic steatosis, hepatitis C, and human immunodeficiency viruses: A complex interplay. <i>Hepatology</i> , 2017 , 66, 673-674	11.2	1
54	Hepatic steatosis progresses faster in HIV mono-infected than HIV/HCV co-infected patients and is associated with liver fibrosis. <i>Journal of Hepatology</i> , 2017 , 67, 801-808	13.4	44
53	Liver fibrosis: Review of current imaging and MRI quantification techniques. <i>Journal of Magnetic Resonance Imaging</i> , 2017 , 45, 1276-1295	5.6	110
52	Incidence and Predictors of Advanced Liver Fibrosis by a Validated Serum Biomarker in Liver Transplant Recipients. <i>Canadian Journal of Gastroenterology and Hepatology</i> , 2017 , 2017, 4381864	2.8	0
51	Performance of transient elastography and serum fibrosis biomarkers for non-invasive evaluation of recurrent fibrosis after liver transplantation: A meta-analysis. <i>PLoS ONE</i> , 2017 , 12, e0185192	3.7	27
50	Nonalcoholic fatty liver disease diagnosed by transient elastography with controlled attenuation parameter in unselected HIV monoinfected patients. <i>Aids</i> , 2016 , 30, 2635-2643	3.5	46
49	AISF position paper on liver transplantation and pregnancy: Women in Hepatology Group, Italian Association for the Study of the Liver (AISF). <i>Digestive and Liver Disease</i> , 2016 , 48, 860-8	3.3	14
48	Co-existence of non-alcoholic fatty liver disease and inflammatory bowel disease: A review article. <i>World Journal of Gastroenterology</i> , 2016 , 22, 7727-34	5.6	39
47	Pharmacological Targeting of the Hepcidin/Ferroportin Axis. <i>Frontiers in Pharmacology</i> , 2016 , 7, 160	5.6	73
46	Incidence and Predictors of Nonalcoholic Fatty Liver Disease by Serum Biomarkers in Patients with Inflammatory Bowel Disease. <i>Inflammatory Bowel Diseases</i> , 2016 , 22, 1937-44	4.5	47
45	Risk of End-Stage Liver Disease in HIV-Viral Hepatitis Coinfected Persons in North America From the Early to Modern Antiretroviral Therapy Eras. <i>Clinical Infectious Diseases</i> , 2016 , 63, 1160-1167	11.6	43
44	Incidence and predictors of hepatic steatosis and fibrosis by serum biomarkers in a large cohort of human immunodeficiency virus mono-infected patients. <i>Open Forum Infectious Diseases</i> , 2015 , 2, ofv015 ¹		17
43	An extension of STARD statements for reporting diagnostic accuracy studies on liver fibrosis tests: the Liver-FibroSTARD standards. <i>Journal of Hepatology</i> , 2015 , 62, 807-15	13.4	46

42	Serum fibrosis biomarkers predict death and graft loss in liver transplantation recipients. <i>Liver Transplantation</i> , 2015 , 21, 1383-94	4.5	15
41	Prognostic Value of Non-Invasive Fibrosis and Steatosis Tools, Hepatic Venous Pressure Gradient (HVPG) and Histology in Nonalcoholic Steatohepatitis. <i>PLoS ONE</i> , 2015 , 10, e0128774	3.7	46
40	Noninvasive diagnosis of liver fibrosis: The importance of being reimbursed. <i>Canadian Journal of Gastroenterology and Hepatology</i> , 2015 , 29, 219-20	2.8	1
39	Occult cirrhosis diagnosed by transient elastography is a frequent and under-monitored clinical entity. <i>Liver International</i> , 2015 , 35, 2285-93	7.9	7
38	Systematic review: Preventive and therapeutic applications of metformin in liver disease. <i>World Journal of Hepatology</i> , 2015 , 7, 1652-9	3.4	46
37	Physicians' practices for diagnosing liver fibrosis in chronic liver diseases: a nationwide, Canadian survey. <i>Canadian Journal of Gastroenterology and Hepatology</i> , 2014 , 28, 23-30	2.8	31
36	A care coordination program to optimize management of cirrhosis: real-life applicability and feasibility in the context of the Canadian health care system. <i>Canadian Journal of Gastroenterology and Hepatology</i> , 2014 , 28, 221-2	2.8	1
35	Chronic hepatitis C and liver fibrosis. <i>World Journal of Gastroenterology</i> , 2014 , 20, 11033-53	5.6	130
34	Iron-dependent regulation of hepcidin in HJV ^{-/-} mice: evidence that hemojuvelin is dispensable for sensing body iron levels. <i>PLoS ONE</i> , 2014 , 9, e85530	3.7	28
33	Differences in activation of mouse hepcidin by dietary iron and parenterally administered iron dextran: compartmentalization is critical for iron sensing. <i>Journal of Molecular Medicine</i> , 2013 , 91, 95-102	5.5	35
32	Development and validation of a nomogram based on clinical factors and standard laboratory tests for prediction of clinically significant liver fibrosis in chronic hepatitis C virus infection. <i>European Journal of Gastroenterology and Hepatology</i> , 2013 , 25, 1385-95	2.2	3
31	Genotype-specific mutations in the polymerase gene of hepatitis B virus potentially associated with resistance to oral antiviral therapy. <i>Antiviral Research</i> , 2012 , 96, 422-9	10.8	20
30	Pegylated interferon-associated retinopathy is frequent in hepatitis C virus patients with hypertension and justifies ophthalmologic screening. <i>Hepatology</i> , 2012 , 56, 455-63	11.2	13
29	Hepatic iron overload is common in chronic hepatitis B and is more severe in patients coinfecting with hepatitis D virus. <i>Journal of Viral Hepatitis</i> , 2012 , 19, e170-6	3.4	33
28	How far is noninvasive assessment of liver fibrosis from replacing liver biopsy in hepatitis C?. <i>Journal of Viral Hepatitis</i> , 2012 , 19 Suppl 1, 18-32	3.4	34
27	Comparison of three algorithms of non-invasive markers of fibrosis in chronic hepatitis C. <i>Alimentary Pharmacology and Therapeutics</i> , 2012 , 35, 92-104	6.1	36
26	Non-invasive algorithms for liver fibrosis: authors' reply. <i>Alimentary Pharmacology and Therapeutics</i> , 2012 , 35, 311-313	6.1	
25	Accelerated CCL4-induced liver fibrosis in HJV ^{-/-} mice, associated with an oxidative burst and precocious profibrogenic gene expression. <i>PLoS ONE</i> , 2011 , 6, e25138	3.7	21

24	The impact of liver disease aetiology and the stages of hepatic fibrosis on the performance of non-invasive fibrosis biomarkers: an international study of 2411 cases. <i>Alimentary Pharmacology and Therapeutics</i> , 2011 , 34, 1202-16	6.1	94
23	Conditional disruption of mouse HFE2 gene: maintenance of systemic iron homeostasis requires hepatic but not skeletal muscle hemojuvelin. <i>Hepatology</i> , 2011 , 54, 1800-7	11.2	47
22	Disorders associated with systemic or local iron overload: from pathophysiology to clinical practice. <i>Metallomics</i> , 2011 , 3, 971-86	4.5	44
21	Non-invasive assessment of liver fibrosis: it is time for laboratory medicine. <i>Clinical Chemistry and Laboratory Medicine</i> , 2011 , 49, 13-32	5.9	16
20	Prospective comparison of two algorithms combining non-invasive methods for staging liver fibrosis in chronic hepatitis C. <i>Journal of Hepatology</i> , 2010 , 52, 191-8	13.4	158
19	Prediction of oesophageal varices in hepatic cirrhosis by simple serum non-invasive markers: Results of a multicenter, large-scale study. <i>Journal of Hepatology</i> , 2010 , 53, 630-8	13.4	92
18	Non-invasive assessment of liver fibrosis in chronic liver diseases: implementation in clinical practice and decisional algorithms. <i>World Journal of Gastroenterology</i> , 2009 , 15, 2190-203	5.6	62
17	SAFE biopsy: a validated method for large-scale staging of liver fibrosis in chronic hepatitis C. <i>Hepatology</i> , 2009 , 49, 1821-7	11.2	132
16	A seven-gene signature (cirrhosis risk score) predicts liver fibrosis progression in patients with initially mild chronic hepatitis C. <i>Hepatology</i> , 2009 , 50, 1038-44	11.2	80
15	Performance of noninvasive markers for liver fibrosis is reduced in chronic hepatitis C with normal transaminases. <i>Journal of Viral Hepatitis</i> , 2008 , 15, 474-474	3.4	1
14	Implementing non-invasive markers for liver fibrosis in clinical practice. <i>Journal of Hepatology</i> , 2008 , 48, 880-1; author reply 881-3	13.4	5
13	Performance of noninvasive markers for liver fibrosis is reduced in chronic hepatitis C with normal transaminases. <i>Journal of Viral Hepatitis</i> , 2008 , 15, 212-8	3.4	40
12	HFE gene in primary and secondary hepatic iron overload. <i>World Journal of Gastroenterology</i> , 2007 , 13, 4673-89	5.6	33
11	Clinical trial: comparison of weekly once versus twice half-dose weekly administration of pegylated interferon alpha 2b in combination with ribavirin for the treatment of HCV-1 positive patients with chronic hepatitis C. <i>Alimentary Pharmacology and Therapeutics</i> , 2007 , 26, 1077-82	6.1	2
10	Sequential algorithms combining non-invasive markers and biopsy for the assessment of liver fibrosis in chronic hepatitis B. <i>World Journal of Gastroenterology</i> , 2007 , 13, 525-31	5.6	111
9	Hepatitis C minimal residual viremia (MRV) detected by TMA at the end of Peg-IFN plus ribavirin therapy predicts post-treatment relapse. <i>Journal of Hepatology</i> , 2006 , 44, 83-7	13.4	43
8	Stepwise combination algorithms of non-invasive markers to diagnose significant fibrosis in chronic hepatitis C. <i>Journal of Hepatology</i> , 2006 , 44, 686-93	13.4	222
7	Hepatic iron, liver steatosis and viral genotypes in patients with chronic hepatitis C. <i>Journal of Viral Hepatitis</i> , 2006 , 13, 199-205	3.4	40

6	Fatty liver in H63D homozygotes with hyperferritinemia. <i>World Journal of Gastroenterology</i> , 2006 , 12, 1788-92	5.6	7
5	Non invasive fibrosis biomarkers reduce but not substitute the need for liver biopsy. <i>World Journal of Gastroenterology</i> , 2006 , 12, 3682-94	5.6	197
4	Natural history of initially mild chronic hepatitis C. <i>Digestive and Liver Disease</i> , 2004 , 36, 646-54	3.3	38
3	Cloning and characterization of the murine toll-like receptor 5 (Tlr5) gene: sequence and mRNA expression studies in Salmonella-susceptible MOLF/Ei mice. <i>Genomics</i> , 2000 , 64, 230-40	4.3	112
2	Mapping of genetic modulators of natural resistance to infection with Salmonella typhimurium in wild-derived mice. <i>Genomics</i> , 1998 , 47, 180-6	4.3	68
1	Acute liver failure in ruptured sinus of Valsalva aneurysm. <i>Canadian Liver Journal</i> , e20210012	0.3	