AgustÃ- Toll

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8452619/publications.pdf

Version: 2024-02-01

98 papers 3,436 citations

186265 28 h-index 56 g-index

104 all docs

104 docs citations

104 times ranked 5716 citing authors

#	Article	IF	Citations
1	Six steps to reach optimal scanning in exÂvivo confocal microscopy. Journal of the American Academy of Dermatology, 2022, 86, 188-189.	1.2	5
2	Sudden Development of Indurated Subcutaneous Nodules in a Patient With a Recent Melanoma Surgical Procedure. JAMA Dermatology, 2022, , .	4.1	0
3	Sporadic Kerathoacantomas in Young Patients: A Case Series and a Proposed Diagnostic Algorithm. Actas Dermo-sifiliogr $ ilde{A}_i$ ficas, 2022, 113, 95-98.	0.4	0
4	Patterns of incidental perineural invasion and prognosis in cutaneous squamous cell carcinoma: A multicenter, retrospective cohort study. Journal of the American Academy of Dermatology, 2021, 84, 1708-1712.	1.2	8
5	FR-Nueva evidencia a favor de 5-fluorouracilo en el tratamiento de las queratosis actÃnicas. Actas Dermo-sifiliográficas, 2021, 112, 69-70.	0.4	0
6	Queratoacantomas espor \tilde{A}_i dicos en pacientes j \tilde{A}^3 venes: serie de casos y propuesta de algoritmo diagn \tilde{A}^3 stico. Actas Dermo-sifiliogr \tilde{A}_i ficas, 2021, 113, T95-T98.	0.4	0
7	Orbital TFE3-Rearranged Perivascular Epithelioid Cell Tumor: A Case Report and Review of the Literature. American Journal of Dermatopathology, 2021, 43, e263-e266.	0.6	4
8	Sentinel Lymph Node Biopsy vs. Observation in Thin Melanoma: A Multicenter Propensity Score Matching Study. Journal of Clinical Medicine, 2021, 10, 5878.	2.4	2
9	When to suspect a supressor of fused homolog (SUFU)â€associated basal cell nevus syndrome. International Journal of Dermatology, 2021, , .	1.0	1
10	Postoperative radiotherapy provides better local control and longâ€term outcome in selective cases of cutaneous squamous cell carcinoma with perineural invasion. Journal of the European Academy of Dermatology and Venereology, 2020, 34, 1080-1091.	2.4	15
11	Meshed keystone flap: A last-step modification to reduce tension and cover a larger surface. Journal of the American Academy of Dermatology, 2020, 83, e397-e398.	1.2	2
12	Heinz-Lippmann disease as an underrecognized cause of chronic venous insufficiency-associated cutaneous ulcers: Clinical and imaging findings. Radiology Case Reports, 2020, 15, 1518-1522.	0.6	1
13	Identification of differentially expressed genes in actinic keratosis samples treated with ingenol mebutate gel. PLoS ONE, 2020, 15, e0232146.	2.5	4
14	Molecular characterisation of oncogenic urothelial mosaic mutations in patients with extensive keratinocytic epidermal naevi. Journal of Medical Genetics, 2020, 57, 601-604.	3.2	3
15	<i>Ex vivo</i> confocal microscopy: revolution in fast pathology in dermatology. British Journal of Dermatology, 2020, 183, 1011-1025.	1.5	37
16	sQUIZ your knowledge! Multiple basal cell carcinomas in a patient with psoriasis. European Journal of Dermatology, 2020, 30, 638-639.	0.6	1
17	Rapidly Growing and Aggressive Cutaneous Squamous Cell Carcinomas in a Patient Treated with Ruxolitinib. Annals of Dermatology, 2019, 31, 204.	0.9	5
18	Transcriptome and cytogenetic profiling analysis of matched in situ/invasive cutaneous squamous cell carcinomas from immunocompetent patients. Genes Chromosomes and Cancer, 2019, 58, 164-174.	2.8	18

#	Article	IF	CITATIONS
19	The Polycomb proteins RING1B and EZH2 repress the tumoral pro-inflammatory function in metastasizing primary cutaneous squamous cell carcinoma. Carcinogenesis, 2018, 39, 503-513.	2.8	18
20	Inverse association between negative symptoms and body mass index in chronic schizophrenia. Schizophrenia Research, 2018, 192, 69-74.	2.0	25
21	A Myxoid Fibrotic Reaction Pattern is Associated with Metastatic Risk in Cutaneous Squamous Cell Carcinoma. Acta Dermato-Venereologica, 2018, 99, 89-94.	1.3	6
22	The cake flap: a technique of serial excision in quadrants useful beyond congenital nevi. International Journal of Dermatology, 2018, 57, e138-e140.	1.0	1
23	Differences of Mohs micrographic surgery in basal cell carcinoma versus squamous cell carcinoma. International Journal of Dermatology, 2018, 57, 1375-1381.	1.0	10
24	Utilidad de la radioterapia en adyuvancia en el carcinoma epidermoide cut \tilde{A}_i neo. Actas Dermo-sifiliogr \tilde{A}_i ficas, 2018, 109, 476-484.	0.4	9
25	PD-L1 Expression is Increased in Metastasizing Squamous Cell Carcinomas and Their Metastases. American Journal of Dermatopathology, 2018, 40, 647-654.	0.6	42
26	Metastatic Cutaneous Squamous Cell Carcinomas. , 2017, , 199-221.		0
27	Cutaneous Angiosarcoma: The Importance of Clinical Suspicion. Actas Dermo-sifiliográficas, 2017, 108, 394.	0.4	0
28	Targeting metastasis-initiating cells through the fatty acid receptor CD36. Nature, 2017, 541, 41-45.	27.8	962
29	Mohs micrographic surgery using paraffin sections for the treatment of dermatofibroma of the face: A preliminary case series. Australasian Journal of Dermatology, 2017, 58, e264-e265.	0.7	0
30	Reconstruction of Combined Upper and Lower Eyelid Defects in a Patient With Lentigo Maligna. Dermatologic Surgery, 2017, 43, S111-S114.	0.8	1
31	Inefficient differentiation response to cell cycle stress leads to genomic instability and malignant progression of squamous carcinoma cells. Cell Death and Disease, 2017, 8, e2901-e2901.	6.3	12
32	Study of Epithelial to Mesenchymal Transition in Atypical Fibroxanthoma and Undifferentiated Pleomorphic Sarcoma to Discern an Epithelial Origin. American Journal of Dermatopathology, 2016, 38, 270-277.	0.6	6
33	Somatic Embryonic FGFR2 Mutations inÂKeratinocytic Epidermal Nevi. Journal of Investigative Dermatology, 2016, 136, 1718-1721.	0.7	17
34	Repair of a Defect of the Lateral Suprabrow. Dermatologic Surgery, 2016, 42, 543-546.	0.8	1
35	MiR-204 silencing in intraepithelial to invasive cutaneous squamous cell carcinoma progression. Molecular Cancer, 2016, 15, 53.	19.2	48
36	Identification of somatic gene mutations in penile squamous cell carcinoma. Genes Chromosomes and Cancer, 2015, 54, 629-637.	2.8	17

#	Article	IF	CITATIONS
37	Epithelial-to-Mesenchymal Transition in Penile Squamous Cell Carcinoma. Journal of Urology, 2015, 193, 699-705.	0.4	12
38	Active nuclear IKK correlates with metastatic risk in cutaneous squamous cell carcinoma. Archives of Dermatological Research, 2015, 307, 721-729.	1.9	26
39	Multifaceted role of TREX2 in the skin defense against UV-induced skin carcinogenesis. Oncotarget, 2015, 6, 22375-22396.	1.8	14
40	Oxidative stress and mitochondrial dysfunction in Kindler syndrome. Orphanet Journal of Rare Diseases, 2014, 9, 211.	2.7	20
41	Verruciform Xanthoma Developing in Recessive Dystrophic Epidermolysis Bullosa. American Journal of Dermatopathology, 2014, 36, 506-509.	0.6	6
42	Human beta papillomavirus DNA study in primary cutaneous squamous cell carcinomas and their corresponding metastases. Archives of Dermatological Research, 2014, 306, 93-95.	1.9	5
43	Modificaciones de la cirugÃa de Mohs convencional: Mohs a 90° y Mohs diferido. Técnicas e indicaciones. Piel, 2014, 29, 49-55.	0.0	2
44	Chromatin-Bound lκBα Regulates a Subset of Polycomb Target Genes in Differentiation and Cancer. Cancer Cell, 2013, 24, 151-166.	16.8	46
45	mTOR Signaling Pathway in Penile Squamous Cell Carcinoma: pmTOR and pelF4E Over Expression Correlate with Aggressive Tumor Behavior. Journal of Urology, 2013, 190, 2288-2295.	0.4	42
46	Epithelial to mesenchymal transition markers are associated with an increased metastatic risk in primary cutaneous squamous cell carcinomas but are attenuated in lymph node metastases. Journal of Dermatological Science, 2013, 72, 93-102.	1.9	65
47	Evaluation of MYC status in oral lichen planus in patients with progression to oral squamous cell carcinoma. British Journal of Dermatology, 2013, 169, 106-114.	1.5	15
48	Identification and genotyping of human papillomavirus in a Spanish cohort of penile squamous cell carcinomas: Correlation with pathologic subtypes, p16INK4a expression, and prognosis. Journal of the American Academy of Dermatology, 2013, 68, 73-82.	1.2	91
49	Phacomatosis Pigmentokeratotica Is Caused by a Postzygotic HRAS Mutation in a Multipotent Progenitor Cell. Journal of Investigative Dermatology, 2013, 133, 1998-2003.	0.7	105
50	Keratinocytic epidermal nevi are associated with mosaic <i>RAS</i> mutations. Journal of Medical Genetics, 2012, 49, 249-253.	3.2	93
51	Potenciar la cirugÃa micrográfica de Mohs en España: una obra inacabada. Actas Dermo-sifiliográficas, 2012, 103, 759-761.	0.4	4
52	The Implantation of Mohs Micrographic Surgery in Spain: a Work Still in Progress. Actas Dermo-sifiliográficas, 2012, 103, 759-761.	0.4	1
53	D2-40 immunohistochemical overexpression in cutaneous squamous cell carcinomas: A marker of metastatic risk. Journal of the American Academy of Dermatology, 2012, 67, 1310-1318.	1.2	32
54	<i>MYC</i> Copy Number Gains are Associated with Poor Outcome in Penile Squamous Cell Carcinoma. Journal of Urology, 2012, 188, 1965-1971.	0.4	24

#	Article	IF	Citations
55	Postzygotic HRAS and KRAS mutations cause nevus sebaceous and Schimmelpenning syndrome. Nature Genetics, 2012, 44, 783-787.	21.4	270
56	<i>HRAS</i> Mutation Mosaicism Causing Urothelial Cancer and Epidermal Nevus. New England Journal of Medicine, 2011, 365, 1940-1942.	27.0	68
57	Identification of t(17;22)(q22;q13) (COL1A1/PDGFB) in dermatofibrosarcoma protuberans by fluorescence in situ hybridization in paraffin-embedded tissue microarrays. Human Pathology, 2011, 42, 176-184.	2.0	43
58	Harlequin syndrome after jogging. Medical Journal of Australia, 2011, 195, 288-288.	1.7	4
59	Reconstruction of Defects of the Infraorbital Malar Cheek. Dermatologic Surgery, 2011, 37, 1675-1678.	0.8	6
60	Molecular diagnosis of dermatofibrosarcoma protuberans: A comparison between reverse transcriptaseâ€polymerase chain reaction and fluorescence in situ hybridization methodologies. Genes Chromosomes and Cancer, 2011, 50, 510-517.	2.8	69
61	<i>CKS1B</i> amplification is a frequent event in cutaneous squamous cell carcinoma with aggressive clinical behaviour. Genes Chromosomes and Cancer, 2010, 49, 1054-1061.	2.8	10
62	Epidermal growth factor receptor gene numerical aberrations are frequent events in actinic keratoses and invasive cutaneous squamous cell carcinomas. Experimental Dermatology, 2010, 19, 151-153.	2.9	77
63	Multiple genetic copy number alterations in oral squamous cell carcinoma: study of MYC , TP53 , CCDN1, EGFR and ERBB2 status in primary and metastatic tumours. British Journal of Dermatology, 2010, 163, 1028-1035.	1.5	39
64	Multiple oncogenic mutations and clonal relationship in spatially distinct benign human epidermal tumors. Proceedings of the National Academy of Sciences of the United States of America, 2010, 107, 20780-20785.	7.1	84
65	"Eruptive postoperative squamous cell carcinomas―or "Hypertrophic lichen planus–like reactions combined with infundibulocystic hyperplasia�. Journal of the American Academy of Dermatology, 2010, 63, 910-911.	1.2	2
66	Cutaneous Venous Malformations in Familial Cerebral Cavernomatosis Caused by <i>KRIT1</i> Gene Mutations. Dermatology, 2009, 218, 307-313.	2.1	39
67	<i>MYC</i> gene numerical aberrations in actinic keratosis and cutaneous squamous cell carcinoma. British Journal of Dermatology, 2009, 161, 1112-1118.	1.5	54
68	Reconstruction of Defects in Paramedian Upper Lip. Dermatologic Surgery, 2009, 35, 1541-1544.	0.8	4
69	Letter: Photodynamic Therapy with Methyl Aminolevulinate Induces Phototoxic Reactions on Areas of the Nose Adjacent to Basal Cell Carcinomas and Actinic Keratoses. Dermatologic Surgery, 2008, 34, 1145-1148.	0.8	2
70	Linear unilateral hamartomatous basal cell naevus with glandular and follicular differentiation. Clinical and Experimental Dermatology, 2008, 33, 429-432.	1.3	6
71	Pseudotumoral primary syphilis on the tongue in an HIV positive patient. Clinical and Experimental Dermatology, 2008, 33, 509-511.	1.3	7
72	Clinical Characteristics and Psychopathological Profile of Patients with Vulvodynia: An Observational and Descriptive Study. Dermatology, 2008, 216, 24-30.	2.1	32

#	Article	IF	CITATIONS
73	Somatic oncogenic mutations, benign skin lesions and cancer progression: Where to look next?. Cell Cycle, 2008, 7, 2674-2681.	2.6	14
74	Horner Syndrome Associated With Ipsilateral Facial and Extremity Anhydrosis. Journal of Neuro-Ophthalmology, 2008, 28, 178-181.	0.8	8
75	Oncogenic <i>PIK3CA</i> mutations occur in epidermal nevi and seborrheic keratoses with a characteristic mutation pattern. Proceedings of the National Academy of Sciences of the United States of America, 2007, 104, 13450-13454.	7.1	195
76	Fibroblast Growth Factor Receptor 3 Mutations in Epidermal Nevi and Associated Low Grade Bladder Tumors. Journal of Investigative Dermatology, 2007, 127, 1664-1666.	0.7	41
77	Assessment of nailfold capillaroscopy by ×30 digital epiluminescence (dermoscopy) in patients with Raynaud phenomenon. British Journal of Dermatology, 2007, 156, 892-898.	1.5	51
78	Lichen sclerosus et atrophicus-like lesions in mycosis fungoides. British Journal of Dermatology, 2007, 157, 411-413.	1.5	12
79	Multifocal segmental hyperthermic and hyperhidrotic naevus flammeus: a peculiar variant of eccrine angiomatous hamartoma?. Clinical and Experimental Dermatology, 2007, 32, 696-698.	1.3	9
80	Acquired Mucosal Indeterminate Cell Histiocytoma. Pediatric Dermatology, 2007, 24, 253-256.	0.9	23
81	V-Shaped Hyperpigmented Linear Lesions, Patchy Hypotrichosis, and Teeth Abnormalities in a Young Girl. Pediatric Dermatology, 2007, 24, 551-554.	0.9	0
82	Multiple and extensive lichen planus-like keratoses: an underestimated cutaneous eruption observed in patients with intense sun damage. Journal of the European Academy of Dermatology and Venereology, 2006, 20, 472-473.	2.4	11
83	The prevalence of HFE C282Y gene mutation is increased in Spanish patients with porphyria cutanea tarda without hepatitis C virus infection. Journal of the European Academy of Dermatology and Venereology, 2006, 20, 1201-1206.	2.4	17
84	Haemochromatosis Gene Mutations and Response to Chloroquine in Sporadic Porphyria Cutanea Tarda. Acta Dermato-Venereologica, 2006, 86, 279-280.	1.3	5
85	Depot Leuprorelin Acetate-induced Granulomas Manifested as Persistent Suppurative Nodules. Acta Dermato-Venereologica, 2006, 86, 453-455.	1.3	15
86	Large Atypical Melanocytic Nevi in Recessive Dystrophic Epidermolysis Bullosa: Clinicopathological, Ultrastructural, and Dermoscopic Study. Pediatric Dermatology, 2005, 22, 338-343.	0.9	27
87	Low-molecular-weight heparin-induced skin necrosis: a potential association with pre-existent hypercoagulable states. International Journal of Dermatology, 2005, 44, 964-966.	1.0	15
88	Erythrokeratoderma variabilis-like ichthyosis in Chanarin-Dorfman syndrome. British Journal of Dermatology, 2005, 153, 838-841.	1.5	55
89	Aggressive multifocal Buruli ulcer with associated osteomyelitis in an HIV-positive patient. Clinical and Experimental Dermatology, 2005, 30, 649-651.	1.3	46
90	Immediate cutaneous hypersensitivity response to phytomenadione induced by vitamin K1 in skin diagnostic procedure. Contact Dermatitis, 2005, 52, 284-285.	1.4	7

AgustÃ-Toll

#	Article	IF	CITATIONS
91	Treatment of localized persistent plaque psoriasis with incoherent narrowband ultraviolet B phototherapy. Journal of Dermatological Treatment, 2005, 16, 165-168.	2.2	9
92	Localized Retiform Purpura after Accidental Intraâ€arterial Injection of Polidocanol. Acta Dermato-Venereologica, 2005, 85, 372-373.	1.3	10
93	Kikuchi's disease (necrotizing lymphadenitis) with cutaneous involvement associated with subacute cutaneous lupus erythematosus. Clinical and Experimental Dermatology, 2004, 29, 240-243.	1.3	16
94	Evaluation of urinary porphyrin excretion in neonates born to mothers exposed to airborne hexachlorobenzene Environmental Health Perspectives, 2002, 110, 205-209.	6.0	12
95	CD30 antigen expression in cutaneous inflammatory infiltrates of scabies: a dynamic immunophenotypic pattern that should be distinguished from lymphomatoid papulosis. Journal of Cutaneous Pathology, 2002, 29, 368-373.	1.3	51
96	Papulonecrotic tuberculide in a human immunodeficiency virus type 1-seropositive patient. British Journal of Dermatology, 2000, 143, 232-233.	1.5	20
97	Picture of the Month. JAMA Pediatrics, 2000, 154, 1263.	3.0	2
98	Subacute cutaneous lupus erythematosus associated with cinnarizine and thiethylperazine therapy. Lupus, 1998, 7, 364-366.	1.6	30