

AgustÃ- Toll

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8452619/publications.pdf>

Version: 2024-02-01

98
papers

3,436
citations

212478

28
h-index

169272

56
g-index

104
all docs

104
docs citations

104
times ranked

6073
citing authors

#	ARTICLE	IF	CITATIONS
1	Six steps to reach optimal scanning in ex vivo confocal microscopy. <i>Journal of the American Academy of Dermatology</i> , 2022, 86, 188-189.	0.6	5
2	Sudden Development of Indurated Subcutaneous Nodules in a Patient With a Recent Melanoma Surgical Procedure. <i>JAMA Dermatology</i> , 2022, , .	2.0	0
3	Sporadic Keratoacanthomas in Young Patients: A Case Series and a Proposed Diagnostic Algorithm. <i>Actas Dermo-sifiligráficas</i> , 2022, 113, 95-98.	0.2	0
4	Patterns of incidental perineural invasion and prognosis in cutaneous squamous cell carcinoma: A multicenter, retrospective cohort study. <i>Journal of the American Academy of Dermatology</i> , 2021, 84, 1708-1712.	0.6	8
5	FR-Nueva evidencia a favor de 5-fluorouracilo en el tratamiento de las queratosis actínicas. <i>Actas Dermo-sifiligráficas</i> , 2021, 112, 69-70.	0.2	0
6	Queratoacantomas esporádicos en pacientes jóvenes: serie de casos y propuesta de algoritmo diagnóstico. <i>Actas Dermo-sifiligráficas</i> , 2021, 113, T95-T98.	0.2	0
7	Orbital TFE3-Rearranged Perivascular Epithelioid Cell Tumor: A Case Report and Review of the Literature. <i>American Journal of Dermatopathology</i> , 2021, 43, e263-e266.	0.3	4
8	Sentinel Lymph Node Biopsy vs. Observation in Thin Melanoma: A Multicenter Propensity Score Matching Study. <i>Journal of Clinical Medicine</i> , 2021, 10, 5878.	1.0	2
9	When to suspect a supressor of fused homolog (SUFU)-associated basal cell nevus syndrome. <i>International Journal of Dermatology</i> , 2021, , .	0.5	1
10	Postoperative radiotherapy provides better local control and long-term outcome in selective cases of cutaneous squamous cell carcinoma with perineural invasion. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020, 34, 1080-1091.	1.3	15
11	Meshed keystone flap: A last-step modification to reduce tension and cover a larger surface. <i>Journal of the American Academy of Dermatology</i> , 2020, 83, e397-e398.	0.6	2
12	Heinz-Lippmann disease as an underrecognized cause of chronic venous insufficiency-associated cutaneous ulcers: Clinical and imaging findings. <i>Radiology Case Reports</i> , 2020, 15, 1518-1522.	0.2	1
13	Identification of differentially expressed genes in actinic keratosis samples treated with ingenol mebutate gel. <i>PLoS ONE</i> , 2020, 15, e0232146.	1.1	4
14	Molecular characterisation of oncogenic urothelial mosaic mutations in patients with extensive keratinocytic epidermal naevi. <i>Journal of Medical Genetics</i> , 2020, 57, 601-604.	1.5	3
15	Ex vivo confocal microscopy: revolution in fast pathology in dermatology. <i>British Journal of Dermatology</i> , 2020, 183, 1011-1025.	1.4	37
16	sQUIZ your knowledge! Multiple basal cell carcinomas in a patient with psoriasis. <i>European Journal of Dermatology</i> , 2020, 30, 638-639.	0.3	1
17	Rapidly Growing and Aggressive Cutaneous Squamous Cell Carcinomas in a Patient Treated with Ruxolitinib. <i>Annals of Dermatology</i> , 2019, 31, 204.	0.3	5
18	Transcriptome and cytogenetic profiling analysis of matched in situ/invasive cutaneous squamous cell carcinomas from immunocompetent patients. <i>Genes Chromosomes and Cancer</i> , 2019, 58, 164-174.	1.5	18

#	ARTICLE	IF	CITATIONS
19	The Polycomb proteins RING1B and EZH2 repress the tumoral pro-inflammatory function in metastasizing primary cutaneous squamous cell carcinoma. <i>Carcinogenesis</i> , 2018, 39, 503-513.	1.3	18
20	Inverse association between negative symptoms and body mass index in chronic schizophrenia. <i>Schizophrenia Research</i> , 2018, 192, 69-74.	1.1	25
21	A Myxoid Fibrotic Reaction Pattern is Associated with Metastatic Risk in Cutaneous Squamous Cell Carcinoma. <i>Acta Dermato-Venereologica</i> , 2018, 99, 89-94.	0.6	6
22	The cake flap: a technique of serial excision in quadrants useful beyond congenital nevi. <i>International Journal of Dermatology</i> , 2018, 57, e138-e140.	0.5	1
23	Differences of Mohs micrographic surgery in basal cell carcinoma versus squamous cell carcinoma. <i>International Journal of Dermatology</i> , 2018, 57, 1375-1381.	0.5	10
24	Utilidad de la radioterapia en adyuvancia en el carcinoma epidermoide cutáneo. <i>Actas Dermo-sifiligráficas</i> , 2018, 109, 476-484.	0.2	9
25	PD-L1 Expression is Increased in Metastasizing Squamous Cell Carcinomas and Their Metastases. <i>American Journal of Dermatopathology</i> , 2018, 40, 647-654.	0.3	42
26	Metastatic Cutaneous Squamous Cell Carcinomas. , 2017, , 199-221.		0
27	Cutaneous Angiosarcoma: The Importance of Clinical Suspicion. <i>Actas Dermo-sifiligráficas</i> , 2017, 108, 394.	0.2	0
28	Targeting metastasis-initiating cells through the fatty acid receptor CD36. <i>Nature</i> , 2017, 541, 41-45.	13.7	962
29	Mohs micrographic surgery using paraffin sections for the treatment of dermatofibroma of the face: A preliminary case series. <i>Australasian Journal of Dermatology</i> , 2017, 58, e264-e265.	0.4	0
30	Reconstruction of Combined Upper and Lower Eyelid Defects in a Patient With Lentigo Maligna. <i>Dermatologic Surgery</i> , 2017, 43, S111-S114.	0.4	1
31	Inefficient differentiation response to cell cycle stress leads to genomic instability and malignant progression of squamous carcinoma cells. <i>Cell Death and Disease</i> , 2017, 8, e2901-e2901.	2.7	12
32	Study of Epithelial to Mesenchymal Transition in Atypical Fibroxanthoma and Undifferentiated Pleomorphic Sarcoma to Discern an Epithelial Origin. <i>American Journal of Dermatopathology</i> , 2016, 38, 270-277.	0.3	6
33	Somatic Embryonic FGFR2 Mutations in Keratinocytic Epidermal Nevi. <i>Journal of Investigative Dermatology</i> , 2016, 136, 1718-1721.	0.3	17
34	Repair of a Defect of the Lateral Suprabrow. <i>Dermatologic Surgery</i> , 2016, 42, 543-546.	0.4	1
35	MiR-204 silencing in intraepithelial to invasive cutaneous squamous cell carcinoma progression. <i>Molecular Cancer</i> , 2016, 15, 53.	7.9	48
36	Identification of somatic gene mutations in penile squamous cell carcinoma. <i>Genes Chromosomes and Cancer</i> , 2015, 54, 629-637.	1.5	17

#	ARTICLE	IF	CITATIONS
37	Epithelial-to-Mesenchymal Transition in Penile Squamous Cell Carcinoma. <i>Journal of Urology</i> , 2015, 193, 699-705.	0.2	12
38	Active nuclear IKK correlates with metastatic risk in cutaneous squamous cell carcinoma. <i>Archives of Dermatological Research</i> , 2015, 307, 721-729.	1.1	26
39	Multifaceted role of TREX2 in the skin defense against UV-induced skin carcinogenesis. <i>Oncotarget</i> , 2015, 6, 22375-22396.	0.8	14
40	Oxidative stress and mitochondrial dysfunction in Kindler syndrome. <i>Orphanet Journal of Rare Diseases</i> , 2014, 9, 211.	1.2	20
41	Verruciform Xanthoma Developing in Recessive Dystrophic Epidermolysis Bullosa. <i>American Journal of Dermatopathology</i> , 2014, 36, 506-509.	0.3	6
42	Human beta papillomavirus DNA study in primary cutaneous squamous cell carcinomas and their corresponding metastases. <i>Archives of Dermatological Research</i> , 2014, 306, 93-95.	1.1	5
43	Modificaciones de la cirugía de Mohs convencional: Mohs a 90° y Mohs diferido. <i>Técnicas e indicaciones. Piel</i> , 2014, 29, 49-55.	0.0	2
44	Chromatin-Bound β Regulates a Subset of Polycomb Target Genes in Differentiation and Cancer. <i>Cancer Cell</i> , 2013, 24, 151-166.	7.7	46
45	mTOR Signaling Pathway in Penile Squamous Cell Carcinoma: pmTOR and pEIF4E Over Expression Correlate with Aggressive Tumor Behavior. <i>Journal of Urology</i> , 2013, 190, 2288-2295.	0.2	42
46	Epithelial to mesenchymal transition markers are associated with an increased metastatic risk in primary cutaneous squamous cell carcinomas but are attenuated in lymph node metastases. <i>Journal of Dermatological Science</i> , 2013, 72, 93-102.	1.0	65
47	Evaluation of MYC status in oral lichen planus in patients with progression to oral squamous cell carcinoma. <i>British Journal of Dermatology</i> , 2013, 169, 106-114.	1.4	15
48	Identification and genotyping of human papillomavirus in a Spanish cohort of penile squamous cell carcinomas: Correlation with pathologic subtypes, p16INK4a expression, and prognosis. <i>Journal of the American Academy of Dermatology</i> , 2013, 68, 73-82.	0.6	91
49	Phacomatosis Pigmentokeratolica Is Caused by a Postzygotic HRAS Mutation in a Multipotent Progenitor Cell. <i>Journal of Investigative Dermatology</i> , 2013, 133, 1998-2003.	0.3	105
50	Keratinocytic epidermal nevi are associated with mosaic <i>RAS</i> mutations. <i>Journal of Medical Genetics</i> , 2012, 49, 249-253.	1.5	93
51	Potenciar la cirugía micrográfica de Mohs en España: una obra inacabada. <i>Actas Dermo-sifiliográficas</i> , 2012, 103, 759-761.	0.2	4
52	The Implantation of Mohs Micrographic Surgery in Spain: a Work Still in Progress. <i>Actas Dermo-sifiliográficas</i> , 2012, 103, 759-761.	0.2	1
53	D2-40 immunohistochemical overexpression in cutaneous squamous cell carcinomas: A marker of metastatic risk. <i>Journal of the American Academy of Dermatology</i> , 2012, 67, 1310-1318.	0.6	32
54	<i>MYC</i> Copy Number Gains are Associated with Poor Outcome in Penile Squamous Cell Carcinoma. <i>Journal of Urology</i> , 2012, 188, 1965-1971.	0.2	24

#	ARTICLE	IF	CITATIONS
55	Postzygotic HRAS and KRAS mutations cause nevus sebaceous and Schimmelpenning syndrome. <i>Nature Genetics</i> , 2012, 44, 783-787.	9.4	270
56	<i>HRAS</i> Mutation Mosaicism Causing Urothelial Cancer and Epidermal Nevus. <i>New England Journal of Medicine</i> , 2011, 365, 1940-1942.	13.9	68
57	Identification of t(17;22)(q22;q13) (COL1A1/PDGFB) in dermatofibrosarcoma protuberans by fluorescence in situ hybridization in paraffin-embedded tissue microarrays. <i>Human Pathology</i> , 2011, 42, 176-184.	1.1	43
58	Harlequin syndrome after jogging. <i>Medical Journal of Australia</i> , 2011, 195, 288-288.	0.8	4
59	Reconstruction of Defects of the Infraorbital Malar Cheek. <i>Dermatologic Surgery</i> , 2011, 37, 1675-1678.	0.4	6
60	Molecular diagnosis of dermatofibrosarcoma protuberans: A comparison between reverse transcriptase-polymerase chain reaction and fluorescence in situ hybridization methodologies. <i>Genes Chromosomes and Cancer</i> , 2011, 50, 510-517.	1.5	69
61	<i>CKS1B</i> amplification is a frequent event in cutaneous squamous cell carcinoma with aggressive clinical behaviour. <i>Genes Chromosomes and Cancer</i> , 2010, 49, 1054-1061.	1.5	10
62	Epidermal growth factor receptor gene numerical aberrations are frequent events in actinic keratoses and invasive cutaneous squamous cell carcinomas. <i>Experimental Dermatology</i> , 2010, 19, 151-153.	1.4	77
63	Multiple genetic copy number alterations in oral squamous cell carcinoma: study of MYC, TP53, CCND1, EGFR and ERBB2 status in primary and metastatic tumours. <i>British Journal of Dermatology</i> , 2010, 163, 1028-1035.	1.4	39
64	Multiple oncogenic mutations and clonal relationship in spatially distinct benign human epidermal tumors. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 20780-20785.	3.3	84
65	“Eruptive postoperative squamous cell carcinomas” or “Hypertrophic lichen planus” like reactions combined with infundibulocystic hyperplasia?. <i>Journal of the American Academy of Dermatology</i> , 2010, 63, 910-911.	0.6	2
66	Cutaneous Venous Malformations in Familial Cerebral Cavematomatosis Caused by <i>KRIT1</i> Gene Mutations. <i>Dermatology</i> , 2009, 218, 307-313.	0.9	39
67	<i>MYC</i> gene numerical aberrations in actinic keratosis and cutaneous squamous cell carcinoma. <i>British Journal of Dermatology</i> , 2009, 161, 1112-1118.	1.4	54
68	Reconstruction of Defects in Paramedian Upper Lip. <i>Dermatologic Surgery</i> , 2009, 35, 1541-1544.	0.4	4
69	Letter: Photodynamic Therapy with Methyl Aminolevulinat Induces Phototoxic Reactions on Areas of the Nose Adjacent to Basal Cell Carcinomas and Actinic Keratoses. <i>Dermatologic Surgery</i> , 2008, 34, 1145-1148.	0.4	2
70	Linear unilateral hamartomatous basal cell naevus with glandular and follicular differentiation. <i>Clinical and Experimental Dermatology</i> , 2008, 33, 429-432.	0.6	6
71	Pseudotumoral primary syphilis on the tongue in an HIV positive patient. <i>Clinical and Experimental Dermatology</i> , 2008, 33, 509-511.	0.6	7
72	Clinical Characteristics and Psychopathological Profile of Patients with Vulvodynia: An Observational and Descriptive Study. <i>Dermatology</i> , 2008, 216, 24-30.	0.9	32

#	ARTICLE	IF	CITATIONS
73	Somatic oncogenic mutations, benign skin lesions and cancer progression: Where to look next?. <i>Cell Cycle</i> , 2008, 7, 2674-2681.	1.3	14
74	Horner Syndrome Associated With Ipsilateral Facial and Extremity Anhidrosis. <i>Journal of Neuro-Ophthalmology</i> , 2008, 28, 178-181.	0.4	8
75	Oncogenic <i>PIK3CA</i> mutations occur in epidermal nevi and seborrheic keratoses with a characteristic mutation pattern. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 13450-13454.	3.3	195
76	Fibroblast Growth Factor Receptor 3 Mutations in Epidermal Nevi and Associated Low Grade Bladder Tumors. <i>Journal of Investigative Dermatology</i> , 2007, 127, 1664-1666.	0.3	41
77	Assessment of nailfold capillaroscopy by $\times 30$ digital epiluminescence (dermoscopy) in patients with Raynaud phenomenon. <i>British Journal of Dermatology</i> , 2007, 156, 892-898.	1.4	51
78	Lichen sclerosus et atrophicus-like lesions in mycosis fungoides. <i>British Journal of Dermatology</i> , 2007, 157, 411-413.	1.4	12
79	Multifocal segmental hyperthermic and hyperhidrotic naevus flammeus: a peculiar variant of eccrine angiomatous hamartoma?. <i>Clinical and Experimental Dermatology</i> , 2007, 32, 696-698.	0.6	9
80	Acquired Mucosal Indeterminate Cell Histiocytoma. <i>Pediatric Dermatology</i> , 2007, 24, 253-256.	0.5	23
81	V-Shaped Hyperpigmented Linear Lesions, Patchy Hypotrichosis, and Teeth Abnormalities in a Young Girl. <i>Pediatric Dermatology</i> , 2007, 24, 551-554.	0.5	0
82	Multiple and extensive lichen planus-like keratoses: an underestimated cutaneous eruption observed in patients with intense sun damage. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2006, 20, 472-473.	1.3	11
83	The prevalence of HFE C282Y gene mutation is increased in Spanish patients with porphyria cutanea tarda without hepatitis C virus infection. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2006, 20, 1201-1206.	1.3	17
84	Haemochromatosis Gene Mutations and Response to Chloroquine in Sporadic Porphyria Cutanea Tarda. <i>Acta Dermato-Venereologica</i> , 2006, 86, 279-280.	0.6	5
85	Depot Leuprorelin Acetate-induced Granulomas Manifested as Persistent Suppurative Nodules. <i>Acta Dermato-Venereologica</i> , 2006, 86, 453-455.	0.6	15
86	Large Atypical Melanocytic Nevi in Recessive Dystrophic Epidermolysis Bullosa: Clinicopathological, Ultrastructural, and Dermoscopic Study. <i>Pediatric Dermatology</i> , 2005, 22, 338-343.	0.5	27
87	Low-molecular-weight heparin-induced skin necrosis: a potential association with pre-existent hypercoagulable states. <i>International Journal of Dermatology</i> , 2005, 44, 964-966.	0.5	15
88	Erythrokeratoderma variabilis-like ichthyosis in Chanarin-Dorfman syndrome. <i>British Journal of Dermatology</i> , 2005, 153, 838-841.	1.4	55
89	Aggressive multifocal Buruli ulcer with associated osteomyelitis in an HIV-positive patient. <i>Clinical and Experimental Dermatology</i> , 2005, 30, 649-651.	0.6	46
90	Immediate cutaneous hypersensitivity response to phytomenadione induced by vitamin K1 in skin diagnostic procedure. <i>Contact Dermatitis</i> , 2005, 52, 284-285.	0.8	7

#	ARTICLE	IF	CITATIONS
91	Treatment of localized persistent plaque psoriasis with incoherent narrowband ultraviolet B phototherapy. <i>Journal of Dermatological Treatment</i> , 2005, 16, 165-168.	1.1	9
92	Localized Retiform Purpura after Accidental Intra-arterial Injection of Polidocanol. <i>Acta Dermato-Venereologica</i> , 2005, 85, 372-373.	0.6	10
93	Kikuchi's disease (necrotizing lymphadenitis) with cutaneous involvement associated with subacute cutaneous lupus erythematosus. <i>Clinical and Experimental Dermatology</i> , 2004, 29, 240-243.	0.6	16
94	Evaluation of urinary porphyrin excretion in neonates born to mothers exposed to airborne hexachlorobenzene. <i>Environmental Health Perspectives</i> , 2002, 110, 205-209.	2.8	12
95	CD30 antigen expression in cutaneous inflammatory infiltrates of scabies: a dynamic immunophenotypic pattern that should be distinguished from lymphomatoid papulosis. <i>Journal of Cutaneous Pathology</i> , 2002, 29, 368-373.	0.7	51
96	Papulonecrotic tuberculide in a human immunodeficiency virus type 1-seropositive patient. <i>British Journal of Dermatology</i> , 2000, 143, 232-233.	1.4	20
97	Picture of the Month. <i>JAMA Pediatrics</i> , 2000, 154, 1263.	3.6	2
98	Subacute cutaneous lupus erythematosus associated with cinnarizine and thiethylperazine therapy. <i>Lupus</i> , 1998, 7, 364-366.	0.8	30