Kerry R Everett

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8454078/publications.pdf

Version: 2024-02-01

933447 888059 25 530 10 17 citations g-index h-index papers 26 26 26 492 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	First report of Pseudomonas syringae pv. actinidiae causing kiwifruit bacterial canker in New Zealand. Australasian Plant Disease Notes, 2011, 6, 67-71.	0.7	155
2	Detection of <i>Pseudomonas syringae</i> pv. <i>actinidiae</i> using polymerase chain reaction (PCR) primers based on the 16S–23S rDNA intertranscribed spacer region and comparison with PCR primers based on other gene regions. Plant Pathology, 2010, 59, 453-464.	2.4	137
3	Inoculum sources and infection pathways of pathogens causing stemâ€end rots of â€~Hass' avocado(Persea <i>Americana)</i> . New Zealand Journal of Crop and Horticultural Science, 2002, 30, 249-260.	1.3	32
4	Avocado lenticel damage: The cause and the effect on fruit quality. Postharvest Biology and Technology, 2008, 48, 383-390.	6.0	29
5	Epidemiology and population ecology of kiwifruit blossom blight. Plant Pathology, 1994, 43, 824-830.	2.4	25
6	Reclassification of an isolate of Guignardia citricarpa from New Zealand as Guignardia mangiferae by sequence analysis. Plant Pathology, 2006, 55, 194-199.	2.4	22
7	Calcium, fungicide sprays and canopy density influence postharvest rots of avocado. Australasian Plant Pathology, 2007, 36, 22.	1.0	18
8	The effect of low temperatures on Colletotrichum acutatum and Colletotrichum gloeosporioides causing body rots of avocados in New Zealand. Australasian Plant Pathology, 2003, 32, 441.	1.0	17
9	Real-time PCR for detection and quantification, and histological characterization of Neonectria ditissima in apple trees. Trees - Structure and Function, 2016, 30, 1111-1125.	1.9	17
10	Infection criteria, inoculum sources and splash dispersal pattern of Colletotrichum acutatum causing bitter rot of apple in New Zealand. European Journal of Plant Pathology, 2018, 152, 367-383.	1.7	15
11	Molecular Identification of Sphaceloma perseae (Avocado Scab) and its Absence in New Zealand. Journal of Phytopathology, 2011, 159, 106-113.	1.0	12
12	Using multilocus sequence analysis to distinguish pathogenic from saprotrophic strains of Pseudomonas from stone fruit and kiwifruit. European Journal of Plant Pathology, 2019, 155, 643-658.	1.7	11
13	Sapâ€transmissible viruses in flowering cherry in New Zealand. New Zealand Journal of Crop and Horticultural Science, 1993, 21, 311-316.	1.3	7
14	A New Host Record: Strawberry Latent Ringspot Virus Isolated From Flowering Cherry Australasian Plant Pathology, 1994, 23, 11.	1.0	7
15	Anthracnose and Stem-End Rots of Tropical and Subtropical Fruit – New Names for Old Foes. , 2014, , 55-70.		7
16	A PCR diagnostic assay for rapid detection of plant pathogenic pseudomonads. Plant Pathology, 2020, 69, 1311-1330.	2.4	6
17	Compounds alone and in combination with yeasts to control Colletotrichum acutatum in apples. Australasian Plant Pathology, 2014, 43, 703-714.	1.0	5
18	Exotic plant disease threats to the New Zealand avocado industry and climatic suitability: a review. New Zealand Plant Protection, 0, 71, 25-38.	0.3	3

#	Article	IF	CITATIONS
19	Diagnostic Challenges for the Detection of Emerging Pathogens: A Case Study Involving the Incursion of Pseudomonas syringae pv. actinidiae in New Zealand. , 2014, , 71-86.		2
20	<i>Neofabraea actinidiae </i> in New Zealand kiwifruit orchards: current status and knowledge gaps. New Zealand Plant Protection, 0, 72, 75-83.	0.3	2
21	Development of a qPCR detection procedure for fruit tree canker caused by <i>Neonectria ditissima </i> . Acta Horticulturae, 2016, , 259-264.	0.2	1
22	Heat treatments for killing <i>Pseudomonas syringae</i> pollen. Acta Horticulturae, 2016, , 385-390.	0.2	0
23	RESTORATIVE BIOLOGICAL CONTROL - A PROMISING NEW APPROACH, BUT CAN WE PROVE IT?. Acta Horticulturae, 2011, , 269-274.	0.2	0
24	Avocado diseases affecting fruit quality. CAB Reviews: Perspectives in Agriculture, Veterinary Science, Nutrition and Natural Resources, 0, , .	1.0	0
25	Phylogenetic analysis shows that New Zealand isolates of Neonectria ditissima are similar to European isolates. New Zealand Plant Protection, 2021, 74, S34-S40.	0.3	0