

# Jussi Jokinen

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/845414/publications.pdf>

Version: 2024-02-01

82  
papers

2,006  
citations

236833

25  
h-index

289141

40  
g-index

83  
all docs

83  
docs citations

83  
times ranked

2588  
citing authors

#	ARTICLE	IF	CITATIONS
1	Risk Factors for Suicide After Bariatric Surgery in a Population-based Nationwide Study in Five Nordic Countries. <i>Annals of Surgery</i> , 2022, 275, e410-e414.	2.1	14
2	Neurochemical and Hormonal Contributors to Compulsive Sexual Behavior Disorder. <i>Current Addiction Reports</i> , 2022, 9, 23-31.	1.6	7
3	High Plasma Oxytocin Levels in Men With Hypersexual Disorder. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022, 107, e1816-e1822.	1.8	6
4	Pharmacological Treatment for Pedophilic Disorder and Compulsive Sexual Behavior Disorder: A Review. <i>Drugs</i> , 2022, 82, 663-681.	4.9	8
5	HPA-axis dysregulation is not associated with accelerated epigenetic aging in patients with hypersexual disorder. <i>Psychoneuroendocrinology</i> , 2022, 141, 105765.	1.3	2
6	Neural and behavioral correlates of sexual stimuli anticipation point to addiction-like mechanisms in compulsive sexual behavior disorder. <i>Journal of Behavioral Addictions</i> , 2022, , .	1.9	3
7	Accelerated epigenetic aging in suicide attempters uninfluenced by high intent-to-die and choice of lethal methods. <i>Translational Psychiatry</i> , 2022, 12, .	2.4	3
8	Impulsivity in Compulsive Sexual Behavior Disorder and Pedophilic Disorder. <i>Journal of Behavioral Addictions</i> , 2021, 10, 839-847.	1.9	8
9	Reaching Men and Women at Risk of Committing Sexual Offences – Findings From the National Swedish Telephone Helpline PrevenTell. <i>Journal of Sexual Medicine</i> , 2021, 18, 1571-1581.	0.3	7
10	Differential effects on blood and cerebrospinal fluid immune protein markers and kynurenine pathway metabolites from aerobic physical exercise in healthy subjects. <i>Scientific Reports</i> , 2021, 11, 1669.	1.6	18
11	HPA axis dysregulation is associated with differential methylation of CpG-sites in related genes. <i>Scientific Reports</i> , 2021, 11, 20134.	1.6	19
12	Hypermethylation-associated downregulation of microRNA-4456 in hypersexual disorder with putative influence on oxytocin signalling: A DNA methylation analysis of miRNA genes. <i>Epigenetics</i> , 2020, 15, 145-160.	1.3	16
13	Internet-Administered Cognitive Behavioral Therapy for Hypersexual Disorder, with or Without Paraphilia(s) or Paraphilic Disorder(s) in Men: A Pilot Study. <i>Journal of Sexual Medicine</i> , 2020, 17, 2039-2054.	0.3	14
14	Association of Skin Psoriasis and Somatic Comorbidity With the Development of Psychiatric Illness in a Nationwide Swedish Study. <i>JAMA Dermatology</i> , 2020, 156, 795.	2.0	15
15	Normal Testosterone but Higher Luteinizing Hormone Plasma Levels in Men With Hypersexual Disorder. <i>Sexual Medicine</i> , 2020, 8, 243-250.	0.9	11
16	Naltrexone in Compulsive Sexual Behavior Disorder: A Feasibility Study of Twenty Men. <i>Journal of Sexual Medicine</i> , 2020, 17, 1544-1552.	0.3	23
17	Predicting suicide attempt or suicide death following a visit to psychiatric specialty care: A machine learning study using Swedish national registry data. <i>PLoS Medicine</i> , 2020, 17, e1003416.	3.9	42
18	Title is missing!. , 2020, 17, e1003416.		0

#	ARTICLE	IF	CITATIONS
19	Title is missing!. , 2020, 17, e1003416.		0
20	Title is missing!. , 2020, 17, e1003416.		0
21	Title is missing!. , 2020, 17, e1003416.		0
22	Title is missing!. , 2020, 17, e1003416.		0
23	Title is missing!. , 2020, 17, e1003416.		0
24	Title is missing!. , 2020, 17, e1003416.		0
25	Title is missing!. , 2020, 17, e1003416.		0
26	A Randomized Controlled Study of Group-Administered Cognitive Behavioral Therapy for Hypersexual Disorder in Men. Journal of Sexual Medicine, 2019, 16, 733-745.	0.3	36
27	Adolescent criminality: multiple adverse health outcomes and mortality pattern in Swedish men. BMC Public Health, 2019, 19, 400.	1.2	9
28	Adolescent self-harm with and without suicidality: cross-sectional and longitudinal analyses of a Swedish regional register. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2019, 60, 295-304.	3.1	23
29	Cortical structure abnormalities in females with conduct disorder prior to age 15. Psychiatry Research - Neuroimaging, 2019, 289, 37-44.	0.9	4
30	Predictors of improvement in an open-trial multisite evaluation of emotion regulation group therapy. Cognitive Behaviour Therapy, 2019, 48, 322-336.	1.9	4
31	A Comparison of Suicide Risk Scales in Predicting Repeat Suicide Attempt and Suicide. Journal of Clinical Psychiatry, 2019, 80, .	1.1	22
32	Amygdala-orbitofrontal structural and functional connectivity in females with anxiety disorders, with and without a history of conduct disorder. Scientific Reports, 2018, 8, 1101.	1.6	6
33	Exposure to interpersonal violence and risk of post-traumatic stress disorder among women with borderline personality disorder. Psychiatry Research, 2018, 262, 311-315.	1.7	12
34	Epigenetic Changes in the CRH Gene are Related to Severity of Suicide Attempt and a General Psychiatric Risk Score in Adolescents. EBioMedicine, 2018, 27, 123-133.	2.7	43
35	Depression and fatigue in multiple sclerosis: Relation to exposure to violence and cerebrospinal fluid immunomarkers. Psychoneuroendocrinology, 2018, 89, 53-58.	1.3	25
36	CSF Apolipoprotein E in attempted suicide. Journal of Affective Disorders, 2018, 225, 246-249.	2.0	10

#	ARTICLE	IF	CITATIONS
37	Platelet monoamine oxidase activity and interpersonal violence in male suicide attempters. <i>Psychiatry Research</i> , 2018, 260, 173-176.	1.7	8
38	Extending research on Emotion Regulation Individual Therapy for Adolescents (ERITA) with nonsuicidal self-injury disorder: open pilot trial and mediation analysis of a novel online version. <i>BMC Psychiatry</i> , 2018, 18, 326.	1.1	55
39	Trajectories of antidepressant medication use in individuals before and after being granted disability pension due to common mental disorders- a nationwide register-based study. <i>BMC Psychiatry</i> , 2018, 18, 47.	1.1	9
40	Associations of Psychopathic Traits With Local and Global Brain Network Topology in Young Adult Women. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2018, 3, 1003-1012.	1.1	8
41	Methylation of HPA axis related genes in men with hypersexual disorder. <i>Psychoneuroendocrinology</i> , 2017, 80, 67-73.	1.3	32
42	Interpersonal violence, early life adversity, and suicidal behavior in hypersexual men. <i>Journal of Behavioral Addictions</i> , 2017, 6, 187-193.	1.9	19
43	Association Between Deliberate Self-harm and Violent Criminality. <i>JAMA Psychiatry</i> , 2017, 74, 615.	6.0	57
44	Insulin and glucagon in plasma and cerebrospinal fluid in suicide attempters and healthy controls. <i>Psychoneuroendocrinology</i> , 2017, 81, 1-7.	1.3	10
45	Family history of suicide and interpersonal functioning in suicide attempters. <i>Psychiatry Research</i> , 2017, 247, 310-314.	1.7	12
46	Emotion regulation group therapy for deliberate self-harm: a multi-site evaluation in routine care using an uncontrolled open trial design. <i>BMJ Open</i> , 2017, 7, e016220.	0.8	33
47	Internet delivered cognitive behavior therapy for antenatal depression: A randomised controlled trial. <i>Journal of Affective Disorders</i> , 2017, 221, 56-64.	2.0	106
48	White matter correlates of psychopathic traits in a female community sample. <i>Social Cognitive and Affective Neuroscience</i> , 2017, 12, 1500-1510.	1.5	15
49	Emotion regulation individual therapy for adolescents with nonsuicidal self-injury disorder: a feasibility study. <i>BMC Psychiatry</i> , 2017, 17, 411.	1.1	37
50	CSF and plasma testosterone in attempted suicide. <i>Psychoneuroendocrinology</i> , 2016, 74, 1-6.	1.3	40
51	Suicide Risk Associated with Experience of Violence and Impulsivity in Alcohol Dependent Patients. <i>Scientific Reports</i> , 2016, 6, 19373.	1.6	26
52	Interpersonal violence and the prediction of short-term risk of repeat suicide attempt. <i>Scientific Reports</i> , 2016, 6, 36892.	1.6	21
53	Disability pension due to common mental disorders and subsequent suicidal behaviour: a population-based prospective cohort study. <i>BMJ Open</i> , 2016, 6, e010152.	0.8	15
54	Prescribed psychiatric medication among multiple sclerosis patients before and after disability pension: a register study with matched controls. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016, 51, 1047-1054.	1.6	2

#	ARTICLE	IF	CITATIONS
55	Plasma apolipoprotein E and severity of suicidal behaviour. <i>Journal of Affective Disorders</i> , 2016, 190, 137-142.	2.0	12
56	HPA axis dysregulation in men with hypersexual disorder. <i>Psychoneuroendocrinology</i> , 2016, 63, 247-253.	1.3	51
57	Cerebrospinal fluid kynurenines in multiple sclerosis; relation to disease course and neurocognitive symptoms. <i>Brain, Behavior, and Immunity</i> , 2016, 51, 47-55.	2.0	56
58	Is disability pension a risk indicator for future need of psychiatric healthcare or suicidal behavior among MS patients- a nationwide register study in Sweden?. <i>BMC Psychiatry</i> , 2015, 15, 286.	1.1	6
59	Psychiatric and neurological disorders in late adolescence and risk of convictions for violent crime in men. <i>BMC Psychiatry</i> , 2015, 15, 299.	1.1	16
60	Thyroid hormones and adult interpersonal violence among women with borderline personality disorder. <i>Psychiatry Research</i> , 2015, 227, 253-257.	1.7	20
61	Early antecedents of suicide: the role of prenatal and childhood risk factors. <i>Evidence-Based Mental Health</i> , 2015, 18, 11-11.	2.2	1
62	Long-Term Outcomes of Pharmacologically Treated Versus Non-Treated Adults with ADHD and Substance Use Disorder: A Naturalistic Study. <i>Journal of Substance Abuse Treatment</i> , 2015, 51, 82-90.	1.5	22
63	Suicide attempt and future risk of cancer: a nationwide cohort study in Sweden. <i>Cancer Causes and Control</i> , 2015, 26, 501-509.	0.8	10
64	Plasma oxytocin and personality traits in psychiatric outpatients. <i>Psychoneuroendocrinology</i> , 2015, 57, 102-110.	1.3	19
65	Violent and non-violent methods of attempted and completed suicide in Swedish young men: the role of early risk factors. <i>BMC Psychiatry</i> , 2015, 15, 196.	1.1	59
66	Risk Factors for Suicidal Behaviour in Individuals on Disability Pension Due to Common Mental Disorders - A Nationwide Register-Based Prospective Cohort Study in Sweden. <i>PLoS ONE</i> , 2014, 9, e98497.	1.1	17
67	Cholesterol and the "Cycle of Violence" in attempted suicide. <i>Psychiatry Research</i> , 2014, 215, 646-650.	1.7	20
68	Hypothalamic pituitary thyroid axis and exposure to interpersonal violence in childhood among women with borderline personality disorder. <i>Högskole Utbildning</i> , 2014, 5, .	1.4	41
69	Psychiatric Diagnoses, Medication and Risk for Disability Pension in Multiple Sclerosis Patients; a Population-Based Register Study. <i>PLoS ONE</i> , 2014, 9, e104165.	1.1	25
70	Low CSF oxytocin reflects high intent in suicide attempters. <i>Psychoneuroendocrinology</i> , 2012, 37, 482-490.	1.3	123
71	Noradrenergic function and HPA axis dysregulation in suicidal behaviour. <i>Psychoneuroendocrinology</i> , 2010, 35, 1536-1542.	1.3	31
72	Cholesterol, CSF 5-HIAA, violence and intent in suicidal men. <i>Psychiatry Research</i> , 2010, 178, 217-219.	1.7	49

#	ARTICLE	IF	CITATIONS
73	Karolinska Interpersonal Violence Scale Predicts Suicide in Suicide Attempters. Journal of Clinical Psychiatry, 2010, 71, 1025-1032.	1.1	71
74	Cerebrospinal fluid monoamine metabolites and suicide. Nordic Journal of Psychiatry, 2009, 63, 276-279.	0.7	19
75	HPA axis hyperactivity and attempted suicide in young adult mood disorder inpatients. Journal of Affective Disorders, 2009, 116, 117-120.	2.0	110
76	HPA axis hyperactivity and cardiovascular mortality in mood disorder inpatients. Journal of Affective Disorders, 2009, 116, 88-92.	2.0	92
77	CSF 5-HIAA and DST non-suppression " Orthogonal biologic risk factors for suicide in male mood disorder inpatients. Psychiatry Research, 2009, 165, 96-102.	1.7	49
78	Suicide Risk After Homicide in Sweden. Archives of Suicide Research, 2009, 13, 297-301.	1.2	5
79	CSF 5-HIAA and DST non-suppression -independent biomarkers in suicide attempters?. Journal of Affective Disorders, 2008, 105, 241-245.	2.0	25
80	ROC analysis of dexamethasone suppression test threshold in suicide prediction after attempted suicide. Journal of Affective Disorders, 2008, 106, 145-152.	2.0	47
81	HPT axis, CSF monoamine metabolites, suicide intent and depression severity in male suicide attempters. Journal of Affective Disorders, 2008, 111, 119-124.	2.0	29
82	HPA axis hyperactivity as suicide predictor in elderly mood disorder inpatients. Psychoneuroendocrinology, 2008, 33, 1387-1393.	1.3	66