

# Keita Sekizawa

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8454587/publications.pdf>

Version: 2024-02-01

32  
papers

2,409  
citations

331670

21  
h-index

434195

31  
g-index

32  
all docs

32  
docs citations

32  
times ranked

3287  
citing authors

#	ARTICLE	IF	CITATIONS
1	Visible-Light-Driven CO <sub>2</sub> Reduction with Carbon Nitride: Enhancing the Activity of Ruthenium Catalysts. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 2406-2409.	13.8	540
2	Artificial Z-Scheme Constructed with a Supramolecular Metal Complex and Semiconductor for the Photocatalytic Reduction of CO <sub>2</sub> . <i>Journal of the American Chemical Society</i> , 2013, 135, 4596-4599.	13.7	404
3	A polymeric-semiconductor-metal-complex hybrid photocatalyst for visible-light CO <sub>2</sub> reduction. <i>Chemical Communications</i> , 2013, 49, 10127.	4.1	252
4	Selective Formic Acid Production via CO <sub>2</sub> Reduction with Visible Light Using a Hybrid of a Perovskite Tantalum Oxynitride and a Binuclear Ruthenium(II) Complex. <i>ACS Applied Materials &amp; Interfaces</i> , 2015, 7, 13092-13097.	8.0	120
5	Solar-Driven Photocatalytic CO <sub>2</sub> Reduction in Water Utilizing a Ruthenium Complex Catalyst on p-Type Fe <sub>2</sub> O <sub>3</sub> with a Multiheterojunction. <i>ACS Catalysis</i> , 2018, 8, 1405-1416.	11.2	110
6	Photocatalytic Reduction of CO <sub>2</sub> : From Molecules to Semiconductors. <i>Topics in Current Chemistry</i> , 2011, 303, 151-184.	4.0	104
7	Visible-light-driven CO <sub>2</sub> reduction on a hybrid photocatalyst consisting of a Ru( <sup>ii</sup> ) binuclear complex and a Ag-loaded TaON in aqueous solutions. <i>Chemical Science</i> , 2016, 7, 4364-4371.	7.4	96
8	Visible-Light-Driven CO <sub>2</sub> Reduction with Carbon Nitride: Enhancing the Activity of Ruthenium Catalysts. <i>Angewandte Chemie</i> , 2015, 127, 2436-2439.	2.0	92
9	Photocatalytic CO <sub>2</sub> Reduction Using a Robust Multifunctional Iridium Complex toward the Selective Formation of Formic Acid. <i>Journal of the American Chemical Society</i> , 2020, 142, 10261-10266.	13.7	90
10	Low-Energy Electrocatalytic CO <sub>2</sub> Reduction in Water over Mn-Complex Catalyst Electrode Aided by a Nanocarbon Support and K <sup>+</sup> Cations. <i>ACS Catalysis</i> , 2018, 8, 4452-4458.	11.2	79
11	Structural Improvement of CaFe <sub>2</sub> O <sub>4</sub> by Metal Doping toward Enhanced Cathodic Photocurrent. <i>ACS Applied Materials &amp; Interfaces</i> , 2014, 6, 10969-10973.	8.0	65
12	Effects of Interfacial Electron Transfer in Metal Complex-Semiconductor Hybrid Photocatalysts on Z-Scheme CO <sub>2</sub> Reduction under Visible Light. <i>ACS Catalysis</i> , 2018, 8, 9744-9754.	11.2	60
13	Photoelectrochemical hydrogen production by water splitting over dual-functionally modified oxide: p-Type N-doped Ta <sub>2</sub> O <sub>5</sub> photocathode active under visible light irradiation. <i>Applied Catalysis B: Environmental</i> , 2017, 202, 597-604.	20.2	49
14	Solar-Driven CO <sub>2</sub> Reduction Using a Semiconductor/Molecule Hybrid Photosystem: From Photocatalysts to a Monolithic Artificial Leaf. <i>Accounts of Chemical Research</i> , 2022, 55, 933-943.	15.6	47
15	Self-assembled Cuprous Coordination Polymer as a Catalyst for CO <sub>2</sub> Electrochemical Reduction into C <sub>2</sub> Products. <i>ACS Catalysis</i> , 2020, 10, 10412-10419.	11.2	44
16	Stoichiometric water splitting using a p-type Fe <sub>2</sub> O <sub>3</sub> -based photocathode with the aid of a multi-heterojunction. <i>Journal of Materials Chemistry A</i> , 2017, 5, 6483-6493.	10.3	34
17	Solar-driven CO <sub>2</sub> to CO reduction utilizing H <sub>2</sub> O as an electron donor by earth-abundant Mn-bipyridine complex and Ni-modified Fe-oxhydroxide catalysts activated in a single-compartment reactor. <i>Chemical Communications</i> , 2019, 55, 237-240.	4.1	33
18	Temperature-dependent Emission of Copper(I) Phenanthroline Complexes with Bulky Substituents: Estimation of an Energy Gap between the Singlet and Triplet MLCT States. <i>Chemistry Letters</i> , 2010, 39, 376-378.	1.3	29

#	ARTICLE	IF	CITATIONS
19	Molecular Catalysts Immobilized on Semiconductor Photosensitizers for Proton Reduction toward Visible-Light-Driven Overall Water Splitting. <i>ChemSusChem</i> , 2019, 12, 1807-1824.	6.8	25
20	Highly Enhanced Electrochemical Water Oxidation Reaction over Hyperfine $\text{Fe}^{2+}$ - $\text{FeOOH}(\text{Cl})$ :Ni Nanorod Electrode by Modification with Amorphous $\text{Ni}(\text{OH})_2$ . <i>Bulletin of the Chemical Society of Japan</i> , 2018, 91, 778-786.	3.2	24
21	Photoelectrochemical water-splitting over a surface modified p-type $\text{Cr}_2\text{O}_3$ photocathode. <i>Dalton Transactions</i> , 2020, 49, 659-666.	3.3	23
22	Hybridization between Periodic Mesoporous Organosilica and a Ru(II) Polypyridyl Complex with Phosphonic Acid Anchor Groups. <i>ACS Applied Materials &amp; Interfaces</i> , 2014, 6, 1992-1998.	8.0	21
23	Band bending and dipole effect at interface of metal-nanoparticles and $\text{TiO}_2$ directly observed by angular-resolved hard X-ray photoemission spectroscopy. <i>Physical Chemistry Chemical Physics</i> , 2018, 20, 11342-11346.	2.8	12
24	Electrochemical $\text{CO}_2$ reduction over nanoparticles derived from an oxidized Cu-Ni intermetallic alloy. <i>Chemical Communications</i> , 2020, 56, 15008-15011.	4.1	10
25	Defect Density-Dependent Electron Injection from Excited-State Ru(II) Tris-Diimine Complexes into Defect-Controlled Oxide Semiconductors. <i>Journal of Physical Chemistry C</i> , 2019, 123, 28310-28318.	3.1	9
26	A Highly Durable, Self-Photosensitized Mononuclear Ruthenium Catalyst for $\text{CO}_2$ Reduction. <i>Synlett</i> , 2022, 33, 1137-1141.	1.8	8
27	Photocatalytic $\text{CO}_2$ reduction by a Z-scheme mechanism in an aqueous suspension of particulate $(\text{CuGa})_0.3\text{Zn}_{1.4}\text{S}_2$ , $\text{BiVO}_4$ and a Co complex operating dual-functionally as an electron mediator and as a cocatalyst. <i>Applied Catalysis B: Environmental</i> , 2022, 316, 121600.	20.2	8
28	Photocatalytic $\text{CO}_2$ Reduction Using an Iron-Bipyridyl Complex Supported by Two Phosphines for Improving Catalyst Durability. <i>Organometallics</i> , 2022, 41, 1865-1871.	2.3	7
29	Electrochemical $\text{CO}_2$ reduction improved by tuning the Cu-Cu distance in halogen-bridged dinuclear cuprous coordination polymers. <i>Journal of Catalysis</i> , 2021, 404, 12-17.	6.2	5
30	Study of Excited States and Electron Transfer of Semiconductor-Metal-Complex Hybrid Photocatalysts for $\text{CO}_2$ Reduction by Using Picosecond Time-Resolved Spectroscopies. <i>Chemistry - A European Journal</i> , 2021, 27, 1127-1137.	3.3	4
31	Carbon Nanohorn Support for Solar driven $\text{CO}_2$ Reduction to CO Catalyzed by Mn-complex in an All Earth-abundant System. <i>ChemNanoMat</i> , 2021, 7, 596-599.	2.8	3
32	Metal-complex/semiconductor hybrids for carbon dioxide fixation. , 2015, , .		2