

# Ronald Micura

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8455321/publications.pdf>

Version: 2024-02-01

151  
papers

7,697  
citations

41258

49  
h-index

62479

80  
g-index

172  
all docs

172  
docs citations

172  
times ranked

6601  
citing authors

#	ARTICLE	IF	CITATIONS
1	Synthesis of 4-thiouridines with prodrug functionalization for RNA metabolic labeling. RSC Chemical Biology, 2022, 3, 447-455.	2.0	4
2	Structural basis for the context-specific action of the classic peptidyl transferase inhibitor chloramphenicol. Nature Structural and Molecular Biology, 2022, 29, 152-161.	3.6	38
3	Synthesis of N4-acetylated 3-methylcytidine phosphoramidites for RNA solid-phase synthesis. Monatshefte für Chemie, 2022, 153, 285-291.	0.9	3
4	Sister chromatid-sensitive Hi-C to map the conformation of replicated genomes. Nature Protocols, 2022, 17, 1486-1517.	5.5	8
5	1-Deazaguanosine-Modified RNA: The Missing Piece for Functional RNA Atomic Mutagenesis. Journal of the American Chemical Society, 2022, 144, 10344-10352.	6.6	7
6	Towards a comprehensive understanding of RNA deamination: synthesis and properties of xanthosine-modified RNA. Nucleic Acids Research, 2022, 50, 6038-6051.	6.5	7
7	Amine-to-Azide Conversion on Native RNA via Metal-Free Diazotransfer Opens New Avenues for RNA Manipulations. Angewandte Chemie - International Edition, 2021, 60, 6970-6974.	7.2	12
8	Amine-to-Azide Conversion on Native RNA via Metal-Free Diazotransfer Opens New Avenues for RNA Manipulations. Angewandte Chemie, 2021, 133, 7046-7050.	1.6	0
9	Impact of 3-deazapurine nucleobases on RNA properties. Nucleic Acids Research, 2021, 49, 4281-4293.	6.5	11
10	Insights into xanthine riboswitch structure and metal ion-mediated ligand recognition. Nucleic Acids Research, 2021, 49, 7139-7153.	6.5	15
11	A natural riboswitch scaffold with self-methylation activity. Nature Communications, 2021, 12, 3877.	5.8	24
12	Synthesis of $6$ -alkylated preQ <sub>1</sub> derivatives. Beilstein Journal of Organic Chemistry, 2021, 17, 2295-2301.	1.3	4
13	Practical Synthesis of Cap <sup>4</sup> RNA. ChemBioChem, 2020, 21, 265-271.	1.3	9
14	Crucial Roles of Two Hydrated Mg <sup>2+</sup> Ions in Reaction Catalysis of the Pistol Ribozyme. Angewandte Chemie, 2020, 132, 2859-2865.	1.6	7
15	Crucial Roles of Two Hydrated Mg <sup>2+</sup> Ions in Reaction Catalysis of the Pistol Ribozyme. Angewandte Chemie - International Edition, 2020, 59, 2837-2843.	7.2	24
16	$2$ -Trifluoromethylated RNA – a powerful modification for RNA chemistry and NMR spectroscopy. Chemical Science, 2020, 11, 11322-11330.	3.7	18
17	Structural distinctions between NAD <sup>+</sup> riboswitch domains 1 and 2 determine differential folding and ligand binding. Nucleic Acids Research, 2020, 48, 12394-12406.	6.5	22
18	Conformation of sister chromatids in the replicated human genome. Nature, 2020, 586, 139-144.	13.7	68

#	ARTICLE	IF	CITATIONS
19	Fundamental studies of functional nucleic acids: aptamers, riboswitches, ribozymes and DNAzymes. <i>Chemical Society Reviews</i> , 2020, 49, 7331-7353.	18.7	130
20	Machine learning of reverse transcription signatures of variegated polymerases allows mapping and discrimination of methylated purines in limited transcriptomes. <i>Nucleic Acids Research</i> , 2020, 48, 3734-3746.	6.5	45
21	Thioguanosine Conversion Enables mRNA Lifetime Evaluation by RNA Sequencing Using Double Metabolic Labeling (TUC-seq DUAL). <i>Angewandte Chemie</i> , 2020, 132, 6948-6953.	1.6	3
22	Thioguanosine Conversion Enables mRNA Lifetime Evaluation by RNA Sequencing Using Double Metabolic Labeling (TUC-seq DUAL). <i>Angewandte Chemie - International Edition</i> , 2020, 59, 6881-6886.	7.2	26
23	Thiouridine-to-Cytidine Conversion Sequencing (TUC-Seq) to Measure mRNA Transcription and Degradation Rates. <i>Methods in Molecular Biology</i> , 2020, 2062, 191-211.	0.4	19
24	Practical synthesis of N-(di-n-butylamino)methylene-protected 2-aminopurine riboside phosphoramidite for RNA solid-phase synthesis. <i>Monatshefte für Chemie</i> , 2019, 150, 1941-1946.	0.9	1
25	The effect of adenine protonation on RNA phosphodiester backbone bond cleavage elucidated by deaza-nucleobase modifications and mass spectrometry. <i>Nucleic Acids Research</i> , 2019, 47, 7223-7234.	6.5	16
26	Structural insights into synthetic ligands targeting A-A pairs in disease-related CAG RNA repeats. <i>Nucleic Acids Research</i> , 2019, 47, 10906-10913.	6.5	23
27	Access to 3-Deazaguanosine Building Blocks for RNA Solid-Phase Synthesis Involving Hartwig-Buchwald N Cross-Coupling. <i>Organic Letters</i> , 2019, 21, 3900-3903.	2.4	9
28	Hatchet ribozyme structure and implications for cleavage mechanism. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 10783-10791.	3.3	28
29	Efficient access to N-trifluoroacetylated 2-amino-2-deoxyadenosine phosphoramidite for RNA solid-phase synthesis. <i>Monatshefte für Chemie</i> , 2019, 150, 795-800.	0.9	4
30	Mechanistic insights into the slow peptide bond formation with D-amino acids in the ribosomal active site. <i>Nucleic Acids Research</i> , 2019, 47, 2089-2100.	6.5	36
31	Design of cross-linked RNA/protein complexes for structural studies. <i>Biochimie</i> , 2019, 164, 95-98.	1.3	1
32	SAM-VI riboswitch structure and signature for ligand discrimination. <i>Nature Communications</i> , 2019, 10, 5728.	5.8	28
33	Translation of non-standard codon nucleotides reveals minimal requirements for codon-anticodon interactions. <i>Nature Communications</i> , 2018, 9, 4865.	5.8	33
34	Superior cellular activities of azido- over amino-functionalized ligands for engineered preQ <sub>1</sub> riboswitches in <i>E.coli</i> . <i>RNA Biology</i> , 2018, 15, 1376-1383.	1.5	11
35	SHAPE probing pictures Mg <sup>2+</sup> -dependent folding of small self-cleaving ribozymes. <i>Nucleic Acids Research</i> , 2018, 46, 6983-6995.	6.5	12
36	Distinct 5-methylcytosine profiles in poly(A) RNA from mouse embryonic stem cells and brain. <i>Genome Biology</i> , 2017, 18, 1.	3.8	587

#	ARTICLE	IF	CITATIONS
37	Pseudoknot Formation Seeds the Twister Ribozyme Cleavage Reaction Coordinate. <i>Journal of the American Chemical Society</i> , 2017, 139, 8186-8193.	6.6	33
38	Label-free, direct localization and relative quantitation of the RNA nucleobase methylations m6A, m5C, m3U, and m5U by top-down mass spectrometry. <i>Nucleic Acids Research</i> , 2017, 45, 8014-8025.	6.5	38
39	Automated Chemical Solid-Phase Synthesis and Deprotection of 5-Hydroxymethylcytosine-Containing RNA. <i>Methods in Molecular Biology</i> , 2017, 1562, 295-302.	0.4	1
40	An Unconventional Acid-Labile Nucleobase Protection Concept for Guanosine Phosphoramidites in RNA Solid-Phase Synthesis. <i>Chemistry - A European Journal</i> , 2017, 23, 3406-3413.	1.7	8
41	The synthesis of <sup>15</sup> N(7)-Hoogsteen face-labeled adenosine phosphoramidite for solid-phase RNA synthesis. <i>Monatshefte für Chemie</i> , 2017, 148, 149-155.	0.9	11
42	Structure-based insights into self-cleavage by a four-way junctional twister-sister ribozyme. <i>Nature Communications</i> , 2017, 8, 1180.	5.8	30
43	Atom-Specific Mutagenesis Reveals Structural and Catalytic Roles for an Active-Site Adenosine and Hydrated Mg <sup>2+</sup> in Pistol Ribozymes. <i>Angewandte Chemie - International Edition</i> , 2017, 56, 15954-15958.	7.2	29
44	Conformational and chemical selection by a <i>trans</i> -acting editing domain. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, E6774-E6783.	3.3	19
45	Osmium-Mediated Transformation of 4-Thiouridine to Cytidine as Key To Study RNA Dynamics by Sequencing. <i>Angewandte Chemie - International Edition</i> , 2017, 56, 13479-13483.	7.2	73
46	Osmium-Mediated Transformation of 4-Thiouridine to Cytidine as Key To Study RNA Dynamics by Sequencing. <i>Angewandte Chemie</i> , 2017, 129, 13664-13668.	1.6	7
47	Atom-Specific Mutagenesis Reveals Structural and Catalytic Roles for an Active-Site Adenosine and Hydrated Mg <sup>2+</sup> in Pistol Ribozymes. <i>Angewandte Chemie</i> , 2017, 129, 16170-16174.	1.6	4
48	Structure-based mechanistic insights into catalysis by small self-cleaving ribozymes. <i>Current Opinion in Chemical Biology</i> , 2017, 41, 71-83.	2.8	56
49	Synthesis, Thermodynamic Properties, and Crystal Structure of RNA Oligonucleotides Containing 5-Hydroxymethylcytosine. <i>Journal of Organic Chemistry</i> , 2017, 82, 7939-7945.	1.7	8
50	Unwinding the twister ribozyme: from structure to mechanism. <i>Wiley Interdisciplinary Reviews RNA</i> , 2017, 8, e1402.	3.2	38
51	Facile synthesis of a 3-deazaadenosine phosphoramidite for RNA solid-phase synthesis. <i>Beilstein Journal of Organic Chemistry</i> , 2016, 12, 2556-2562.	1.3	11
52	Molecular insights into protein synthesis with proline residues. <i>EMBO Reports</i> , 2016, 17, 1776-1784.	2.0	73
53	Chemical synthesis of RNA with site-specific methylphosphonate modifications. <i>Methods</i> , 2016, 107, 79-88.	1.9	7
54	Crystal Structure of Hypusine-Containing Translation Factor eIF5A Bound to a Rotated Eukaryotic Ribosome. <i>Journal of Molecular Biology</i> , 2016, 428, 3570-3576.	2.0	53

#	ARTICLE	IF	CITATIONS
55	Binding of Macrolide Antibiotics Leads to Ribosomal Selection against Specific Substrates Based on Their Charge and Size. <i>Cell Reports</i> , 2016, 16, 1789-1799.	2.9	33
56	Pistol ribozyme adopts a pseudoknot fold facilitating site-specific in-line cleavage. <i>Nature Chemical Biology</i> , 2016, 12, 702-708.	3.9	78
57	Synthesis of 5-Hydroxymethylcytidine- and 5-HydroxymethylÂuridine-Modified RNA. <i>Synthesis</i> , 2016, 48, 1108-1116.	1.2	8
58	Conformational Rearrangements of Individual Nucleotides during RNA-Ligand Binding Are Rate-Differentiated. <i>Journal of the American Chemical Society</i> , 2016, 138, 3627-3630.	6.6	20
59	Ligandâ€Detected Relaxation Dispersion NMR Spectroscopy: Dynamics of preQ<sub>1</sub>â€RNA Binding. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 560-563.	7.2	28
60	Expanding the Scope of 2â€â€CF<sub>3</sub> Modified RNA. <i>Chemistry - A European Journal</i> , 2015, 21, 10400-10407.	1.7	12
61	Native Chemical Ligation of Hydrolysisâ€Resistant 3â€â€NHâ€Cysteineâ€Modified RNA. <i>Current Protocols in Nucleic Acid Chemistry</i> , 2015, 62, 4.64.1-4.64.36.	0.5	4
62	The â€Speedyâ€-Synthesis of Atomâ€Specific <sup>15</sup>N Imino/Amidoâ€Labeled RNA. <i>Chemistry - A European Journal</i> , 2015, 21, 11634-11643.	1.7	44
63	A Miniâ€Twister Variant and Impact of Residues/Cations on the Phosphodiester Cleavage of this Ribozyme Class. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 15128-15133.	7.2	51
64	On the mechanism of RNA phosphodiester backbone cleavage in the absence of solvent. <i>Nucleic Acids Research</i> , 2015, 43, 5171-5181.	6.5	23
65	Role of a ribosomal RNA phosphate oxygen during the EF-Gâ€triggered GTP hydrolysis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, E2561-8.	3.3	28
66	Syntheses of <sup>15</sup>N-labeled pre-queuosine nucleobase derivatives. <i>Beilstein Journal of Organic Chemistry</i> , 2014, 10, 1914-1918.	1.3	6
67	In-line alignment and Mg <sup>2+</sup> coordination at the cleavage site of the env22 twister ribozyme. <i>Nature Communications</i> , 2014, 5, 5534.	5.8	84
68	Dye label interference with RNA modification reveals 5-fluorouridine as non-covalent inhibitor. <i>Nucleic Acids Research</i> , 2014, 42, 12735-12745.	6.5	10
69	Synthesis of aminoacylated N <sub>6</sub> ,N <sub>6</sub> -dimethyladenosine solid support for efficient access to hydrolysis-resistant 3â€-charged tRNA mimics. <i>Bioorganic and Medicinal Chemistry</i> , 2014, 22, 6989-6995.	1.4	5
70	Efficient Access to 3â€-Terminal Azide-Modified RNA for Inverse Click-Labeling Patterns. <i>Bioconjugate Chemistry</i> , 2014, 25, 188-195.	1.8	47
71	Surprising Base Pairing and Structural Properties of 2â€-Trifluoromethylthio-Modified Ribonucleic Acids. <i>Journal of the American Chemical Society</i> , 2014, 136, 6656-6663.	6.6	32
72	Use of SHAPE to Select 2AP Substitution Sites for RNAâ€Ligand Interactions and Dynamics Studies. <i>Methods in Molecular Biology</i> , 2014, 1103, 227-239.	0.4	6

#	ARTICLE	IF	CITATIONS
73	New Insights into Gene Regulation—High-Resolution Structures of Cobalamin Riboswitches. <i>Angewandte Chemie - International Edition</i> , 2013, 52, 1874-1877.	7.2	8
74	The Synthesis of Methylated, Phosphorylated, and Phosphonated 3'-Aminoacyl-tRNA <sup>Sec</sup> Mimics. <i>Chemistry - A European Journal</i> , 2013, 19, 15872-15878.	1.7	15
75	Thermodynamics of HIV-1 Reverse Transcriptase in Action Elucidates the Mechanism of Action of Non-Nucleoside Inhibitors. <i>Journal of the American Chemical Society</i> , 2013, 135, 9743-9752.	6.6	57
76	Tuning a riboswitch response through structural extension of a pseudoknot. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, E3256-64.	3.3	67
77	<i>Escherichia coli</i> Ribosomal Protein S1 Unfolds Structured mRNAs Onto the Ribosome for Active Translation Initiation. <i>PLoS Biology</i> , 2013, 11, e1001731.	2.6	151
78	A personal perspective on chemistry-driven RNA research. <i>Biopolymers</i> , 2013, 99, n/a-n/a.	1.2	10
79	Folding and ligand recognition of the TPP riboswitch aptamer at single-molecule resolution. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 4188-4193.	3.3	115
80	Long non-coding RNAs as targets for cytosine methylation. <i>RNA Biology</i> , 2013, 10, 1002-1008.	1.5	138
81	Deoxyribozyme-Based, Semisynthetic Access to Stable Peptidyl-tRNAs Exemplified by tRNA <sup>Val</sup> Carrying a Macrolide Antibiotic Resistance Peptide. <i>Methods in Molecular Biology</i> , 2012, 848, 201-213.	0.4	4
82	2'-Azido RNA, a Versatile Tool for Chemical Biology: Synthesis, X-ray Structure, siRNA Applications, Click Labeling. <i>ACS Chemical Biology</i> , 2012, 7, 581-589.	1.6	98
83	2'-5'-SCF <sup>3</sup> Uridine—A Powerful Label for Probing Structure and Function of RNA by <sup>19</sup> F-NMR Spectroscopy. <i>Angewandte Chemie - International Edition</i> , 2012, 51, 13080-13084.	7.2	60
84	Pseudoknot Preorganization of the PreQ <sub>1</sub> Class I Riboswitch. <i>Journal of the American Chemical Society</i> , 2012, 134, 11928-11931.	6.6	56
85	Selective Desulfurization Significantly Expands Sequence Variety of 3'-Peptidyl-tRNA Mimics Obtained by Native Chemical Ligation. <i>ChemBioChem</i> , 2012, 13, 1742-1745.	1.3	12
86	The synthesis of 2'-methylseleno adenosine and guanosine 5'-triphosphates. <i>Bioorganic and Medicinal Chemistry</i> , 2012, 20, 2416-2418.	1.4	9
87	Enzymatic synthesis of 2'-methylseleno-modified RNA. <i>Chemical Science</i> , 2011, 2, 2224.	3.7	16
88	Native Chemical Ligation of Hydrolysis-Resistant 3'-Peptidyl-tRNA Mimics. <i>Journal of the American Chemical Society</i> , 2011, 133, 19068-19071.	6.6	27
89	<i>Biochemie 2010. Nachrichten Aus Der Chemie</i> , 2011, 59, 297-318.	0.0	0
90	A Powerful Approach for the Selection of 2-Aminopurine Substitution Sites to Investigate RNA Folding. <i>Journal of the American Chemical Society</i> , 2011, 133, 16161-16167.	6.6	56

#	ARTICLE	IF	CITATIONS
91	The Dynamic Nature of RNA as Key to Understanding Riboswitch Mechanisms. <i>Accounts of Chemical Research</i> , 2011, 44, 1339-1348.	7.6	165
92	Nascent Peptide in the Ribosome Exit Tunnel Affects Functional Properties of the A-Site of the Peptidyl Transferase Center. <i>Molecular Cell</i> , 2011, 41, 321-330.	4.5	114
93	Functionalized polystyrene supports for solid-phase synthesis of glycyl-, alanyl-, and isoleucyl-RNA conjugates as hydrolysis-resistant mimics of peptidyl-tRNAs. <i>Bioorganic and Medicinal Chemistry</i> , 2011, 19, 5167-5174.	1.4	17
94	Chemical Synthesis of Site-Specifically 2'-Azido-Modified RNA and Potential Applications for Bioconjugation and RNA Interference. <i>ChemBioChem</i> , 2011, 12, 47-51.	1.3	66
95	Conformational capture of the SAM-II riboswitch. <i>Nature Chemical Biology</i> , 2011, 7, 393-400.	3.9	158
96	Chemically Engineered Ribosomes: A New Frontier in Synthetic Biology. <i>Current Organic Chemistry</i> , 2010, 14, 148-161.	0.9	12
97	Efficient Access to Nonhydrolyzable Initiator tRNA Based on the Synthesis of 3'-Azido-Deoxyadenosine RNA. <i>Angewandte Chemie</i> , 2010, 122, 7632-7634.	1.6	16
98	Efficient Access to Nonhydrolyzable Initiator tRNA Based on the Synthesis of 3'-Azido-Deoxyadenosine RNA. <i>Angewandte Chemie - International Edition</i> , 2010, 49, 7470-7472.	7.2	36
99	Structural and functional insights into 5'-ppp RNA pattern recognition by the innate immune receptor RIG-I. <i>Nature Structural and Molecular Biology</i> , 2010, 17, 781-787.	3.6	229
100	Atomic mutagenesis reveals A2660 of 23S ribosomal RNA as key to EF-G GTPase activation. <i>Nature Chemical Biology</i> , 2010, 6, 344-351.	3.9	54
101	Folding of a transcriptionally acting PreQ <sub>1</sub> riboswitch. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 10804-10809.	3.3	111
102	Reliable semi-synthesis of hydrolysis-resistant 3'-peptidyl-tRNA conjugates containing genuine tRNA modifications. <i>Nucleic Acids Research</i> , 2010, 38, 6796-6802.	6.5	27
103	A fast selenium derivatization strategy for crystallization and phasing of RNA structures. <i>Rna</i> , 2009, 15, 707-715.	1.6	47
104	5-Fluoro pyrimidines: labels to probe DNA and RNA secondary structures by 1D 19 F NMR spectroscopy. <i>Nucleic Acids Research</i> , 2009, 37, 7728-7740.	6.5	79
105	Evidence for Pseudoknot Formation of Class I preQ <sub>1</sub> Riboswitch Aptamers. <i>ChemBioChem</i> , 2009, 10, 1141-1144.	1.3	39
106	Non-Hydrolyzable RNA-Peptide Conjugates: A Powerful Advance in the Synthesis of Mimics for 3'-Peptidyl tRNA Termini. <i>Angewandte Chemie - International Edition</i> , 2009, 48, 4056-4060.	7.2	38
107	Chasing after Antibiotic Leads. <i>Chemistry and Biology</i> , 2009, 16, 1024-1025.	6.2	2
108	Stem cells are differentially regulated during development, regeneration and homeostasis in flatworms. <i>Developmental Biology</i> , 2009, 334, 198-212.	0.9	72



#	ARTICLE	IF	CITATIONS
109	Enzymatic Ligation Strategies for the Preparation of Purine Riboswitches with Site-Specific Chemical Modifications. <i>Methods in Molecular Biology</i> , 2009, 540, 15-24.	0.4	17
110	Binding of Aminoglycoside Antibiotics to the Duplex Form of the HIV-1 Genomic RNA Dimerization Initiation Site. <i>Angewandte Chemie - International Edition</i> , 2008, 47, 4110-4113.	7.2	40
111	The Role of 23S Ribosomal RNA Residue A2451 in Peptide Bond Synthesis Revealed by Atomic Mutagenesis. <i>Chemistry and Biology</i> , 2008, 15, 485-492.	6.2	88
112	The preparation of site-specifically modified riboswitch domains as an example for enzymatic ligation of chemically synthesized RNA fragments. <i>Nature Protocols</i> , 2008, 3, 1457-1466.	5.5	81
113	<sup>19</sup> F NMR Spectroscopy for the Analysis of RNA Secondary Structure Populations. <i>Journal of the American Chemical Society</i> , 2008, 130, 17230-17231.	6.6	70
114	Effects of N <sup>2</sup> ,N <sup>2</sup> -dimethylguanosine on RNA structure and stability: Crystal structure of an RNA duplex with tandem m <sup>2</sup> G:A pairs. <i>Rna</i> , 2008, 14, 2125-2135.	1.6	37
115	2-Methylseleno-modified oligoribonucleotides for X-ray crystallography synthesized by the ACE RNA solid-phase approach. <i>Nucleic Acids Research</i> , 2008, 36, 970-983.	6.5	75
116	An intact ribose moiety at A2602 of 23S rRNA is key to trigger peptidyl-tRNA hydrolysis during translation termination. <i>Nucleic Acids Research</i> , 2007, 35, 5130-5140.	6.5	55
117	Crystal structure, stability and in vitro RNAi activity of oligoribonucleotides containing the ribo-difluorotoluy nucleotide: insights into substrate requirements by the human RISC Ago2 enzyme. <i>Nucleic Acids Research</i> , 2007, 35, 6424-6438.	6.5	48
118	Ligand-induced folding of the thiM TPP riboswitch investigated by a structure-based fluorescence spectroscopic approach. <i>Nucleic Acids Research</i> , 2007, 35, 5370-5378.	6.5	146
119	RNA " Struktur und Funktion. <i>Nachrichten Aus Der Chemie</i> , 2007, 55, 279-284.	0.0	0
120	Ligand-Induced Folding of the Adenosine Deaminase A-Riboswitch and Implications on Riboswitch Translational Control. <i>ChemBioChem</i> , 2007, 8, 896-902.	1.3	167
121	Efficient Ribosomal Peptidyl Transfer Critically Relies on the Presence of the Ribose 2'-OH at A2451 of 23S rRNA. <i>Journal of the American Chemical Society</i> , 2006, 128, 4453-4459.	6.6	83
122	Synthesis, Oxidation Behavior, Crystallization and Structure of 2-Methylseleno Guanosine Containing RNAs. <i>Journal of the American Chemical Society</i> , 2006, 128, 9909-9918.	6.6	68
123	Preparation of 2-Deoxy-2-Methylseleno-Modified Phosphoramidites and RNA. <i>Current Protocols in Nucleic Acid Chemistry</i> , 2006, 27, Unit 1.15.	0.5	5
124	Programmable Ligand-Controlled Riboregulators. <i>Angewandte Chemie - International Edition</i> , 2006, 45, 30-31.	7.2	8
125	A General Approach for the Identification of Site-Specific RNA Binders by <sup>19</sup> F NMR Spectroscopy: Proof of Concept. <i>Angewandte Chemie - International Edition</i> , 2006, 45, 3450-3453.	7.2	69
126	Structural basis for Diels-Alder ribozyme-catalyzed carbon-carbon bond formation. <i>Nature Structural and Molecular Biology</i> , 2005, 12, 218-224.	3.6	183



#	ARTICLE	IF	CITATIONS
127	Chemical engineering of the peptidyl transferase center reveals an important role of the 2'-hydroxyl group of A2451. <i>Nucleic Acids Research</i> , 2005, 33, 1618-1627.	6.5	75
128	Ribose 2- <sup>35</sup> S-Labeling: A Simple Tool for the Characterization of RNA Secondary Structure Equilibria by 19F NMR Spectroscopy. <i>Journal of the American Chemical Society</i> , 2005, 127, 11558-11559.	6.6	74
129	Syntheses of RNAs with up to 100 Nucleotides Containing Site-Specific 2- <sup>35</sup> S-Methylseleno Labels for Use in X-ray Crystallography. <i>Journal of the American Chemical Society</i> , 2005, 127, 12035-12045.	6.6	98
130	Triggering of RNA Secondary Structures by a Functionalized Nucleobase. <i>Angewandte Chemie - International Edition</i> , 2004, 43, 3922-3925.	7.2	42
131	Genetic Control by a Natural Metabolite-Responsive Ribozyme. <i>Angewandte Chemie - International Edition</i> , 2004, 43, 4692-4.	7.2	3
132	Structural Basis for Discriminative Regulation of Gene Expression by Adenine- and Guanine-Sensing mRNAs. <i>Chemistry and Biology</i> , 2004, 11, 1729-1741.	6.2	505
133	Chemical Synthesis of Selenium-Modified Oligoribonucleotides and Their Enzymatic Ligation Leading to an U6 SnRNA Stem-Loop Segment. <i>Journal of the American Chemical Society</i> , 2004, 126, 1141-1149.	6.6	96
134	The Synthesis of 2'-O-[(Triisopropylsilyloxy)methyl (TOM) Phosphoramidites of Methylated Ribonucleosides (m1G, m2G, m22G, m1I, m3U, m4C, m6A, m62A) for Use in Automated RNA Solid-Phase Synthesis. <i>Monatshefte für Chemie</i> , 2003, 134, 851-873.	0.9	48
135	Pentopyranosyl Oligonucleotide Systems. 9th Communication. <i>Helvetica Chimica Acta</i> , 2003, 86, 4270-4363.	1.0	50
136	Secondary Structure Rearrangements and Equilibria of Small RNAs. <i>ChemInform</i> , 2003, 34, no.	0.1	0
137	On Secondary Structure Rearrangements and Equilibria of Small RNAs. <i>ChemBioChem</i> , 2003, 4, 984-990.	1.3	56
138	On Secondary Structure Rearrangements and Equilibria of Small RNAs. <i>ChemBioChem</i> , 2003, 4, 1263-1263.	1.3	1
139	Bistable Secondary Structures of Small RNAs and Their Structural Probing by Comparative Imino Proton NMR Spectroscopy. <i>Journal of Molecular Biology</i> , 2003, 325, 421-431.	2.0	73
140	RNA Two-State Conformation Equilibria and the Effect of Nucleobase Methylation. <i>Angewandte Chemie - International Edition</i> , 2002, 41, 605-609.	7.2	33
141	Small Interfering RNAs and Their Chemical Synthesis. <i>Angewandte Chemie - International Edition</i> , 2002, 41, 2265.	7.2	103
142	Methylation of the nucleobases in RNA oligonucleotides mediates duplex-hairpin conversion. <i>Nucleic Acids Research</i> , 2001, 29, 3997-4005.	6.5	81
143	Bridged Cyclic Oligoribonucleotides as Model Compounds for Codon - Anticodon Pairing. <i>Angewandte Chemie - International Edition</i> , 2000, 39, 922-925.	7.2	10
144	On RNA Triplet Interactions: NMR Study of the Short Intramolecular Duplex Formed by r[GCAM1G-p-O(CH2CH2O)6-p-UGCC], Preliminary Communication. <i>Helvetica Chimica Acta</i> , 2000, 83, 2336-2343.	1.0	3

#	ARTICLE	IF	CITATIONS
145	Cyclic Oligoribonucleotides (RNA) by Solid-Phase Synthesis. <i>Chemistry - A European Journal</i> , 1999, 5, 2077-2082.	1.7	43
146	Opposite Orientation of Backbone Inclination in Pyranosyl-RNA and Homo-DNA Correlates with Opposite Directionality of Duplex Properties. <i>Angewandte Chemie - International Edition</i> , 1999, 38, 680-683.	7.2	32
147	Pyranosyl-RNA: chiroselective self-assembly of base sequences by ligative oligomerization of tetra nucleotide-2',3'-cyclophosphates (with a commentary concerning the origin of biomolecular) <i>Tj ETQq1 1 0.7843 14 rgB17 Overlo</i>	1.0	14
148	Pyranosyl-RNA Also Forms Hairpin Structures. <i>Angewandte Chemie International Edition in English</i> , 1997, 36, 870-873.	4.4	26
149	Pyranosyl-RNA: Further Observations on Replication. <i>Helvetica Chimica Acta</i> , 1997, 80, 1901-1951.	1.0	67
150	A Phycocyanobilin Serylminoester as a New Model for the Chromophore-Protein Interaction in Phytochrome. <i>Angewandte Chemie International Edition in English</i> , 1995, 34, 1733-1735.	4.4	8
151	Long-wavelength absorbing derivatives of phycocyanobilin: New structural aspects of phytochrome. <i>Bioorganic and Medicinal Chemistry Letters</i> , 1994, 4, 2517-2522.	1.0	12