

# Tobias Puengel

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8455813/publications.pdf>

Version: 2024-02-01

15  
papers

1,164  
citations

933264

10  
h-index

996849

15  
g-index

16  
all docs

16  
docs citations

16  
times ranked

1678  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Therapeutic inhibition of inflammatory monocyte recruitment reduces steatohepatitis and liver fibrosis. <i>Hepatology</i> , 2018, 67, 1270-1283.   | 3.6 | 388       |
| 2  | Chemokine (CCL2 motif) receptor 2-positive monocytes aggravate the early phase of acetaminophen-induced acute liver injury. <i>Hepatology</i> , 2016, 64, 1667-1682.   | 3.6 | 271       |
| 3  | Differential effects of selective- and pan-PPAR agonists on experimental steatohepatitis and hepatic macrophages. <i>Journal of Hepatology</i> , 2020, 73, 757-770.  | 1.8 | 154       |
| 4  | Myeloid cells in liver and bone marrow acquire a functionally distinct inflammatory phenotype during obesity-related steatohepatitis. <i>Gut</i> , 2020, 69, 551-563.  | 6.1 | 142       |
| 5  | Differential impact of the dual CCR2/CCR5 inhibitor cenicriviroc on migration of monocyte and lymphocyte subsets in acute liver injury. <i>PLoS ONE</i> , 2017, 12, e0184694.  | 1.1 | 49        |
| 6  | The Medium-Chain Fatty Acid Receptor GPR84 Mediates Myeloid Cell Infiltration Promoting Steatohepatitis and Fibrosis. <i>Journal of Clinical Medicine</i> , 2020, 9, 1140.   | 1.0 | 49        |
| 7  | Nuclear Receptors Linking Metabolism, Inflammation, and Fibrosis in Nonalcoholic Fatty Liver Disease. <i>International Journal of Molecular Sciences</i> , 2022, 23, 2668.   | 1.8 | 42        |
| 8  | Combined Therapy with a CCR2/CCR5 Antagonist and FGF21 Analogue Synergizes in Ameliorating Steatohepatitis and Fibrosis. <i>International Journal of Molecular Sciences</i> , 2022, 23, 6696.  | 1.8 | 24        |
| 9  | Repair macrophages in acute liver failure. <i>Gut</i> , 2018, 67, 202-203.   | 6.1 | 14        |
| 10 | Association of Serum Calprotectin Concentrations with Mortality in Critically Ill and Septic Patients. <i>Diagnostics</i> , 2020, 10, 990.   | 1.3 | 14        |
| 11 | CT-based determination of excessive visceral adipose tissue is associated with an impaired survival in critically ill patients. <i>PLoS ONE</i> , 2021, 16, e0250321.  | 1.1 | 6         |
| 12 | Monocyte dysregulation: consequences for hepatic infections. <i>Seminars in Immunopathology</i> , 2021, 43, 493-506.   | 2.8 | 4         |
| 13 | Soluble Urokinase Plasminogen Activator Receptor Levels Are Associated with Severity of Fibrosis in Patients with Primary Sclerosing Cholangitis. <i>Journal of Clinical Medicine</i> , 2022, 11, 2479.                                | 1.0 | 2         |
| 14 | Low Serum Levels of Soluble Receptor Activator of Nuclear Factor $\kappa$ B Ligand (sRANKL) Are Associated with Metabolic Dysregulation and Predict Long-Term Mortality in Critically Ill Patients. <i>Diagnostics</i> , 2022, 12, 62. | 1.3 | 1         |
| 15 | Editorial: prevalence, progression rates and mortality predictors of non-alcoholic fatty liver disease reflected by German statutory health insurance data. <i>Alimentary Pharmacology and Therapeutics</i> , 2020, 52, 1412-1413.     | 1.9 | 1         |