Denise Wolrab

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8456688/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Retention dependences support highly confident identification of lipid species in human plasma by reversed-phase UHPLC/MS. Analytical and Bioanalytical Chemistry, 2022, 414, 319-331.	1.9	20
2	Lipidomic profiling of human serum enables detection of pancreatic cancer. Nature Communications, 2022, 13, 124.	5.8	68
3	Ultrahigh-performance supercritical fluid chromatography / mass spectrometry in the lipidomic analysis. TrAC - Trends in Analytical Chemistry, 2022, 149, 116546.	5.8	16
4	Ultrahigh-performance supercritical fluid chromatography – mass spectrometry for the qualitative analysis of metabolites covering a large polarity range. Journal of Chromatography A, 2022, 1665, 462832.	1.8	7
5	Strong cation- and zwitterion-exchange-type mixed-mode stationary phases for separation of pharmaceuticals and biogenic amines in different chromatographic modes. Journal of Chromatography A, 2021, 1635, 461751.	1.8	13
6	Comprehensive Identification of Glycosphingolipids in Human Plasma Using Hydrophilic Interaction Liquid Chromatography—Electrospray Ionization Mass Spectrometry. Metabolites, 2021, 11, 140.	1.3	12
7	OTEH-7. Molecular characterization of tumor stiffness in glioblastoma. Neuro-Oncology Advances, 2021, 3, ii11-ii12.	0.4	0
8	Quality control requirements for the correct annotation of lipidomics data. Nature Communications, 2021, 12, 4771.	5.8	54
9	Intra-laboratory comparison of four analytical platforms for lipidomic quantitation using hydrophilic interaction liquid chromatography or supercritical fluid chromatography coupled to quadrupole - time-of-flight mass spectrometry. Talanta, 2021, 231, 122367.	2.9	13
10	LipidQuant 1.0: automated data processing in lipid class separation–mass spectrometry quantitative workflows. Bioinformatics, 2021, 37, 4591-4592.	1.8	11
11	Plasma lipidomic profiles of kidney, breast and prostate cancer patients differ from healthy controls. Scientific Reports, 2021, 11, 20322.	1.6	17
12	Simple and Reproducible Derivatization with Benzoyl Chloride: Improvement of Sensitivity for Multiple Lipid Classes in RP-UHPLC/MS. Analytical Chemistry, 2021, 93, 13835-13843.	3.2	3
13	Determination of one year stability of lipid plasma profile and comparison of blood collection tubes using UHPSFC/MS and HILIC-UHPLC/MS. Analytica Chimica Acta, 2020, 1137, 74-84.	2.6	22
14	Validation of lipidomic analysis of human plasma and serum by supercritical fluid chromatography–mass spectrometry and hydrophilic interaction liquid chromatography–mass spectrometry. Analytical and Bioanalytical Chemistry, 2020, 412, 2375-2388.	1.9	58
15	Lipidomic characterization of exosomes isolated from human plasma using various mass spectrometry techniques. Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids, 2020, 1865, 158634.	1.2	31
16	Oncolipidomics: Mass spectrometric quantitation of lipids in cancer research. TrAC - Trends in Analytical Chemistry, 2019, 120, 115480.	5.8	46
17	Randomised clinical study: the effects of oral taurine 6g/day vs placebo on portal hypertension. Alimentary Pharmacology and Therapeutics, 2018, 47, 86-94.	1.9	36
18	Combined Proteome and Eicosanoid Profiling Approach for Revealing Implications of Human Fibroblasts in Chronic Inflammation. Analytical Chemistry, 2017, 89, 1945-1954.	3.2	33

DENISE WOLRAB

#	Article	IF	CITATIONS
19	Direct coupling of supercritical fluid chromatography with tandem mass spectrometry for the analysis of amino acids and related compounds: Comparing electrospray ionization and atmospheric pressure chemical ionization. Analytica Chimica Acta, 2017, 981, 106-115.	2.6	42
20	Consequences of transition from liquid chromatography to supercritical fluid chromatography on the overall performance of a chiral zwitterionic ion-exchanger. Journal of Chromatography A, 2017, 1517, 165-175.	1.8	35
21	Response Profiling Using Shotgun Proteomics Enables Global Metallodrug Mechanisms of Action To Be Established. Chemistry - A European Journal, 2017, 23, 1881-1890.	1.7	30
22	Enantioseparation of ß-carboline derivatives on polysaccharide- and strong cation exchanger-based chiral stationary phases. A comparative study. Journal of Chromatography A, 2016, 1467, 188-198.	1.8	10
23	Quantification of the neurotransmitters melatonin and N-acetyl-serotonin in human serum by supercritical fluid chromatography coupled with tandem mass spectrometry. Analytica Chimica Acta, 2016, 937, 168-174.	2.6	29
24	Chiral separation of new designer drugs (Cathinones) on chiral ion-exchange type stationary phases. Journal of Pharmaceutical and Biomedical Analysis, 2016, 120, 306-315.	1.4	30
25	Strong cation exchange chiral stationary phase—A comparative study in high-performance liquid chromatography and subcritical fluid chromatography. Journal of Chromatography A, 2013, 1317, 59-66.	1.8	17
26	Strong cation exchange-type chiral stationary phase for enantioseparation of chiral amines in subcritical fluid chromatography. Journal of Chromatography A, 2013, 1289, 94-104.	1.8	53
27	Click chemistry immobilization strategies in the development of strong cation exchanger chiral stationary phases for HPLC. Journal of Separation Science, 2013, 36, 2826-2837.	1.3	20
28	Novel Chiral Selector Based on Mefloquine – A Comparative NMR Study to Elucidate Intermolecular Interactions with Acidic Chiral Selectands. Chirality, 2012, 24, 936-943.	1.3	6