

Shoujiro Ogawa

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/845793/publications.pdf>

Version: 2024-02-01

66
papers

1,072
citations

430442

18
h-index

476904

29
g-index

68
all docs

68
docs citations

68
times ranked

1271
citing authors

#	ARTICLE	IF	CITATIONS
1	A method for determination of aldosterone concentrations of six adrenal venous serum samples during a single LC/ESI-MS/MS run using a sextet of Girard reagents. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2022, 207, 114423.	1.4	7
2	Application of 4-Diethylaminobenzoic Acid &Nlt;i>-Succinimidyl Ester and Its Deuterated Isotopologue as Derivatization Reagents to Quantitative Analysis of I^3 -Aminobutyric Acid in Serum by LC/ESI-MS/MS. <i>Chromatography</i> , 2022, , .	0.8	3
3	Improvement of analysis throughput for LC/MS assay. <i>Analytical Sciences</i> , 2022, 38, 633-634.	0.8	0
4	Derivatization-based quadruplex LC/ESI-MS/MS method for high throughput quantification of serum dehydroepiandrosterone sulfate. <i>Biomedical Chromatography</i> , 2021, 35, e5027.	0.8	7
5	Quantitative MALDI-MS/MS assay for serum cortisol through charged derivatization. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2020, 178, 112912.	1.4	5
6	Quantification of ergothioneine in <i>Aspergillus oryzae</i> -fermented rice bran by a newly-developed LC/ESI-MS/MS method. <i>LWT - Food Science and Technology</i> , 2020, 118, 108812.	2.5	12
7	3-Epi-25-hydroxyvitamin D3 is a poor substrate for SULT2A1: Analysis of its 3-sulfate in cord plasma and recombinant human SULT2A1 incubate. <i>Steroids</i> , 2020, 162, 108695.	0.8	2
8	Derivatization-based sample-multiplexing for enhancing throughput in liquid chromatography/tandem mass spectrometry quantification of metabolites: an overview. <i>Journal of Chromatography A</i> , 2020, 1634, 461679.	1.8	21
9	Sample-multiplexing by derivatization using multiple analogous reagents for enhancing throughput in LC/ESI-MS/MS assay of steroids: Plasma 17 β -hydroxyprogesterone as an example. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2020, 1146, 122117.	1.2	13
10	Enhancing LC/ESI-MS/MS Throughput for Plasma Bile Acid Assay by Derivatization-based Sample-Multiplexing. <i>Analytical Sciences</i> , 2020, 36, 1099-1104.	0.8	12
11	Identification of conjugation positions of urinary glucuronidated vitamin D 3 metabolites by LC/ESI-MS/MS after conversion to MS/MS-fragmentable derivatives. <i>Biomedical Chromatography</i> , 2019, 33, e4538.	0.8	7
12	Changes in Polyamine Content in Rice Bran due to Fermentation with <i>Aspergillus oryzae</i> Analyzed by LC/ESI-MS/MS Combined with Derivatization. <i>Analytical Sciences</i> , 2019, 35, 427-432.	0.8	12
13	(S)-1-(1-Methylpyridin-2-yl)-3-aminopiperidine as a novel derivatization reagent capable of enantiomeric separation and enhanced ESI-MS/MS detection for chiral carboxylic acids. <i>Microchemical Journal</i> , 2019, 146, 25-33.	2.3	3
14	Chemical Synthesis of Rare Natural Bile Acids: 11 β -Hydroxy Derivatives of Lithocholic and Chenodeoxycholic Acids. <i>Lipids</i> , 2018, 53, 403-411.	0.7	3
15	A Method for Quantification of Tetrahydroglucocorticoid Glucuronides in Human Urine by LC/MS/MS with Isotope-coded Derivatization. <i>Analytical Sciences</i> , 2018, 34, 1003-1009.	0.8	8
16	A method for determination of aldosterone in adrenal tributary venous serum by derivatization using Girard P reagent isotopologues followed by LC/ESI-MS/MS. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2018, 1092, 106-113.	1.2	18
17	Enhancing analysis throughput, sensitivity and specificity in LC/ESI-MS/MS assay of plasma 25-hydroxyvitamin D 3 by derivatization with triplex 4-(4-dimethylaminophenyl)-1,2,4-triazoline-3,5-dione (DAPTAD) isotopologues. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2017, 136, 126-133.	1.4	12
18	Isotope-coded derivatization based LC/ESI-MS/MS methods using a pair of novel reagents for quantification of hydroxycinnamic acids and hydroxybenzoic acids in fermented brown rice product. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2017, 142, 162-170.	1.4	15

#	ARTICLE	IF	CITATIONS
19	Improved sensitivity of serum/plasma 1 α ,25-dihydroxyvitamin D quantification by DAPTAD derivatization. <i>Clinica Chimica Acta</i> , 2017, 473, 173-179.	0.5	11
20	Unconjugated bile acids in rat brain: Analytical method based on LC/ESI-MS/MS with chemical derivatization and estimation of their origin by comparison to serum levels. <i>Steroids</i> , 2017, 125, 107-113.	0.8	62
21	Comparative evaluation of new Cookson-type reagents for LC/ESI-MS/MS assay of 25-hydroxyvitamin D ₃ in neonatal blood samples. <i>Biomedical Chromatography</i> , 2016, 30, 938-945.	0.8	13
22	Methods for determination of fingernail steroids by LC/MS/MS and differences in their contents between right and left hands. <i>Steroids</i> , 2016, 109, 60-65.	0.8	21
23	Isotope-coded ESI-enhancing derivatization reagents for differential analysis, quantification and profiling of metabolites in biological samples by LC/MS: A review. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2016, 130, 181-193.	1.4	68
24	Development and validation of the simultaneous measurement of four vitamin D metabolites in serum by LC-MS/MS for clinical laboratory applications. <i>Analytical and Bioanalytical Chemistry</i> , 2016, 408, 7617-7627.	1.9	37
25	A Method for Simultaneous Determination of 25-Hydroxyvitamin D ₃ and Its 3-Sulfate in Newborn Plasma by LC/ESI-MS/MS after Derivatization with a Proton-Affinitive Cookson-Type Reagent. <i>Mass Spectrometry</i> , 2016, 5, S0051-S0051.	0.2	14
26	LC/ESI-MS/MS method for determination of salivary eicosapentaenoic acid concentration to arachidonic acid concentration ratio. <i>Biomedical Chromatography</i> , 2016, 30, 29-34.	0.8	27
27	Chemical derivatization for enhancing sensitivity during LC/ESI-MS/MS quantification of steroids in biological samples: a review. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2016, 162, 57-69.	1.2	81
28	Methods for differential and quantitative analyses of brain neurosteroid levels by LC/MS/MS with ESI-enhancing and isotope-coded derivatization. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2016, 117, 155-162.	1.4	20
29	Analysis of urinary vitamin D ₃ metabolites by liquid chromatography/tandem mass spectrometry with ESI-enhancing and stable isotope-coded derivatization. <i>Analytical and Bioanalytical Chemistry</i> , 2014, 406, 6647-6654.	1.9	39
30	Development and validation of a method for determination of plasma 25-hydroxyvitamin D ₃ 3-sulfate using liquid chromatography/tandem mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2014, 969, 230-234.	1.2	34
31	Enantioselective determination of ibuprofen in saliva by liquid chromatography/tandem mass spectrometry with chiral electrospray ionization-enhancing and stable isotope-coded derivatization. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2014, 98, 387-392.	1.4	28
32	An efficient synthesis of 7 α ,12 α -dihydroxy-4-cholesten-3-one and its biological precursor 7 α -hydroxy-4-cholesten-3-one: Key intermediates in bile acid biosynthesis. <i>Steroids</i> , 2013, 78, 927-937.	0.8	8
33	Overestimation of salivary 25-hydroxyvitamin D ₃ level when using stimulated saliva with gum-chewing. <i>Steroids</i> , 2013, 78, 884-887.	0.8	9
34	(S)-1-(4-Dimethylaminophenylcarbonyl)-3-aminopyrrolidine: A derivatization reagent for enantiomeric separation and sensitive detection of chiral carboxylic acids by LC/ESI-MS/MS. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2013, 940, 7-14.	1.2	33
35	Stereoselective Synthesis and NMR Characterization of Δ^24 Epimeric Pairs of Δ^24 -Alkyl Oxysterols. <i>Lipids</i> , 2013, 48, 197-207.	0.7	2
36	A novel Cookson-type reagent for enhancing sensitivity and specificity in assessment of infant vitamin D status using liquid chromatography/tandem mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2013, 27, 2453-2460.	0.7	50

#	ARTICLE	IF	CITATIONS
37	LC/MS/MS of Steroids Having Vicinal Diol as Electrospray-Active Boronates. Chemical and Pharmaceutical Bulletin, 2013, 61, 326-332.	0.6	6
38	Monoterpene Glucosides from <i>Ziziphora clinopodioides</i> (Labiatae). Chemical and Pharmaceutical Bulletin, 2012, 60, 397-401.	0.6	6
39	Influence of saliva flow rate stimulated by gum-chewing on salivary concentrations of catecholamine metabolites. Clinica Chimica Acta, 2012, 414, 248-252.	0.5	10
40	Detection of Δ^4 -3-oxo-steroid 5 β -reductase deficiency by LC-ESI-MS/MS measurement of urinary bile acids. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2012, 900, 24-31.	1.2	38
41	Derivatization of chiral carboxylic acids with (S)-anabasine for increasing detectability and enantiomeric separation in LC/ESI-MS/MS. Journal of Separation Science, 2012, 35, 2840-2846.	1.3	21
42	Synthesis of multiply deuterated 3- and 21-monosulfates of allo-tetrahydrocorticosteroids as internal standards for mass spectrometry. Steroids, 2012, 77, 1423-1437.	0.8	5
43	A novel varanic acid epimer (24R,25S)-3 β ,7 β ,12 β ,24-tetrahydroxy-5 β -cholestan-27-oic acid is a major biliary bile acid in two varanid lizards and the Gila monster. Steroids, 2012, 77, 1510-1521.	0.8	5
44	Biliary bile acids in birds of the Cotingidae family: Taurine-conjugated (24R,25R)-3 β ,7 β ,24-trihydroxy-5 β -cholestan-27-oic acid and two epimers (25R and 25S) of 3 β ,7 β -dihydroxy-5 β -cholestan-27-oic acid. Steroids, 2011, 76, 1126-1135.	0.8	4
45	Studies on the Constituents of <i>Lagochilus leiacanthus</i> (Labiatae). Chemical and Pharmaceutical Bulletin, 2011, 59, 1535-1540.	0.6	12
46	Chemical synthesis of the 17-propanamide derivatives of stereoisomeric Δ^{14} - and Δ^{17} -estradiols: potential Δ^{17} -hydroxysteroid dehydrogenase inhibitors. Chemistry and Physics of Lipids, 2011, 164, 106-112.	1.5	2
47	Chemical synthesis of the (25R)- and (25S)-epimers of 3 β ,7 β ,12 β -trihydroxy-5 β -cholestan-27-oic acid as well as their corresponding glycine and taurine conjugates. Chemistry and Physics of Lipids, 2011, 164, 368-377.	1.5	5
48	ROMP polymer-based antimicrobial films repeatedly chargeable with silver ions. Reactive and Functional Polymers, 2011, 71, 195-203.	2.0	13
49	Chemical Synthesis of (22E)-3.ALPHA.,6.ALPHA.,7.ALPHA.,12.ALPHA.-Tetrahydroxy-5.BETA.-chol-22-en-24-oic Acid and Its N-Acylamidated Conjugates with Glycine or Taurine: Precursors of the [22,23-3H] Labelled Tracers. Chemical and Pharmaceutical Bulletin, 2010, 58, 1103-1106.	0.6	3
50	Potential Corticoid Metabolites: Chemical Synthesis of 3- and 21-Monosulfates and Their Double-Conjugates of Tetrahydrocorticosteroids in the 5.ALPHA.- and 5.BETA.-Series. Chemical and Pharmaceutical Bulletin, 2010, 58, 344-353.	0.6	12
51	Oxyfunctionalization of unactivated C-H bonds in triterpenoids with tert-butylhydroperoxide catalyzed by meso-5,10,15,20-tetramesitylporphyrinate osmium(II) carbonyl complex. Chemistry and Physics of Lipids, 2010, 163, 165-171.	1.5	23
52	Ring-opening metathesis polymerization of steroid-conjugated norbornenes and gradual release of estrone from a polymer film. Reactive and Functional Polymers, 2010, 70, 563-571.	2.0	10
53	Major Biliary Bile Acids of the Medaka (<i>Oryzias latipes</i>): 25 β - and 25 α -Epimers of 3 β ,7 β ,12 β -Trihydroxy-5 β -cholestanic Acid. Zoological Science, 2010, 27, 565-573.	0.3	8
54	A facile synthesis of C-24 and C-25 oxysterols by in situ generated ethyl(trifluoromethyl)dioxirane. Steroids, 2009, 74, 81-87.	0.8	20

#	ARTICLE	IF	CITATIONS
55	Lupane triterpenes with a carbonyl group at C-20 induce cancer cell apoptosis. <i>Journal of Natural Medicines</i> , 2008, 62, 332-335.	1.1	9
56	Separation, synthesis and estrogenic activity of 4-nonylphenols: Two sets of new diastereomeric isomers in a commercial mixture. <i>Chemosphere</i> , 2008, 73, 1188-1193.	4.2	14
57	Oxyfunctionalization Products of Terpenoids with Dimethyldioxirane and Their Biological Activity. <i>Chemical and Pharmaceutical Bulletin</i> , 2007, 55, 247-250.	0.6	18
58	Regioselective Oxyfunctionalization of Unactivated Carbons in Steroids by a Model of Cytochrome P-450: Osmiumporphyrin Complex/tert-Butyl Hydroperoxide System. <i>Journal of Organic Chemistry</i> , 2007, 72, 823-830.	1.7	36
59	Osmiumporphyrin-Catalyzed Oxyfunctionalization and Isomerization of Natural (5 β)-Bile Acids with tert-Butyl Hydroperoxide. <i>European Journal of Organic Chemistry</i> , 2007, 2007, 3555-3563.	1.2	19
60	Nuclear magnetic resonance spectroscopy of 3 β ,7 β -dihydroxy-5-cholen-24-oic acid multi-conjugates: unusual bile acid metabolites in human urine. <i>Chemistry and Physics of Lipids</i> , 2006, 140, 48-54.	1.5	3
61	Biomimetic oxidation of unactivated carbons in steroids by a model of cytochrome P-450, oxorutheniumporphyrinate complex. <i>Lipids</i> , 2004, 39, 873-880.	0.7	13
62	Capillary gas chromatographic separation of bile acid acyl glycosides without thermal decomposition and isomerization. <i>Journal of Chromatography A</i> , 2004, 1057, 171-176.	1.8	5
63	The remote-oxyfunctionalization of unactivated carbons in (5 β)-3-oxobile acids by 2,6-dichloropyridine N-oxide catalyzed by ruthenium porphyrin and HBr: a direct lactonization at C-20. <i>Organic and Biomolecular Chemistry</i> , 2004, 2, 1013-1018.	1.5	18
64	Functionalization of unactivated carbons in 3 β ,6- and 3 β ,24-dihydroxy-5 β -cholane derivatives by dimethyldioxirane. <i>Lipids</i> , 2003, 38, 281-287.	0.7	9
65	An Improved Method for the Capillary Gas Chromatographic Derivatization of Polyhydroxylated Steroids Having tert-Hydroxyl Groups. <i>Analytical Sciences</i> , 2003, 19, 1317-1321.	0.8	1
66	A comparative study of remote oxy-functionalization of unactivated carbons in 5 β -steroids by dimethyldioxirane and 2,6-dichloropyridine N-oxide / ruthenium-porphyrin / HBr. <i>Arkivoc</i> , 2003, 2003, 171-179.	0.3	7