

Muhammad Abbas Ahmad Zaini

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8461396/publications.pdf>

Version: 2024-02-01

138
papers

2,537
citations

293460

24
h-index

263392

45
g-index

139
all docs

139
docs citations

139
times ranked

3101
citing authors

#	ARTICLE	IF	CITATIONS
1	Physicochemical modification of chitosan adsorbent: a perspective. <i>Biomass Conversion and Biorefinery</i> , 2023, 13, 5557-5575.	2.9	19
2	Existing and emerging technologies for the removal of orthophosphate from wastewater by agricultural waste adsorbents: a review. <i>Biomass Conversion and Biorefinery</i> , 2023, 13, 12349-12365.	2.9	5
3	Adsorption of water pollutants using H ₃ PO ₄ -activated lignocellulosic agricultural waste: a mini review. <i>Toxin Reviews</i> , 2023, 42, 349-361.	1.5	3
4	Textile sludgeâ€“sawdust chemically produced activated carbon: equilibrium and dynamics studies of malachite green adsorption. <i>Biomass Conversion and Biorefinery</i> , 2022, 12, 2847-2859.	2.9	10
5	Correlations between pore textures of activated carbons and Langmuir constants â€“ case studies on methylene blue and congo red adsorption. <i>Toxin Reviews</i> , 2022, 41, 315-325.	1.5	6
6	Dyes adsorption properties of KOH-activated resorcinol-formaldehyde carbon gels -kinetic, isotherm and dynamic studies. <i>Toxin Reviews</i> , 2022, 41, 186-197.	1.5	7
7	One-step ZnCl ₂ /FeCl ₃ composites preparation of magnetic activated carbon for effective adsorption of rhodamine B dye. <i>Toxin Reviews</i> , 2022, 41, 64-81.	1.5	33
8	Zinc chlorideâ€“activated glycerine pitch distillate for methylene blue removalâ€”isotherm, kinetics and thermodynamics. <i>Biomass Conversion and Biorefinery</i> , 2022, 12, 2715-2726.	2.9	7
9	High efficient degradation of organic dyes by <sc>polypyrroleâ€“multiwall</sc> carbon nanotubes nanocomposites. <i>Polymers for Advanced Technologies</i> , 2022, 33, 1402-1411.	1.6	32
10	Optimizing the two-stage adsorber of NaOH-activated coconut shell carbon for methylene blue removal. <i>International Journal of Chemical Reactor Engineering</i> , 2022, 20, 903-910.	0.6	1
11	Optimization of synergistic green emulsion liquid membrane stability for enhancement of silver recovery from aqueous solution. <i>Korean Journal of Chemical Engineering</i> , 2022, 39, 423-430.	1.2	5
12	A Two-Stage Batch System for Phosphate Removal from Wastewater by Iron-Coated Waste Mussel Shell to Assess the Optimum Adsorbent Dosage. <i>Journal of Water Chemistry and Technology</i> , 2022, 44, 10-20.	0.2	2
13	<i>Scylla Sp.</i> Shell: a potential green adsorbent for wastewater treatment. <i>Toxin Reviews</i> , 2022, 41, 1280-1289.	1.5	5
14	A New solubility model for competing effects of three solvents: Water, ethanol, and supercritical carbon dioxide. <i>Separation Science and Technology</i> , 2022, 57, 2269-2275.	1.3	3
15	Bamboo residue as a potential activated carbon for removal of water pollutants: a commentary. <i>International Wood Products Journal</i> , 2022, 13, 83-90.	0.6	4
16	Malachite green adsorption by calcium-rich crab shell char via two-stage adsorber design. <i>Analele UniversitĂ©ii Ovidius ConstanĂa: Seria Chimie</i> , 2022, 33, 36-40.	0.2	0
17	Reliability of the Mass Transfer Factor Models to Describe the Adsorption of NH ₄ ⁺ by Granular Activated Carbon. <i>International Journal of Environmental Research</i> , 2022, 16, .	1.1	5
18	Effects of zinc chloride impregnation states on specific surface and dielectric properties of activated carbons. <i>International Journal of Chemical Reactor Engineering</i> , 2022, 20, 1229-1233.	0.6	2

#	ARTICLE	IF	CITATIONS
19	Beta-cyclodextrin adsorbents to remove water pollutants—a commentary. <i>Frontiers of Chemical Science and Engineering</i> , 2022, 16, 1407-1423.	2.3	6
20	Two-stage adsorber optimization of NaOH-pretreated oil palm empty fruit bunch activated carbon for methylene blue removal. <i>Chemical Product and Process Modeling</i> , 2022, .	0.5	0
21	Environmental Awareness in Batik Making Process. <i>Sustainability</i> , 2022, 14, 6094.	1.6	4
22	Equilibrium and kinetics of phenol adsorption by crab shell chitosan. <i>Particulate Science and Technology</i> , 2021, 39, 415-426.	1.1	8
23	Comparative study on the enhancement of thermo-mechanical properties of carbon fiber and glass fiber reinforced epoxy composites. <i>Materials Today: Proceedings</i> , 2021, 39, 956-958.	0.9	33
24	Evaluation of dyes removal by beta-cyclodextrin adsorbent. <i>Materials Today: Proceedings</i> , 2021, 39, 907-910.	0.9	14
25	Effects of physical activation on pore textures and heavy metals removal of fiber-based activated carbons. <i>Materials Today: Proceedings</i> , 2021, 39, 917-921.	0.9	17
26	Dielectric and adsorptive properties of potassium hydroxide-treated castor residue carbons. <i>Materials Today: Proceedings</i> , 2021, 39, 1015-1019.	0.9	0
27	Assessment of thermal regeneration of spent commercial activated carbon for methylene blue dye removal. <i>Particulate Science and Technology</i> , 2021, 39, 504-510.	1.1	11
28	Microporous activated carbon prepared from yarn processing sludge via composite chemical activation for excellent adsorptive removal of malachite green. <i>Surfaces and Interfaces</i> , 2021, 22, 100832.	1.5	13
29	The Alternating Aerobic-Anoxic System for the Treatment of Phosphorus in Waters. <i>Journal of Water Chemistry and Technology</i> , 2021, 43, 155-163.	0.2	2
30	Isotherm and kinetics of methylene blue removal by <i>Musa acuminata</i> peel adsorbents. <i>Acta Chemica Malaysia</i> , 2021, .	0.6	2
31	Optimization in a Two-Stage Sorption of Malachite Green by Date Palm Residue Carbon. , 2021, , .		4
32	Sodium hydroxide-activated Casuarina empty fruit: Isotherm, kinetics and thermodynamics of methylene blue and congo red adsorption. <i>Environmental Technology and Innovation</i> , 2021, 23, 101727.	3.0	25
33	Valorization of Casuarina empty fruit-based activated carbons for dyes removal — Activators, isotherm, kinetics and thermodynamics. <i>Surfaces and Interfaces</i> , 2021, 25, 101277.	1.5	12
34	Adsorptive removal of Bisphenol a from aqueous solution using activated carbon from coffee residue. <i>Materials Today: Proceedings</i> , 2021, 47, 1307-1312.	0.9	17
35	Two-Stage Adsorber Design for Methylene Blue Removal by Coconut Shell Activated Carbon. <i>Malaysian Journal of Fundamental and Applied Sciences</i> , 2021, 17, 768-775.	0.4	4
36	Methylene Blue Adsorption onto Neem Leave/Chitosan Aggregates: Isotherm, Kinetics and Thermodynamics Studies. <i>International Journal of Chemical Reactor Engineering</i> , 2020, 18, .	0.6	3

#	ARTICLE	IF	CITATIONS
37	Development of activated carbon pellets using a facile low-cost binder for effective malachite green dye removal. <i>Journal of Cleaner Production</i> , 2020, 253, 119970.	4.6	54
38	Valorization of spent activated carbon in glycerine deodorization unit for methylene blue removal. <i>Carbon Letters</i> , 2020, 31, 721.	3.3	4
39	Decolourisation of malachite green dye by potassium carbonate-treated kernel shell adsorbent. <i>International Journal of Environment and Waste Management</i> , 2020, 25, 498.	0.2	0
40	Effects of chemical activating agents on physical properties of activated carbons – a commentary. <i>Water Practice and Technology</i> , 2020, 15, 863-876.	1.0	5
41	Twigs-derived activated carbons via H ₃ PO ₄ /ZnCl ₂ composite activation for methylene blue and congo red dyes removal. <i>Scientific Reports</i> , 2020, 10, 14050.	1.6	34
42	The oil-absorbing properties of kapok fibre – a commentary. <i>Journal of Taibah University for Science</i> , 2020, 14, 507-512.	1.1	22
43	Adsorption dynamics of phenol by crab shell chitosan. <i>International Journal of Chemical Reactor Engineering</i> , 2020, 18, .	0.6	1
44	Kinetics and dynamic adsorption of methylene blue by CO ₂ -activated resorcinol formaldehyde carbon gels. <i>Carbon Letters</i> , 2019, 29, 319-326.	3.3	13
45	Carbon-Based Adsorbents from Used Rubber Slipper for Dye Removal. <i>Materials Science Forum</i> , 2019, 951, 83-88.	0.3	0
46	Physicochemical Properties of Oxalic Acid-Modified Chitosan/Neem Leave Composites from Pessu River Crab Shell. <i>International Journal of Chemical Reactor Engineering</i> , 2019, 17, .	0.6	3
47	Evaluation of methylene blue dye and phenol removal onto modified CO ₂ -activated pyrolysis tyre powder. <i>Journal of Cleaner Production</i> , 2019, 223, 487-498.	4.6	30
48	Preparation and characterization of activated carbons produced from oil palm empty fruit bunches. <i>Tanso</i> , 2019, 2019, 9-13.	0.1	4
49	Isotherm studies of lead(II), manganese(II), and cadmium(II) adsorption by Nigerian bentonite clay in single and multimetal solutions. <i>Particulate Science and Technology</i> , 2019, 37, 403-413.	1.1	19
50	Surface modification of low-cost bentonite adsorbents – A review. <i>Particulate Science and Technology</i> , 2019, 37, 538-549.	1.1	53
51	Porous Nanomaterials for Heavy Metal Removal. , 2019, , 469-494.		13
52	Adsorption of Malachite Green and Congo Red Dyes from Water: Recent Progress and Future Outlook. <i>Ecological Chemistry and Engineering S</i> , 2019, 26, 119-132.	0.3	48
53	Removal of Malachite Green and Congo Red Dyes from Water by Polyacrylonitrile Carbon Fibre Sorbents. <i>Acta Chemica Malaysia</i> , 2019, 3, 29-34.	0.6	7
54	Isotherm Studies of Malachite Green Removal by Yarn Processing Sludge-Based Activated Carbon. <i>Chemistry, Didactics, Ecology, Metrology</i> , 2019, 24, 127-134.	0.1	2

#	ARTICLE	IF	CITATIONS
55	Eco-adsorbents for Organic Solvents and Grease Removal. , 2019, , 3347-3377.		0
56	Kinetics and Thermodynamics of Dispersed Oil Sorption by Kapok Fiber. Ecological Chemistry and Engineering S, 2019, 26, 759-772.	0.3	6
57	Silver Nanoparticles in the Water Environment in Malaysia: Inspection, characterization, removal, modeling, and future perspective. Scientific Reports, 2018, 8, 986.	1.6	122
58	Effect of operating conditions on catechin extraction from betel nuts using supercritical CO ₂ -methanol extraction. Separation Science and Technology, 2018, 53, 662-670.	1.3	17
59	Physicochemical characteristics of surface modified Dijah-Monkin bentonite. Particulate Science and Technology, 2018, 36, 287-297.	1.1	10
60	Insight into kinetics and thermodynamics properties of multicomponent lead(II), cadmium(II) and manganese(II) adsorption onto Dijah-Monkin bentonite clay. Particulate Science and Technology, 2018, 36, 569-577.	1.1	15
61	Preparation, characterization, and dye removal study of activated carbon prepared from palm kernel shell. Environmental Science and Pollution Research, 2018, 25, 5076-5085.	2.7	60
62	Valorization of human hair as methylene blue dye adsorbents. Green Processing and Synthesis, 2018, 7, 344-352.	1.3	13
63	Adsorption of Methylene Blue on Cardboard-Based Activated Carbons Treated with Zinc Chloride and Potassium Hydroxide. Journal of Environmental Chemistry, 2018, 28, 157-161.	0.1	2
64	Eco-Adsorbents for Organic Solvents and Grease Removal. , 2018, , 1-31.		0
65	Microwave-assisted solvent extraction of castor oil from castor seeds. Chinese Journal of Chemical Engineering, 2018, 26, 2516-2522.	1.7	30
66	Surface modification of activated carbon for adsorption of SO ₂ and NO _x : A review of existing and emerging technologies. Renewable and Sustainable Energy Reviews, 2018, 94, 1067-1085.	8.2	159
67	Dielectric properties in microwave-assisted solvent extraction—present trends and future outlook. Asia-Pacific Journal of Chemical Engineering, 2018, 13, e2230.	0.8	2
68	Physicochemical properties of char derived from palm fatty acid distillate. Malaysian Journal of Fundamental and Applied Sciences, 2018, 14, 403-406.	0.4	4
69	Kinetic Modeling of Supercritical Fluid Extraction of Betel Nut. International Journal of Automotive and Mechanical Engineering, 2018, 15, 5273-5284.	0.5	5
70	Activated carbons by zinc chloride activation for dye removal — a commentary. Acta Chimica Slovaca, 2018, 11, 99-106.	0.5	46
71	Adsorptive characteristics and microwave dielectric properties of oil palm empty fruit bunch-based activated carbons for dye removal. Malaysian Journal of Fundamental and Applied Sciences, 2018, 14, 241-245.	0.4	0
72	Dielectric properties of potassium carbonate-impregnated cempedak peel for microwave-assisted activation. Asia-Pacific Journal of Chemical Engineering, 2017, 12, 173-181.	0.8	8

#	ARTICLE	IF	CITATIONS
73	Malachite green adsorption by potassium salts-activated carbons derived from textile sludge: Equilibrium, kinetics and thermodynamics studies. <i>Asia-Pacific Journal of Chemical Engineering</i> , 2017, 12, 159-172.	0.8	23
74	Adsorption properties of cationic rhodamine B dye onto metals chloride-activated castor bean residue carbons. <i>Water Science and Technology</i> , 2017, 75, 864-880.	1.2	16
75	Preliminary evaluation of resorcinol-formaldehyde carbon gels for water pollutants removal. <i>Acta Chimica Slovaca</i> , 2017, 10, 54-60.	0.5	5
76	Multi-metals column adsorption of lead(II), cadmium(II) and manganese(II) onto natural bentonite clay. <i>Water Science and Technology</i> , 2017, 76, 2232-2241.	1.2	13
77	ETHANOL SEPARATION USING SEPABEADS207 ADSORBENT. <i>Jurnal Teknologi (Sciences and Engineering)</i> , 2017, 79, .	0.3	2
78	Isotherm studies of methylene blue adsorption onto waste tyre pyrolysis powder-based activated carbons. <i>Malaysian Journal of Fundamental and Applied Sciences</i> , 2017, 13, 671-675.	0.4	5
79	Roles of Impregnation Ratio of K ₂ CO ₃ and NaOH in Chemical Activation of Palm Kernel Shell. <i>Journal of Applied Science & Process Engineering</i> , 2017, 4, 195-204.	0.0	13
80	PARAMETRIC INVESTIGATION OF FIXED-TRAY, SEMI-CONTINUOUS DISTILLATION COLUMN FOR ETHANOL SEPARATION FROM WATER. <i>Jurnal Teknologi (Sciences and Engineering)</i> , 2016, 78, .	0.3	1
81	OXIDATION STABILITY OF CASTOR OIL IN SOLVENT EXTRACTION. <i>Jurnal Teknologi (Sciences and Engineering)</i> , 2016, 78, .	0.3	1
82	THE EFFECT OF CONVENTIONAL AND MICROWAVE HEATING TECHNIQUES ON TRANSESTERIFICATION OF WASTE COOKING OIL TO BIODIESEL. <i>Jurnal Teknologi (Sciences and Engineering)</i> , 2016, 78, .	0.3	0
83	Bio-polishing sludge adsorbents for dye removal. <i>Polish Journal of Chemical Technology</i> , 2016, 18, 15-21.	0.3	5
84	Metal chloride salts in the preparation of activated carbon and their hazardous outlook. <i>Desalination and Water Treatment</i> , 2016, 57, 16078-16085.	1.0	10
85	Optimization of microwave irradiated - coconut shell activated carbon using response surface methodology for adsorption of benzene and toluene. <i>Desalination and Water Treatment</i> , 2016, 57, 7881-7897.	1.0	9
86	Textural Characteristics of ZnCl ₂ -Treated Mesoporous Materials from Local Waste Products. <i>Journal of Applied Science & Process Engineering</i> , 2016, 3, .	0.0	0
87	Metal-Chloride-Activated Empty Fruit-Bunch Carbons for Rhodamine B Removal. <i>Hungarian Journal of Industrial Chemistry</i> , 2016, 44, 129-133.	0.1	3
88	On the view of dielectric properties in microwave-assisted activated carbon preparation. <i>Asia-Pacific Journal of Chemical Engineering</i> , 2015, 10, 953-960.	0.8	12
89	Carbon Dioxide Capture from Reforming Gases using Acetic Acid-mixed Chemical Absorbents. <i>Bulletin of the Korean Chemical Society</i> , 2015, 36, 1940-1943.	1.0	1
90	Isotherm Studies of Methylene Blue Adsorption onto Potassium Salts-Modified Textile Sludge. <i>Jurnal Teknologi (Sciences and Engineering)</i> , 2015, 74, .	0.3	2

#	ARTICLE	IF	CITATIONS
91	Removal of Methylene Blue and Copper (II) by Oil Palm Empty Fruit Bunch Sorbents. Jurnal Teknologi (Sciences and Engineering), 2015, 74, .	0.3	2
92	Dielectric Properties of Potassium Hydroxide-Treated Palm Kernel Shell for Microwave-Assisted Adsorbent Preparation. Jurnal Teknologi (Sciences and Engineering), 2015, 74, .	0.3	2
93	POTASSIUM CARBONATE-TREATED PALM KERNEL SHELL ADSORBENT FOR CONGO RED REMOVAL FROM WATER. Jurnal Teknologi (Sciences and Engineering), 2015, 75, .	0.3	3
94	Solubility assessment of castor (Ricinus communis L) oil in supercritical CO 2 at different temperatures and pressures under dynamic conditions. Industrial Crops and Products, 2015, 76, 34-40.	2.5	24
95	A parametric investigation of castor oil (Ricinus comminis L) extraction using supercritical carbon dioxide via response surface optimization. Journal of the Taiwan Institute of Chemical Engineers, 2015, 53, 32-39.	2.7	16
96	Adsorption of benzene and toluene onto KOH activated coconut shell based carbon treated with NH 3. International Biodeterioration and Biodegradation, 2015, 102, 245-255.	1.9	135
97	Preparation and characterization of activated carbon from pineapple waste biomass for dye removal. International Biodeterioration and Biodegradation, 2015, 102, 274-280.	1.9	195
98	Characterization and process optimization of castor oil (Ricinus communis L.) extracted by the soxhlet method using polar and non-polar solvents. Journal of the Taiwan Institute of Chemical Engineers, 2015, 47, 99-104.	2.7	36
99	Potassium hydroxide activation of activated carbon: a commentary. Carbon Letters, 2015, 16, 275-280.	3.3	176
100	Metals Chloride-Activated Castor Bean Residue for Methylene Blue Removal. Jurnal Teknologi (Sciences and Engineering), 2015, 74, .	0.3	0
101	Use of Supercritical CO2 and R134a as Solvent for Extraction of b-Carotene and a-Tocopherols from Crude Palm Oil. Asian Journal of Chemistry, 2014, 26, 5911-5916.	0.1	9
102	Synthesis and Characterization of Bio-Based Porous Carbons by Two Step Physical Activation with CO2. Jurnal Teknologi (Sciences and Engineering), 2014, 68, .	0.3	2
103	Synthesis and Characterization of Green Porous Carbons with Large Surface Area by Two Step Chemical Activation with KOH. Jurnal Teknologi (Sciences and Engineering), 2014, 67, .	0.3	5
104	Irradiated Water-activated Waste Tyre Powder for Decolourization of Reactive Orange 16. Jurnal Teknologi (Sciences and Engineering), 2014, 68, .	0.3	5
105	Extraction of Virgin Coconut (Cocos nucifera) Oil Using Supercritical Fluid Carbon Dioxide. Jurnal Teknologi (Sciences and Engineering), 2014, 67, .	0.3	2
106	Development of Emulsification containing Natural Colorant from Local Plant (Roselle). Jurnal Teknologi (Sciences and Engineering), 2014, 69, .	0.3	1
107	Coagulation-Flocculation in Water Treatment using Calotropis Procera Leaves: A case study of River in Kaduna, Nigeria. Jurnal Teknologi (Sciences and Engineering), 2014, 67, .	0.3	0
108	Enhanced lead(II) binding properties of heat-treated cattle-manure-compost-activated carbons. Desalination and Water Treatment, 2014, 52, 6420-6429.	1.0	8

#	ARTICLE	IF	CITATIONS
109	Removal of Heavy Metals onto KOH-activated Ash-rich Sludge Adsorbent. <i>Energy Procedia</i> , 2014, 61, 2572-2575.	1.8	17
110	Characteristics of Potassium Acetate - Activated Coconut Shell Carbon. <i>Advanced Materials Research</i> , 2014, 1043, 193-197.	0.3	1
111	Thermodynamic Analysis of Hydrogen Production from Ethanol-glycerol Mixture Through Dry Reforming. <i>Energy Procedia</i> , 2014, 61, 2391-2394.	1.8	4
112	Palm oil mill effluent sludge ash as adsorbent for methylene blue dye removal. <i>Desalination and Water Treatment</i> , 2014, 52, 3654-3662.	1.0	29
113	A comparative study of various oil extraction techniques from plants. <i>Reviews in Chemical Engineering</i> , 2014, 30, .	2.3	87
114	Kinetic study of catechin extracted from <i>Areca catechu</i> seeds using green extraction method. <i>Asia-Pacific Journal of Chemical Engineering</i> , 2014, 9, 743-750.	0.8	6
115	Equilibrium and Kinetic Studies of Benzene and Toluene Adsorption onto Microwave Irradiated-Coconut Shell Activated Carbon. <i>Advanced Materials Research</i> , 2014, 1043, 219-223.	0.3	3
116	Removal of 2-methylisoborneol from aqueous solution by cattle manure compost (CMC) derived activated carbons. <i>Journal of Water Supply: Research and Technology - AQUA</i> , 2014, 63, 239-247.	0.6	4
117	A REVIEW OF MIXED REVERSE MICELLE SYSTEM FOR ANTIBIOTIC RECOVERY. <i>Chemical Engineering Communications</i> , 2014, 201, 1664-1685.	1.5	23
118	Zinc Chloride-activated Waste Carbon Powder for Decolourization of Methylene Blue. <i>Jurnal Teknologi (Sciences and Engineering)</i> , 2014, 67, .	0.3	7
119	Sludge-adsorbents from palm oil mill effluent for methylene blue removal. <i>Journal of Environmental Chemical Engineering</i> , 2013, 1, 1091-1098.	3.3	60
120	Critical issues in microwave-assisted activated carbon preparation. <i>Journal of Analytical and Applied Pyrolysis</i> , 2013, 101, 238-241.	2.6	44
121	Effect of heat treatment on copper removal onto manure-compost-activated carbons. <i>Desalination and Water Treatment</i> , 2013, 51, 5608-5616.	1.0	4
122	Extraction of Rubber (<i>Hevea brasiliensis</i>) Seeds Oil Using Supercritical Carbon Dioxide. <i>Journal of Biobased Materials and Bioenergy</i> , 2013, 7, 213-218.	0.1	9
123	Crossflow Microfiltration of Oil in Water Emulsion via Tubular Filters: Evaluation by Mathematical Models on Droplet Deformation and Filtration. <i>Jurnal Teknologi (Sciences and Engineering)</i> , 2012, , .	0.3	2
124	Relationship between Helium Degassing of Cattle-Manure-Compost Adsorbents and Copper Ions Removal. <i>International Journal of Organic Chemistry</i> , 2012, 02, 262-266.	0.3	2
125	Adsorption of heavy metals onto activated carbons derived from polyacrylonitrile fiber. <i>Journal of Hazardous Materials</i> , 2010, 180, 552-560.	6.5	163
126	Adsorption of aqueous metal ions on cattle-manure-compost based activated carbons. <i>Journal of Hazardous Materials</i> , 2009, 170, 1119-1124.	6.5	107

#	ARTICLE	IF	CITATIONS
127	Water vapor adsorption onto activated carbons prepared from cattle manure compost (CMC). Applied Surface Science, 2008, 254, 4868-4874.	3.1	25
128	Adsorption of copper(II) ions onto activated carbons treated by ammonia gas. Journal of Environmental Chemistry, 2008, 18, 533-539.	0.1	10
129	Influence of Acidic Functional Groups of Activated Carbon and Solution pH on Cadmium Ion Adsorption. Journal of Ion Exchange, 2008, 19, 95-100.	0.1	9
130	Effect of out-gassing of ZnCl ₂ -activated cattle manure compost (CMC) on adsorptive removal of Cu (II) and Pb (II) ions. Tanso, 2008, 2008, 220-226.	0.1	5
131	Optimization of Preparation of Microwave Irradiated Bio-Based Materials as Porous Carbons for VOCs Removal Using Response Surface Methodology. Applied Mechanics and Materials, 0, 554, 175-179.	0.2	2
132	Dielectric Properties for the Ring Opening Polymerisation of ϵ -Caprolactone. Applied Mechanics and Materials, 0, 493, 621-627.	0.2	1
133	Comparison on the Characteristics of Bio-Based Porous Carbons by Physical and Novel Chemical Activation. Applied Mechanics and Materials, 0, 554, 22-26.	0.2	5
134	Coffee residue-based activated carbons for phenol removal. Water Practice and Technology, 0, , .	1.0	9
135	Potassium hydroxide-treated palm kernel shell sorbents for the efficient removal of methyl violet dye. , 0, 84, 262-270.		14
136	Adsorption profiles of rhodamine B and reactive orange 16 onto pharmaceutical-based activated charcoals. , 0, 132, 340-349.		1
137	Preparation of textile sludge-derived activated carbon via KI and KOH activation for fast and efficient removal of methylene blue. , 0, 138, 335-345.		3
138	Isotherm, kinetics and thermodynamics of methylene blue dye adsorption onto CO ₂ -activated pyrolysis tyre powder. , 0, 143, 323-332.		3