

Karen Shapiro

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8463361/publications.pdf>

Version: 2024-02-01

52
papers

1,310
citations

361413

20
h-index

377865

34
g-index

53
all docs

53
docs citations

53
times ranked

1264
citing authors

#	ARTICLE	IF	CITATIONS
1	Dynamics and epidemiology of <i>Toxoplasma gondii</i> oocyst shedding in domestic and wild felids. <i>Transboundary and Emerging Diseases</i> , 2022, 69, 2412-2423.	3.0	18
2	Wastewater analysis can be a powerful public health tool if it's done sensibly. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022, 119, .	7.1	58
3	The prevalence of <i>Cyclospora cayentanensis</i> in water: a systematic review and meta-analysis. <i>Epidemiology and Infection</i> , 2022, 150, .	2.1	7
4	The challenge of SARS-CoV-2 environmental monitoring in schools using floors and portable HEPA filtration units: Fresh or relic RNA?. <i>PLoS ONE</i> , 2022, 17, e0267212.	2.5	11
5	Association of zoonotic protozoan parasites with microplastics in seawater and implications for human and wildlife health. <i>Scientific Reports</i> , 2022, 12, 6532.	3.3	25
6	<i>Sarcocystis neurona</i> Transmission from Opossums to Marine Mammals in the Pacific Northwest. <i>EcoHealth</i> , 2021, 18, 84-94.	2.0	5
7	Clams and potential foodborne <i>Toxoplasma gondii</i> in Nunavut, Canada. <i>Zoonoses and Public Health</i> , 2021, 68, 277-283.	2.2	9
8	A metabarcoding approach for detecting protozoan pathogens in wild oysters from Prince Edward Island, Canada. <i>International Journal of Food Microbiology</i> , 2021, 360, 109315.	4.7	1
9	Quantification of viable protozoan parasites on leafy greens using molecular methods. <i>Food Microbiology</i> , 2021, 99, 103816.	4.2	11
10	INVESTIGATION OF SARCOCYSTIS SPP. INFECTION IN FREE-RANGING AMERICAN BLACK BEARS (<i>URSUS</i>) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50</i> <i>Wildlife Diseases</i> , 2021, 57, 856-864.	0.8	0
11	Detection of Protozoan Parasites on Leafy Greens Using Multiplex PCR. , 2021, , 163-176.		0
12	Detection of <i>Toxoplasma Gondii</i> and <i>Cyclospora Cayetanensis</i> in Oysters. , 2021, , 225-239.		0
13	Seasonal and spatial variation in <i>Toxoplasma gondii</i> contamination in soil in urban public spaces in California, United States. <i>Zoonoses and Public Health</i> , 2020, 67, 70-78.	2.2	20
14	Application of next generation sequencing for detection of protozoan pathogens in shellfish. <i>Food and Waterborne Parasitology</i> , 2020, 21, e00096.	2.7	16
15	<i>Cryptosporidium</i> and <i>Giardia</i> in locally harvested clams in Iqaluit, Nunavut. <i>Zoonoses and Public Health</i> , 2020, 67, 352-361.	2.2	13
16	Type X strains of <i>Toxoplasma gondii</i> are virulent for southern sea otters (<i>Enhydra lutris</i>) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50</i> <i>Biological Sciences</i> , 2019, 286, 20191334.	2.6	30
17	Prevalence and genetic characterization of <i>Giardia</i> spp. and <i>Cryptosporidium</i> spp. in dogs in Iqaluit, Nunavut, Canada. <i>Zoonoses and Public Health</i> , 2019, 66, 813-825.	2.2	10
18	Simultaneous detection of four protozoan parasites on leafy greens using a novel multiplex PCR assay. <i>Food Microbiology</i> , 2019, 84, 103252.	4.2	24

#	ARTICLE	IF	CITATIONS
19	Comparison of PCR assays to detect <i>Toxoplasma gondii</i> oocysts in green-lipped mussels (<i>Perna</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 10	1.6	10
20	Structure, composition, and roles of the <i>Toxoplasma gondii</i> oocyst and sporocyst walls. Cell Surface, 2019, 5, 100016.	3.0	30
21	Environmental transmission of <i>Toxoplasma gondii</i> : Oocysts in water, soil and food. Food and Waterborne Parasitology, 2019, 15, e00049.	2.7	174
22	Comparison of freeze-thaw cycles for nucleic acid extraction and molecular detection of <i>Cryptosporidium parvum</i> and <i>Toxoplasma gondii</i> oocysts in environmental matrices. Journal of Microbiological Methods, 2019, 156, 1-4.	1.6	19
23	First report of <i>Toxoplasma gondii</i> sporulated oocysts and <i>Giardia duodenalis</i> in commercial green-lipped mussels (<i>Perna canaliculus</i>) in New Zealand. Parasitology Research, 2018, 117, 1453-1463.	1.6	37
24	Effects of salinity and transparent exopolymer particles on formation of aquatic aggregates and their association with norovirus. Science of the Total Environment, 2018, 643, 1514-1521.	8.0	3
25	Fecal indicator bacteria and zoonotic pathogens in marine snow and California mussels (<i>Mytilus</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 7	2.7	7
26	Concentration and retention of <i>Toxoplasma gondii</i> surrogates from seawater by red abalone (<i>Haliotis rufescens</i>). Parasitology, 2016, 143, 1703-1712.	1.5	12
27	California mussels (<i>Mytilus californianus</i>) as sentinels for marine contamination with <i>Sarcocystis neurona</i> . Parasitology, 2016, 143, 762-769.	1.5	7
28	Dual congenital transmission of <i>Toxoplasma gondii</i> and <i>Sarcocystis neurona</i> in a late-term aborted pup from a chronically infected southern sea otter (<i>Enhydra lutris nereis</i>). Parasitology, 2016, 143, 276-288.	1.5	21
29	Coastal development and precipitation drive pathogen flow from land to sea: evidence from a <i>Toxoplasma gondii</i> and felid host system. Scientific Reports, 2016, 6, 29252.	3.3	56
30	Detection and characterization of diverse coccidian protozoa shed by California sea lions. International Journal for Parasitology: Parasites and Wildlife, 2016, 5, 5-16.	1.5	9
31	Comparable levels of microbial contamination in soil and on tomato crops after drip irrigation with treated wastewater or potable water. Agriculture, Ecosystems and Environment, 2016, 215, 140-150.	5.3	52
32	<i>Sarcocystis fayeri</i> in skeletal muscle of horses with neuromuscular disease. Neuromuscular Disorders, 2016, 26, 85-93.	0.6	18
33	Concentration and retention of <i>Toxoplasma gondii</i> oocysts by marine snails demonstrate a novel mechanism for transmission of terrestrial zoonotic pathogens in coastal ecosystems. Environmental Microbiology, 2015, 17, 4527-4537.	3.8	21
34	Effects of transparent exopolymer particles and suspended particles on the survival of <i>Salmonella enterica</i> serovar Typhimurium in seawater. FEMS Microbiology Ecology, 2015, 91, .	2.7	7
35	Surveillance for <i>Toxoplasma gondii</i> in California mussels (<i>Mytilus californianus</i>) reveals transmission of atypical genotypes from land to sea. Environmental Microbiology, 2015, 17, 4177-4188.	3.8	53
36	Attempted Detection of <i>Toxoplasma gondii</i> Oocysts in Environmental Waters Using a Simple Approach to Evaluate the Potential for Waterborne Transmission in the Galápagos Islands, Ecuador. EcoHealth, 2014, 11, 207-214.	2.0	20

#	ARTICLE	IF	CITATIONS
37	Molecular Epidemiology of <i>Cryptosporidium</i> spp. and <i>Giardia</i> spp. in Mussels (<i>Mytilus californianus</i>) and California Sea Lions (<i>Zalophus californianus</i>) from Central California. <i>Applied and Environmental Microbiology</i> , 2014, 80, 7732-7740.	3.1	25
38	PREVALENCE AND CHARACTERIZATION OF SALMONELLA SHED BY CAPTIVE AND FREE-RANGE CALIFORNIA SEA LIONS (<i>ZALOPHUS CALIFORNIANUS</i>) FROM A REHABILITATION CENTER AND THREE STATE RESERVES ALONG THE CALIFORNIA COAST. <i>Journal of Zoo and Wildlife Medicine</i> , 2014, 45, 527-533.	0.6	8
39	Aquatic polymers can drive pathogen transmission in coastal ecosystems. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2014, 281, 20141287.	2.6	38
40	Estimating environmental conditions affecting protozoal pathogen removal in surface water wetland systems using a multi-scale, model-based approach. <i>Science of the Total Environment</i> , 2014, 493, 1036-1046.	8.0	12
41	Research Commentary: Association of Zoonotic Pathogens with Fresh, Estuarine, and Marine Macroaggregates. <i>Microbial Ecology</i> , 2013, 65, 928-933.	2.8	19
42	Simultaneous detection of <i>Giardia lamblia</i> and <i>Cryptosporidium parvum</i> (oo)cysts in soil using immunomagnetic separation and direct fluorescent antibody staining. <i>Journal of Microbiological Methods</i> , 2013, 94, 375-377.	1.6	10
43	Molecules to modeling: <i>Toxoplasma gondii</i> oocysts at the human-animal environment interface. <i>Comparative Immunology, Microbiology and Infectious Diseases</i> , 2013, 36, 217-231.	1.6	75
44	Hydrologic and Vegetative Removal of <i>Cryptosporidium parvum</i> , <i>Giardia lamblia</i> , and <i>Toxoplasma gondii</i> Surrogate Microspheres in Coastal Wetlands. <i>Applied and Environmental Microbiology</i> , 2013, 79, 1859-1865.	3.1	20
45	A New Pathogen Transmission Mechanism in the Ocean: The Case of Sea Otter Exposure to the Land-Parasite <i>Toxoplasma gondii</i> . <i>PLoS ONE</i> , 2013, 8, e82477.	2.5	30
46	TEMPORAL ASSOCIATION BETWEEN LAND-BASED RUNOFF EVENTS AND CALIFORNIA SEA OTTER (<i>ENHYDRA</i>) Tj ET O q 0 0 0 r g BT /Overlo	0.8	51
47	Association of <i>Toxoplasma gondii</i> oocysts with fresh, estuarine, and marine macroaggregates. <i>Limnology and Oceanography</i> , 2012, 57, 449-456.	3.1	37
48	Climate and coastal habitat change: A recipe for a dirtier ocean. <i>Marine Pollution Bulletin</i> , 2012, 64, 1079-1080.	5.0	12
49	Effect of Estuarine Wetland Degradation on Transport of <i>Toxoplasma gondii</i> Surrogates from Land to Sea. <i>Applied and Environmental Microbiology</i> , 2010, 76, 6821-6828.	3.1	63
50	Detection of <i>Toxoplasma gondii</i> oocysts and surrogate microspheres in water using ultrafiltration and capsule filtration. <i>Water Research</i> , 2010, 44, 893-903.	11.3	47
51	Surface Properties of <i>Toxoplasma gondii</i> Oocysts and Surrogate Microspheres. <i>Applied and Environmental Microbiology</i> , 2009, 75, 1185-1191.	3.1	40
52	<i>Toxoplasma gondii</i> . , 0, , .		9