## Monica Hurtado-Ruiz

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8463629/publications.pdf

Version: 2024-02-01

24 papers 616 citations

623734 14 h-index 713466 21 g-index

24 all docs

24 docs citations

times ranked

24

581 citing authors

#	Article	IF	CITATIONS
1	Genetic linkage maps of two apricot cultivars (Prunus armeniaca L.), and mapping of PPV (sharka) resistance. Theoretical and Applied Genetics, 2002, 105, 182-191.	3.6	102
2	Effect of ground-cover management on spider mites and their phytoseiid natural enemies in clementine mandarin orchards (I): Bottom-up regulation mechanisms. Biological Control, 2011, 59, 158-170.	3.0	69
3	Effect of ground-cover management on spider mites and their phytoseiid natural enemies in clementine mandarin orchards (II): Top-down regulation mechanisms. Biological Control, 2011, 59, 171-179.	3.0	66
4	Different metabolic and genetic responses in citrus may explain relative susceptibility to <i>Tetranychus urticae</i> . Pest Management Science, 2014, 70, 1728-1741.	3.4	57
5	Efficacy and economics of ground cover management as a conservation biological control strategy against Tetranychus urticae in clementine mandarin orchards. Crop Protection, 2011, 30, 1328-1333.	2.1	46
6	Genetic diversity in apricot cultivars based on AFLP markers. Euphytica, 2002, 127, 297-301.	1.2	41
7	Economic threshold for Tetranychus urticae (Acari: Tetranychidae) in clementine mandarins Citrus clementina. Experimental and Applied Acarology, 2014, 62, 337-362.	1.6	30
8	Disentangling mite predatorâ€prey relationships by multiplex <scp>PCR</scp> . Molecular Ecology Resources, 2015, 15, 1330-1345.	4.8	30
9	Sequence analysis of the ribosomal internal transcribed spacers region in spider mites (Prostigmata:) Tj ETQq1 1 (	0.784314 i 2.5	rgBT /Over <mark>l</mark> or 24
	of Applied Biology, 2008, 153, 080527111818499-???.		
10	Can summer and fall vegetative growth regulate the incidence of Tetranychus urticae Koch on clementine fruit?. Crop Protection, 2008, 27, 459-464.	2.1	22
10	Can summer and fall vegetative growth regulate the incidence of Tetranychus urticae Koch on	2.1	22
	Can summer and fall vegetative growth regulate the incidence of Tetranychus urticae Koch on clementine fruit?. Crop Protection, 2008, 27, 459-464.  Does host adaptation of <i><is><scp>T</scp>etranychus urticae</is></i> populations in clementine orchards with a <i><scp>F</scp>estuca arundinacea</i> cover contribute to a better natural regulation of this		
11	Can summer and fall vegetative growth regulate the incidence of Tetranychus urticae Koch on clementine fruit?. Crop Protection, 2008, 27, 459-464.  Does host adaptation of <i><i><i><scp>T</scp>etranychus urticae</i> populations in clementine orchards with a <i><scp>F</scp>estuca arundinacea</i> cover contribute to a better natural regulation of this pest mite?. Entomologia Experimentalis Et Applicata, 2012, 144, 181-190.  Genetic structure of a phytophagous mite species affected by crop practices: the case of Tetranychus</i></i>	1.4	21
11 12	Can summer and fall vegetative growth regulate the incidence of Tetranychus urticae Koch on clementine fruit?. Crop Protection, 2008, 27, 459-464.  Does host adaptation of <i><i><i><scp>T</scp>etranychus urticae</i> populations in clementine orchards with a <i><scp>F</scp>estuca arundinacea</i> cover contribute to a better natural regulation of this pest mite?. Entomologia Experimentalis Et Applicata, 2012, 144, 181-190.  Genetic structure of a phytophagous mite species affected by crop practices: the case of Tetranychus urticae in clementine mandarins. Experimental and Applied Acarology, 2014, 62, 477-498.  Searching for molecular markers linked to male sterility and self-compatibility in apricot. Plant</i></i>	1.4	18
11 12 13	Can summer and fall vegetative growth regulate the incidence of Tetranychus urticae Koch on clementine fruit?. Crop Protection, 2008, 27, 459-464.  Does host adaptation of <i><scp>T</scp>etranychus urticae</i> populations in clementine orchards with a <i><scp>F</scp>estuca arundinacea</i> cover contribute to a better natural regulation of this pest mite?. Entomologia Experimentalis Et Applicata, 2012, 144, 181-190.  Genetic structure of a phytophagous mite species affected by crop practices: the case of Tetranychus urticae in clementine mandarins. Experimental and Applied Acarology, 2014, 62, 477-498.  Searching for molecular markers linked to male sterility and self-compatibility in apricot. Plant Breeding, 2000, 119, 157-160.  Isolation and characterization of polymorphic microsatellite markers in Tetranychus urticae and cross amplification in other Tetranychidae and Phytoseiidae species of economic importance.	1.4	21 18 17
11 12 13	Can summer and fall vegetative growth regulate the incidence of Tetranychus urticae Koch on clementine fruit?. Crop Protection, 2008, 27, 459-464.  Does host adaptation of <i>&gt;<scp>T</scp>etranychus urticae</i> populations in clementine orchards with a <i>&gt;<scp>F</scp>estuca arundinacea</i> cover contribute to a better natural regulation of this pest mite?. Entomologia Experimentalis Et Applicata, 2012, 144, 181-190.  Genetic structure of a phytophagous mite species affected by crop practices: the case of Tetranychus urticae in clementine mandarins. Experimental and Applied Acarology, 2014, 62, 477-498.  Searching for molecular markers linked to male sterility and self-compatibility in apricot. Plant Breeding, 2000, 119, 157-160.  Isolation and characterization of polymorphic microsatellite markers in Tetranychus urticae and cross amplification in other Tetranychidae and Phytoseiidae species of economic importance. Experimental and Applied Acarology, 2012, 57, 37-51.  Patterns of ambulatory dispersal in Tetranychus urticae can be associated with host plant	1.4 1.6 1.9	21 18 17 15
11 12 13 14	Can summer and fall vegetative growth regulate the incidence of Tetranychus urticae Koch on clementine fruit?. Crop Protection, 2008, 27, 459-464.  Does host adaptation of <i><i><i><i><i><scp>T</scp>etranychus urticae</i><ii>populations in clementine orchards with a <i><i><i><scp>F</scp>estuca arundinacea</i></i> iv cover contribute to a better natural regulation of this pest mite? Entomologia Experimentalis Et Applicata, 2012, 144, 181-190. Genetic structure of a phytophagous mite species affected by crop practices: the case of Tetranychus urticae in clementine mandarins. Experimental and Applied Acarology, 2014, 62, 477-498. Searching for molecular markers linked to male sterility and self-compatibility in apricot. Plant Breeding, 2000, 119, 157-160. Isolation and characterization of polymorphic microsatellite markers in Tetranychus urticae and cross amplification in other Tetranychidae and Phytoseiidae species of economic importance. Experimental and Applied Acarology, 2012, 57, 37-51. Patterns of ambulatory dispersal in Tetranychus urticae can be associated with host plant specialization. Experimental and Applied Acarology, 2016, 68, 1-20. Food Web Engineering to Enhance Biological Control of Tetranychus urticae by Phytoseiid Mites</i></ii></i></i></i></i>	1.4 1.6 1.9	21 18 17 15

#	Article	IF	CITATIONS
19	Tracking mite trophic interactions by multiplex PCR. Pest Management Science, 2020, 76, 597-608.	3.4	6
20	Molecular characterization of Cardinium, Rickettsia, Spiroplasma and Wolbachia in mite species from citrus orchards. Experimental and Applied Acarology, 2020, 81, 335-355.	1.6	5
21	Diagnostics and Identification of Diseases, Insects and Mites. , 2020, , 231-258.		5
22	DNA Barcoding and Phylogeny of Acari Species Based on ITS and COI Markers. Journal of Zoological Systematics and Evolutionary Research, 2022, 2022, 1-13.	1.4	3
23	GENETIC LINKAGE MAPS OF TWO APRICOT CULTIVARS (PRUNUS ARMENIACA L.) BASED ON RAPD AND AFLP MARKERS. Acta Horticulturae, 2006, , 301-306.	0.2	1
24	HOST ADAPTATION OF TETRANYCHUS URTICAE POPULATIONS IN CLEMENTINE ORCHARDS WITH A FESTUCA ARUNDINACEA COVER MAY CONTRIBUTE TO ITS NATURAL CONTROL. Acta Horticulturae, 2015, , 1129-1132.	0.2	0