

Sirkka Aunola

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8464703/publications.pdf>

Version: 2024-02-01

16
papers

2,785
citations

516215

16
h-index

940134

16
g-index

16
all docs

16
docs citations

16
times ranked

4142
citing authors

#	ARTICLE	IF	CITATIONS
1	Sustained reduction in the incidence of type 2 diabetes by lifestyle intervention: follow-up of the Finnish Diabetes Prevention Study. <i>Lancet</i> , The, 2006, 368, 1673-1679.	6.3	1,530
2	Effect of Lifestyle Intervention on the Occurrence of Metabolic Syndrome and its Components in the Finnish Diabetes Prevention Study. <i>Diabetes Care</i> , 2008, 31, 805-807.	4.3	178
3	Ten-Year Mortality and Cardiovascular Morbidity in the Finnish Diabetes Prevention Studyâ€”Secondary Analysis of the Randomized Trial. <i>PLoS ONE</i> , 2009, 4, e5656.	1.1	158
4	Determinants for the Effectiveness of Lifestyle Intervention in the Finnish Diabetes Prevention Study. <i>Diabetes Care</i> , 2008, 31, 857-862.	4.3	134
5	Anti-inflammatory effect of lifestyle changes in the Finnish Diabetes Prevention Study. <i>Diabetologia</i> , 2009, 52, 433-442.	2.9	133
6	Serum Uric Acid as a Harbinger of Metabolic Outcome in Subjects With Impaired Glucose Tolerance: The Finnish Diabetes Prevention Study. <i>Diabetes Care</i> , 2006, 29, 709-711.	4.3	102
7	Sleep Duration, Lifestyle Intervention, and Incidence of Type 2 Diabetes in Impaired Glucose Tolerance. <i>Diabetes Care</i> , 2009, 32, 1965-1971.	4.3	102
8	Cardiovascular autonomic dysfunction is associated with central obesity in persons with impaired glucose tolerance. <i>Diabetic Medicine</i> , 2011, 28, 699-704.	1.2	81
9	Leisure-Time Physical Activity and the Metabolic Syndrome in the Finnish Diabetes Prevention Study. <i>Diabetes Care</i> , 2010, 33, 1610-1617.	4.3	74
10	Measurement of blood glucose: comparison between different types of specimens. <i>Annals of Clinical Biochemistry</i> , 2008, 45, 140-148.	0.8	65
11	Association of the FTO gene variant (rs9939609) with cardiovascular disease in men with abnormal glucose metabolism â€” The Finnish Diabetes Prevention Study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2011, 21, 691-698.	1.1	45
12	Impact of Positive Family History and Genetic Risk Variants on the Incidence of Diabetes: The Finnish Diabetes Prevention Study. <i>Diabetes Care</i> , 2011, 34, 418-423.	4.3	44
13	Interaction of single nucleotide polymorphisms in ADRB2, ADRB3, TNF, IL6, IGF1R, LIPC, LEPR, and GHRL with physical activity on the risk of type 2 diabetes mellitus and changes in characteristics of the metabolic syndrome: The Finnish Diabetes Prevention Study. <i>Metabolism: Clinical and Experimental</i> , 2008, 57, 428-436.	1.5	40
14	Physical activity modifies the effect of SNPs in the SLC2A2 (GLUT2) and ABCC8 (SUR1) genes on the risk of developing type 2 diabetes. <i>Physiological Genomics</i> , 2007, 31, 264-272.	1.0	39
15	HbA_{1c} in diagnosing and predicting Typeâ€ƒ2 diabetes in impaired glucose tolerance: the Finnish Diabetes Prevention Study. <i>Diabetic Medicine</i> , 2011, 28, 36-42.	1.2	36
16	Educational attainment and effectiveness of lifestyle intervention in the Finnish Diabetes Prevention Study. <i>Diabetes Research and Clinical Practice</i> , 2009, 86, e1-e5.	1.1	24