Sirkka Aunola

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/8464703/sirkka-aunola-publications-by-year.pdf

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

16 16 16 2,276 h-index g-index citations papers 16 10.5 2,550 3.44 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
16	Association of the FTO gene variant (rs9939609) with cardiovascular disease in men with abnormal glucose metabolismthe Finnish Diabetes Prevention Study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2011 , 21, 691-8	4.5	37
15	Cardiovascular autonomic dysfunction is associated with central obesity in persons with impaired glucose tolerance. <i>Diabetic Medicine</i> , 2011 , 28, 699-704	3.5	66
14	HbA(1c) in diagnosing and predicting Type 2 diabetes in impaired glucose tolerance: the Finnish Diabetes Prevention Study. <i>Diabetic Medicine</i> , 2011 , 28, 36-42	3.5	27
13	Impact of positive family history and genetic risk variants on the incidence of diabetes: the Finnish Diabetes Prevention Study. <i>Diabetes Care</i> , 2011 , 34, 418-23	14.6	34
12	Leisure-time physical activity and the metabolic syndrome in the Finnish diabetes prevention study. <i>Diabetes Care</i> , 2010 , 33, 1610-7	14.6	66
11	Ten-year mortality and cardiovascular morbidity in the Finnish Diabetes Prevention Studysecondary analysis of the randomized trial. <i>PLoS ONE</i> , 2009 , 4, e5656	3.7	128
10	Sleep duration, lifestyle intervention, and incidence of type 2 diabetes in impaired glucose tolerance: The Finnish Diabetes Prevention Study. <i>Diabetes Care</i> , 2009 , 32, 1965-71	14.6	86
9	Anti-inflammatory effect of lifestyle changes in the Finnish Diabetes Prevention Study. <i>Diabetologia</i> , 2009 , 52, 433-42	10.3	121
8	Educational attainment and effectiveness of lifestyle intervention in the Finnish Diabetes Prevention Study. <i>Diabetes Research and Clinical Practice</i> , 2009 , 86, e1-5	7.4	17
7	Interaction of single nucleotide polymorphisms in ADRB2, ADRB3, TNF, IL6, IGF1R, LIPC, LEPR, and GHRL with physical activity on the risk of type 2 diabetes mellitus and changes in characteristics of the metabolic syndrome: The Finnish Diabetes Prevention Study. <i>Metabolism: Clinical and</i>	12.7	33
6	Experimental, 2008, 57, 428-36 Determinants for the effectiveness of lifestyle intervention in the Finnish Diabetes Prevention Study. <i>Diabetes Care</i> , 2008, 31, 857-62	14.6	113
5	Effect of lifestyle intervention on the occurrence of metabolic syndrome and its components in the Finnish Diabetes Prevention Study. <i>Diabetes Care</i> , 2008 , 31, 805-7	14.6	145
4	Measurement of blood glucose: comparison between different types of specimens. <i>Annals of Clinical Biochemistry</i> , 2008 , 45, 140-8	2.2	50
3	Physical activity modifies the effect of SNPs in the SLC2A2 (GLUT2) and ABCC8 (SUR1) genes on the risk of developing type 2 diabetes. <i>Physiological Genomics</i> , 2007 , 31, 264-72	3.6	36
2	Serum uric acid as a harbinger of metabolic outcome in subjects with impaired glucose tolerance: the Finnish Diabetes Prevention Study. <i>Diabetes Care</i> , 2006 , 29, 709-11	14.6	83
1	Sustained reduction in the incidence of type 2 diabetes by lifestyle intervention: follow-up of the Finnish Diabetes Prevention Study. <i>Lancet, The,</i> 2006 , 368, 1673-9	40	1234