

Ilker Tinay

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/846477/publications.pdf>

Version: 2024-02-01

30
papers

328
citations

840776

11
h-index

839539

18
g-index

30
all docs

30
docs citations

30
times ranked

699
citing authors

#	ARTICLE	IF	CITATIONS
1	Risk Factors of Patients with Prostate Cancer Upgrading for International Society of Urological Pathology Grade Group I After Radical Prostatectomy. <i>Åæroonkoloji BÄ¼lteni</i> , 2022, 21, 10-13.	0.1	0
2	Turkey Prostate Cancer Map 2021: Turkish Urooncology Association Prostate Cancer Database Report. <i>Åæroonkoloji BÄ¼lteni</i> , 2022, 21, 1-4.	0.1	0
3	Is Cognitive MR Fusion Biopsy Superior to Standard TRUS Guided Prostate Biopsy? Our Clinical Experience. <i>Åæroonkoloji BÄ¼lteni</i> , 2022, 21, 35-39.	0.1	0
4	The Effect of Diagnostic Ureterorenoscopy on Intravesical Recurrence in Patients Undergoing Nephroureterectomy for Primary Upper Tract Urinary Carcinoma. <i>Urologia Internationalis</i> , 2021, 105, 291-297.	1.3	9
5	Ta grade 3/high grade nonâ€invasive bladder cancer: Should we perform a second TUR?. <i>International Journal of Clinical Practice</i> , 2021, 75, e13924.	1.7	4
6	Clinicopathological Characteristics and Oncological Outcomes of Non-urothelial Bladder Carcinomas: A Multicenter Study. <i>Åæroonkoloji BÄ¼lteni</i> , 2021, 20, 96-106.	0.1	0
7	Non-Tumoral Factors Affecting The Preference of Nephron-Sparing Surgery in The Treatment of Stage 1 Renal Cell Carcinoma Patients in Turkey. <i>Åæroonkoloji BÄ¼lteni</i> , 2021, 20, 247-251.	0.1	0
8	Radical Prostatectomy Outcomes in Patients with Clinical Lymph Node Involvement from The Turkish Urooncology Database. <i>Åæroonkoloji BÄ¼lteni</i> , 2021, 20, 231-235.	0.1	0
9	Urinary micro-RNA expressions and protein concentrations may differentiate bladder cancer patients from healthy controls. <i>International Urology and Nephrology</i> , 2020, 52, 461-468.	1.4	20
10	Hyperbaric oxygen therapy prevents subarachnoid hemorrhageâ€induced apoptosis and impaired contractility of the rabbit bladder. <i>Neurourology and Urodynamics</i> , 2020, 39, 1276-1282.	1.5	1
11	The Early Impact of COVID-19 Pandemic on Surgical Urologic Oncology Practice in Turkey: Multi-Institutional Experience From Different Geographic Areas. <i>Urology</i> , 2020, 142, 29-31.	1.0	4
12	â€Atypical Cellâ€™â€™ Parameter in Automated Urine Analysis for the Diagnosis of Bladder Cancer: A Retrospective Pilot Study. <i>Åæroonkoloji BÄ¼lteni</i> , 2020, 19, 17-19.	0.1	1
13	Management of Patients with Urological Cancers in Turkey during the COVID-19 Pandemic: Recommendations of Uro-oncology Association. <i>Åæroonkoloji BÄ¼lteni</i> , 2020, 19, 100-103.	0.1	0
14	PPP2R3C gene variants cause syndromic 46,XY gonadal dysgenesis and impaired spermatogenesis in humans. <i>European Journal of Endocrinology</i> , 2019, 180, 291-309.	3.7	18
15	Clinical Case Discussion: Bilateral Synchronous Testicular Cancer and Organ-sparing Surgery. <i>European Urology Focus</i> , 2018, 4, 737-739.	3.1	6
16	New Insights in Bladder Cancer Diagnosis: Urinary miRNAs and Proteins. <i>Medical Sciences (Basel)</i> , Tj ETQq0 0 0 rgBT /Overlock_10 Tf 50	2.9	17
17	Resveratrol treatment may preserve the erectile function after radiotherapy by restoring antioxidant defence mechanisms, SIRT1 and NOS protein expressions. <i>International Journal of Impotence Research</i> , 2018, 30, 179-188.	1.8	17
18	Functional roles and potential clinical application of miRNAâ€345â€5p in prostate cancer. <i>Prostate</i> , 2018, 78, 927-937.	2.3	39

#	ARTICLE	IF	CITATIONS
19	Antioxidant Agent Quercetin Prevents Impairment of Bladder Tissue Contractility and Apoptosis in a Rat Model of Ischemia/Reperfusion Injury. LUTS: Lower Urinary Tract Symptoms, 2017, 9, 117-123.	1.3	8
20	Association of missense substitution of A49T and V89L in the SRD5A2 gene with prostate cancer in Turkish patients. Turkish Journal of Biochemistry, 2017, 42, 37-43.	0.5	0
21	The effect of intradetrusor botulinum neurotoxin type A on urinary NGF, TGF BETA-1, TIMP-2 levels in children with neurogenic detrusor overactivity due to myelodysplasia. Neurourology and Urodynamics, 2017, 36, 1896-1902.	1.5	14
22	Androgen receptor-regulated miRNA-193a-3p targets AJUBA to promote prostate cancer cell migration. Prostate, 2017, 77, 1000-1011.	2.3	29
23	The effect of doxazosin and sildenafil citrate combination on bladder tissue contractility, alpha adrenergic receptor, and iNOS subtype expression in a male rat model of partially bladder outlet obstruction. Neurourology and Urodynamics, 2017, 36, 1479-1487.	1.5	4
24	Differentiation of ureteral stones and phleboliths using Hounsfield units on computerized tomography: a new method without observer bias. Urolithiasis, 2017, 45, 323-328.	2.0	17
25	Trends in utilisation, perioperative outcomes, and costs of nephroureterectomies in the management of upper tract urothelial carcinoma: a 10-year population-based analysis. BJU International, 2016, 117, 954-960.	2.5	42
26	The Contemporary Incidence and Sequelae of Rhabdomyolysis Following Extirpative Renal Surgery: A Population Based Analysis. Journal of Urology, 2016, 195, 399-405.	0.4	8
27	The impact of histological variants on bladder cancer survival: A population-based analysis.. Journal of Clinical Oncology, 2016, 34, 458-458.	1.6	1
28	Contemporary trends in high-dose interleukin-2 use for metastatic renal cell carcinoma in the United States. Urologic Oncology: Seminars and Original Investigations, 2015, 33, 496.e11-496.e16.	1.6	35
29	Beneficial effects of quercetin on rat urinary bladder after spinal cord injury. Journal of Surgical Research, 2013, 183, 695-703.	1.6	25
30	Intradetrusor botulinum neurotoxin A (BoNT-A) injections decrease bladder fibrosis secondary to partial urethral obstruction in the male rat model. Neurourology and Urodynamics, 2012, 31, 564-570.	1.5	9