

Boram Park

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8466026/publications.pdf>

Version: 2024-02-01

67
papers

1,880
citations

471061

17
h-index

288905

40
g-index

67
all docs

67
docs citations

67
times ranked

3156
citing authors

#	ARTICLE	IF	CITATIONS
1	<i>Helicobacter pylori</i> Therapy for the Prevention of Metachronous Gastric Cancer. New England Journal of Medicine, 2018, 378, 1085-1095.	13.9	507
2	Family History of Gastric Cancer and <i>Helicobacter pylori</i> Treatment. New England Journal of Medicine, 2020, 382, 427-436.	13.9	243
3	Proton beam radiotherapy vs. radiofrequency ablation for recurrent hepatocellular carcinoma: A randomized phase III trial. Journal of Hepatology, 2021, 74, 603-612.	1.8	118
4	Comparative analysis of treatment outcomes in patients with neuromyelitis optica spectrum disorder using multifaceted endpoints. Multiple Sclerosis Journal, 2016, 22, 329-339.	1.4	110
5	Prognostic Implications of Multiplex Detection of KRAS Mutations in Cell-Free DNA from Patients with Pancreatic Ductal Adenocarcinoma. Clinical Chemistry, 2018, 64, 726-734.	1.5	73
6	The prognostic value of BAP1, PBRM1, pS6, PTEN, TGase2, PD-L1, CA9, PSMA, and Ki-67 tissue markers in localized renal cell carcinoma: A retrospective study of tissue microarrays using immunohistochemistry. PLoS ONE, 2017, 12, e0179610.	1.1	48
7	Effects of preoperative ultrasound-guided transversus abdominis plane block on pain after laparoscopic surgery for colorectal cancer: a double-blind randomized controlled trial. Surgical Endoscopy and Other Interventional Techniques, 2017, 31, 127-134.	1.3	47
8	Body mass index and mortality in patients with gastric cancer: a large cohort study. Gastric Cancer, 2018, 21, 913-924.	2.7	47
9	Intravoxel incoherent motion diffusion-weighted MR imaging of breast cancer: association with histopathological features and subtypes. British Journal of Radiology, 2016, 89, 20160140.	1.0	45
10	High Volumetric Breast Density Predicts Risk for Breast Cancer in Postmenopausal, but not Premenopausal, Korean Women. Annals of Surgical Oncology, 2014, 21, 4124-4132.	0.7	36
11	Nomogram Development and External Validation for Predicting the Risk of Lymph Node Metastasis in T1 Colorectal Cancer. Cancer Research and Treatment, 2019, 51, 1275-1284.	1.3	35
12	Prediction of lateral pelvic lymph node metastasis in patients with locally advanced rectal cancer with preoperative chemoradiotherapy: Focus on MR imaging findings. PLoS ONE, 2018, 13, e0195815.	1.1	31
13	Retrospective Multicenter Long-Term Follow-up Analysis of Prognostic Risk Factors for Recurrence-Free, Metastasis-Free, Cancer-Specific, and Overall Survival After Curative Nephrectomy in Non-metastatic Renal Cell Carcinoma. Frontiers in Oncology, 2019, 9, 859.	1.3	25
14	Post-Transplantation Natural Killer Cell Count: A Predictor of Acute Graft-Versus-Host Disease and Survival Outcomes After Allogeneic Hematopoietic Stem Cell Transplantation. Clinical Lymphoma, Myeloma and Leukemia, 2016, 16, 527-535.e2.	0.2	23
15	Outcomes of high versus low ligation of the inferior mesenteric artery with lymph node dissection for distal sigmoid colon or rectal cancer. Surgery Today, 2020, 50, 560-568.	0.7	23
16	A Retrospective Analysis of the Impact of Metastasectomy on Prognostic Survival According to Metastatic Organs in Patients With Metastatic Renal Cell Carcinoma. Frontiers in Oncology, 2019, 9, 413.	1.3	22
17	Multimodal magnetic resonance imaging in relation to cognitive impairment in neuromyelitis optica spectrum disorder. Scientific Reports, 2017, 7, 9180.	1.6	21
18	Development and Evaluation of a Korean Version of a Thyroid-Specific Quality-of-Life Questionnaire Scale in Thyroid Cancer Patients. Cancer Research and Treatment, 2018, 50, 405-415.	1.3	19

#	ARTICLE	IF	CITATIONS
19	Validity and reliability of the Korean version of the Caregiver Reaction Assessment Scale in family caregivers of cancer patients. <i>Psycho-Oncology</i> , 2013, 22, 2864-2868.	1.0	17
20	Nomogram Incorporating CD44v6 and Clinicopathological Factors to Predict Lymph Node Metastasis for Early Gastric Cancer. <i>PLoS ONE</i> , 2016, 11, e0159424.	1.1	17
21	<i>Helicobacter pylori</i> and Prevention of Gastric Cancer. <i>New England Journal of Medicine</i> , 2018, 378, 2244-2245.	13.9	17
22	Laparoscopy-assisted pylorus-preserving gastrectomy for early gastric cancer: A retrospective study of long-term functional outcomes and quality of life. <i>World Journal of Gastroenterology</i> , 2019, 25, 5494-5504.	1.4	17
23	Is There Any Role of Additional Retropancreatic Lymph Node Dissection on D2 Gastrectomy for Advanced Gastric Cancer?. <i>Annals of Surgical Oncology</i> , 2013, 20, 2669-2675.	0.7	15
24	Magnetic Resonance Imaging (MRI) Assessment of Residual Breast Cancer After Neoadjuvant Chemotherapy: Relevance to Tumor Subtypes and MRI Interpretation Threshold. <i>Clinical Breast Cancer</i> , 2018, 18, 459-467.e1.	1.1	15
25	PSCA, Cox-2, and Ki-67 are independent, predictive markers of biochemical recurrence in clinically localized prostate cancer: a retrospective study. <i>Asian Journal of Andrology</i> , 2017, 19, 458.	0.8	15
26	Early Experience With Transanal Total Mesorectal Excision Compared With Laparoscopic Total Mesorectal Excision for Rectal Cancer: A Propensity Score-Matched Analysis. <i>Diseases of the Colon and Rectum</i> , 2020, 63, 1500-1510.	0.7	14
27	Genome-wide association study of genetic variants related to anthracycline-induced cardiotoxicity in early breast cancer. <i>Cancer Science</i> , 2020, 111, 2579-2587.	1.7	13
28	A retrospective comparative study of progression-free survival and overall survival between metachronous and synchronous metastatic renal cell carcinoma in intermediate- or poor-risk patients treated with VEGF-targeted therapy. <i>Oncotarget</i> , 2017, 8, 93633-93643.	0.8	13
29	Integration Pattern of Human Papillomavirus Is a Strong Prognostic Factor for Disease-Free Survival After Radiation Therapy in Cervical Cancer Patients. <i>International Journal of Radiation Oncology Biology Physics</i> , 2017, 98, 654-661.	0.4	12
30	A Predictive Model Combining Fecal Calgranulin B and Fecal Occult Blood Tests Can Improve the Diagnosis of Colorectal Cancer. <i>PLoS ONE</i> , 2014, 9, e106182.	1.1	12
31	Reduced levels of N ⁵ -methyl-2-pyridone-5-carboxamide and lysophosphatidylcholine 16:0 in the serum of patients with intrahepatic cholangiocarcinoma, and the correlation with recurrence-free survival. <i>Oncotarget</i> , 2017, 8, 112598-112609.	0.8	12
32	Nucleotide Excision Repair Gene <i>ERCC2</i> and <i>ERCC5</i> Variants Increase Risk of Uterine Cervical Cancer. <i>Cancer Research and Treatment</i> , 2016, 48, 708-714.	1.3	12
33	The association of integration patterns of human papilloma virus and single nucleotide polymorphisms on immune- or DNA repair-related genes in cervical cancer patients. <i>Scientific Reports</i> , 2019, 9, 13132.	1.6	11
34	Propofol Affects Optic Nerve Sheath Diameter less than Sevoflurane during Robotic Surgery in the Steep Trendelenburg Position. <i>BioMed Research International</i> , 2019, 2019, 1-5.	0.9	11
35	Protective association of HLA-DRB1*13:02, HLA-DRB1*04:06, and HLA-DQB1*06:04 alleles with cervical cancer in a Korean population. <i>Human Immunology</i> , 2019, 80, 107-111.	1.2	11
36	Postmastectomy Radiotherapy in Patients with pT1-2N1 Breast Cancer Treated with Taxane-Based Chemotherapy: A Retrospective Multicenter Analysis (KROG 1418). <i>Cancer Research and Treatment</i> , 2017, 49, 927-936.	1.3	11

#	ARTICLE	IF	CITATIONS
37	The onset location of neuromyelitis optica spectrum disorder predicts the location of subsequent relapses. <i>Multiple Sclerosis Journal</i> , 2014, 20, 1908-1911.	1.4	10
38	Prognostic Implications of Monosomies in Patients With Multiple Myeloma. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2017, 17, 159-164.e2.	0.2	10
39	Retrograde pyelography predicts retrograde ureteral stenting failure and reduces unnecessary stenting trials in patients with advanced non-urolological malignant ureteral obstruction. <i>PLoS ONE</i> , 2017, 12, e0184965.	1.1	10
40	Comparison of patient-reported quality of life and functional outcomes following laparoscopic and transanal total mesorectal excision of rectal cancer. <i>Annals of Surgical Treatment and Research</i> , 2021, 101, 1.	0.4	10
41	Different Patterns of Risk Reducing Decisions in Affected or Unaffected BRCA Pathogenic Variant Carriers. <i>Cancer Research and Treatment</i> , 2019, 51, 280-288.	1.3	10
42	Induction Chemotherapy with Gemcitabine and Cisplatin Followed by Simultaneous Integrated Boost Intensity Modulated Radiotherapy with Concurrent Gemcitabine for Locally Advanced Unresectable Pancreatic Cancer: Results from a Feasibility Study. <i>Cancer Research and Treatment</i> , 2017, 49, 1022-1032.	1.3	9
43	Three-year interval for endoscopic screening may reduce the mortality in patients with gastric cancer. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2019, 33, 861-869.	1.3	8
44	Long-term outcomes of endoscopic resection followed by additional surgery after non-curative resection in undifferentiated-type early gastric cancer: a nationwide multi-center study. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2022, 36, 1847-1856.	1.3	8
45	Epithelial Splicing Regulatory Protein (ESPR1) Expression in an Unfavorable Prognostic Factor in Prostate Cancer Patients. <i>Frontiers in Oncology</i> , 2020, 10, 556650.	1.3	7
46	Oncologists' Experience with Patients with Second Primary Cancer and the Attitudes toward Second Primary Cancer Screening: A Nationwide Survey. <i>Cancer Research and Treatment</i> , 2015, 47, 600-606.	1.3	6
47	Genomic Instability of Circulating Tumor DNA as a Prognostic Marker for Pancreatic Cancer Survival: A Prospective Cohort Study. <i>Cancers</i> , 2021, 13, 5466.	1.7	6
48	Safety and Efficacy of Liver-Directed Radiotherapy in Combination With Lenvatinib for Hepatocellular Carcinoma With Macroscopic Tumor Thrombosis. <i>Frontiers in Oncology</i> , 2022, 12, .	1.3	6
49	Cross-cultural validation of Cancer Communication Assessment Tool in Korea. <i>Psycho-Oncology</i> , 2015, 24, 197-203.	1.0	5
50	Survival of patients receiving systematic therapy for metachronous or synchronous metastatic renal cell carcinoma: a retrospective analysis. <i>BMC Cancer</i> , 2019, 19, 688.	1.1	5
51	Prostate Stem Cell Antigen Expression in Radical Prostatectomy Specimens Predicts Early Biochemical Recurrence in Patients with High Risk Prostate Cancer Receiving Neoadjuvant Hormonal Therapy. <i>PLoS ONE</i> , 2016, 11, e0151646.	1.1	5
52	Identification of Significant Prognostic Tissue Markers Associated with Survival in Upper Urinary Tract Urothelial Carcinoma Patients Treated with Radical Nephroureterectomy: A Retrospective Immunohistochemical Analysis Using Tissue Microarray. <i>Cancer Research and Treatment</i> , 2020, 52, 128-138.	1.3	5
53	Retrospective analysis of 25 immunohistochemical tissue markers for differentiating multilocular cystic renal neoplasm of low malignant potential and multicystic renal cell carcinoma. <i>Histology and Histopathology</i> , 2018, 33, 589-596.	0.5	5
54	Nomogram Estimating the Probability of Intraabdominal Abscesses after Gastrectomy in Patients with Gastric Cancer. <i>Journal of Gastric Cancer</i> , 2015, 15, 262.	0.9	4

#	ARTICLE	IF	CITATIONS
55	The administration of high-dose propofol sedation with manual and target-controlled infusion in children undergoing radiation therapy: a 7-year clinical investigation. SpringerPlus, 2016, 5, 376.	1.2	4
56	Factors affecting propofol dosage for sedation in pediatric oncology. Pediatrics International, 2018, 60, 535-539.	0.2	4
57	Criteria for identifying residual tumours after neoadjuvant chemotherapy of breast cancers: a magnetic resonance imaging study. Scientific Reports, 2021, 11, 634.	1.6	4
58	Effect of renal embolization in patients with synchronous metastatic renal cell carcinoma: a retrospective comparison of cytoreductive nephrectomy and systemic medical therapy. Oncotarget, 2017, 8, 49615-49624.	0.8	4
59	The Correlation of Tissue-Based Biomarkers in Primary and Metastatic Renal Cell Carcinoma Lesions: A Tissue Microarray Study. The Korean Journal of Urological Oncology, 2016, 14, 152-158.	0.1	4
60	Reply to questions in response to "Improved Survival after Adding Dissection of the Superior Mesenteric Vein Lymph Node (14v) to Standard D2 Gastrectomy for Advanced Distal Gastric Cancer". Surgery, 2014, 156, 737-738.	1.0	3
61	Validation of the Korean version of visual analogue scale for irritable bowel syndrome questionnaire for assessment of defecation pattern changes. Annals of Surgical Treatment and Research, 2018, 94, 254.	0.4	2
62	Retrospective Study of the Significant Predictive Role of Inflammatory Degree in Initial and Repeat Prostate Biopsy Specimens for Detecting Prostate Cancer. Cancer Research and Treatment, 2019, 51, 910-918.	1.3	2
63	Comparison of GEE Estimation Methods for Repeated Binary Data with Time-Varying Covariates on Different Missing Mechanisms. Ungyong T'onggye Yon'gu = the Korean Journal of Applied Statistics, 2013, 26, 697-712.	0.0	2
64	Evaluation of a Smart After-Care Program for Patients with Lung Cancer: A Prospective, Single-Arm Pilot Study. Journal of Chest Surgery, 2022, 55, 108-117.	0.2	2
65	Correlation Analyses of Computed Tomography and Magnetic Resonance Imaging for Calculation of Prostate Volume in Colorectal Cancer Patients with Voiding Problems Who Cannot Have Transrectal Ultrasonography. BioMed Research International, 2019, 2019, 1-8.	0.9	1
66	Effect of lateral lymph node dissection on the quality of life and genitourinary function after neoadjuvant chemoradiotherapy for rectal cancer. Annals of Surgical Treatment and Research, 2021, 100, 109.	0.4	1
67	Robust Association Tests for the Replication of Genome-Wide Association Studies. BioMed Research International, 2015, 2015, 1-10.	0.9	0