

Andrew C Warden

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8466073/publications.pdf>

Version: 2024-02-01

52
papers

1,377
citations

279798

23
h-index

361022

35
g-index

57
all docs

57
docs citations

57
times ranked

1945
citing authors

#	ARTICLE	IF	CITATIONS
1	A method for topical dosing of invertebrates with pesticide for use in feeding experiments. <i>Ecotoxicology</i> , 2021, 30, 381-386.	2.4	1
2	Plant expression of NifD protein variants resistant to mitochondrial degradation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 23165-23173.	7.1	19
3	Cellular and Structural Basis of Synthesis of the Unique Intermediate Dehydro-F ₄₂₀ -O in <i>Mycobacteria</i> . <i>MSystems</i> , 2020, 5, .	3.8	9
4	Bacterial catabolism of s-triazine herbicides: biochemistry, evolution and application. <i>Advances in Microbial Physiology</i> , 2020, 76, 129-186.	2.4	10
5	A Miniature Gas Sampling Interface with Open Microfluidic Channels: Characterization of Gas-to-Liquid Extraction Efficiency of Volatile Organic Compounds. <i>Micromachines</i> , 2019, 10, 486.	2.9	11
6	Cofactor F ₄₂₀ -Dependent Enzymes: An Under-Explored Resource for Asymmetric Redox Biocatalysis. <i>Catalysts</i> , 2019, 9, 868.	3.5	29
7	Engineered enzymes that retain and regenerate their cofactors enable continuous-flow biocatalysis. <i>Nature Catalysis</i> , 2019, 2, 1006-1015.	34.4	91
8	Isolation of the (+)-Pinoresinol-Mineralizing <i>Pseudomonas</i> sp. Strain SG-MS2 and Elucidation of Its Catabolic Pathway. <i>Applied and Environmental Microbiology</i> , 2018, 84, .	3.1	15
9	Decoding the Rich Biological Properties of Noble Gases: How Well Can We Predict Noble Gas Binding to Diverse Proteins?. <i>ChemMedChem</i> , 2018, 13, 1931-1938.	3.2	6
10	Computer-Guided Surface Engineering for Enzyme Improvement. <i>Scientific Reports</i> , 2018, 8, 11998.	3.3	10
11	Bioinspired electrocatalysts for oxygen reduction using recombinant silk films. <i>Journal of Materials Chemistry A</i> , 2017, 5, 10236-10243.	10.3	13
12	Design of silk proteins with increased heme binding capacity and fabrication of silk-heme materials. <i>Journal of Inorganic Biochemistry</i> , 2017, 177, 219-227.	3.5	5
13	The methanogenic redox cofactor F ₄₂₀ is widely synthesized by aerobic soil bacteria. <i>ISME Journal</i> , 2017, 11, 125-137.	9.8	66
14	Expression of 16 Nitrogenase Proteins within the Plant Mitochondrial Matrix. <i>Frontiers in Plant Science</i> , 2017, 8, 287.	3.6	87
15	A Motif in the F Homomorph of Rabbit Haemorrhagic Disease Virus Polymerase Is Important for the Subcellular Localisation of the Protein and Its Ability to Induce Redistribution of Golgi Membranes. <i>Viruses</i> , 2017, 9, 202.	3.3	7
16	Comparative Lipidomics and Proteomics of Lipid Droplets in the Mesocarp and Seed Tissues of Chinese Tallow (<i>Triadica sebifera</i>). <i>Frontiers in Plant Science</i> , 2017, 8, 1339.	3.6	37
17	Mycobacterial F _{420H2} -Dependent Reductases Promiscuously Reduce Diverse Compounds through a Common Mechanism. <i>Frontiers in Microbiology</i> , 2017, 8, 1000.	3.5	27
18	Cofactor Tail Length Modulates Catalysis of Bacterial F ₄₂₀ -Dependent Oxidoreductases. <i>Frontiers in Microbiology</i> , 2017, 8, 1902.	3.5	15

#	ARTICLE	IF	CITATIONS
19	Physiology, Biochemistry, and Applications of F ₄₂₀ - and F _o -Dependent Redox Reactions. <i>Microbiology and Molecular Biology Reviews</i> , 2016, 80, 451-493.	6.6	136
20	The Redox Cofactor F 420 Protects Mycobacteria from Diverse Antimicrobial Compounds and Mediates a Reductive Detoxification System. <i>Applied and Environmental Microbiology</i> , 2016, 82, 6810-6818.	3.1	35
21	Phylogenetic and Kinetic Characterization of a Suite of Dehydrogenases from a Newly Isolated Bacterium, Strain SG61-1L, That Catalyze the Turnover of Guaiacylglycerol- β -Guaiacyl Ether Stereoisomers. <i>Applied and Environmental Microbiology</i> , 2015, 81, 8164-8176.	3.1	20
22	X-Ray Structure and Mutagenesis Studies of the N-Isopropylammelide Isopropylaminohydrolase, AtzC. <i>PLoS ONE</i> , 2015, 10, e0137700.	2.5	5
23	Rational engineering of a mesohalophilic carbonic anhydrase to an extreme halotolerant biocatalyst. <i>Nature Communications</i> , 2015, 6, 10278.	12.8	80
24	Biomass production for sustainable aviation fuels: A regional case study in Queensland. <i>Renewable and Sustainable Energy Reviews</i> , 2015, 44, 738-750.	16.4	24
25	The economics of producing sustainable aviation fuel: a regional case study in Queensland, Australia. <i>GCB Bioenergy</i> , 2015, 7, 497-511.	5.6	27
26	X-Ray Structure of the Amidase Domain of AtzF, the Allophanate Hydrolase from the Cyanuric Acid-Mineralizing Multienzyme Complex. <i>Applied and Environmental Microbiology</i> , 2015, 81, 470-480.	3.1	18
27	The structure of the hexameric atrazine chlorohydrolase AtzA. <i>Acta Crystallographica Section D: Biological Crystallography</i> , 2015, 71, 710-720.	2.5	19
28	A 5000-Fold Increase in the Specificity of a Bacterial Phosphotriesterase for Malathion through Combinatorial Active Site Mutagenesis. <i>PLoS ONE</i> , 2014, 9, e94177.	2.5	37
29	Micellar refolding of coiled-coil honeybee silk proteins. <i>Journal of Materials Chemistry B</i> , 2013, 1, 3644.	5.8	28
30	Cofactor promiscuity among F420-dependent reductases enables them to catalyse both oxidation and reduction of the same substrate. <i>Catalysis Science and Technology</i> , 2012, 2, 1560.	4.1	18
31	F420H ₂ -Dependent Degradation of Aflatoxin and other Furanocoumarins Is Widespread throughout the Actinomycetales. <i>PLoS ONE</i> , 2012, 7, e30114.	2.5	53
32	Controlling the Molecular Structure and Physical Properties of Artificial Honeybee Silk by Heating or by Immersion in Solvents. <i>PLoS ONE</i> , 2012, 7, e52308.	2.5	27
33	Bacterial degradation of strobilurin fungicides: a role for a promiscuous methyl esterase activity of the subtilisin proteases?. <i>Biocatalysis and Biotransformation</i> , 2011, 29, 119-129.	2.0	25
34	Biosecurity and Yield Improvement Technologies Are Strategic Complements in the Fight against Food Insecurity. <i>PLoS ONE</i> , 2011, 6, e26084.	2.5	37
35	fA cellular automaton model of crystalline cellulose hydrolysis by cellulases. <i>Biotechnology for Biofuels</i> , 2011, 4, 39.	6.2	25
36	Synthesis and activity of polyacetylene substituted 2-hydroxy acids, esters, and amides against microbes of clinical importance. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2010, 20, 4555-4557.	2.2	7

#	ARTICLE	IF	CITATIONS
37	Synthesis of Diyne Substituted 2-Hydroxy Acids, Esters, and Amides. <i>Australian Journal of Chemistry</i> , 2010, 63, 719.	0.9	1
38	Production of p-cymene and hydrogen from a bio-renewable feedstock—1,8-cineole (eucalyptus oil). <i>Green Chemistry</i> , 2010, 12, 70-76.	9.0	49
39	7-(Piperidin-1-yl)-2-propyl-4-oxa-5-thia-1,6,7a-triazaindene 5,5-dioxide, a derivative of a new ring system. Corrigendum. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2007, 63, e7-e7.	0.2	0
40	(4-Bromophenyl)(5-dimethylamino-1,1-dioxo-2-phenyl-1,2-dihydro-1,6,2,4,6-thiatriazin-3-yl)methanone. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2006, 62, o3794-o3796.	0.2	2
41	7-(Piperidin-1-yl)-2-propyl-4-oxa-5-thia-1,6,7a-triazaindene 5,5-dioxide, a derivative of a new ring system. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2006, 62, o4470-o4472.	0.2	0
42	The synthesis, structure and properties of copper(ii) complexes of asymmetrically functionalized derivatives of 1,4,7-triazacyclononane. <i>Dalton Transactions</i> , 2005, , 1804.	3.3	20
43	Adduct Formation between Organic Oxoanions and Hexaazamacrocycles. <i>Crystal Growth and Design</i> , 2005, 5, 713-720.	3.0	8
44	Rapid self-organized criticality: Fractal evolution in extreme environments. <i>Physical Review E</i> , 2004, 70, 036118.	2.1	10
45	Anion binding to azamacrocycles: synthesis and X-ray crystal structures of halide adducts of [12]aneN4 and [18]aneN6. <i>New Journal of Chemistry</i> , 2004, 28, 1160.	2.8	23
46	Binding of inorganic oxoanions to macrocyclic ligands: interactions of sulfate and dithionate with protonated forms of [18]aneN6. <i>New Journal of Chemistry</i> , 2004, 28, 1301.	2.8	30
47	Binding of Inorganic Oxoanions to Macrocyclic Ligands: Effect of the Degree of Protonation on Supramolecular Assemblies Formed by Phosphate and [18]aneN6. <i>Inorganic Chemistry</i> , 2004, 43, 6936-6943.	4.0	33
48	Synthesis, Characterization, and Structures of Copper(II) Thiosulfate Complexes Incorporating Tripodal Tetraamine Ligands. <i>Inorganic Chemistry</i> , 2004, 43, 6568-6578.	4.0	27
49	Carbonyl-Carboxylato Ruthenium Complexes Incorporating Diimine Ligands and Unexpected Cyclometalation of Carboxylate Ligands. <i>Inorganic Chemistry</i> , 2004, 43, 683-691.	4.0	28
50	Adducts formed by tetrahedral anions and protonated forms of 1,4,7-triazacyclononane: competition with chloride anions. <i>CrystEngComm</i> , 2004, 6, 522.	2.6	8
51	Novel Acetate Binding Modes in [Na2Cu(CH3COO)4(H2O)]·H2O. <i>Inorganic Chemistry</i> , 2003, 42, 7037-7040.	4.0	13
52	Synthesis of Novel Derivatives of 1,4,7-Triazacyclononane. <i>Organic Letters</i> , 2001, 3, 2855-2858.	4.6	40