

Chul-Ho Yun

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8466711/chul-ho-yun-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

156
papers

3,443
citations

31
h-index

50
g-index

162
ext. papers

3,763
ext. citations

4.3
avg, IF

4.92
L-index

#	Paper	IF	Citations
156	Production of 3,4-dihydroxy-L-phenylalanine using novel tyrosinases from <i>Bacillus megaterium</i> . <i>Enzyme and Microbial Technology</i> , 2022 , 110069	3.8	0
155	Cyclophilin A is an endogenous ligand for the triggering receptor expressed on myeloid cells-2 (TREM2). <i>FASEB Journal</i> , 2021 , 35, e21479	0.9	2
154	Effects of Shengmai San on key enzymes involved in hepatic and intestinal drug metabolism in rats. <i>Journal of Ethnopharmacology</i> , 2021 , 271, 113914	5	3
153	Solar-Powered Whole-Cell P450 Catalytic Platform for C-Hydroxylation Reactions. <i>ChemSusChem</i> , 2021 , 14, 3054-3058	8.3	2
152	Solar-Powered Whole-Cell P450 Catalytic Platform for C-Hydroxylation Reactions. <i>ChemSusChem</i> , 2021 , 14, 3030	8.3	
151	Regioselective Hydroxylation of Oleanolic Acid Catalyzed by Human CYP3A4 to Produce Hederagenenin, a Chiral Metabolite. <i>Catalysts</i> , 2021 , 11, 267	4	0
150	P450-driven plastic-degrading synthetic bacteria. <i>Trends in Biotechnology</i> , 2021 ,	15.1	4
149	Biodegradation of polystyrene by bacteria from the soil in common environments. <i>Journal of Hazardous Materials</i> , 2021 , 416, 126239	12.8	8
148	Production of a Human Metabolite of Atorvastatin by Bacterial CYP102A1 Peroxygenase. <i>Applied Sciences (Switzerland)</i> , 2021 , 11, 603	2.6	4
147	Regioselective Hydroxylation of Phloretin, a Bioactive Compound from Apples, by Human Cytochrome P450 Enzymes. <i>Pharmaceuticals</i> , 2020 , 13,	5.2	5
146	Biocatalytic Production of a Potent Inhibitor of Adipocyte Differentiation from Phloretin Using Engineered CYP102A1. <i>Journal of Agricultural and Food Chemistry</i> , 2020 , 68, 6683-6691	5.7	7
145	Regioselective Hydroxylation of Rhododendrol by CYP102A1 and Tyrosinase. <i>Catalysts</i> , 2020 , 10, 1114	4	1
144	Screening of Human CYP1A2 and CYP3A4 Inhibitors from Seaweed In Silico and In Vitro. <i>Marine Drugs</i> , 2020 , 18,	6	10
143	Regioselective Hydroxylation of Naringin Dihydrochalcone to Produce Neoeriodictin Dihydrochalcone by CYP102A1 (BM3) Mutants. <i>Catalysts</i> , 2020 , 10, 823	4	2
142	Promoted ABA Hydroxylation by Overexpression Suppresses Pollen Maturation in. <i>Frontiers in Plant Science</i> , 2020 , 11, 583767	6.2	1
141	TREM2 Acts as a Tumor Suppressor in Colorectal Carcinoma through Wnt1/-catenin and Erk Signaling. <i>Cancers</i> , 2019 , 11,	6.6	15
140	Axl is a key regulator of intestinal γ -cell homeostasis. <i>FASEB Journal</i> , 2019 , 33, 13386-13397	0.9	2

139	Regioselective hydroxylation pathway of tenatoprazole to produce human metabolites by <i>Bacillus megaterium</i> CYP102A1. <i>Process Biochemistry</i> , 2019 , 87, 95-104	4.8	1
138	Solar-driven biocatalytic C-hydroxylation through direct transfer of photoinduced electrons. <i>Green Chemistry</i> , 2019 , 21, 515-525	10	11
137	Extracts from and Uyeki reduce 1,3-dichloro-2-propanol-mediated oxidative stress in human hepatic cells. <i>Food Science and Biotechnology</i> , 2019 , 28, 175-180	3	3
136	Regioselectivity significantly impacts microsomal glucuronidation efficiency of R/S-6, 7-, and 8-hydroxywarfarin. <i>Xenobiotica</i> , 2019 , 49, 397-403	2	3
135	Cationic Nanoparticles Containing Cationic Peptide Cargo Synergistically Induce Cellular Reactive Oxygen Species and Cell Death in HepG2 Cells. <i>International Journal of Peptide Research and Therapeutics</i> , 2019 , 25, 323-327	2.1	1
134	Structural and biochemical analyses reveal ubiquitin C-terminal hydrolase-L1 as a specific client of the peroxiredoxin II chaperone. <i>Archives of Biochemistry and Biophysics</i> , 2018 , 640, 61-74	4.1	3
133	Structural insights into the binding of lauric acid to CYP107L2 from <i>Streptomyces avermitilis</i> . <i>Biochemical and Biophysical Research Communications</i> , 2017 , 482, 902-908	3.4	3
132	Peroxide-dependent oxidation reactions catalyzed by CYP191A1 from <i>Mycobacterium smegmatis</i> . <i>Biotechnology Letters</i> , 2017 , 39, 1245-1252	3	2
131	Heme-thiolate sulfenylation of human cytochrome P450 4A11 functions as a redox switch for catalytic inhibition. <i>Journal of Biological Chemistry</i> , 2017 , 292, 11230-11242	5.4	16
130	Highly regioselective hydroxylation of polydatin, a resveratrol glucoside, for one-step synthesis of astringin, a piceatannol glucoside, by P450 BM3. <i>Enzyme and Microbial Technology</i> , 2017 , 97, 34-42	3.8	16
129	Regioselective C-H hydroxylation of omeprazole sulfide by <i>Bacillus megaterium</i> CYP102A1 to produce a human metabolite. <i>Biotechnology Letters</i> , 2017 , 39, 105-112	3	8
128	Characterization of a Biflavinol Synthase CYP158A3 from and Its Role in the Biosynthesis of Secondary Metabolites. <i>Biomolecules and Therapeutics</i> , 2017 , 25, 171-176	4.2	6
127	Cargo-Free Nanoparticles Containing Cationic Lipids Induce Reactive Oxygen Species and Cell Death in HepG2 Cells. <i>Biological and Pharmaceutical Bulletin</i> , 2016 , 39, 1338-46	2.3	15
126	Selenium supplementation restores the decreased albumin level of peripheral blood mononuclear cells in streptozotocin-induced diabetic mice. <i>Journal of Veterinary Medical Science</i> , 2016 , 78, 669-74	1.1	1
125	Transformation of <i>Escherichia coli</i> and protein expression using lipoplex mimicry. <i>Protein Expression and Purification</i> , 2016 , 127, 68-72	2	4
124	Structural Analysis of the <i>Streptomyces avermitilis</i> CYP107W1-Oligomycin A Complex and Role of the Tryptophan 178 Residue. <i>Molecules and Cells</i> , 2016 , 39, 211-6	3.5	10
123	Biochemical analysis of recombinant CYP4A11 allelic variant enzymes: W126R, K276T and S353G. <i>Drug Metabolism and Pharmacokinetics</i> , 2016 , 31, 445-450	2.2	1
122	Role of Leu188 in the Fatty Acid Hydroxylase Activity of CYP102A1 from <i>Bacillus megaterium</i> . <i>Journal of Molecular Catalysis B: Enzymatic</i> , 2016 , 133, 35-42		4

121	Functional characterization of CYP107W1 from <i>Streptomyces avermitilis</i> and biosynthesis of macrolide oligomycin A. <i>Archives of Biochemistry and Biophysics</i> , 2015 , 575, 1-7	4.1	18
120	Effects of aqueous extract of <i>Ruta graveolens</i> and its ingredients on cytochrome P450, uridine diphosphate (UDP)-glucuronosyltransferase, and reduced nicotinamide adenine dinucleotide (phosphate) (NAD(P)H)-quinone oxidoreductase in mice. <i>Journal of Food and Drug Analysis</i> , 2015 , 23, 516-528	7	10
119	Cofactor-Free Light-Driven Whole-Cell Cytochrome P450 Catalysis. <i>Angewandte Chemie</i> , 2015 , 127, 983-987	3.87	24
118	Cofactor-free light-driven whole-cell cytochrome P450 catalysis. <i>Angewandte Chemie - International Edition</i> , 2015 , 54, 969-73	16.4	67
117	Functional characterization of steroid hydroxylase CYP106A1 derived from <i>Bacillus megaterium</i> . <i>Archives of Pharmacal Research</i> , 2015 , 38, 98-107	6.1	16
116	Rücktitelbild: Cofactor-Free Light-Driven Whole-Cell Cytochrome P450 Catalysis (Angew. Chem. 3/2015). <i>Angewandte Chemie</i> , 2015 , 127, 1056-1056	3.6	
115	Triggering receptor expressed on myeloid cells 2 (TREM2) promotes adipogenesis and diet-induced obesity. <i>Diabetes</i> , 2015 , 64, 117-27	0.9	34
114	Functional Significance of Cytochrome P450 1A2 Allelic Variants, P450 1A2*8, *15, and *16 (R456H, P42R, and R377Q). <i>Biomolecules and Therapeutics</i> , 2015 , 23, 189-94	4.2	5
113	The role of cytochrome P450 2B6 and 2B4 substrate access channel residues predicted based on crystal structures of the amlodipine complexes. <i>Archives of Biochemistry and Biophysics</i> , 2014 , 545, 100-74.1	4.1	12
112	Bacterial β (1,3)-glucan prevents DSS-induced IBD by restoring the reduced population of regulatory T cells. <i>Immunobiology</i> , 2014 , 219, 802-12	3.4	27
111	Kinetic analysis of lauric acid hydroxylation by human cytochrome P450 4A11. <i>Biochemistry</i> , 2014 , 53, 6161-72	3.2	26
110	Regioselective hydroxylation of omeprazole enantiomers by bacterial CYP102A1 mutants. <i>Drug Metabolism and Disposition</i> , 2014 , 42, 1493-7	4	9
109	Inhibition of CYP4A reduces hepatic endoplasmic reticulum stress and features of diabetes in mice. <i>Gastroenterology</i> , 2014 , 147, 860-9	13.3	39
108	Affinity purification of recombinant human cytochrome P450s 3A4 and 1A2 using mixed micelle systems. <i>Protein Expression and Purification</i> , 2014 , 101, 37-41	2	2
107	Heterologous expression and functional characterization of the NADPH-cytochrome P450 reductase from <i>Capsicum annum</i> . <i>Plant Physiology and Biochemistry</i> , 2014 , 82, 116-22	5.4	17
106	Decreased level of albumin in peripheral blood mononuclear cells of streptozotocin-induced diabetic rats. <i>Journal of Veterinary Medical Science</i> , 2014 , 76, 1087-92	1.1	11
105	Regioselective hydroxylation of $^{17}\beta$ estradiol by mutants of CYP102A1 from <i>Bacillus megaterium</i> . <i>Biotechnology Letters</i> , 2014 , 36, 2501-6	3	12
104	Chimeric cytochromes P450 engineered by domain swapping and random mutagenesis for producing human metabolites of drugs. <i>Biotechnology and Bioengineering</i> , 2014 , 111, 1313-22	4.9	25

103	Functional influence of human CYP2D6 allelic variations: P34S, E418K, S486T, and R296C. <i>Archives of Pharmacal Research</i> , 2013 , 36, 1500-6	6.1	15
102	Estrogen-related receptor α controls hepatic CB1 receptor-mediated CYP2E1 expression and oxidative liver injury by alcohol. <i>Gut</i> , 2013 , 62, 1044-54	19.2	50
101	Predicting CYP2C19 catalytic parameters for enantioselective oxidations using artificial neural networks and a chirality code. <i>Bioorganic and Medicinal Chemistry</i> , 2013 , 21, 3749-59	3.4	8
100	Differential gene expression profiles in spontaneously hypertensive rats induced by administration of enalapril and nifedipine. <i>International Journal of Molecular Medicine</i> , 2013 , 31, 179-87	4.4	9
99	Doxorubicin- and daunorubicin-induced regulation of Ca ²⁺ and H ⁺ fluxes through human bax inhibitor-1 reconstituted into membranes. <i>Journal of Pharmaceutical Sciences</i> , 2012 , 101, 1314-26	3.9	9
98	Effects of phospholipids on the functional regulation of tBID in membranes. <i>Molecular and Cellular Biochemistry</i> , 2012 , 363, 395-408	4.2	7
97	Functional characterization of allelic variants of polymorphic human cytochrome P450 2A6 (CYP2A6*5, *7, *8, *18, *19, and *35). <i>Biological and Pharmaceutical Bulletin</i> , 2012 , 35, 394-9	2.3	25
96	Bacillus spore display. <i>Trends in Biotechnology</i> , 2012 , 30, 610-2	15.1	18
95	A dual function of the furanocoumarin chalepensis in inhibiting Cyp2a and inducing Cyp2b in mice: the protein stabilization and receptor-mediated activation. <i>Archives of Toxicology</i> , 2012 , 86, 1927-38	5.8	8
94	Directed evolution reveals requisite sequence elements in the functional expression of P450 2F1 in <i>Escherichia coli</i> . <i>Chemical Research in Toxicology</i> , 2012 , 25, 1964-74	4	15
93	Crystal structure of cytochrome P450 CYP105N1 from <i>Streptomyces coelicolor</i> , an oxidase in the coelibactin siderophore biosynthetic pathway. <i>Archives of Biochemistry and Biophysics</i> , 2012 , 528, 111-7	4.1	17
92	Interleukin-24 attenuates β glycerophosphate-induced calcification of vascular smooth muscle cells by inhibiting apoptosis, the expression of calcification and osteoblastic markers, and the Wnt/ β catenin pathway. <i>Biochemical and Biophysical Research Communications</i> , 2012 , 428, 50-5	3.4	27
91	Increase of human CYP1B1 activities by acidic phospholipids and kinetic deuterium isotope effects on CYP1B1 substrate oxidation. <i>Journal of Biochemistry</i> , 2012 , 152, 433-42	3.1	
90	Metabolism of R- and S-warfarin by CYP2C19 into four hydroxywarfarins. <i>Drug Metabolism Letters</i> , 2012 , 6, 157-64	2.1	28
89	Potential in vitro Protective Effect of Quercetin, Catechin, Caffeic Acid and Phytic Acid against Ethanol-Induced Oxidative Stress in SK-Hep-1 Cells. <i>Biomolecules and Therapeutics</i> , 2012 , 20, 492-8	4.2	27
88	The Flavin-Containing Reductase Domain of Cytochrome P450 BM3 Acts as a Surrogate for Mammalian NADPH-P450 Reductase. <i>Biomolecules and Therapeutics</i> , 2012 , 20, 562-8	4.2	5
87	Heterologous expression and characterization of the sterol 14 α -demethylase CYP51F1 from <i>Candida albicans</i> . <i>Archives of Biochemistry and Biophysics</i> , 2011 , 509, 9-15	4.1	25
86	Characterization of diverse natural variants of CYP102A1 found within a species of <i>Bacillus megaterium</i> . <i>AMB Express</i> , 2011 , 1, 1	4.1	62

85	Generation of human chiral metabolites of simvastatin and lovastatin by bacterial CYP102A1 mutants. <i>Drug Metabolism and Disposition</i> , 2011 , 39, 140-50	4	33
84	Expression of CYP2A6, CYP2D6 and CYP4A11 Polymorphisms in COS7 Mammalian Cell Line. <i>Toxicological Research</i> , 2011 , 27, 25-9	3.7	1
83	Engineering bacterial cytochrome P450 (P450) BM3 into a prototype with human P450 enzyme activity using indigo formation. <i>Drug Metabolism and Disposition</i> , 2010 , 38, 732-9	4	48
82	Hydroxywarfarin metabolites potently inhibit CYP2C9 metabolism of S-warfarin. <i>Chemical Research in Toxicology</i> , 2010 , 23, 939-45	4	28
81	Functional and conformational modulation of human cytochrome P450 1B1 by anionic phospholipids. <i>Archives of Biochemistry and Biophysics</i> , 2010 , 493, 143-50	4.1	19
80	Contribution of three CYP3A isoforms to metabolism of R- and S-warfarin. <i>Drug Metabolism Letters</i> , 2010 , 4, 213-9	2.1	13
79	Molecular mechanisms regulating the mitochondrial targeting of microsomal cytochrome P450 enzymes. <i>Current Drug Metabolism</i> , 2010 , 11, 830-8	3.5	13
78	Oxidation of human cytochrome P450 1A2 substrates by <i>Bacillus megaterium</i> cytochrome P450 BM3. <i>Journal of Molecular Catalysis B: Enzymatic</i> , 2010 , 63, 179-187		20
77	Cardiolipin, phosphatidylserine, and BH4 domain of Bcl-2 family regulate Ca ²⁺ /H ⁺ antiporter activity of human Bax inhibitor-1. <i>Cell Calcium</i> , 2010 , 47, 387-96	4	30
76	Beta sheet 2-alpha helix C loop of cytochrome P450 reductase serves as a docking site for redox partners. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2010 , 1804, 1285-93	4	18
75	Surface display of heme- and diflavin-containing cytochrome P450 BM3 in <i>Escherichia coli</i> : a whole cell biocatalyst for oxidation. <i>Journal of Microbiology and Biotechnology</i> , 2010 , 20, 712-7	3.3	36
74	Novel protective mechanism against irreversible hyperoxidation of peroxiredoxin: Nalpha-terminal acetylation of human peroxiredoxin II. <i>Journal of Biological Chemistry</i> , 2009 , 284, 13455-13465	5.4	41
73	Generation of the human metabolite piceatannol from the anticancer-preventive agent resveratrol by bacterial cytochrome P450 BM3. <i>Drug Metabolism and Disposition</i> , 2009 , 37, 932-6	4	64
72	ROS inhibit the expression of testicular steroidogenic enzyme genes via the suppression of Nur77 transactivation. <i>Free Radical Biology and Medicine</i> , 2009 , 47, 1591-600	7.8	65
71	Conformational change of <i>Escherichia coli</i> signal recognition particle Ffh is affected by the functionality of signal peptides of ribose-binding protein. <i>Molecules and Cells</i> , 2009 , 27, 681-7	3.5	2
70	Continuous spectrofluorometric and spectrophotometric assays for NADPH-cytochrome P450 reductase activity using 5-cyano-2,3-ditolyl tetrazolium chloride. <i>Biotechnology Letters</i> , 2009 , 31, 271-5	3	4
69	Effect of nonlamellar-prone lipids on protein encapsulation in liposomes. <i>Macromolecular Research</i> , 2009 , 17, 956-962	1.9	6
68	Ca ²⁺ /H ⁺ antiporter-like activity of human recombinant Bax inhibitor-1 reconstituted into liposomes. <i>FEBS Journal</i> , 2009 , 276, 2285-91	5.7	27

67	Functional expression in <i>Bacillus subtilis</i> of mammalian NADPH-cytochrome P450 oxidoreductase and its spore-display. <i>Protein Expression and Purification</i> , 2009 , 63, 5-11	2	24
66	Refolding and reconstitution of human recombinant Bax inhibitor-1 into liposomes from inclusion bodies expressed in <i>Escherichia coli</i> . <i>Protein Expression and Purification</i> , 2009 , 66, 35-8	2	3
65	Ca(2+)-induced stimulation of the membrane binding of <i>Escherichia coli</i> SecA and its association with signal peptides of secretory proteins. <i>Archives of Biochemistry and Biophysics</i> , 2009 , 486, 125-31	4.1	1
64	Self-Sufficient Catalytic System of Human Cytochrome P450 4A11 and NADPH-P450 Reductase. <i>Biomolecules and Therapeutics</i> , 2009 , 17, 156-161	4.2	9
63	Aspartyl aminopeptidase of <i>Schizosaccharomyces pombe</i> has a molecular chaperone function. <i>BMB Reports</i> , 2009 , 42, 812-6	5.5	5
62	Effects of epitope sequence tandem repeat and proline incorporation on polyclonal antibody production against cytochrome 1A2 and 3A4. <i>BMB Reports</i> , 2009 , 42, 418-20	5.5	1
61	Anionic phospholipid-induced regulation of reactive oxygen species production by human cytochrome P450 2E1. <i>FEBS Letters</i> , 2008 , 582, 1771-6	3.8	16
60	Heterologous expression and characterization of wild-type human cytochrome P450 1A2 without conventional N-terminal modification in <i>Escherichia coli</i> . <i>Protein Expression and Purification</i> , 2008 , 57, 188-200	2	27
59	Lysophosphatidylserine-induced functional switch of human cytochrome P450 1A2 and 2E1 from monooxygenase to phospholipase D. <i>Biochemical and Biophysical Research Communications</i> , 2008 , 376, 584-9	3.4	10
58	An NH ₂ -terminal truncated cytochrome P450 CYP3A4 showing catalytic activity is present in the cytoplasm of human liver cells. <i>Experimental and Molecular Medicine</i> , 2008 , 40, 254-60	12.8	6
57	Generation of human metabolites of 7-ethoxycoumarin by bacterial cytochrome P450 BM3. <i>Drug Metabolism and Disposition</i> , 2008 , 36, 2166-70	4	48
56	The bacterial P450 BM3: a prototype for a biocatalyst with human P450 activities. <i>Trends in Biotechnology</i> , 2007 , 25, 289-98	15.1	73
55	Production of polyclonal antibodies against peptide antigens using polystyrene beads as a carrier. <i>Biotechnology Letters</i> , 2007 , 29, 1735-40	3	2
54	Functional regulation of hepatic cytochrome p450 enzymes by physicochemical properties of phospholipids in biological membranes. <i>Current Protein and Peptide Science</i> , 2007 , 8, 496-505	2.8	13
53	Mechanism-based inactivation of cytochrome P450 2A6 by decursinol angelate isolated from <i>Angelica Gigas</i> . <i>Drug Metabolism and Disposition</i> , 2007 , 35, 1759-65	4	21
52	Lateral segregation of anionic phospholipids in model membranes induced by cytochrome P450 2B1: bi-directional coupling between CYP2B1 and anionic phospholipid. <i>Archives of Biochemistry and Biophysics</i> , 2007 , 468, 226-33	4.1	9
51	Suppression of interleukin-2 gene expression by isoeugenol is mediated through down-regulation of NF-AT and NF-kappaB. <i>International Immunopharmacology</i> , 2007 , 7, 1251-8	5.8	21
50	Functional expression of human cytochrome P450 enzymes in <i>Escherichia coli</i> . <i>Current Drug Metabolism</i> , 2006 , 7, 411-29	3.5	61

49	Tissue-specific effect of ascorbic acid supplementation on the expression of cytochrome P450 2E1 and oxidative stress in streptozotocin-induced diabetic rats. <i>Toxicology Letters</i> , 2006 , 166, 27-36	4.4	31
48	Functional expression of mammalian NADPH-cytochrome P450 oxidoreductase on the cell surface of <i>Escherichia coli</i> . <i>Protein Expression and Purification</i> , 2006 , 49, 292-8	2	27
47	Inhibitory effect of anethole on T-lymphocyte proliferation and interleukin-2 production through down-regulation of the NF-AT and AP-1. <i>Toxicology in Vitro</i> , 2006 , 20, 1098-105	3.6	30
46	Kinetic deuterium isotope effects for 7-alkoxycoumarin O-dealkylation reactions catalyzed by human cytochromes P450 and in liver microsomes. Rate-limiting C-H bond breaking in cytochrome P450 1A2 substrate oxidation. <i>FEBS Journal</i> , 2006 , 273, 2223-31	5.7	25
45	Involvement of nonlamellar-prone lipids in the stability increase of human cytochrome P450 1A2 in reconstituted membranes. <i>Biochemistry</i> , 2005 , 44, 9188-96	3.2	19
44	Inhibition of human cytochrome P450 3A4 activity by zinc(II) ion. <i>Toxicology Letters</i> , 2005 , 156, 341-50	4.4	3
43	Temperature effect on the functional expression of human cytochromes P450 2A6 and 2E1 in <i>Escherichia coli</i> . <i>Archives of Pharmacal Research</i> , 2005 , 28, 433-7	6.1	3
42	Kinetic analysis of oxidation of coumarins by human cytochrome P450 2A6. <i>Journal of Biological Chemistry</i> , 2005 , 280, 12279-91	5.4	81
41	A continuous spectrophotometric assay for NADPH-cytochrome P450 reductase activity using 3-(4,5-dimethylthiazol-2-yl)-2,5-diphenyltetrazolium bromide. <i>BMB Reports</i> , 2005 , 38, 366-9	5.5	19
40	Improved long-term cryostorage of <i>Escherichia coli</i> competent cells using trehalose. <i>Biotechnology Letters</i> , 2004 , 26, 1593-4	3	1
39	High-level expression of human cytochrome P450 3A4 by co-expression with human molecular chaperone HDJ-1 (Hsp40). <i>Archives of Pharmacal Research</i> , 2004 , 27, 319-23	6.1	11
38	Trehalose increases chemical-induced transformation efficiency of <i>Escherichia coli</i> . <i>Analytical Biochemistry</i> , 2004 , 333, 199-200	3.1	1
37	Non-specific inhibition of human cytochrome P450-catalyzed reactions by hemin. <i>Toxicology Letters</i> , 2004 , 153, 239-46	4.4	8
36	Enhanced expression of human cytochrome P450 1A2 by co-expression with human molecular chaperone Hsp70. <i>Toxicology Letters</i> , 2004 , 153, 267-72	4.4	9
35	High-level expression of human cytochrome P450 1A2 by co-expression with human molecular chaperone HDJ-1(Hsp40). <i>Protein Expression and Purification</i> , 2004 , 36, 48-52	2	10
34	A continuous spectrophotometric assay for NADPH-cytochrome P450 reductase activity using 1,1-diphenyl-2-picrylhydrazyl. <i>BMB Reports</i> , 2004 , 37, 629-33	5.5	21
33	Roles of human liver cytochrome P450 3A4 and 1A2 enzymes in the oxidation of myristicin. <i>Toxicology Letters</i> , 2003 , 137, 143-50	4.4	19
32	Membrane properties induced by anionic phospholipids and phosphatidylethanolamine are critical for the membrane binding and catalytic activity of human cytochrome P450 3A4. <i>Biochemistry</i> , 2003 , 42, 15377-87	3.2	58

31	Polyacrylamide gel electrophoresis without a stacking gel: application for separation of peptides. <i>Analytical Biochemistry</i> , 2002 , 305, 277-9	3.1	7
30	Development of peptide substrates for trypsin based on monomer/excimer fluorescence of pyrene. <i>Analytical Biochemistry</i> , 2002 , 306, 247-51	3.1	18
29	Induction of cytochrome P450 1A and 2B by alpha- and beta-ionone in Sprague Dawley rats. <i>Archives of Pharmacal Research</i> , 2002 , 25, 197-201	6.1	5
28	Differential effect of copper (II) on the cytochrome P450 enzymes and NADPH-cytochrome P450 reductase: inhibition of cytochrome P450-catalyzed reactions by copper (II) ion. <i>Biochemistry</i> , 2002 , 41, 9438-47	3.2	32
27	Polyacrylamide gel electrophoresis without a stacking gel: use of amino acids as electrolytes. <i>Analytical Biochemistry</i> , 2001 , 291, 300-3	3.1	24
26	Effects of lipids on the interaction of SecA with model membranes. <i>Archives of Biochemistry and Biophysics</i> , 2001 , 395, 14-20	4.1	12
25	Oxidations of p-alkoxyacylanilides catalyzed by human cytochrome P450 1A2: structure-activity relationships and simulation of rate constants of individual steps in catalysis. <i>Biochemistry</i> , 2001 , 40, 4521-30	3.2	39
24	What makes P450s work? Searches for answers with known and new P450s. <i>Drug Metabolism Reviews</i> , 2000 , 32, 267-81	7	18
23	Effects of flupyrazofos on liver microsomal cytochrome P450 in the male Fischer 344 rat. <i>Xenobiotica</i> , 2000 , 30, 1123-30	2	1
22	Importance of phosphatidylethanolamine for the interaction of apocytochrome c with model membranes containing phosphatidylserine. <i>Biochemistry</i> , 2000 , 39, 10147-53	3.2	12
21	Interaction of human thiol-specific antioxidant protein 1 with erythrocyte plasma membrane. <i>Biochemistry</i> , 2000 , 39, 6944-50	3.2	54
20	Rate-determining steps in phenacetin oxidations by human cytochrome P450 1A2 and selected mutants. <i>Biochemistry</i> , 2000 , 39, 11319-29	3.2	132
19	Phospholipase D activity of cytochrome P450 in human liver endoplasmic reticulum. <i>Archives of Biochemistry and Biophysics</i> , 1999 , 367, 81-8	4.1	25
18	Phase properties of liquid-crystalline Phosphatidylcholine/Phosphatidylethanolamine bilayers revealed by fluorescent probes. <i>Archives of Biochemistry and Biophysics</i> , 1999 , 369, 288-94	4.1	18
17	Effects of beta-ionone on the expression of cytochrome P450s and NADPH-cytochrome P450 reductase in Sprague Dawley rats. <i>Chemico-Biological Interactions</i> , 1998 , 114, 97-107	5	14
16	Membrane insertion of cytochrome P450 1A2 promoted by anionic phospholipids. <i>Biochemistry</i> , 1998 , 37, 12860-6	3.2	61
15	Conformational change and activation of cytochrome P450 2B1 induced by salt and phospholipid. <i>Archives of Biochemistry and Biophysics</i> , 1998 , 356, 229-38	4.1	40
14	Identification of cytochrome P450 1A1 in human brain. <i>Biochemical and Biophysical Research Communications</i> , 1998 , 243, 808-10	3.4	12

13	Conformational change of cytochrome P450 1A2 induced by phospholipids and detergents. <i>Journal of Biological Chemistry</i> , 1997 , 272, 19725-30	5-4	35
12	Identification of cytochrome P450 2E1 in rat brain. <i>Biochemical and Biophysical Research Communications</i> , 1997 , 231, 254-6	3-4	15
11	Evidence for a 1-electron oxidation mechanism in N-dealkylation of N,N-dialkylanilines by cytochrome P450 2B1. Kinetic hydrogen isotope effects, linear free energy relationships, comparisons with horseradish peroxidase, and studies with oxygen surrogates. <i>Journal of Biological Chemistry</i> , 1996 , 271, 27321-9	5-4	137
10	Conformational change of cytochrome P450 1A2 induced by sodium chloride. <i>Journal of Biological Chemistry</i> , 1996 , 271, 31312-6	5-4	37
9	Suppression of cytochrome P450 (Cyp1a-1) induction in mouse hepatoma Hepa-1C1C7 cells by methoxsalen. <i>Biochemical and Biophysical Research Communications</i> , 1995 , 208, 1124-30	3-4	19
8	Induction of liver cytochrome P450 2B1 by beta-ionone in Sprague Dawley rats. <i>Biochemical and Biophysical Research Communications</i> , 1995 , 216, 198-202	3-4	14
7	Induction of rat hepatic cytochrome P450 enzymes by myristicin. <i>Biochemical and Biophysical Research Communications</i> , 1995 , 217, 966-71	3-4	41
6	Non-specific inhibition of cytochrome P450 activities by chlorophyllin in human and rat liver microsomes. <i>Carcinogenesis</i> , 1995 , 16, 1437-40	4-6	62
5	Involvement of P4503A in the metabolism of 7,8-benzoflavone by human liver microsomes. <i>Xenobiotica</i> , 1994 , 24, 1053-62	2	11
4	Contributions of human liver cytochrome P450 enzymes to the N-oxidation of 4,4'-methylene-bis(2-chloroaniline). <i>Carcinogenesis</i> , 1992 , 13, 217-22	4-6	31
3	Cytochrome P450 2E1 and 2A6 enzymes as major catalysts for metabolic activation of N-nitrosodialkylamines and tobacco-related nitrosamines in human liver microsomes. <i>Carcinogenesis</i> , 1992 , 13, 1789-94	4-6	335
2	Identification of the pharmacogenetic determinants of alfentanil metabolism: cytochrome P-450 3A4. An explanation of the variable elimination clearance. <i>Anesthesiology</i> , 1992 , 77, 467-74	4-3	95
1	Ovalbumin-induced fusion of acidic phospholipid vesicles at low pH. <i>Journal of Biochemistry</i> , 1989 , 105, 406-11	3-1	10