

# Se-Hee Lee

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/8467538/se-hee-lee-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

85  
papers

5,806  
citations

38  
h-index

76  
g-index

86  
ext. papers

6,482  
ext. citations

10.4  
avg, IF

5.65  
L-index

#	Paper	IF	Citations
85	Covalent organic framework based lithium-ion battery: Fundamental, design and characterization. <i>EnergyChem</i> , <b>2021</b> , 3, 100048	36.9	25
84	Solid State Electrolytes: Nonuniform Ionic and Electronic Transport of Ceramic and Polymer/Ceramic Hybrid Electrolyte by Nanometer-Scale Operando Imaging for Solid-State Battery (Adv. Energy Mater. 21/2020). <i>Advanced Energy Materials</i> , <b>2020</b> , 10, 2070097	21.8	3
83	Nonuniform Ionic and Electronic Transport of Ceramic and Polymer/Ceramic Hybrid Electrolyte by Nanometer-Scale Operando Imaging for Solid-State Battery. <i>Advanced Energy Materials</i> , <b>2020</b> , 10, 2000215	21.8	17
82	A Truxenone-based Covalent Organic Framework as an All-Solid-State Lithium-Ion Battery Cathode with High Capacity. <i>Angewandte Chemie</i> , <b>2020</b> , 132, 20565-20569	3.6	1
81	A Truxenone-based Covalent Organic Framework as an All-Solid-State Lithium-Ion Battery Cathode with High Capacity. <i>Angewandte Chemie - International Edition</i> , <b>2020</b> , 59, 20385-20389	16.4	45
80	Towards the Commercialization of the All-Solid-State Li-ion Battery: Local Bonding Structure and the Reversibility of Sheet-Style Si-PAN Anodes. <i>Journal of the Electrochemical Society</i> , <b>2020</b> , 167, 060522	3.9	7
79	Improved Stability and Rate Capability of Ionic Liquid Electrolyte with High Concentration of LiFSI. <i>Journal of the Electrochemical Society</i> , <b>2019</b> , 166, A1860-A1866	3.9	22
78	Electrochemical Analysis of Factors Affecting the Kinetic Capabilities of an Ionic Liquid Electrolyte. <i>Journal of the Electrochemical Society</i> , <b>2019</b> , 166, A1677-A1684	3.9	5
77	Crystalline Lithium Imidazolate Covalent Organic Frameworks with High Li-Ion Conductivity. <i>Journal of the American Chemical Society</i> , <b>2019</b> , 141, 7518-7525	16.4	165
76	Slurry-Coated Sheet-Style Sn-PAN Anodes for All-Solid-State Li-Ion Batteries. <i>Journal of the Electrochemical Society</i> , <b>2019</b> , 166, A915-A922	3.9	10
75	High-Energy Nickel-Rich Layered Cathode Stabilized by Ionic Liquid Electrolyte. <i>Journal of the Electrochemical Society</i> , <b>2019</b> , 166, A873-A879	3.9	17
74	Lithium Dendrite Growth Suppression and Ionic Conductivity of Li <sub>2</sub> S-P <sub>2</sub> S <sub>5</sub> -P <sub>2</sub> O <sub>5</sub> /Glass Solid Electrolytes Prepared by Mechanical Milling. <i>Journal of the Electrochemical Society</i> , <b>2019</b> , 166, A3997-A4004	3.9	9
73	Self-Contained Fragmentation and Interfacial Stability in Crude Micron-Silicon Anodes. <i>Journal of the Electrochemical Society</i> , <b>2018</b> , 165, A244-A250	3.9	5
72	Nanostructured Si/C Fibers as a Highly Reversible Anode Material for All-Solid-State Lithium-Ion Batteries. <i>Journal of the Electrochemical Society</i> , <b>2018</b> , 165, A1903-A1908	3.9	8
71	Simple and inexpensive coal-tar-pitch derived Si-C anode composite for all-solid-state Li-ion batteries. <i>Solid State Ionics</i> , <b>2018</b> , 324, 207-217	3.3	17
70	Electrophoretic kinetics of concentrated TiO <sub>2</sub> nanoparticle suspensions in aprotic solvent. <i>Electronic Materials Letters</i> , <b>2018</b> , 14, 79-82	2.9	2
69	Ex Situ Investigation of Anisotropic Interconnection in Silicon-Titanium-Nickel Alloy Anode Material. <i>Journal of the Electrochemical Society</i> , <b>2017</b> , 164, A968-A972	3.9	5

68	In Situ Engineering of the Electrode-Electrolyte Interface for Stabilized Overlithiated Cathodes. <i>Advanced Materials</i> , <b>2017</b> , 29, 1604549	24	21
67	Stable Lithium Deposition Using a Self-Optimizing Solid Electrolyte Composite. <i>Journal of the Electrochemical Society</i> , <b>2017</b> , 164, A2962-A2966	3.9	10
66	All-solid-state disordered LiTiS <sub>2</sub> pseudocapacitor. <i>Journal of Materials Chemistry A</i> , <b>2017</b> , 5, 15661-15668	8.3	11
65	Ionic Covalent Organic Frameworks with Spiroborate Linkage. <i>Angewandte Chemie - International Edition</i> , <b>2016</b> , 55, 1737-41	16.4	380
64	Observations of stress accumulation and relaxation in solid-state lithiation and delithiation of suspended Si microcantilevers. <i>Physica Status Solidi (A) Applications and Materials Science</i> , <b>2016</b> , 213, 2156-2168	1.6	5
63	High-Capacity and Highly Reversible Silicon-Tin Hybrid Anode for Solid-State Lithium-Ion Batteries. <i>Journal of the Electrochemical Society</i> , <b>2016</b> , 163, A251-A254	3.9	13
62	FeS <sub>2</sub> -Imbedded Mixed Conducting Matrix as a Solid Battery Cathode. <i>Advanced Energy Materials</i> , <b>2016</b> , 6, 1600495	21.8	38
61	Optimized Silicon Electrode Architecture, Interface, and Microgeometry for Next-Generation Lithium-Ion Batteries. <i>Advanced Materials</i> , <b>2016</b> , 28, 188-93	24	32
60	Stable silicon-ionic liquid interface for next-generation lithium-ion batteries. <i>Nature Communications</i> , <b>2015</b> , 6, 6230	17.4	183
59	Mitigating irreversible capacity losses from carbon agents via surface modification. <i>Journal of Power Sources</i> , <b>2015</b> , 275, 605-611	8.9	12
58	Tunable Sn structures in porosity-controlled carbon nanofibers for all-solid-state lithium-ion battery anodes. <i>Journal of Materials Chemistry A</i> , <b>2015</b> , 3, 11021-11030	13	40
57	Advancing Conversion Electrode Reversibility with Bulk Solid-State Batteries. <i>Materials and Energy</i> , <b>2015</b> , 627-655		
56	Doped Si nanoparticles with conformal carbon coating and cyclized-polyacrylonitrile network as high-capacity and high-rate lithium-ion battery anodes. <i>Nanotechnology</i> , <b>2015</b> , 26, 365401	3.4	7
55	Ultra-thin Solid-State Li-Ion Electrolyte Membrane Facilitated by a Self-Healing Polymer Matrix. <i>Advanced Materials</i> , <b>2015</b> , 27, 6922-7	24	128
54	The effect of energetically coated ZrO <sub>x</sub> on enhanced electrochemical performances of Li(Ni <sub>1/3</sub> Co <sub>1/3</sub> Mn <sub>1/3</sub> )O <sub>2</sub> cathodes using modified radio frequency (RF) sputtering. <i>Journal of Materials Chemistry A</i> , <b>2015</b> , 3, 12982-12991	13	10
53	Electrospun polyacrylonitrile microfiber separators for ionic liquid electrolytes in Li-ion batteries. <i>Journal of Power Sources</i> , <b>2015</b> , 292, 1-6	8.9	40
52	Tin Networked Electrode Providing Enhanced Volumetric Capacity and Pressureless Operation for All-Solid-State Li-Ion Batteries. <i>Journal of the Electrochemical Society</i> , <b>2015</b> , 162, A711-A715	3.9	25
51	Utilization of Al <sub>2</sub> O <sub>3</sub> Atomic Layer Deposition for Li Ion Pathways in Solid State Li Batteries. <i>Journal of the Electrochemical Society</i> , <b>2015</b> , 162, A344-A349	3.9	25

50	A Stabilized PAN-FeS <sub>2</sub> Cathode with an EC/DEC Liquid Electrolyte. <i>Advanced Energy Materials</i> , <b>2014</b> , 4, 1300961	21.8	91
49	Empowering the Lithium Metal Battery through a Silicon-Based Superionic Conductor. <i>Journal of the Electrochemical Society</i> , <b>2014</b> , 161, A1812-A1817	3.9	102
48	Designing thermal and electrochemical oxidation processes for MnO <sub>2</sub> nanofibers for high-performance electrochemical capacitors. <i>Journal of Materials Chemistry A</i> , <b>2014</b> , 2, 7197-7204	13	22
47	Corrosion of stainless steel battery components by bis(fluorosulfonyl)imide based ionic liquid electrolytes. <i>Journal of Power Sources</i> , <b>2014</b> , 269, 616-620	8.9	19
46	Ionic liquid enabled FeS <sub>2</sub> for high-energy-density lithium-ion batteries. <i>Advanced Materials</i> , <b>2014</b> , 26, 7386-92	24	106
45	Derivation of an Iron Pyrite All-Solid-State Composite Electrode with Ferrophosphorus, Sulfur, and Lithium Sulfide as Precursors. <i>Journal of the Electrochemical Society</i> , <b>2014</b> , 161, A663-A667	3.9	13
44	Hierarchical porous framework of Si-based electrodes for minimal volumetric expansion. <i>Advanced Materials</i> , <b>2014</b> , 26, 3520-5	24	42
43	Effect of organic solvent addition to PYR13FSI/LiFSI electrolytes on aluminum oxidation and rate performance of Li(Ni <sub>1/3</sub> Mn <sub>1/3</sub> Co <sub>1/3</sub> )O <sub>2</sub> cathodes. <i>Journal of Power Sources</i> , <b>2014</b> , 265, 132-139	8.9	33
42	Electrochemically induced and orientation dependent crack propagation in single crystal silicon. <i>Journal of Power Sources</i> , <b>2014</b> , 267, 739-743	8.9	20
41	Reversible high-capacity Si nanocomposite anodes for lithium-ion batteries enabled by molecular layer deposition. <i>Advanced Materials</i> , <b>2014</b> , 26, 1596-601	24	146
40	Unexpected high power performance of atomic layer deposition coated Li[Ni <sub>1/3</sub> Mn <sub>1/3</sub> Co <sub>1/3</sub> ]O <sub>2</sub> cathodes. <i>Journal of Power Sources</i> , <b>2014</b> , 254, 190-197	8.9	66
39	Microstructural evolution induced by micro-cracking during fast lithiation of single-crystalline silicon. <i>Journal of Power Sources</i> , <b>2014</b> , 265, 160-165	8.9	32
38	Conformal Coatings of Cyclized-PAN for Mechanically Resilient Si nano-Composite Anodes. <i>Advanced Energy Materials</i> , <b>2013</b> , 3, 697-702	21.8	105
37	Binder-free three-dimensional silicon/carbon nanowire networks for high performance lithium-ion battery anodes. <i>Nano Energy</i> , <b>2013</b> , 2, 943-950	17.1	37
36	Facile conductive bridges formed between silicon nanoparticles inside hollow carbon nanofibers. <i>Nanoscale</i> , <b>2013</b> , 5, 4790-6	7.7	34
35	An All-Solid-State Li-Ion Battery with a Pre-Lithiated Si-Ti-Ni Alloy Anode. <i>Journal of the Electrochemical Society</i> , <b>2013</b> , 160, A1497-A1501	3.9	30
34	Electrochemical Evolution of an Iron Sulfide and Sulfur Based Cathode for All-Solid-State Li-Ion Batteries. <i>Journal of the Electrochemical Society</i> , <b>2013</b> , 160, A1009-A1015	3.9	21
33	Solid State Enabled Reversible Four Electron Storage. <i>Advanced Energy Materials</i> , <b>2013</b> , 3, 120-127	21.8	131

32	Unexpected Improved Performance of ALD Coated LiCoO <sub>2</sub> /Graphite Li-Ion Batteries. <i>Advanced Energy Materials</i> , <b>2013</b> , 3, 213-219	21.8	174
31	Effect of Compressive Stress on Electrochemical Performance of Silicon Anodes. <i>Journal of the Electrochemical Society</i> , <b>2013</b> , 160, A77-A81	3.9	72
30	Anodic properties of hollow carbon nanofibers for Li-ion battery. <i>Journal of Power Sources</i> , <b>2012</b> , 199, 53-60	8.9	92
29	Fabrication of Si core/C shell nanofibers and their electrochemical performances as a lithium-ion battery anode. <i>Journal of Power Sources</i> , <b>2012</b> , 206, 267-273	8.9	124
28	Li <sub>2</sub> S/Al <sub>2</sub> O <sub>3</sub> /P <sub>2</sub> S <sub>5</sub> solid electrolyte for all-solid-state lithium batteries. <i>Solid State Ionics</i> , <b>2012</b> , 214, 25-30	3.3	21
27	Efficient photocatalytic degradation of acid orange 7 on metal oxide p/n junction composites under visible light. <i>Journal of Physics and Chemistry of Solids</i> , <b>2012</b> , 73, 1372-1377	3.9	19
26	Nanoscale Interface Modification of LiCoO <sub>2</sub> by Al <sub>2</sub> O <sub>3</sub> Atomic Layer Deposition for Solid-State Li Batteries. <i>Journal of the Electrochemical Society</i> , <b>2012</b> , 159, A1120-A1124	3.9	140
25	Nanostructured all-solid-state supercapacitor based on Li <sub>2</sub> S-P <sub>2</sub> S <sub>5</sub> glass-ceramic electrolyte. <i>Applied Physics Letters</i> , <b>2012</b> , 100, 103902	3.4	49
24	Effect of pores in hollow carbon nanofibers on their negative electrode properties for a lithium rechargeable battery. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2012</b> , 4, 6702-10	9.5	74
23	Pd effect on reliability of Ag bonding wires in microelectronic devices in high-humidity environments. <i>Metals and Materials International</i> , <b>2012</b> , 18, 881-885	2.4	17
22	Controlled synthesis of aligned Ni-NiO core-shell nanowire arrays on glass substrates as a new supercapacitor electrode. <i>RSC Advances</i> , <b>2012</b> , 2, 8281	3.7	54
21	Improved Functionality of Lithium-Ion Batteries Enabled by Atomic Layer Deposition on the Porous Microstructure of Polymer Separators and Coating Electrodes. <i>Advanced Energy Materials</i> , <b>2012</b> , 2, 1022-1027	21.8	182
20	A Highly Reversible Nano-Si Anode Enabled by Mechanical Confinement in an Electrochemically Activated Li <sub>x</sub> Ti <sub>4</sub> Ni <sub>4</sub> Si <sub>7</sub> Matrix. <i>Advanced Energy Materials</i> , <b>2012</b> , 2, 1226-1231	21.8	86
19	Using atomic layer deposition to hinder solvent decomposition in lithium ion batteries: first-principles modeling and experimental studies. <i>Journal of the American Chemical Society</i> , <b>2011</b> , 133, 14741-54	16.4	152
18	Ultrathin coatings on nano-LiCoO <sub>2</sub> for Li-ion vehicular applications. <i>Nano Letters</i> , <b>2011</b> , 11, 414-8	11.5	322
17	In situ lithiation of TiS <sub>2</sub> enabled by spontaneous decomposition of Li <sub>3</sub> N. <i>Journal of Power Sources</i> , <b>2011</b> , 196, 9830-9834	8.9	10
16	Enhancing NiSn nanowire lithium-ion anode performance by tailoring active/inactive material interfaces. <i>Journal of Power Sources</i> , <b>2011</b> , 196, 10207-10212	8.9	35
15	Electrochemical effects of ALD surface modification on combustion synthesized LiNi <sub>1/3</sub> Mn <sub>1/3</sub> Co <sub>1/3</sub> O <sub>2</sub> as a layered-cathode material. <i>Journal of Power Sources</i> , <b>2011</b> , 196, 3317-3324	8.9	178

14	Nanostructured silicon electrodes for solid-state 3-d rechargeable lithium batteries. <i>Sensors and Actuators A: Physical</i> , <b>2011</b> , 167, 139-145	3.9	8
13	Microstructure Study of Electrochemically Driven $\text{Li}_x\text{Si}$ . <i>Advanced Energy Materials</i> , <b>2011</b> , 1, 1199-1204	21.8	53
12	High lithium ion conducting $\text{Li}_2\text{S}/\text{GeSe}_2/\text{P}_2\text{S}_5$ glass/ceramic solid electrolyte with sulfur additive for all solid-state lithium secondary batteries. <i>Electrochimica Acta</i> , <b>2011</b> , 56, 4243-4247	6.7	53
11	Stress generation in silicon particles during lithium insertion. <i>Applied Physics Letters</i> , <b>2010</b> , 97, 033111	3.4	108
10	Improved Performance of All-Solid-State Lithium-Ion Batteries Using Nanosilicon Active Material with Multiwalled-Carbon-Nanotubes as a Conductive Additive. <i>Electrochemical and Solid-State Letters</i> , <b>2010</b> , 13, A154		32
9	Enhanced Stability of $\text{LiCoO}_2$ Cathodes in Lithium-Ion Batteries Using Surface Modification by Atomic Layer Deposition. <i>Journal of the Electrochemical Society</i> , <b>2010</b> , 157, A75	3.9	295
8	Conformal surface coatings to enable high volume expansion Li-ion anode materials. <i>ChemPhysChem</i> , <b>2010</b> , 11, 2124-30	3.2	115
7	Ultrathin direct atomic layer deposition on composite electrodes for highly durable and safe Li-ion batteries. <i>Advanced Materials</i> , <b>2010</b> , 22, 2172-6	24	423
6	Preparation of $\text{Li}_2\text{S}/\text{GeSe}_2/\text{P}_2\text{S}_5$ electrolytes by a single step ball milling for all-solid-state lithium secondary batteries. <i>Journal of Power Sources</i> , <b>2010</b> , 195, 4984-4989	8.9	24
5	Glass/ceramic $\text{Li}_2\text{S}/\text{P}_2\text{S}_5$ electrolytes prepared by a single step ball milling process and their application for all-solid-state lithium ion batteries. <i>Electrochemistry Communications</i> , <b>2009</b> , 11, 1830-1833 <sup>5.1</sup>		73
4	Electrochemical reactivity of ball-milled $\text{MoO}_3$ as anode materials for lithium-ion batteries. <i>Journal of Power Sources</i> , <b>2009</b> , 188, 286-291	8.9	114
3	Reversible Lithium-Ion Insertion in Molybdenum Oxide Nanoparticles. <i>Advanced Materials</i> , <b>2008</b> , 20, 3627-3632 <sup>3.04</sup>		
2	Effect of Amorphous LiPON Coating on Electrochemical Performance of $\text{LiNi}_{0.8}\text{Mn}_{0.1}\text{Co}_{0.1}\text{O}_2$ (NMC811) in All Solid-State Batteries. <i>Journal of the Electrochemical Society</i> ,	3.9	7
1	Helical Covalent Polymers with Unidirectional Ion Channels as Single Lithium-Ion Conducting Electrolytes. <i>CCS Chemistry</i> , 2762-2770	7.2	3