

Juan Antonio Raga

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8467647/publications.pdf>

Version: 2024-02-01

218
papers

5,823
citations

87723

38
h-index

128067

60
g-index

223
all docs

223
docs citations

223
times ranked

4093
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Emerging infectious diseases in cetaceans worldwide and the possible role of environmental stressors. <i>Diseases of Aquatic Organisms</i> , 2009, 86, 143-157. | 0.5 | 256 |
| 2 | Marine debris ingestion in loggerhead sea turtles, <i>Caretta caretta</i> , from the Western Mediterranean. <i>Marine Pollution Bulletin</i> , 2002, 44, 211-216. | 2.3 | 210 |
| 3 | Cetacean Morbillivirus: Current Knowledge and Future Directions. <i>Viruses</i> , 2014, 6, 5145-5181. | 1.5 | 195 |
| 4 | Diet of the bottlenose dolphin (<i>Tursiops truncatus</i>) in the western Mediterranean Sea. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2001, 81, 1053-1058. | 0.4 | 136 |
| 5 | A review of virus infections of cetaceans and the potential impact of morbilliviruses, poxviruses and papillomaviruses on host population dynamics. <i>Diseases of Aquatic Organisms</i> , 1999, 38, 53-65. | 0.5 | 127 |
| 6 | Dolphin Morbillivirus Epizootic Resurgence, Mediterranean Sea. <i>Emerging Infectious Diseases</i> , 2008, 14, 471-473. | 2.0 | 121 |
| 7 | Feeding ecology of the loggerhead turtle <i>Caretta caretta</i> in the western Mediterranean. <i>Journal of Zoology</i> , 2001, 255, 525-532. | 0.8 | 120 |
| 8 | An insight into the epidemiology of dolphin morbillivirus worldwide. <i>Veterinary Microbiology</i> , 2001, 81, 287-304. | 0.8 | 86 |
| 9 | Bycatch of loggerhead sea turtles: insights from 14 years of stranding data. <i>Endangered Species Research</i> , 2008, 5, 161-169. | 1.2 | 86 |
| 10 | Abundance of small cetaceans in waters of the central Spanish Mediterranean. <i>Marine Biology</i> , 2006, 150, 149-160. | 0.7 | 84 |
| 11 | Living Together but Remaining Apart: Atlantic and Mediterranean Loggerhead Sea Turtles (<i>Caretta</i>) | 1.0 | 70 |
| 12 | Effects of the gill parasite <i>Zeuxapta seriolae</i> (Monogenea: Heteraxinidae) on the amberjack <i>Seriola dumerili</i> Risso (Teleostei: Carangidae). <i>Aquaculture</i> , 2004, 232, 153-163. | 1.7 | 68 |
| 13 | STATUS OF CORYNOSOMA (ACANTHOCEPHALA: POLYMORPHIDAE) BASED ON ANATOMICAL, ECOLOGICAL, AND PHYLOGENETIC EVIDENCE, WITH THE ERECTION OF PSEUDOCORYNOSOMA N. GEN. <i>Journal of Parasitology</i> , 2006, 92, 548-564. | 0.3 | 65 |
| 14 | Epidemiological pattern of tattoo skin disease: a potential general health indicator for cetaceans. <i>Diseases of Aquatic Organisms</i> , 2009, 85, 225-237. | 0.5 | 63 |
| 15 | Diet of Risso's dolphin (<i>Grampus griseus</i>) in the western Mediterranean Sea. <i>Scientia Marina</i> , 2006, 70, 407-411. | 0.3 | 63 |
| 16 | Macroparasites in stranded and bycaught harbour porpoises from German and Norwegian waters. <i>Diseases of Aquatic Organisms</i> , 2005, 64, 265-269. | 0.5 | 62 |
| 17 | The effects of inbreeding on mortality during a morbillivirus outbreak in the Mediterranean striped dolphin (<i>Stenella coeruleoalba</i>). <i>Animal Conservation</i> , 2004, 7, 139-146. | 1.5 | 61 |
| 18 | Fine-scale distribution of juvenile Atlantic and Mediterranean loggerhead turtles (<i>Caretta caretta</i>) in the Mediterranean Sea. <i>Marine Biology</i> , 2014, 161, 509-519. | 0.7 | 60 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Morbillivirus infection in Mediterranean striped dolphins (<i>Stenella coeruleoalba</i>). <i>Veterinary Record</i> , 1991, 129, 471-472. | 0.2 | 60 |
| 20 | Seroprevalence of <i>Toxoplasma gondii</i> Antibodies in Wild Dolphins From the Spanish Mediterranean Coast. <i>Journal of Parasitology</i> , 2004, 90, 643-644. | 0.3 | 55 |
| 21 | Determining suitable fish to monitor plastic ingestion trends in the Mediterranean Sea. <i>Environmental Pollution</i> , 2019, 247, 1071-1077. | 3.7 | 55 |
| 22 | Insight into the role of cetaceans in the life cycle of the tetraphyllideans (Platyhelminthes: Cestoda). <i>International Journal for Parasitology</i> , 2007, 37, 243-255. | 1.3 | 53 |
| 23 | Cephalopods in the diet of the striped dolphin <i>Stenella coeruleoalba</i> from the western Mediterranean during an epizootic in 1990. <i>Journal of Zoology</i> , 1995, 237, 151-158. | 0.8 | 52 |
| 24 | Serological evidence of <i>Brucella</i> species infection in odontocetes from the south Pacific and the Mediterranean. <i>Veterinary Record</i> , 2001, 148, 657-661. | 0.2 | 51 |
| 25 | Parasite communities in <i>Boops boops</i> (L.) (Sparidae) after the Prestige oil-spill: Detectable alterations. <i>Marine Pollution Bulletin</i> , 2007, 54, 266-276. | 2.3 | 51 |
| 26 | Not everything is everywhere: the distance decay of similarity in a marine host-parasite system. <i>Journal of Biogeography</i> , 2009, 36, 200-209. | 1.4 | 51 |
| 27 | Abundance and distribution of the endangered loggerhead turtle in Spanish Mediterranean waters and the conservation implications. <i>Animal Conservation</i> , 2006, 9, 199-206. | 1.5 | 50 |
| 28 | Two decades of monitoring in marine debris ingestion in loggerhead sea turtle, <i>Caretta caretta</i> , from the western Mediterranean. <i>Environmental Pollution</i> , 2019, 244, 367-378. | 3.7 | 49 |
| 29 | Genetic differentiation in the striped dolphin <i>Stenella coeruleoalba</i> from European waters according to mitochondrial DNA (mtDNA) restriction analysis. <i>Molecular Ecology</i> , 1999, 8, 1069-1073. | 2.0 | 48 |
| 30 | Assessing cetacean surveys throughout the Mediterranean Sea: a gap analysis in environmental space. <i>Scientific Reports</i> , 2018, 8, 3126. | 1.6 | 47 |
| 31 | Composition and structure of the parasite faunas of cod, <i>Gadus morhua</i> L. (Teleostei: Gadidae), in the North East Atlantic. <i>Parasites and Vectors</i> , 2008, 1, 23. | 1.0 | 46 |
| 32 | Using <i>Boops boops</i> (osteichthyes) to assess microplastic ingestion in the Mediterranean Sea. <i>Marine Pollution Bulletin</i> , 2020, 158, 111397. | 2.3 | 46 |
| 33 | Fish Health and Fisheries, Implications for Stock Assessment and Management: The Mediterranean Example. <i>Reviews in Fisheries Science</i> , 2012, 20, 165-180. | 2.1 | 45 |
| 34 | Speciation of the <i>Paradeontacylix</i> spp. (Sanguinicolidae) of <i>Seriola dumerili</i> . Two new species of the genus <i>Paradeontacylix</i> from the Mediterranean. <i>Parasitology International</i> , 2008, 57, 405-414. | 0.6 | 44 |
| 35 | Independent host switching events by digenean parasites of cetaceans inferred from ribosomal DNA. <i>International Journal for Parasitology</i> , 2015, 45, 167-173. | 1.3 | 43 |
| 36 | Effect of depth of neuromuscular blockade on the abdominal space during pneumoperitoneum establishment in laparoscopic surgery. <i>Journal of Clinical Anesthesia</i> , 2016, 34, 197-203. | 0.7 | 43 |

| # | ARTICLE | IF | CITATIONS |
|----|---|----------|-----------|
| 37 | Parasites in harbour seals (<i>Phoca vitulina</i>) from the German Wadden Sea between two Phocine Distemper Virus epidemics. <i>Helgoland Marine Research</i> , 2007, 61, 239-245. | 1.3 | 42 |
| 38 | Understanding myxozoan infection dynamics in the sea: Seasonality and transmission of <i>Ceratomyxa punctazzi</i> . <i>International Journal for Parasitology</i> , 2013, 43, 771-780. | 1.3 | 42 |
| 39 | Evaluating the presence of microplastics in striped dolphins (<i>Stenella coeruleoalba</i>) stranded in the Western Mediterranean Sea. <i>Marine Pollution Bulletin</i> , 2020, 160, 111557. | 2.3 | 42 |
| 40 | Changes in epizoic crustacean infestations during cetacean die-offs: the mass mortality of Mediterranean striped dolphins <i>Stenella coeruleoalba</i> revisited. <i>Diseases of Aquatic Organisms</i> , 2005, 67, 239-247. | 0.5 | 41 |
| 41 | Phylogenetic relationships of the family Campulidae (Trematoda) based on 18S rRNA sequences. <i>Parasitology</i> , 1998, 117, 383-391. | 0.7 | 40 |
| 42 | Migratory patterns in hawksbill turtles described by satellite tracking. <i>Marine Ecology - Progress Series</i> , 2012, 461, 223-232. | 0.9 | 40 |
| 43 | Estimating trematode prevalence in snail hosts using a single-step duplex PCR: how badly does cercarial shedding underestimate infection rates?. <i>Parasites and Vectors</i> , 2014, 7, 243. | 1.0 | 40 |
| 44 | Host-parasite relationship of <i>Ceratomyxa punctazzi</i> n. sp. (Myxozoa: Myxosporidia) and sharpnose seabream <i>Diplodus puntazzo</i> (Walbaum, 1792) from the Mediterranean with first data on ceratomyxid host specificity in sparids. <i>Veterinary Parasitology</i> , 2011, 182, 181-192. | 0.7 | 39 |
| 45 | <i>Skoulekia meningialis</i> n. gen., n. sp. (Digenea: Aporocotylidae Odhner, 1912) a parasite surrounding the brain of the Mediterranean common two-banded seabream <i>Diplodus vulgaris</i> (Geoffroy Saint-Hilaire, 1800). <i>Parasitology International</i> , 2011, 60, 34-44. | 0.784314 | 39 |
| 46 | Are epizootics biological indicators of a western Mediterranean striped dolphin die-off?. <i>Diseases of Aquatic Organisms</i> , 1994, 18, 159-163. | 0.5 | 38 |
| 47 | Random forests, a novel approach for discrimination of fish populations using parasites as biological tags. <i>International Journal for Parasitology</i> , 2008, 38, 1425-1434. | 1.3 | 37 |
| 48 | Molecular and morphological identification of larval opecoelids (Digenea: Opecoelidae) parasitising prosobranch snails in a Western Mediterranean lagoon. <i>Parasitology International</i> , 2012, 61, 450-460. | 0.6 | 37 |
| 49 | Molecular phylogeny of the families Campulidae and Nasitremitidae (Trematoda) based on mtDNA sequence comparison. Note: Nucleotide sequence data reported in this paper are available in the embi, GenBank™ and DDBJ data bases under the accession numbers AF034551, AF034552, AF034553, AF034554, AF034555, AF034556 and AF034557. <i>International Journal for Parasitology</i> , 1998, 28, 767-775. | 1.3 | 36 |
| 50 | Descriptions of some unusual digeneans from <i>Boops boops</i> L. (Sparidae) and a complete checklist of its metazoan parasites. <i>Systematic Parasitology</i> , 2007, 66, 137-157. | 0.5 | 36 |
| 51 | Helminth communities of loggerhead turtles (<i>Caretta caretta</i>) from Central and Western Mediterranean Sea: The importance of host's ontogeny. <i>Parasitology International</i> , 2010, 59, 367-375. | 0.6 | 36 |
| 52 | Morphological and molecular characterization of tetrathyllidean merocercoids (Platyhelminthes: Tetrathyllidae). <i>Parasitology International</i> , 2005, 130, 461-474. | 0.7 | 35 |
| 53 | <i>Cardicola aurata</i> sp. n. (Digenea: Sanguinicolidae) from Mediterranean <i>Sparus aurata</i> L. (Teleostei). <i>Parasitology International</i> , 2008, 57, 472-482. | 0.6 | 35 |
| 54 | Molecules and morphology reveal cryptic variation among digeneans infecting sympatric mullets in the Mediterranean. <i>Parasitology</i> , 2010, 137, 287-302. | 0.7 | 34 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Helminths as biological tags for franciscana (<i>Pontoporia blainvillei</i>) (Cetacea, Pontoporiidae) in Argentinian and Uruguayan waters. <i>Mammalia</i> , 1995, 59, . | 0.3 | 32 |
| 56 | Bioko: critically important nesting habitat for sea turtles of West Africa. <i>Biodiversity and Conservation</i> , 2010, 19, 2699-2714. | 1.2 | 32 |
| 57 | The challenge of habitat modelling for threatened low density species using heterogeneous data: The case of Cuvier's beaked whales in the Mediterranean. <i>Ecological Indicators</i> , 2018, 85, 128-136. | 2.6 | 32 |
| 58 | Helminth parasites of the digestive tract of the harbour porpoise <i>Phocoena phocoena</i> in Danish waters: a comparative geographical analysis. <i>Diseases of Aquatic Organisms</i> , 1997, 28, 163-167. | 0.5 | 32 |
| 59 | Comparing cetacean abundance estimates derived from spatial models and design-based line transect methods. <i>Marine Ecology - Progress Series</i> , 2007, 329, 289-299. | 0.9 | 32 |
| 60 | Helminth communities of <i>Pontoporia blainvillei</i> (Cetacea: Pontoporiidae) in Argentinian waters. <i>Canadian Journal of Zoology</i> , 1994, 72, 702-706. | 0.4 | 31 |
| 61 | Halfway up the trophic chain: development of parasite communities in the sparid fish <i>Boops boops</i> . <i>Parasitology</i> , 2008, 135, 257-268. | 0.7 | 31 |
| 62 | Who's better at spotting? A comparison between aerial photography and observer-based methods to monitor floating marine litter and marine mega-fauna. <i>Environmental Pollution</i> , 2020, 258, 113680. | 3.7 | 31 |
| 63 | Morbillivirus threat to Mediterranean monk seals?. <i>Veterinary Record</i> , 1992, 130, 141-142. | 0.2 | 31 |
| 64 | Intestinal helminths as indicators of segregation and social structure of pods of long-finned pilot whales (<i>Globicephala melas</i>) off the Faeroe Islands. <i>Canadian Journal of Zoology</i> , 1994, 72, 443-448. | 0.4 | 30 |
| 65 | Cephalopod prey of two <i>Ziphius cavirostris</i> (Cetacea) stranded on the western Mediterranean coast. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2000, 80, 381-382. | 0.4 | 30 |
| 66 | Trace metals in tissues of gray whale (<i>Eschrichtius robustus</i>) carcasses from the Northern Pacific Mexican Coast. <i>Marine Pollution Bulletin</i> , 2002, 44, 217-221. | 2.3 | 30 |
| 67 | Sex ratios of juvenile loggerhead sea turtles <i>Caretta caretta</i> in the Mediterranean Sea. <i>Marine Ecology - Progress Series</i> , 2006, 324, 281-285. | 0.9 | 30 |
| 68 | Gastrointestinal helminths of Commerson's dolphins <i>Cephalorhynchus commersonii</i> from central Patagonia and Tierra del Fuego. <i>Diseases of Aquatic Organisms</i> , 2001, 47, 201-208. | 0.5 | 29 |
| 69 | Influence of environmental factors on small cetacean distribution in the Spanish Mediterranean. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2008, 88, 1185-1192. | 0.4 | 29 |
| 70 | Evaluating the importance of Marine Protected Areas for the conservation of hawksbill turtles <i>Eretmochelys imbricata</i> nesting in the Dominican Republic. <i>Endangered Species Research</i> , 2015, 27, 169-180. | 1.2 | 29 |
| 71 | Epibiont communities of loggerhead marine turtles (<i>Caretta caretta</i>) in the western Mediterranean: influence of geographic and ecological factors. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2015, 95, 851-861. | 0.4 | 28 |
| 72 | Assessing host-parasite specificity through coprological analysis: a case study with species of <i>Corynosoma</i> (Acanthocephala: Polymorphidae) from marine mammals. <i>Journal of Helminthology</i> , 2012, 86, 156-164. | 0.4 | 27 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Intestinal helminth fauna of the South American sea lion <i>Otaria flavescens</i> and fur seal <i>Arctocephalus australis</i> from northern Patagonia, Argentina. <i>Journal of Helminthology</i> , 2013, 87, 336-347. | 0.4 | 27 |
| 74 | Post-epizootic chronic dolphin morbillivirus infection in Mediterranean striped dolphins <i>Stenella coeruleoalba</i> . <i>Diseases of Aquatic Organisms</i> , 2011, 96, 187-194. | 0.5 | 27 |
| 75 | Gastrointestinal Helminths of Loggerhead Turtles (<i>Caretta caretta</i>) from the Western Mediterranean: Constraints on Community Structure. <i>Journal of Parasitology</i> , 1998, 84, 474. | 0.3 | 26 |
| 76 | GASTROINTESTINAL HELMINTHS OF THE DUSKY DOLPHIN, <i>LAGENORHYNCHUS OBSCURUS</i> (GRAY, 1828), OFF PATAGONIA, IN THE SOUTHWESTERN ATLANTIC. <i>Marine Mammal Science</i> , 1999, 15, 649-660. | 0.9 | 26 |
| 77 | Recruitment, population structure, and habitat selection of <i>Corynosoma australe</i> (Acanthocephala) in South American fur seals, <i>Arctocephalus australis</i> , from Uruguay. <i>Canadian Journal of Zoology</i> , 2004, 82, 726-733. | 0.4 | 25 |
| 78 | A NEW CYSTIDICOLID NEMATODE FROM <i>MULLUS SURMULETUS</i> (PERCIFORMES: MULLIDAE) FROM THE WESTERN MEDITERRANEAN. <i>Journal of Parasitology</i> , 2005, 91, 335-344. | 0.3 | 25 |
| 79 | Ecology and host relationships of the whale-louse <i>Isocyamus delphini</i> (Amphipoda: Cyamidae) parasitizing long-finned pilot whales (<i>Globicephala melas</i>) off the Faroe Islands (Northeast Atlantic). <i>Canadian Journal of Zoology</i> , 1991, 69, 141-145. | 0.4 | 24 |
| 80 | TETRAPHYLLIDEAN PLEROCERCOIDS FROM WESTERN MEDITERRANEAN CETACEANS AND OTHER MARINE MAMMALS AROUND THE WORLD: A COMPREHENSIVE MORPHOLOGICAL ANALYSIS. <i>Journal of Parasitology</i> , 2005, 91, 83-92. | 0.3 | 24 |
| 81 | Parasite infracommunities as predictors of harvest location of bogue (<i>Boops boops</i> L.): a pilot study using statistical classifiers. <i>Fisheries Research</i> , 2005, 72, 229-239. | 0.9 | 24 |
| 82 | Parasites. <i>Veterinary Clinics of North America - Food Animal Practice</i> , 1994, 10, 239-247. | 0.5 | 23 |
| 83 | Preliminary patterns of distribution and abundance of loggerhead sea turtles, <i>Caretta caretta</i> , around Columbretes Islands Marine Reserve, Spanish Mediterranean. <i>Marine Biology</i> , 2003, 143, 817-823. | 0.7 | 23 |
| 84 | 3D Morphology, Ultrastructure and Development of <i>Ceratomyxa puntazzi</i> Stages: First Insights into the Mechanisms of Motility and Budding in the Myxozoa. <i>PLoS ONE</i> , 2012, 7, e32679. | 1.1 | 23 |
| 85 | From mammals back to birds: Host-switch of the acanthocephalan <i>Corynosoma australe</i> from pinnipeds to the Magellanic penguin <i>Spheniscus magellanicus</i> . <i>PLoS ONE</i> , 2017, 12, e0183809. | 1.1 | 23 |
| 86 | Causes of cetacean stranding and death on the Catalan coast (western Mediterranean Sea), 2012-2019. <i>Diseases of Aquatic Organisms</i> , 2020, 142, 239-253. | 0.5 | 23 |
| 87 | Anisakid Larvae in the Musculature of the Argentinean Hake, <i>Merluccius hubbsi</i> . <i>Journal of Food Protection</i> , 2000, 63, 1141-1143. | 0.8 | 22 |
| 88 | PARASITE COMMUNITIES OF COMMON DOLPHINS (<i>DELPHINUS DELPHIS</i>) FROM PATAGONIA: THE RELATION WITH HOST DISTRIBUTION AND DIET AND COMPARISON WITH SYMPATRIC HOSTS. <i>Journal of Parasitology</i> , 2007, 93, 1056-1060. | 0.3 | 22 |
| 89 | Parasites in Stranded Cetaceans of Patagonia. <i>Journal of Parasitology</i> , 2008, 94, 946-948. | 0.3 | 22 |
| 90 | <i>Aporocotyle mariachristinae</i> n. sp., and <i>A. Ymakara</i> Villalba & Fernández, 1986 (Digenea). <i>Tj ETQq0 0 0 rgBT /Overlock</i> Patagonia, Argentina. <i>Parasite</i> , 2012, 19, 319-330. | 0.8 | 22 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Intestinal helminth communities of the long-finned pilot whale (<i>Globicephala melas</i>) off the Faroe Islands. <i>Parasitology</i> , 1993, 106, 327-333. | 0.7 | 21 |
| 92 | <i>Uncinaria hamiltoni</i> (Nematoda: Ancylostomatidae) in South American Sea Lions, <i>Otaria flavescens</i> , From Northern Patagonia, Argentina. <i>Journal of Parasitology</i> , 2004, 90, 860-863. | 0.3 | 21 |
| 93 | Distribution of <i>Pholeter gastrophilus</i> (Digenea) within the stomach of four odontocete species: the role of the diet and digestive physiology of hosts. <i>Parasitology</i> , 2006, 133, 369-380. | 0.7 | 21 |
| 94 | Potential bycatch impact on distinct sea turtle populations is dependent on fishing ground rather than gear type in the Mediterranean Sea. <i>Marine Biology</i> , 2016, 163, 1. | 0.7 | 21 |
| 95 | An optimised multi-host trematode life cycle: fishery discards enhance trophic parasite transmission to scavenging birds. <i>International Journal for Parasitology</i> , 2016, 46, 745-753. | 1.3 | 21 |
| 96 | Abundanceâ€“variance and abundanceâ€“occupancy relationships in a marine hostâ€“parasite system: The importance of taxonomy and ecology of transmission. <i>International Journal for Parasitology</i> , 2011, 41, 1361-1370. | 1.3 | 20 |
| 97 | Intestinal Helminth Fauna of Bottlenose Dolphin <i>Tursiops truncatus</i> and Common Dolphin <i>Delphinus delphis</i> from the Western Mediterranean. <i>Journal of Parasitology</i> , 2013, 99, 576-579. | 0.3 | 20 |
| 98 | Diet of <i>Balaenophilus</i> spp. (Copepoda: Harpacticoida): feeding on keratin at sea?. <i>Marine Biology</i> , 2007, 151, 751-758. | 0.7 | 19 |
| 99 | Is the Spanish coast within the regular nesting range of the Mediterranean loggerhead sea turtle (<i>Caretta caretta</i>)?. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2008, 88, 1509-1512. | 0.4 | 19 |
| 100 | Follow-up trends of parasite community alteration in a marine fish after the Prestige oil-spill: Shifting baselines?. <i>Environmental Pollution</i> , 2009, 157, 221-228. | 3.7 | 19 |
| 101 | Lousy mums: patterns of vertical transmission of an amphibious louse. <i>Parasitology Research</i> , 2013, 112, 3315-3323. | 0.6 | 19 |
| 102 | The role of lantern fish (Myctophidae) in the life-cycle of cetacean parasites from western Mediterranean waters. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , 2015, 95, 115-121. | 0.6 | 19 |
| 103 | Evolutionary relationships between digeneans of the family Brachycladiidae Odhner, 1905 and their marine mammal hosts: A cophylogenetic study. <i>Parasitology International</i> , 2016, 65, 209-217. | 0.6 | 19 |
| 104 | Long-term changes (1990-2012) in the diet of striped dolphins <i>Stenella coeruleoalba</i> from the western Mediterranean. <i>Marine Ecology - Progress Series</i> , 2017, 568, 231-247. | 0.9 | 19 |
| 105 | Population dynamics of <i>Antarctophthirus microchir</i> (Anoplura: Echinophthiriidae) in pups from South American sea lion, <i>Otaria flavescens</i> , in Northern Patagonia. <i>Parasitology</i> , 2009, 136, 293-303. | 0.7 | 18 |
| 106 | Protected areas host important remnants of marine turtle nesting stocks in the Dominican Republic. <i>Oryx</i> , 2012, 46, 348-358. | 0.5 | 18 |
| 107 | Niche partitioning amongst northwestern Mediterranean cetaceans using stable isotopes. <i>Progress in Oceanography</i> , 2021, 193, 102559. | 1.5 | 18 |
| 108 | Notes: FOOD AND PARASITES FROM TWO HOURGLASS DOLPHINS, <i>LAGENORHYNCHUS CRUCIGER</i> (QUOY) Tj ET Oq0 0 0 rgBT /Overloc | 0.9 | 17 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Gastrointestinal helminths of Risso's dolphin <i>Grampus griseus</i> from the Western Mediterranean. <i>Diseases of Aquatic Organisms</i> , 2003, 55, 73-76. | 0.5 | 17 |
| 110 | Redescription of <i>Antarctophthirus microchir</i> (Anoplura: Echinophthiriidae) from the South American Sea Lion, <i>Otaria flavescens</i> , from Patagonia, Argentina. <i>Journal of Parasitology</i> , 2009, 95, 1086-1092. | 0.3 | 17 |
| 111 | A New Species of <i>Ascocotyle</i> (Trematoda: Heterophyidae) from the South American Sea Lion, <i>Otaria flavescens</i> , Off Patagonia, Argentina. <i>Journal of Parasitology</i> , 2012, 98, 810-816. | 0.3 | 17 |
| 112 | Living on the Edge: Settlement Patterns by the Symbiotic Barnacle <i>Xenobalanus globicipitis</i> on Small Cetaceans. <i>PLoS ONE</i> , 2015, 10, e0127367. | 1.1 | 17 |
| 113 | Come rain or come shine: environmental effects on the infective stages of <i>Sparicotyle chrysophrii</i> , a key pathogen in Mediterranean aquaculture. <i>Parasites and Vectors</i> , 2018, 11, 558. | 1.0 | 17 |
| 114 | Constructional morphology and mode of attachment of the trunk of <i>Corynosoma cetaceum</i> (Acanthocephala: Polymorphidae). <i>Journal of Morphology</i> , 1999, 241, 237-249. | 0.6 | 16 |
| 115 | Endoparasites of the blue whiting, <i>Micromesistius poutassou</i> from north-west Spain. <i>Journal of Helminthology</i> , 2005, 79, 15-21. | 0.4 | 16 |
| 116 | Parasites as fish population tags and pseudoreplication problems: the case of striped red mullet <i>Mullus surmuletus</i> in the Spanish Mediterranean. <i>Journal of Helminthology</i> , 2007, 81, 169-178. | 0.4 | 16 |
| 117 | Oncomiracidial development, survival and swimming behaviour of the monogenean <i>Sparicotyle chrysophrii</i> (Van Beneden and Hesse, 1863). <i>Aquaculture</i> , 2012, 338-341, 47-55. | 1.7 | 16 |
| 118 | Description, microhabitat selection and infection patterns of sealworm larvae (<i>Pseudoterranova</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 3 <i>Vectors</i> , 2013, 6, 252. | 1.0 | 16 |
| 119 | <i>Skoulekia erythrini</i> n. sp. (Digenea: Aporocotylidae): a parasite of <i>Pagellus erythrinus</i> (L.) (Perciformes:) Tj ETQq1 1 0.784314 rgBT /Over <i>Parasitology</i> , 2017, 94, 669-688. | 0.5 | 16 |
| 120 | Considerations on the taxonomy and morphology of <i>Microcotyle</i> spp.: redescription of <i>M. erythrini</i> van Beneden & Hesse, 1863 (sensu stricto) (Monogenea: Microcotylidae) and the description of a new species from <i>Dentex dentex</i> (L.) (Teleostei: Sparidae). <i>Parasites and Vectors</i> , 2020, 13, 45. | 1.0 | 16 |
| 121 | MITOCHONDRIAL DNA VARIABILITY OF STRIPED DOLPHINS (<i>STENELLA COERULEOALBA</i>) IN THE SPANISH MEDITERRANEAN WATERS. <i>Marine Mammal Science</i> , 1995, 11, 183-199. | 0.9 | 15 |
| 122 | <i>Polymorphus arctocephali</i> Smales, 1986, a synonym of <i>Corynosoma cetaceum</i> Johnston & Best, 1942 (Acanthocephala: Polymorphidae). <i>Systematic Parasitology</i> , 1999, 44, 61-72. | 0.5 | 15 |
| 123 | POPULATION STRUCTURE OF <i>ANISAKIS SIMPLEX</i> (NEMATODA) IN HARBOR PORPOISES <i>PHOCOENA PHOCOENA</i> OFF DENMARK. <i>Journal of Parasitology</i> , 2004, 90, 933-938. | 0.3 | 15 |
| 124 | Morphological and molecular redescription of the myxozoan <i>Unicapsula pflugfelderi</i> Schubert, Sprague & Reinboth 1975 from two teleost hosts in the Mediterranean. A review of the genus <i>Unicapsula</i> Davis 1924. <i>Journal of Fish Diseases</i> , 2009, 32, 335-350. | 0.9 | 15 |
| 125 | Transmission of <i>Corynosoma australe</i> (Acanthocephala: Polymorphidae) from fishes to South American sea lions <i>Otaria flavescens</i> in Patagonia, Argentina. <i>Parasitology Research</i> , 2019, 118, 433-440. | 0.6 | 15 |
| 126 | Parasites as indicators of social structure and stock identity of marine mammals. , 1995, , 133-139. | | 14 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Ontogenetic Habitat Selection by <i>Hadwenius pontoporiae</i> (Digenea: Campulidae) in the Intestine of Franciscanas (Cetacea). <i>Journal of Parasitology</i> , 1997, 83, 13. | 0.3 | 14 |
| 128 | A revision of the Haploporinae Nicoll, 1914 (Digenea: Haploporidae) from mullets (Mugilidae): <i>Dicrogaster</i> Looss, 1902 and <i>Forticulcita</i> Overstreet, 1982. <i>Systematic Parasitology</i> , 2009, 72, 187-206. | 0.5 | 14 |
| 129 | Comparative study of the three attachment mechanisms of diplectanid monogeneans. <i>Aquaculture</i> , 2011, 318, 290-299. | 1.7 | 14 |
| 130 | Epizootic of dolphin morbillivirus on the Catalanian Mediterranean coast in 2007. <i>Veterinary Record</i> , 2011, 169, 102-102. | 0.2 | 14 |
| 131 | Scanning electron microscopy of <i>Antarctophthirus microchir</i> (Phthiraptera: Anoplura): Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 583 | 1.1 | 14 |
| 132 | Mediterranean <i>Diplodus annularis</i> (Teleostei: Sparidae) and its brain parasite: Unforeseen outcome. <i>Parasitology International</i> , 2005, 54, 201-206. | 0.6 | 13 |
| 133 | A revision of the species of <i>Saturnius</i> Manter, 1969 (Digenea: Hemiuridae), parasites of mullets (Teleostei: Mugilidae). <i>Systematic Parasitology</i> , 2008, 71, 53-74. | 0.5 | 13 |
| 134 | Biogeography and temporal progression during the evolution of striped dolphin population structure in European waters. <i>Journal of Biogeography</i> , 2017, 44, 2681-2691. | 1.4 | 13 |
| 135 | Contextualising the Last Survivors: Population Structure of Marine Turtles in the Dominican Republic. <i>PLoS ONE</i> , 2013, 8, e66037. | 1.1 | 13 |
| 136 | Gastrointestinal Helminths of Cuvier's Beaked Whales, <i>Ziphius cavirostris</i> , From the Western Mediterranean. <i>Journal of Parasitology</i> , 2004, 90, 418-420. | 0.3 | 12 |
| 137 | Descriptions of <i>Wardula bartolii</i> n. sp. (Digenea: Mesometridae) and three newly recorded accidental parasites of <i>Boops boops</i> L. (Sparidae) in the NE Atlantic. <i>Systematic Parasitology</i> , 2006, 63, 97-107. | 0.5 | 12 |
| 138 | A revision of the Haploporinae Nicoll, 1914 (Digenea: Haploporidae) from mullets (Mugilidae): <i>Saccocoelium</i> Looss, 1902. <i>Systematic Parasitology</i> , 2009, 72, 159-186. | 0.5 | 12 |
| 139 | Post-larval development of the microcotylid monogenean <i>Sparicotyle chrysophrii</i> (Van Beneden and) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 583 <i>Parasitology International</i> , 2011, 60, 512-520. | 0.6 | 12 |
| 140 | Host specificity of <i>Oschmarinella rochebruni</i> and <i>Brachycladium atlanticum</i> (Digenea: Brachycladiidae) in five cetacean species from western Mediterranean waters. <i>Journal of Helminthology</i> , 2011, 85, 12-19. | 0.4 | 12 |
| 141 | Patterns of trunk spine growth in two congeneric species of acanthocephalan: investment in attachment may differ between sexes and species. <i>Parasitology</i> , 2012, 139, 945-955. | 0.7 | 12 |
| 142 | Risk assessment for parasites in cultures of <i>Diplodus puntazzo</i> (Sparidae) in the Western Mediterranean: Prospects of cross infection with <i>Sparus aurata</i> . <i>Veterinary Parasitology</i> , 2014, 204, 120-133. | 0.7 | 12 |
| 143 | Taxonomic status and epidemiology of the mesoparasitic copepod <i>Pennella balaenoptera</i> in cetaceans from the western Mediterranean. <i>Diseases of Aquatic Organisms</i> , 2018, 128, 249-258. | 0.5 | 12 |
| 144 | Biometric variability of <i>Hadwenius tursionis</i> (Marchi, 1873) (Digenea, Campulidae) from the intestine of the bottlenose dolphin <i>Tursiops truncatus</i> (Montagu, 1821). <i>Systematic Parasitology</i> , 1995, 30, 67-76. | 0.5 | 11 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 145 | Population Structure and Habitat Selection by <i>Anisakis simplex</i> in 4 Odontocete Species from Northern Argentina. <i>Comparative Parasitology</i> , 2003, 70, 66-71. | 0.0 | 11 |
| 146 | Reduction and variability of trunk spines in the acanthocephalan <i>Corynosoma cetaceum</i> : the role of physical constraints on attachment. <i>Invertebrate Biology</i> , 2002, 121, 104-114. | 0.3 | 11 |
| 147 | Development and habitat selection of a new sanguinicolid parasite of cultured greater amberjack, <i>Seriola dumerili</i> , in the Mediterranean. <i>Aquaculture</i> , 2009, 288, 132-139. | 1.7 | 11 |
| 148 | Discrimination of fish populations using parasites: Random Forests on a "predictable" host-parasite system. <i>Parasitology</i> , 2010, 137, 1833-1847. | 0.7 | 11 |
| 149 | Transmission and Predictors of Burden of Lungworms of the Striped Dolphin (<i>Stenella coeruleoalba</i>) in the Western Mediterranean. <i>Journal of Wildlife Diseases</i> , 2020, 56, 186. | 0.3 | 11 |
| 150 | To Swim or Not to Swim: Potential Transmission of <i>Balaenophilus manatorum</i> (Copepoda: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 542 Td | 1.1 | 11 |
| 151 | Three species of <i>Magnibursatus</i> Naidenova, 1969 (Digenea: Derogenidae) from Atlantic and Black Sea marine teleosts. <i>Folia Parasitologica</i> , 2003, 50, 202-210. | 0.7 | 11 |
| 152 | Le dauphin de Fraser, <i>Lagenodelphis hosei</i> (Cetacea, Odontoceti), esp"ce nouvelle pour la faune d"Europe. <i>Mammalia</i> , 1986, 50, . | 0.3 | 10 |
| 153 | A new species of the genus <i>Zalophotrema</i> (Digenea: Campulidae), <i>Zalophotrema atlanticum</i> n. sp., from the liver of the striped dolphin <i>Stenella coeruleoalba</i> (Meyen, 1833) (Cetacea: Delphinidae) in Atlantic waters. <i>Systematic Parasitology</i> , 1991, 18, 133-138. | 0.5 | 10 |
| 154 | <i>Hadwenius tursionis</i> (Marchi, 1873) n. comb. (Digenea, Campulidae) from the bottlenose dolphin <i>Tursiops truncatus</i> (Montagu, 1821) in the western Mediterranean. <i>Systematic Parasitology</i> , 1994, 28, 223-228. | 0.5 | 10 |
| 155 | <i>Saturnius minutus</i> n. sp. and <i>S. dimitrovi</i> n. sp. (Digenea: Hemiuridae) from <i>Mugil cephalus</i> L. (Teleostei: Tj ETQq1 1 0.784314 rgBT /Ov Manter, 1969. <i>Systematic Parasitology</i> , 2006, 65, 77-91. | 0.5 | 10 |
| 156 | Life begins when the sea lion is ashore: microhabitat use by a louse living on a diving mammal host. <i>Bulletin of Entomological Research</i> , 2012, 102, 444-452. | 0.5 | 10 |
| 157 | Intestinal helminth fauna of striped dolphins (<i>Stenella coeruleoalba</i>) in the western Mediterranean: No effects of host body length, age and sex. <i>Marine Mammal Science</i> , 2014, 30, 961-977. | 0.9 | 10 |
| 158 | Same host, same lagoon, different transmission pathways: effects of exogenous factors on larval emergence in two marine digenean parasites. <i>Parasitology Research</i> , 2014, 113, 545-554. | 0.6 | 10 |
| 159 | Assessing the efficacy of direct conservation interventions: clutch protection of the leatherback marine turtle in the Dominican Republic. <i>Oryx</i> , 2015, 49, 677-686. | 0.5 | 10 |
| 160 | Neither <i>Diplectanum</i> nor specific: a dramatic twist to the taxonomic framework of <i>Diplectanum</i> (Monogenea: Diplectanidae). <i>International Journal for Parasitology</i> , 2019, 49, 365-374. | 1.3 | 10 |
| 161 | Girdles as the main infection site for <i>Paradeontacylix kampachi</i> (Sanguinicolidae) in the greater amberjack <i>Seriola dumerili</i> . <i>Diseases of Aquatic Organisms</i> , 2003, 53, 271-272. | 0.5 | 10 |
| 162 | On Some Morphological Variations of <i>Syncyamus Aequus</i> Lincoln & Hurley, 1981 (Amphipoda,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5 | 0.1 | 9 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 163 | A new species of the genus <i>Crassicauda</i> Leiper et Atkinson, 1914 (Nematoda: Spiruroidea) from the penis of <i>Globicephala melas</i> (Traill, 1809) (Cetacea: Globicephalidae) in the western mediterranean sea. <i>Annales De Parasitologie Humaine Et Compar e</i> , 1990, 65, 255-261. | 0.4 | 9 |
| 164 | REDESCRIPTION OF ALLENCOTYLA MCINTOSHI PRICE, 1962 (MONOGENEA), WITH AN EMENDED DIAGNOSIS OF ALLENCOTYLA PRICE, 1962. <i>Journal of Parasitology</i> , 2003, 89, 133-136. | 0.3 | 9 |
| 165 | Mining parasite data using genetic programming. <i>Trends in Parasitology</i> , 2005, 21, 207-209. | 1.5 | 9 |
| 166 | Occurrence of Kemp's ridley sea turtle (<i>Lepidochelys kempii</i>) in the Mediterranean. <i>Marine Biodiversity Records</i> , 2008, 1, . | 1.2 | 9 |
| 167 | A revision of the Haploporinae Nicoll, 1914 (Digenea: Haploporidae) from mullets (Mugilidae): <i>Haploporus</i> Looss, 1902 and <i>Lecithobotrys</i> Looss, 1902. <i>Systematic Parasitology</i> , 2009, 73, 107-133. | 0.5 | 9 |
| 168 | <i>Balaenophilus manatorum</i> (Ortiz, Lalana and Torres, 1992) (Copepoda: Harpacticoida) from Loggerhead Sea Turtles, <i>Caretta caretta</i> , from Japan and the Western Mediterranean: Amended Description and Geographical Comparison. <i>Journal of Parasitology</i> , 2010, 96, 299-307. | 0.3 | 9 |
| 169 | Trunk spines in cystacanths and adults of <i>Corynosoma</i> spp. (Acanthocephala): <i>Corynosoma cetaceum</i> as an exceptional case of phenotypic variability. <i>Zoomorphology</i> , 2016, 135, 19-31. | 0.4 | 9 |
| 170 | Occurrence and genetic analysis of a Kemp's Ridley sea turtle (&i>Lepidochelys kempii&i>) in the Mediterranean Sea. <i>Scientia Marina</i> , 2003, 67, 367-369. | 0.3 | 9 |
| 171 | Morphometric, molecular and ecological analyses of the parasites of the sharp snout seabream <i>Diplodus puntazzo</i> Cetti (Sparidae) from the Spanish Mediterranean: implications for aquaculture. <i>Journal of Helminthology</i> , 2015, 89, 217-231. | 0.4 | 8 |
| 172 | Description of embryonic development and ultrastructure in miracidia of <i>Cardiocephaloides longicollis</i> (Digenea, Strigeidae) in relation to active host finding strategy in a marine environment. <i>Journal of Morphology</i> , 2017, 278, 1137-1148. | 0.6 | 8 |
| 173 | Blood fluke diseases in <i>Pagellus</i> spp. (Sparidae): Pathology and description of a new species of <i>Skoulekia</i> in the blackspot seabream <i>P. bogaraveo</i> (Br nnich). <i>Aquaculture</i> , 2018, 495, 472-483. | 1.7 | 8 |
| 174 | Diphyllobothriids (Cestoda: Pseudophyllidea) from the long-finned pilot whale <i>Globicephala melas</i> (Traill, 1809) off the Faroe Islands, with comments on the taxonomy of <i>Diphyllobothrium</i> Cobbold, 1858 species from cetaceans. <i>Systematic Parasitology</i> , 1993, 26, 117-126. | 0.5 | 7 |
| 175 | Redescriptions of <i>Aphanurus stossichii</i> (Monticelli, 1891) and <i>A. virgula</i> Looss, 1907 (Digenea: Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 | 0.5 | 7 |
| 176 | Cestodes from Hector's Beaked Whale (<i>Mesoplodon hectori</i>) and Spectacled Porpoise (<i>Phocoena</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 | 0.3 | 7 |
| 177 | Seasonal population dynamics of <i>Zeuxapta seriolae</i> (Monogenea: Heteraxinidae) parasitising <i>Seriola dumerili</i> (Carangidae) in the Western Mediterranean. <i>Veterinary Parasitology</i> , 2013, 193, 163-171. | 0.7 | 7 |
| 178 | Life-history trade-offs in a generalist digenean from cetaceans: the role of host specificity and environmental factors. <i>Parasites and Vectors</i> , 2015, 8, 659. | 1.0 | 7 |
| 179 | <i>Accacoelium contortum</i> (Trematoda: Accacoeliidae) a trematode living as a monogenean: morphological and pathological implications. <i>Parasites and Vectors</i> , 2015, 8, 540. | 1.0 | 7 |
| 180 | Long-Distance Travellers: Phylogeography of a Generalist Parasite, <i>Pholeter gastrophilus</i> , from Cetaceans. <i>PLoS ONE</i> , 2017, 12, e0170184. | 1.1 | 7 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 181 | The taxonomic status of <i>Skrjabinalius guevarai</i> Gallego & Selva, 1979 (Nematoda: Pseudaliidae) and the synonymy of <i>Skrjabinalius Delyamure</i> , 1942 and <i>Halocercus Baylis & Daubney</i> , 1925. <i>Systematic Parasitology</i> , 2020, 97, 389-401. | 0.5 | 7 |
| 182 | Sex-specific impact of inbreeding on pathogen load in the striped dolphin. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2020, 287, 20200195. | 1.2 | 7 |
| 183 | Determinants of lungworm specificity in five cetacean species in the western Mediterranean. <i>Parasites and Vectors</i> , 2021, 14, 196. | 1.0 | 7 |
| 184 | <i>Cardicola mediterraneus</i> n. sp. (Trematoda, Aporocotylidae): a new species infecting the gilthead seabream, <i>Sparus aurata</i> L., from the Western Mediterranean Sea. <i>Parasitology Research</i> , 2021, 120, 1949-1963. | 0.6 | 7 |
| 185 | How students perceive the university's mission in a Spanish university: Liberal versus entrepreneurial education?. <i>Cultura Y Educaci3n</i> , 2013, 25, 17-33. | 0.2 | 6 |
| 186 | Morphology, performance and attachment function in <i>Corynosoma</i> spp. (Acanthocephala). <i>Parasites and Vectors</i> , 2018, 11, 633. | 1.0 | 6 |
| 187 | Acanthocephalans from Marine Fishes from Patagonia, Argentina. <i>Journal of Parasitology</i> , 2019, 105, 162. | 0.3 | 6 |
| 188 | Redescription of <i>Odhneriella subtila</i> (Skrjabin, 1959) (Digenea: Campulidae) from the intestine of <i>Globicephala melaena</i> (Traill, 1809) (Cetacea: Delphinidae) off the Faroe Islands (North-East) <i>Tj ETQq0 0 0 rgBT /Overlock 16 Tf 50 457</i> | 0.3 | 6 |
| 189 | Redescriptions of <i>Magnibursatus blennii</i> (Paggi & Orechhia, 1975) n. comb. and <i>Arnola microcirrus</i> (Masenko, 1931) (Digenea: Derogenidae) from marine teleosts off Corsica. <i>Systematic Parasitology</i> , 2004, 58, 125-137. | 0.5 | 5 |
| 190 | DICLIDOPHORA MERLANGI (MONOGENEA: DICLIDOPHORIDAE) ON ATLANTIC COD, GADUS MORHUA. <i>Journal of Parasitology</i> , 2006, 92, 697-702. | 0.3 | 5 |
| 191 | Comparison of a Manual and an Automated Method to Estimate the Number of Uterine Eggs in Anisakid Nematodes: To Coulter or Not to Coulter. Is That the Question?. <i>Journal of Parasitology</i> , 2007, 93, 423-425. | 0.3 | 5 |
| 192 | The value of endangered species in protected areas at risk: the case of the leatherback turtle in the Dominican Republic. <i>Biodiversity and Conservation</i> , 2014, 23, 1529-1539. | 1.2 | 5 |
| 193 | In vivo fluorescent cercariae reveal the entry portals of <i>Cardiocephaloides longicollis</i> (Rudolphi,) <i>Tj ETQq1 1 0.784314 rgBT /Overlock 16 Tf 50 457</i> 12, 92. | 1.0 | 5 |
| 194 | Cranial crassicaudiasis in two coastal dolphin species from South Africa is predominantly a disease of immature individuals. <i>Diseases of Aquatic Organisms</i> , 2020, 139, 93-102. | 0.5 | 5 |
| 195 | Microtriches of tetraphyllidean metacestodes from Western Mediterranean striped dolphins (<i>Stenella coeruleoalba</i>). <i>Journal of Morphology</i> , 2005, 265, 176-189. | 0.6 | 4 |
| 196 | Running against time: conservation of the remaining hawksbill turtle (<i>Eretmochelys imbricata</i>) nesting population in the Dominican Republic. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2013, 93, 1133-1140. | 0.4 | 4 |
| 197 | A new brachycladiid species (Digenea) from Gervais's beaked whale <i>Mesoplodon europaeus</i> in north-western Atlantic waters. <i>Acta Parasitologica</i> , 2014, 59, 510-7. | 0.4 | 4 |
| 198 | Diagnostic accuracy of the light microscope method to detect the eggs of <i>Cardicola</i> spp. in the gill filaments of the bluefin tuna.. <i>Veterinary Parasitology</i> , 2017, 247, 26-32. | 0.7 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 199 | Spatial distribution and aggregation of <i>Xenobalanus globicipitis</i> on the flukes of striped dolphins, <i>Stenella coeruleoalba</i> : An indicator of host hydrodynamics?. Marine Mammal Science, 2020, 36, 897-914. | 0.9 | 4 |
| 200 | A New Species of Empruthotrema (Monogenea: Monocotylidae) from Pteromylaeus bovinus (Myliobatidae) from the Western Mediterranean. Journal of Parasitology, 2010, 96, 1081-1085. | 0.3 | 3 |
| 201 | Molecular and Morphological Differentiation of Two Similar Species of Accacoeliidae (Digenea): <i>Accacladocoelium macrocotyle</i> and <i>A. nigroflavum</i> from Sunfish, <i>Mola mola</i> . Journal of Parasitology, 2015, 101, 231-235. | 0.3 | 3 |
| 202 | Living in a harsh habitat: epidemiology of the whale louse, <i>Syncyamus aequus</i> (Cyamidae), infecting striped dolphins in the Western Mediterranean. Journal of Zoology, 2017, 303, 199-206. | 0.8 | 3 |
| 203 | <i>Breizacanthus aznari</i> sp. n. (Acanthocephala: Arhythmacanthidae) from the banded cusk-eel <i>Raneya brasiliensis</i> (Ophidiiformes: Ophidiidae) from the Patagonian coast in Argentina. Folia Parasitologica, 2012, 59, 264-271. | 0.7 | 3 |
| 204 | Transmission and Predictors of Burden of Lungworms of the Striped Dolphin () in the Western Mediterranean. Journal of Wildlife Diseases, 2020, 56, 186-191. | 0.3 | 3 |
| 205 | Contribution to the taxonomy of the family Campulidae Odhner, 1926 (Digenea) by means of a morphometric multivariate analysis. Systematic Parasitology, 1996, 33, 13-22. | 0.5 | 2 |
| 206 | A revision of the genus <i>Neogrubea</i> Dillon & Hargis, 1968 (Monogenea: Mazocraeidae): new morphological and molecular data from off the Patagonian coast of Argentina. Systematic Parasitology, 2014, 89, 59-72. | 0.5 | 2 |
| 207 | Parasites. , 2018, , 678-686. | | 2 |
| 208 | Reproductive inequalities in the acanthocephalan <i>Corynosoma cetaceum</i> : looking beyond "crowding" effects. Parasites and Vectors, 2018, 11, 203. | 1.0 | 2 |
| 209 | Phenotypic tradeoffs between egg number and egg size in three parasitic anisakid nematodes. Oikos, 2007, 116, 1737-1747. | 1.2 | 2 |
| 210 | <i>Pseudoallencotylya</i> gen. n., a new genus for <i>Allencotylya pricei</i> (Kritsky, Noble et Moser, 1978) (Monogenea: Heteraxinidae), with a key to genera of Heteraxininae. Folia Parasitologica, 2003, 50, 43-47. | 0.7 | 2 |
| 211 | The Origin of <i>Lecithodesmus</i> (Digenea: Campulidae) Based on ND3 Gene Comparison. Journal of Parasitology, 2000, 86, 850. | 0.3 | 1 |
| 212 | Morphological and attachment changes of <i>Lamellodiscus theroni</i> (Monogenea: Diplectanidae) during its post-larval development on fish. Folia Parasitologica, 2015, 62, . | 0.7 | 1 |
| 213 | Microdebris in three Spanish Mediterranean beaches located at a sporadic loggerhead turtles (<i>Caretta caretta</i>) nesting area. Regional Studies in Marine Science, 2022, 49, 102116. | 0.4 | 1 |
| 214 | Trematode maturation patterns in a migratory snail host: What happens during upshore residency in a Mediterranean lagoon?. Parasitology Research, 2016, 115, 575-585. | 0.6 | 0 |
| 215 | Ecología global, sensibilidades locales. El rol de las humanidades ambientales frente a la crisis ecosocial contemporánea. , 0, , . | | 0 |
| 216 | CONJOINT PROJECT-BASED LEARNING ON PARASITOLOGY IN TWO MASTER DEGREES: INTEGRATING KNOWLEDGE, OPTIMIZING RESOURCES. , 2018, , . | | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 217 | Consumption of pelagic tunicates by cetaceans calves in the Mediterranean Sea. Mediterranean Marine Science, 0, , . | 0.6 | 0 |
| 218 | A severe microsporidian disease in cultured Atlantic Bluefin Tuna (<i>Thunnus thynnus</i>). IMA Fungus, 2022, 13, 5. | 1.7 | 0 |