

Juan Antonio Raga

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8467647/publications.pdf>

Version: 2024-02-01

218
papers

5,823
citations

87723

38
h-index

128067

60
g-index

223
all docs

223
docs citations

223
times ranked

4093
citing authors

#	ARTICLE	IF	CITATIONS
1	Microdebris in three Spanish Mediterranean beaches located at a sporadic loggerhead turtles (Caretta caretta) nesting area. Regional Studies in Marine Science, 2022, 49, 102116.	0.4	1
2	A severe microsporidian disease in cultured Atlantic Bluefin Tuna (Thunnus thynnus). IMA Fungus, 2022, 13, 5.	1.7	0
3	Niche partitioning amongst northwestern Mediterranean cetaceans using stable isotopes. Progress in Oceanography, 2021, 193, 102559.	1.5	18
4	Determinants of lungworm specificity in five cetacean species in the western Mediterranean. Parasites and Vectors, 2021, 14, 196.	1.0	7
5	Cardicola mediterraneus n. sp. (Trematoda, Aporocotylidae): a new species infecting the gilthead seabream, Sparus aurata L., from the Western Mediterranean Sea. Parasitology Research, 2021, 120, 1949-1963.	0.6	7
6	Transmission and Predictors of Burden of Lungworms of the Striped Dolphin (Stenella coeruleoalba) in the Western Mediterranean. Journal of Wildlife Diseases, 2020, 56, 186.	0.3	11
7	Who's better at spotting? A comparison between aerial photography and observer-based methods to monitor floating marine litter and marine mega-fauna. Environmental Pollution, 2020, 258, 113680.	3.7	31
8	Evaluating the presence of microplastics in striped dolphins (Stenella coeruleoalba) stranded in the Western Mediterranean Sea. Marine Pollution Bulletin, 2020, 160, 111557.	2.3	42
9	The taxonomic status of Skrjabinalius guevarai Gallego & Selva, 1979 (Nematoda: Pseudaliidae) and the synonymy of Skrjabinalius Delyamure, 1942 and Halocercus Baylis & Daubney, 1925. Systematic Parasitology, 2020, 97, 389-401.	0.5	7
10	Sex-specific impact of inbreeding on pathogen load in the striped dolphin. Proceedings of the Royal Society B: Biological Sciences, 2020, 287, 20200195.	1.2	7
11	Using Boops boops (osteichthyes) to assess microplastic ingestion in the Mediterranean Sea. Marine Pollution Bulletin, 2020, 158, 111397.	2.3	46
12	Considerations on the taxonomy and morphology of Microcotyle spp.: redescription of M. erythrini van Beneden & Hesse, 1863 (sensu stricto) (Monogenea: Microcotylidae) and the description of a new species from Dentex dentex (L.) (Teleostei: Sparidae). Parasites and Vectors, 2020, 13, 45.	1.0	16
13	Spatial distribution and aggregation of Xenobalanus globicipitis on the flukes of striped dolphins, Stenella coeruleoalba: An indicator of host hydrodynamics?. Marine Mammal Science, 2020, 36, 897-914.	0.9	4
14	Cranial crassicaudiasis in two coastal dolphin species from South Africa is predominantly a disease of immature individuals. Diseases of Aquatic Organisms, 2020, 139, 93-102.	0.5	5
15	Causes of cetacean stranding and death on the Catalan coast (western Mediterranean Sea), 2012-2019. Diseases of Aquatic Organisms, 2020, 142, 239-253.	0.5	23
16	Transmission and Predictors of Burden of Lungworms of the Striped Dolphin (Stenella coeruleoalba) in the Western Mediterranean. Journal of Wildlife Diseases, 2020, 56, 186-191.	0.3	3
17	Determining suitable fish to monitor plastic ingestion trends in the Mediterranean Sea. Environmental Pollution, 2019, 247, 1071-1077.	3.7	55
18	In vivo fluorescent cercariae reveal the entry portals of Cardiocephaloides longicollis (Rudolphi, 1828) in the Western Mediterranean. Journal of Wildlife Diseases, 2020, 56, 186-191.	1.0	5

#	ARTICLE	IF	CITATIONS
19	Neither Diplectanum nor specific: a dramatic twist to the taxonomic framework of Diplectanum (Monogenea: Diplectanidae). International Journal for Parasitology, 2019, 49, 365-374.	1.3	10
20	Transmission of Corynosoma australe (Acanthocephala: Polymorphidae) from fishes to South American sea lions Otaria flavescens in Patagonia, Argentina. Parasitology Research, 2019, 118, 433-440.	0.6	15
21	Two decades of monitoring in marine debris ingestion in loggerhead sea turtle, Caretta caretta, from the western Mediterranean. Environmental Pollution, 2019, 244, 367-378.	3.7	49
22	Acanthocephalans from Marine Fishes from Patagonia, Argentina. Journal of Parasitology, 2019, 105, 162.	0.3	6
23	Assessing cetacean surveys throughout the Mediterranean Sea: a gap analysis in environmental space. Scientific Reports, 2018, 8, 3126.	1.6	47
24	Parasites. , 2018, , 678-686.		2
25	Reproductive inequalities in the acanthocephalan Corynosoma cetaceum: looking beyond "crowding" effects. Parasites and Vectors, 2018, 11, 203.	1.0	2
26	The challenge of habitat modelling for threatened low density species using heterogeneous data: The case of Cuvier's beaked whales in the Mediterranean. Ecological Indicators, 2018, 85, 128-136.	2.6	32
27	Morphology, performance and attachment function in Corynosoma spp. (Acanthocephala). Parasites and Vectors, 2018, 11, 633.	1.0	6
28	Come rain or come shine: environmental effects on the infective stages of Sparicotyle chrysophrii, a key pathogen in Mediterranean aquaculture. Parasites and Vectors, 2018, 11, 558.	1.0	17
29	Blood fluke diseases in Pagellus spp. (Sparidae): Pathology and description of a new species of Skoulekia in the blackspot seabream P. bogaraveo (Brännich). Aquaculture, 2018, 495, 472-483.	1.7	8
30	Taxonomic status and epidemiology of the mesoparasitic copepod Pennella balaenoptera in cetaceans from the western Mediterranean. Diseases of Aquatic Organisms, 2018, 128, 249-258.	0.5	12
31	CONJOINT PROJECT-BASED LEARNING ON PARASITOLOGY IN TWO MASTER DEGREES: INTEGRATING KNOWLEDGE, OPTIMIZING RESOURCES. , 2018, , .		0
32	Description of embryonic development and ultrastructure in miracidia of Cardiocephaloides longicollis (Digenea, Strigeidae) in relation to active host finding strategy in a marine environment. Journal of Morphology, 2017, 278, 1137-1148.	0.6	8
33	Skoulekia erythrini n. sp. (Digenea: Aporocotylidae): a parasite of Pagellus erythrinus (L.) (Perciformes:). Tj ETQq1 1 0.784314 rgBT /Over Parasitology, 2017, 94, 669-688.	0.5	16
34	Diagnostic accuracy of the light microscope method to detect the eggs of Cardicola spp. in the gill filaments of the bluefin tuna.. Veterinary Parasitology, 2017, 247, 26-32.	0.7	4
35	Biogeography and temporal progression during the evolution of striped dolphin population structure in European waters. Journal of Biogeography, 2017, 44, 2681-2691.	1.4	13
36	Living in a harsh habitat: epidemiology of the whale louse, Syncyamus aequus (Cyamidae), infecting striped dolphins in the Western Mediterranean. Journal of Zoology, 2017, 303, 199-206.	0.8	3

#	ARTICLE	IF	CITATIONS
37	Long-Distance Travellers: Phylogeography of a Generalist Parasite, <i>Pholeter gastrophilus</i> , from Cetaceans. PLoS ONE, 2017, 12, e0170184.	1.1	7
38	To Swim or Not to Swim: Potential Transmission of <i>Balaenophilus manatorum</i> (Copepoda:) Tj ETQq0 0 0 rgBT /Overlqck 10 Tf 50 702 Td	1.1	11
39	From mammals back to birds: Host-switch of the acanthocephalan <i>Corynosoma australe</i> from pinnipeds to the Magellanic penguin <i>Spheniscus magellanicus</i> . PLoS ONE, 2017, 12, e0183809.	1.1	23
40	Long-term changes (1990-2012) in the diet of striped dolphins <i>Stenella coeruleoalba</i> from the western Mediterranean. Marine Ecology - Progress Series, 2017, 568, 231-247.	0.9	19
41	Effect of depth of neuromuscular blockade on the abdominal space during pneumoperitoneum establishment in laparoscopic surgery. Journal of Clinical Anesthesia, 2016, 34, 197-203.	0.7	43
42	Potential bycatch impact on distinct sea turtle populations is dependent on fishing ground rather than gear type in the Mediterranean Sea. Marine Biology, 2016, 163, 1.	0.7	21
43	An optimised multi-host trematode life cycle: fishery discards enhance trophic parasite transmission to scavenging birds. International Journal for Parasitology, 2016, 46, 745-753.	1.3	21
44	Trunk spines in cystacanths and adults of <i>Corynosoma</i> spp. (Acanthocephala): <i>Corynosoma cetaceum</i> as an exceptional case of phenotypic variability. Zoomorphology, 2016, 135, 19-31.	0.4	9
45	Evolutionary relationships between digeneans of the family Brachycladiidae Odhner, 1905 and their marine mammal hosts: A cophylogenetic study. Parasitology International, 2016, 65, 209-217.	0.6	19
46	Trematode maturation patterns in a migratory snail host: What happens during upshore residency in a Mediterranean lagoon?. Parasitology Research, 2016, 115, 575-585.	0.6	0
47	Life-history trade-offs in a generalist digenean from cetaceans: the role of host specificity and environmental factors. Parasites and Vectors, 2015, 8, 659.	1.0	7
48	Living on the Edge: Settlement Patterns by the Symbiotic Barnacle <i>Xenobalanus globicipitis</i> on Small Cetaceans. PLoS ONE, 2015, 10, e0127367.	1.1	17
49	Epibiont communities of loggerhead marine turtles (<i>Caretta caretta</i>) in the western Mediterranean: influence of geographic and ecological factors. Journal of the Marine Biological Association of the United Kingdom, 2015, 95, 851-861.	0.4	28
50	Evaluating the importance of Marine Protected Areas for the conservation of hawksbill turtles <i>Eretmochelys imbricata</i> nesting in the Dominican Republic. Endangered Species Research, 2015, 27, 169-180.	1.2	29
51	<i>Accacoelium contortum</i> (Trematoda: Accacoeliidae) a trematode living as a monogenean: morphological and pathological implications. Parasites and Vectors, 2015, 8, 540.	1.0	7
52	Assessing the efficacy of direct conservation interventions: clutch protection of the leatherback marine turtle in the Dominican Republic. Oryx, 2015, 49, 677-686.	0.5	10
53	Independent host switching events by digenean parasites of cetaceans inferred from ribosomal DNA. International Journal for Parasitology, 2015, 45, 167-173.	1.3	43
54	Morphometric, molecular and ecological analyses of the parasites of the sharpsnout seabream <i>Diplodus puntazzo</i> Cetti (Sparidae) from the Spanish Mediterranean: implications for aquaculture. Journal of Helminthology, 2015, 89, 217-231.	0.4	8

#	ARTICLE	IF	CITATIONS
55	Molecular and Morphological Differentiation of Two Similar Species of Accacoeliidae (Digenea): <i>Accacladocoelium macrocotyle</i> and <i>A. nigroflavum</i> from Sunfish, <i>Mola mola</i> . <i>Journal of Parasitology</i> , 2015, 101, 231-235.	0.3	3
56	The role of lantern fish (Myctophidae) in the life-cycle of cetacean parasites from western Mediterranean waters. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , 2015, 95, 115-121.	0.6	19
57	Morphological and attachment changes of <i>Lamellodiscus theroni</i> (Monogenea: Diplectanidae) during its post-larval development on fish. <i>Folia Parasitologica</i> , 2015, 62, .	0.7	1
58	Cetacean Morbillivirus: Current Knowledge and Future Directions. <i>Viruses</i> , 2014, 6, 5145-5181.	1.5	195
59	Intestinal helminth fauna of striped dolphins (<i>Stenella coeruleoalba</i>) in the western Mediterranean: No effects of host body length, age and sex. <i>Marine Mammal Science</i> , 2014, 30, 961-977.	0.9	10
60	Fine-scale distribution of juvenile Atlantic and Mediterranean loggerhead turtles (<i>Caretta caretta</i>) in the Mediterranean Sea. <i>Marine Biology</i> , 2014, 161, 509-519.	0.7	60
61	Same host, same lagoon, different transmission pathways: effects of exogenous factors on larval emergence in two marine digenean parasites. <i>Parasitology Research</i> , 2014, 113, 545-554.	0.6	10
62	A new brachycladiid species (Digenea) from Gervais's beaked whale <i>Mesoplodon europaeus</i> in north-western Atlantic waters. <i>Acta Parasitologica</i> , 2014, 59, 510-7.	0.4	4
63	A revision of the genus <i>Neogrubea</i> Dillon & Hargis, 1968 (Monogenea: Mazocraeidae): new morphological and molecular data from off the Patagonian coast of Argentina. <i>Systematic Parasitology</i> , 2014, 89, 59-72.	0.5	2
64	Estimating trematode prevalence in snail hosts using a single-step duplex PCR: how badly does cercarial shedding underestimate infection rates?. <i>Parasites and Vectors</i> , 2014, 7, 243.	1.0	40
65	The value of endangered species in protected areas at risk: the case of the leatherback turtle in the Dominican Republic. <i>Biodiversity and Conservation</i> , 2014, 23, 1529-1539.	1.2	5
66	Risk assessment for parasites in cultures of <i>Diplodus puntazzo</i> (Sparidae) in the Western Mediterranean: Prospects of cross infection with <i>Sparus aurata</i> . <i>Veterinary Parasitology</i> , 2014, 204, 120-133.	0.7	12
67	Lousy mums: patterns of vertical transmission of an amphibious louse. <i>Parasitology Research</i> , 2013, 112, 3315-3323.	0.6	19
68	Intestinal Helminth Fauna of Bottlenose Dolphin <i>Tursiops truncatus</i> and Common Dolphin <i>Delphinus delphis</i> from the Western Mediterranean. <i>Journal of Parasitology</i> , 2013, 99, 576-579.	0.3	20
69	Description, microhabitat selection and infection patterns of sealworm larvae (<i>Pseudoterranova</i>) Tj ETQq1 1 0.784314 rgBT /Overlock <i>Vectors</i> , 2013, 6, 252.	1.0	16
70	Seasonal population dynamics of <i>Zeuxapta seriolae</i> (Monogenea: Heteraxinidae) parasitising <i>Seriola dumerili</i> (Carangidae) in the Western Mediterranean. <i>Veterinary Parasitology</i> , 2013, 193, 163-171.	0.7	7
71	Running against time: conservation of the remaining hawksbill turtle (<i>Eretmochelys imbricata</i>) nesting population in the Dominican Republic. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2013, 93, 1133-1140.	0.4	4
72	Understanding myxozoan infection dynamics in the sea: Seasonality and transmission of <i>Ceratomyxa punctazzi</i> . <i>International Journal for Parasitology</i> , 2013, 43, 771-780.	1.3	42

#	ARTICLE	IF	CITATIONS
73	Intestinal helminth fauna of the South American sea lion <i>Otaria flavescens</i> and fur seal <i>Arctocephalus australis</i> from northern Patagonia, Argentina. <i>Journal of Helminthology</i> , 2013, 87, 336-347.	0.4	27
74	How students perceive the university's mission in a Spanish university: Liberal versus entrepreneurial education?. <i>Cultura Y Educaci3n</i> , 2013, 25, 17-33.	0.2	6
75	Contextualising the Last Survivors: Population Structure of Marine Turtles in the Dominican Republic. <i>PLoS ONE</i> , 2013, 8, e66037.	1.1	13
76	Assessing host-specificity through coprological analysis: a case study with species of <i>Corynosoma</i> (Acanthocephala: Polymorphidae) from marine mammals. <i>Journal of Helminthology</i> , 2012, 86, 156-164.	0.4	27
77	Protected areas host important remnants of marine turtle nesting stocks in the Dominican Republic. <i>Oryx</i> , 2012, 46, 348-358.	0.5	18
78	<i>Aporocotyle mariachristinae</i> n. sp., and <i>A. Ymakara</i> Villalba & Fern3ndez, 1986 (Digenea: Tj ETQq0 0 0 rgBT /Overlock Patagonia, Argentina. <i>Parasite</i> , 2012, 19, 319-330.	0.8	22
79	Fish Health and Fisheries, Implications for Stock Assessment and Management: The Mediterranean Example. <i>Reviews in Fisheries Science</i> , 2012, 20, 165-180.	2.1	45
80	Migratory patterns in hawksbill turtles described by satellite tracking. <i>Marine Ecology - Progress Series</i> , 2012, 461, 223-232.	0.9	40
81	Oncomiracidial development, survival and swimming behaviour of the monogenean <i>Sparicotyle chrysophrii</i> (Van Beneden and Hesse, 1863). <i>Aquaculture</i> , 2012, 338-341, 47-55.	1.7	16
82	A New Species of <i>Ascocotyle</i> (Trematoda: Heterophyidae) from the South American Sea Lion, <i>Otaria flavescens</i> , Off Patagonia, Argentina. <i>Journal of Parasitology</i> , 2012, 98, 810-816.	0.3	17
83	Molecular and morphological identification of larval opecoelids (Digenea: Opecoelidae) parasitising prosobranch snails in a Western Mediterranean lagoon. <i>Parasitology International</i> , 2012, 61, 450-460.	0.6	37
84	Life begins when the sea lion is ashore: microhabitat use by a louse living on a diving mammal host. <i>Bulletin of Entomological Research</i> , 2012, 102, 444-452.	0.5	10
85	Patterns of trunk spine growth in two congeneric species of acanthocephalan: investment in attachment may differ between sexes and species. <i>Parasitology</i> , 2012, 139, 945-955.	0.7	12
86	3D Morphology, Ultrastructure and Development of <i>Ceratomyxa puntazzi</i> Stages: First Insights into the Mechanisms of Motility and Budding in the Myxozoa. <i>PLoS ONE</i> , 2012, 7, e32679.	1.1	23
87	Scanning electron microscopy of <i>Antarctophthirus microchir</i> (Phthiraptera: Anoplura: Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 183	1.1	14
88	<i>Breizacanthus aznari</i> sp. n. (Acanthocephala: Arhythmacanthidae) from the banded cusk-eel <i>Raneya brasiliensis</i> (Ophidiiformes: Ophidiidae) from the Patagonian coast in Argentina. <i>Folia Parasitologica</i> , 2012, 59, 264-271.	0.7	3
89	Post-larval development of the microcotylid monogenean <i>Sparicotyle chrysophrii</i> (Van Beneden and) Tj ETQq1 1 0.784314 rgBT /Overlock International, 2011, 60, 512-520.	0.6	12
90	Comparative study of the three attachment mechanisms of diplectanid monogeneans. <i>Aquaculture</i> , 2011, 318, 290-299.	1.7	14

#	ARTICLE	IF	CITATIONS
91	Host-parasite relationship of <i>Ceratomyxa puntazzi</i> n. sp. (Myxozoa: Myxosporae) and sharpnose seabream <i>Diplodus puntazzo</i> (Walbaum, 1792) from the Mediterranean with first data on ceratomyxid host specificity in sparids. <i>Veterinary Parasitology</i> , 2011, 182, 181-192.	0.7	39
92	Abundance-variance and abundance-occupancy relationships in a marine host-parasite system: The importance of taxonomy and ecology of transmission. <i>International Journal for Parasitology</i> , 2011, 41, 1361-1370.	1.3	20
93	<i>Skoulekia meningialis</i> n. gen., n. sp. (Digenea: Aporocotylidae Odhner, 1912) a parasite surrounding the brain of the Mediterranean common two-banded seabream <i>Diplodus vulgaris</i> (Geoffroy Saint-Hilaire, 1801). <i>International Journal for Parasitology</i> , 2011, 41, 34-44.	0.6	39
94	Living Together but Remaining Apart: Atlantic and Mediterranean Loggerhead Sea Turtles (<i>Caretta caretta</i>) and their parasites. <i>Journal of Parasitology</i> , 2010, 96, 107-110.	1.0	70
95	Epizootic of dolphin morbillivirus on the Catalan Mediterranean coast in 2007. <i>Veterinary Record</i> , 2011, 169, 102-102.	0.2	14
96	Host specificity of <i>Oschmarinella rochebruni</i> and <i>Brachycladium atlanticum</i> (Digenea: Brachycladiidae) in five cetacean species from western Mediterranean waters. <i>Journal of Helminthology</i> , 2011, 85, 12-19.	0.4	12
97	Post-epizootic chronic dolphin morbillivirus infection in Mediterranean striped dolphins <i>Stenella coeruleoalba</i> . <i>Diseases of Aquatic Organisms</i> , 2011, 96, 187-194.	0.5	27
98	Bioko: critically important nesting habitat for sea turtles of West Africa. <i>Biodiversity and Conservation</i> , 2010, 19, 2699-2714.	1.2	32
99	Discrimination of fish populations using parasites: Random Forests on a "predictable" host-parasite system. <i>Parasitology</i> , 2010, 137, 1833-1847.	0.7	11
100	Molecules and morphology reveal cryptic variation among digeneans infecting sympatric mullets in the Mediterranean. <i>Parasitology</i> , 2010, 137, 287-302.	0.7	34
101	<i>Balaenophilus manatorum</i> (Ortiz de Lalana and Torres, 1992) (Copepoda: Harpacticoida) from Loggerhead Sea Turtles, <i>Caretta caretta</i> , from Japan and the Western Mediterranean: Amended Description and Geographical Comparison. <i>Journal of Parasitology</i> , 2010, 96, 299-307.	0.3	9
102	Helminth communities of loggerhead turtles (<i>Caretta caretta</i>) from Central and Western Mediterranean Sea: The importance of host's ontogeny. <i>Parasitology International</i> , 2010, 59, 367-375.	0.6	36
103	A New Species of <i>Empruthotrema</i> (Monogenea: Monocotylidae) from <i>Pteromylaeus bovinus</i> (Myliobatidae) from the Western Mediterranean. <i>Journal of Parasitology</i> , 2010, 96, 1081-1085.	0.3	3
104	Cestodes from Hector's Beaked Whale (<i>Mesoplodon hectori</i>) and Spectacled Porpoise (<i>Phocoena phocaena</i>). <i>Journal of Parasitology</i> , 2010, 96, 1081-1085.	0.3	7
105	Population dynamics of <i>Antarctophthirus microchir</i> (Anoplura: Echinophthiriidae) in pups from South American sea lion, <i>Otaria flavescens</i> , in Northern Patagonia. <i>Parasitology</i> , 2009, 136, 293-303.	0.7	18
106	Redescription of <i>Antarctophthirus microchir</i> (Anoplura: Echinophthiriidae) from the South American Sea Lion, <i>Otaria flavescens</i> , from Patagonia, Argentina. <i>Journal of Parasitology</i> , 2009, 95, 1086-1092.	0.3	17
107	A revision of the Haploporinae Nicoll, 1914 (Digenea: Haploporidae) from mullets (Mugilidae): <i>Saccocoelium</i> Looss, 1902. <i>Systematic Parasitology</i> , 2009, 72, 159-186.	0.5	12
108	A revision of the Haploporinae Nicoll, 1914 (Digenea: Haploporidae) from mullets (Mugilidae): <i>Dicrogaster</i> Looss, 1902 and <i>Forticulcita</i> Overstreet, 1982. <i>Systematic Parasitology</i> , 2009, 72, 187-206.	0.5	14

#	ARTICLE	IF	CITATIONS
109	A revision of the Haploporinae Nicoll, 1914 (Digenea: Haploporidae) from mullets (Mugilidae): Haploporus Looss, 1902 and Lecithobotrys Looss, 1902. Systematic Parasitology, 2009, 73, 107-133.	0.5	9
110	Not everything is everywhere: the distance decay of similarity in a marine host-parasite system. Journal of Biogeography, 2009, 36, 200-209.	1.4	51
111	Morphological and molecular redescription of the myxozoan <i>Unicapsula pflugfelderi</i> Schubert, Sprague & Reinboth 1975 from two teleost hosts in the Mediterranean. A review of the genus <i>Unicapsula</i> Davis 1924. Journal of Fish Diseases, 2009, 32, 335-350.	0.9	15
112	Follow-up trends of parasite community alteration in a marine fish after the Prestige oil-spill: Shifting baselines?. Environmental Pollution, 2009, 157, 221-228.	3.7	19
113	Development and habitat selection of a new sanguinicolid parasite of cultured greater amberjack, <i>Seriola dumerili</i> , in the Mediterranean. Aquaculture, 2009, 288, 132-139.	1.7	11
114	Emerging infectious diseases in cetaceans worldwide and the possible role of environmental stressors. Diseases of Aquatic Organisms, 2009, 86, 143-157.	0.5	256
115	Epidemiological pattern of tattoo skin disease: a potential general health indicator for cetaceans. Diseases of Aquatic Organisms, 2009, 85, 225-237.	0.5	63
116	A revision of the species of Saturnius Manter, 1969 (Digenea: Hemiuridae), parasites of mullets (Teleostei: Mugilidae). Systematic Parasitology, 2008, 71, 53-74.	0.5	13
117	Random forests, a novel approach for discrimination of fish populations using parasites as biological tags. International Journal for Parasitology, 2008, 38, 1425-1434.	1.3	37
118	Speciation of the Paradeontacylix spp. (Sanguinicolidae) of <i>Seriola dumerili</i> . Two new species of the genus <i>Paradeontacylix</i> from the Mediterranean. Parasitology International, 2008, 57, 405-414.	0.6	44
119	<i>Cardicola aurata</i> sp. n. (Digenea: Sanguinicolidae) from Mediterranean <i>Sparus aurata</i> L. (Teleostei: Tj ETQq1 1 0.784314 rgBT /Overlock Parasitology International, 2008, 57, 472-482.	0.6	35
120	Composition and structure of the parasite faunas of cod, <i>Gadus morhua</i> L. (Teleostei: Gadidae), in the North East Atlantic. Parasites and Vectors, 2008, 1, 23.	1.0	46
121	Influence of environmental factors on small cetacean distribution in the Spanish Mediterranean. Journal of the Marine Biological Association of the United Kingdom, 2008, 88, 1185-1192.	0.4	29
122	Parasites in Stranded Cetaceans of Patagonia. Journal of Parasitology, 2008, 94, 946-948.	0.3	22
123	Is the Spanish coast within the regular nesting range of the Mediterranean loggerhead sea turtle (<i>Caretta caretta</i>)?. Journal of the Marine Biological Association of the United Kingdom, 2008, 88, 1509-1512.	0.4	19
124	Halfway up the trophic chain: development of parasite communities in the sparid fish <i>Boops boops</i> . Parasitology, 2008, 135, 257-268.	0.7	31
125	Occurrence of Kemp's ridley sea turtle (<i>Lepidochelys kempii</i>) in the Mediterranean. Marine Biodiversity Records, 2008, 1, .	1.2	9
126	Dolphin Morbillivirus Epizootic Resurgence, Mediterranean Sea. Emerging Infectious Diseases, 2008, 14, 471-473.	2.0	121

#	ARTICLE	IF	CITATIONS
127	Bycatch of loggerhead sea turtles: insights from 14 years of stranding data. <i>Endangered Species Research</i> , 2008, 5, 161-169.	1.2	86
128	Parasites as fish population tags and pseudoreplication problems: the case of striped red mullet <i>Mullus surmuletus</i> in the Spanish Mediterranean. <i>Journal of Helminthology</i> , 2007, 81, 169-178.	0.4	16
129	Comparison of a Manual and an Automated Method to Estimate the Number of Uterine Eggs in Anisakid Nematodes: To Coulter or Not to Coulter. Is That the Question?. <i>Journal of Parasitology</i> , 2007, 93, 423-425.	0.3	5
130	PARASITE COMMUNITIES OF COMMON DOLPHINS (<i>DELPHINUS DELPHIS</i>) FROM PATAGONIA: THE RELATION WITH HOST DISTRIBUTION AND DIET AND COMPARISON WITH SYMPATRIC HOSTS. <i>Journal of Parasitology</i> , 2007, 93, 1056-1060.	0.3	22
131	Insight into the role of cetaceans in the life cycle of the tetraphyllideans (Platyhelminthes: Cestoda). <i>International Journal for Parasitology</i> , 2007, 37, 243-255.	1.3	53
132	Parasite communities in Boops boops (L.) (Sparidae) after the Prestige oil-spill: Detectable alterations. <i>Marine Pollution Bulletin</i> , 2007, 54, 266-276.	2.3	51
133	Diet of <i>Balaenophilus</i> spp. (Copepoda: Harpacticoida): feeding on keratin at sea?. <i>Marine Biology</i> , 2007, 151, 751-758.	0.7	19
134	Descriptions of some unusual digeneans from Boops boops L. (Sparidae) and a complete checklist of its metazoan parasites. <i>Systematic Parasitology</i> , 2007, 66, 137-157.	0.5	36
135	Parasites in harbour seals (<i>Phoca vitulina</i>) from the German Wadden Sea between two Phocine Distemper Virus epidemics. <i>Helgoland Marine Research</i> , 2007, 61, 239-245.	1.3	42
136	Phenotypic tradeoffs between egg number and egg size in three parasitic anisakid nematodes. <i>Oikos</i> , 2007, 116, 1737-1747.	1.2	2
137	Comparing cetacean abundance estimates derived from spatial models and design-based line transect methods. <i>Marine Ecology - Progress Series</i> , 2007, 329, 289-299.	0.9	32
138	DICLIDOPHORA MERLANGI (MONOGENEA: DICLIDOPHORIDAE) ON ATLANTIC COD, GADUS MORHUA. <i>Journal of Parasitology</i> , 2006, 92, 697-702.	0.3	5
139	STATUS OF CORYNOSOMA (ACANTHOCEPHALA: POLYMORPHIDAE) BASED ON ANATOMICAL, ECOLOGICAL, AND PHYLOGENETIC EVIDENCE, WITH THE ERECTION OF PSEUDOCORYNOSOMA N. GEN. <i>Journal of Parasitology</i> , 2006, 92, 548-564.	0.3	65
140	Distribution of <i>Pholeter gastrophilus</i> (Digenea) within the stomach of four odontocete species: the role of the diet and digestive physiology of hosts. <i>Parasitology</i> , 2006, 133, 369-380.	0.7	21
141	Abundance and distribution of the endangered loggerhead turtle in Spanish Mediterranean waters and the conservation implications. <i>Animal Conservation</i> , 2006, 9, 199-206.	1.5	50
142	Descriptions of <i>Wardula bartolii</i> n. sp. (Digenea: Mesometridae) and three newly recorded accidental parasites of Boops boops L. (Sparidae) in the NE Atlantic. <i>Systematic Parasitology</i> , 2006, 63, 97-107.	0.5	12
143	<i>Saturnius minutus</i> n. sp. and <i>S. dimitrovi</i> n. sp. (Digenea: Hemiuridae) from <i>Mugil cephalus</i> L. (Teleostei): Tj ETQq1 1 0.784314 rgBT /Ov Manter, 1969. <i>Systematic Parasitology</i> , 2006, 65, 77-91.	0.5	10
144	Abundance of small cetaceans in waters of the central Spanish Mediterranean. <i>Marine Biology</i> , 2006, 150, 149-160.	0.7	84

#	ARTICLE	IF	CITATIONS
145	Sex ratios of juvenile loggerhead sea turtles <i>Caretta caretta</i> in the Mediterranean Sea. <i>Marine Ecology - Progress Series</i> , 2006, 324, 281-285.	0.9	30
146	Diet of Risso's dolphin (<i>Grampus griseus</i>) in the western Mediterranean Sea. <i>Scientia Marina</i> , 2006, 70, 407-411.	0.3	63
147	Morphological and molecular characterization of tetraphyllidean merocercoids (Platyhelminthes: Tj ETQq1 1 0.784314 rgBT /Overlock 10) <i>Journal of Parasitology</i> , 2005, 130, 461-474.	0.7	35
148	Endoparasites of the blue whiting, <i>Micromesistius poutassou</i> from north-west Spain. <i>Journal of Helminthology</i> , 2005, 79, 15-21.	0.4	16
149	Mining parasite data using genetic programming. <i>Trends in Parasitology</i> , 2005, 21, 207-209.	1.5	9
150	Microtriches of tetraphyllidean metacestodes from Western Mediterranean striped dolphins (<i>Stenella coeruleoalba</i>). <i>Journal of Morphology</i> , 2005, 265, 176-189.	0.6	4
151	TETRAPHYLLIDEAN PLEROCERCIDS FROM WESTERN MEDITERRANEAN CETACEANS AND OTHER MARINE MAMMALS AROUND THE WORLD: A COMPREHENSIVE MORPHOLOGICAL ANALYSIS. <i>Journal of Parasitology</i> , 2005, 91, 83-92.	0.3	24
152	A NEW CYSTIDICOLID NEMATODE FROM MULLUS SURMULETUS (PERCIFORMES: MULLIDAE) FROM THE WESTERN MEDITERRANEAN. <i>Journal of Parasitology</i> , 2005, 91, 335-344.	0.3	25
153	Macroparasites in stranded and bycaught harbour porpoises from German and Norwegian waters. <i>Diseases of Aquatic Organisms</i> , 2005, 64, 265-269.	0.5	62
154	Parasite infracommunities as predictors of harvest location of bogue (<i>Boops boops</i> L.): a pilot study using statistical classifiers. <i>Fisheries Research</i> , 2005, 72, 229-239.	0.9	24
155	Mediterranean <i>Diplodus annularis</i> (Teleostei: Sparidae) and its brain parasite: Unforeseen outcome. <i>Parasitology International</i> , 2005, 54, 201-206.	0.6	13
156	Changes in epizotic crustacean infestations during cetacean die-offs: the mass mortality of Mediterranean striped dolphins <i>Stenella coeruleoalba</i> revisited. <i>Diseases of Aquatic Organisms</i> , 2005, 67, 239-247.	0.5	41
157	POPULATION STRUCTURE OF ANISAKIS SIMPLEX (NEMATODA) IN HARBOR PORPOISES PHOCOENA PHOCOENA OFF DENMARK. <i>Journal of Parasitology</i> , 2004, 90, 933-938.	0.3	15
158	Redescriptions of <i>Magnibursatus blennii</i> (Paggi & Orechia, 1975) n. comb. and <i>Arnola microcirrus</i> (Vlasenko, 1931) (Digenea: Derogenidae) from marine teleosts off Corsica. <i>Systematic Parasitology</i> , 2004, 58, 125-137.	0.5	5
159	Redescriptions of <i>Aphanurus stossichii</i> (Monticelli, 1891) and <i>A. virgula</i> Looss, 1907 (Digenea: Tj ETQq1 1 0.784314 rgBT /Overlock 10) <i>Journal of Parasitology</i> , 2004, 90, 933-938.	0.5	10
160	The effects of inbreeding on mortality during a morbillivirus outbreak in the Mediterranean striped dolphin (<i>Stenella coeruleoalba</i>). <i>Animal Conservation</i> , 2004, 7, 139-146.	1.5	61
161	Gastrointestinal Helminths of Cuvier's Beaked Whales, <i>Ziphius cavirostris</i> , From the Western Mediterranean. <i>Journal of Parasitology</i> , 2004, 90, 418-420.	0.3	12
162	<i>Uncinaria hamiltoni</i> (Nematoda: Ancylostomatidae) in South American Sea Lions, <i>Otaria flavescens</i> , From Northern Patagonia, Argentina. <i>Journal of Parasitology</i> , 2004, 90, 860-863.	0.3	21

#	ARTICLE	IF	CITATIONS
163	Seroprevalence of <i>Toxoplasma gondii</i> Antibodies in Wild Dolphins From the Spanish Mediterranean Coast. <i>Journal of Parasitology</i> , 2004, 90, 643-644.	0.3	55
164	Effects of the gill parasite <i>Zeuxapta seriolae</i> (Monogenea: Heteraxinidae) on the amberjack <i>Seriola dumerili</i> Risso (Teleostei: Carangidae). <i>Aquaculture</i> , 2004, 232, 153-163.	1.7	68
165	Recruitment, population structure, and habitat selection of <i>Corynosoma australe</i> (Acanthocephala) in South American fur seals, <i>Arctocephalus australis</i> , from Uruguay. <i>Canadian Journal of Zoology</i> , 2004, 82, 726-733.	0.4	25
166	Preliminary patterns of distribution and abundance of loggerhead sea turtles, <i>Caretta caretta</i> , around Columbretes Islands Marine Reserve, Spanish Mediterranean. <i>Marine Biology</i> , 2003, 143, 817-823.	0.7	23
167	Notes: FOOD AND PARASITES FROM TWO HOURGLASS DOLPHINS, <i>LAGENORHYNCHUS CRUCIGER</i> (QUOY) Tj ET Oo 1 1 0.784314 rg BT	0.9	17
168	Population Structure and Habitat Selection by <i>Anisakis simplex</i> in 4 Odontocete Species from Northern Argentina. <i>Comparative Parasitology</i> , 2003, 70, 66-71.	0.0	11
169	Gastrointestinal helminths of Risso's dolphin <i>Grampus griseus</i> from the Western Mediterranean. <i>Diseases of Aquatic Organisms</i> , 2003, 55, 73-76.	0.5	17
170	REDESCRIPTION OF <i>ALLENCOTYLA MCINTOSHI</i> PRICE, 1962 (MONOGENEA), WITH AN EMENDED DIAGNOSIS OF <i>ALLENCOTYLA</i> PRICE, 1962. <i>Journal of Parasitology</i> , 2003, 89, 133-136.	0.3	9
171	<i>Pseudoallencotyla</i> gen. n., a new genus for <i>Allencotyla pricei</i> (Kritsky, Noble et Moser, 1978) (Monogenea: Heteraxinidae), with a key to genera of Heteraxininae. <i>Folia Parasitologica</i> , 2003, 50, 43-47.	0.7	2
172	Three species of <i>Magnibursatus</i> Naidenova, 1969 (Digenea: Derogenidae) from Atlantic and Black Sea marine teleosts. <i>Folia Parasitologica</i> , 2003, 50, 202-210.	0.7	11
173	Girdles as the main infection site for <i>Paradeontacylix kampachi</i> (Sanguinicolidae) in the greater amberjack <i>Seriola dumerili</i> . <i>Diseases of Aquatic Organisms</i> , 2003, 53, 271-272.	0.5	10
174	Occurrence and genetic analysis of a Kemp's Ridley sea turtle (<i><i>Lepidochelys kempii</i</i>) in the Mediterranean Sea. <i>Scientia Marina</i> , 2003, 67, 367-369.	0.3	9
175	Trace metals in tissues of gray whale (<i>Eschrichtius robustus</i>) carcasses from the Northern Pacific Mexican Coast. <i>Marine Pollution Bulletin</i> , 2002, 44, 217-221.	2.3	30
176	Marine debris ingestion in loggerhead sea turtles, <i>Caretta caretta</i> , from the Western Mediterranean. <i>Marine Pollution Bulletin</i> , 2002, 44, 211-216.	2.3	210
177	Reduction and variability of trunk spines in the acanthocephalan <i>Corynosoma cetaceum</i>: the role of physical constraints on attachment. <i>Invertebrate Biology</i> , 2002, 121, 104-114.	0.3	11
178	Gastrointestinal helminths of Commerson's dolphins <i>Cephalorhynchus commersonii</i> from central Patagonia and Tierra del Fuego. <i>Diseases of Aquatic Organisms</i> , 2001, 47, 201-208.	0.5	29
179	An insight into the epidemiology of dolphin morbillivirus worldwide. <i>Veterinary Microbiology</i> , 2001, 81, 287-304.	0.8	86
180	Diet of the bottlenose dolphin (<i>Tursiops truncatus</i>) in the western Mediterranean Sea. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2001, 81, 1053-1058.	0.4	136

#	ARTICLE	IF	CITATIONS
181	Serological evidence of <i>Brucella</i> species infection in odontocetes from the south Pacific and the Mediterranean. <i>Veterinary Record</i> , 2001, 148, 657-661.	0.2	51
182	Feeding ecology of the loggerhead turtle <i>Caretta caretta</i> in the western Mediterranean. <i>Journal of Zoology</i> , 2001, 255, 525-532.	0.8	120
183	The Origin of <i>Lecithodesmus</i> (Digenea: Campulidae) Based on ND3 Gene Comparison. <i>Journal of Parasitology</i> , 2000, 86, 850.	0.3	1
184	Cephalopod prey of two <i>Ziphius cavirostris</i> (Cetacea) stranded on the western Mediterranean coast. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2000, 80, 381-382.	0.4	30
185	Anisakid Larvae in the Musculature of the Argentinean Hake, <i>Merluccius hubbsi</i> . <i>Journal of Food Protection</i> , 2000, 63, 1141-1143.	0.8	22
186	Genetic differentiation in the striped dolphin <i>Stenella coeruleoalba</i> from European waters according to mitochondrial DNA (mtDNA) restriction analysis. <i>Molecular Ecology</i> , 1999, 8, 1069-1073.	2.0	48
187	GASTROINTESTINAL HELMINTHS OF THE DUSKY DOLPHIN, <i>LAGENORHYNCHUS OBSCURUS</i> (GRAY, 1828), OFF PATAGONIA, IN THE SOUTHWESTERN ATLANTIC. <i>Marine Mammal Science</i> , 1999, 15, 649-660.	0.9	26
188	<i>Polymorphus arctocephali</i> Smales, 1986, a synonym of <i>Corynosoma cetaceum</i> Johnston & Best, 1942 (Acanthocephala: Polymorphidae). <i>Systematic Parasitology</i> , 1999, 44, 61-72.	0.5	15
189	Constructional morphology and mode of attachment of the trunk of <i>Corynosoma cetaceum</i> (Acanthocephala: Polymorphidae). <i>Journal of Morphology</i> , 1999, 241, 237-249.	0.6	16
190	A review of virus infections of cetaceans and the potential impact of morbilliviruses, poxviruses and papillomaviruses on host population dynamics. <i>Diseases of Aquatic Organisms</i> , 1999, 38, 53-65.	0.5	127
191	Gastrointestinal Helminths of Loggerhead Turtles (<i>Caretta caretta</i>) from the Western Mediterranean: Constraints on Community Structure. <i>Journal of Parasitology</i> , 1998, 84, 474.	0.3	26
192	Molecular phylogeny of the families Campulidae and Nasitremitidae (Trematoda) based on mtDNA sequence comparison. Note: Nucleotide sequence data reported in this paper are available in the embl, GenBankTM and DDJB data bases under the accession numbers AF034551, AF034552, AF034553, AF034554, AF034555, AF034556 and AF034557. <i>International Journal for Parasitology</i> , 1998, 28, 767-775.	1.3	36
193	Phylogenetic relationships of the family Campulidae (Trematoda) based on 18S rRNA sequences. <i>Parasitology</i> , 1998, 117, 383-391.	0.7	40
194	Ontogenetic Habitat Selection by <i>Hadwenius pontoporiae</i> (Digenea: Campulidae) in the Intestine of Franciscanas (Cetacea). <i>Journal of Parasitology</i> , 1997, 83, 13.	0.3	14
195	Helminth parasites of the digestive tract of the harbour porpoise <i>Phocoena phocoena</i> in Danish waters: a comparative geographical analysis. <i>Diseases of Aquatic Organisms</i> , 1997, 28, 163-167.	0.5	32
196	Contribution to the taxonomy of the family Campulidae Odhner, 1926 (Digenea) by means of a morphometric multivariate analysis. <i>Systematic Parasitology</i> , 1996, 33, 13-22.	0.5	2
197	Biometric variability of <i>Hadwenius tursionis</i> (Marchi, 1873) (Digenea, Campulidae) from the intestine of the bottlenose dolphin <i>Tursiops truncatus</i> (Montagu, 1821). <i>Systematic Parasitology</i> , 1995, 30, 67-76.	0.5	11
198	MITOCHONDRIAL DNA VARIABILITY OF STRIPED DOLPHINS (<i>STENELLA COERULEOALBA</i>) IN THE SPANISH MEDITERRANEAN WATERS. <i>Marine Mammal Science</i> , 1995, 11, 183-199.	0.9	15

#	ARTICLE	IF	CITATIONS
199	Cephalopods in the diet of the striped dolphin <i>Stenella coeruleoalba</i> from the western Mediterranean during an epizootic in 1990. <i>Journal of Zoology</i> , 1995, 237, 151-158.	0.8	52
200	Helminths as biological tags for franciscana (<i>Pontoporia blainvillei</i>) (Cetacea, Pontoporiidae) in Argentinian and Uruguayan waters. <i>Mammalia</i> , 1995, 59, .	0.3	32
201	Parasites as indicators of social structure and stock identity of marine mammals. , 1995, , 133-139.		14
202	Parasites. <i>Veterinary Clinics of North America - Food Animal Practice</i> , 1994, 10, 239-247.	0.5	23
203	<i>Hadwenius tursionis</i> (Marchi, 1873) n. comb. (Digenea, Campulidae) from the bottlenose dolphin <i>Tursiops truncatus</i> (Montagu, 1821) in the western Mediterranean. <i>Systematic Parasitology</i> , 1994, 28, 223-228.	0.5	10
204	Helminth communities of <i>Pontoporia blainvillei</i> (Cetacea: Pontoporiidae) in Argentinian waters. <i>Canadian Journal of Zoology</i> , 1994, 72, 702-706.	0.4	31
205	Intestinal helminths as indicators of segregation and social structure of pods of long-finned pilot whales (<i>Globicephala melas</i>) off the Faeroe Islands. <i>Canadian Journal of Zoology</i> , 1994, 72, 443-448.	0.4	30
206	Are epizootics biological indicators of a western Mediterranean striped dolphin die-off?. <i>Diseases of Aquatic Organisms</i> , 1994, 18, 159-163.	0.5	38
207	Diphyllobothriids (Cestoda: Pseudophyllidea) from the long-finned pilot whale <i>Globicephala melas</i> (Traill, 1809) off the Faroe Islands, with comments on the taxonomy of <i>Diphyllobothrium</i> Cobbold, 1858 species from cetaceans. <i>Systematic Parasitology</i> , 1993, 26, 117-126.	0.5	7
208	Intestinal helminth communities of the long-finned pilot whale (<i>Globicephala melas</i>) off the Faroe Islands. <i>Parasitology</i> , 1993, 106, 327-333.	0.7	21
209	Morbillivirus threat to Mediterranean monk seals?. <i>Veterinary Record</i> , 1992, 130, 141-142.	0.2	31
210	Ecology and host relationships of the whale-louse <i>Isocyamus delphini</i> (Amphipoda: Cyamidae) parasitizing long-finned pilot whales (<i>Globicephala melas</i>) off the Faroe Islands (Northeast Atlantic). <i>Canadian Journal of Zoology</i> , 1991, 69, 141-145.	0.4	24
211	A new species of the genus <i>Zalophotrema</i> (Digenea: Campulidae), <i>Zalophotrema atlanticum</i> n. sp., from the liver of the striped dolphin <i>Stenella coeruleoalba</i> (Meyen, 1833) (Cetacea: Delphinidae) in Atlantic waters. <i>Systematic Parasitology</i> , 1991, 18, 133-138.	0.5	10
212	Morbillivirus infection in Mediterranean striped dolphins (<i>Stenella coeruleoalba</i>). <i>Veterinary Record</i> , 1991, 129, 471-472.	0.2	60
213	A new species of the genus <i>Crassicauda</i> Leiper et Atkinson, 1914 (Nematoda: Spiruroidea) from the penis of <i>Globicephala melas</i> (Traill, 1809) (Cetacea: Globicephalidae) in the western mediterranean sea. <i>Annales De Parasitologie Humaine Et Comparée</i> , 1990, 65, 255-261.	0.4	9
214	Redescription of <i>Odhneriella subtila</i> (Skrjabin, 1959) (Digenea: Campulidae) from the intestine of <i>Globicephala melaena</i> (Traill, 1809) (Cetacea: Delphinidae) off the Faroe Islands (North-East) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 132</i>	0.784314	10
215	On Some Morphological Variations of <i>Syncyamus Aequus Lincoln</i> & Hurley, 1981 (Amphipoda,) <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 132</i>	0.1	9
216	Le dauphin de Fraser, <i>Lagenodelphis hosei</i> (Cetacea, Odontoceti), espèce nouvelle pour la faune d'Europe. <i>Mammalia</i> , 1986, 50, .	0.3	10

#	ARTICLE	IF	CITATIONS
217	Ecología global, sensibilidades locales. El rol de las humanidades ambientales frente a la crisis ecosocial contemporánea. , 0, , .		0
218	Consumption of pelagic tunicates by cetaceans calves in the Mediterranean Sea. Mediterranean Marine Science, 0, , .	0.6	0