

Hideaki Ito

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/846786/publications.pdf>

Version: 2024-02-01

31
papers

255
citations

933264

10
h-index

996849

15
g-index

35
all docs

35
docs citations

35
times ranked

389
citing authors

#	ARTICLE	IF	CITATIONS
1	IPSS is lower in hypertensive patients treated with angiotensinâ€”receptor blocker: Posthoc analyses of a lower urinary tract symptoms population. <i>Neurourology and Urodynamics</i> , 2013, 32, 70-74.	0.8	27
2	A potential role for 6-sulfo sialyl Lewis X in metastasis of bladder urothelial carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2015, 33, 496.e1-496.e9.	0.8	26
3	Antimuscarinic Drug Inhibits Detrusor Overactivity Induced by Topical Application of Prostaglandin E 2 to the Urethra With a Decrease in Urethral Pressure. <i>Journal of Urology</i> , 2007, 178, 2208-2212.	0.2	23
4	A malignant solitary fibrous tumor in the retroperitoneum. <i>International Journal of Clinical Oncology</i> , 2008, 13, 173-175.	1.0	20
5	Prostatic stromal inflammation is associated with bladder outlet obstruction in patients with benign prostatic hyperplasia. <i>Prostate</i> , 2018, 78, 743-752.	1.2	17
6	Alpha 1-Adrenoceptor Blocker May Improve Not Only Voiding But Also Storage Lower Urinary Tract Symptoms Caused by 125I Brachytherapy for Prostate Cancer. <i>ISRN Urology</i> , 2014, 2014, 1-8.	1.5	14
7	Underlying mechanisms of urine storage dysfunction in rats with salt-loading hypertension. <i>Life Sciences</i> , 2015, 141, 8-12.	2.0	14
8	Male Lower Urinary Tract Symptoms: Hypertension as a Risk Factor for Storage Symptoms, but Not Voiding Symptoms. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2012, 4, 68-72.	0.6	13
9	Low-dose Docetaxel Enhanced the Anticancer Effect of Temsirolimus by Overcoming Autophagy in Prostate Cancer Cells. <i>Anticancer Research</i> , 2019, 39, 5417-5425.	0.5	13
10	Role of corticotropin-releasing factor on bladder function in rats with psychological stress. <i>Scientific Reports</i> , 2019, 9, 9828.	1.6	12
11	Correcting imbalance of sex hormones by a phosphodiesterase 5 inhibitor improves copulatory dysfunction in male rats with type 2 diabetes. <i>BMJ Open Diabetes Research and Care</i> , 2020, 8, e001111.	1.2	10
12	Nerve growth factor release from the urothelium increases via activation of bladder Ca ²⁺ fiber in rats with cerebral infarction. <i>Neurourology and Urodynamics</i> , 2017, 36, 1448-1455.	0.8	9
13	Î± _{1D} -Adrenoceptor blockade increases voiding efficiency by improving external urethral sphincter activity in rats with spinal cord injury. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2016, 311, R971-R978.	0.9	7
14	Remarkable effect of presurgical nivolumab on originally inoperable papillary renal cell carcinoma with tumor thrombus in inferior vena cava. <i>International Cancer Conference Journal</i> , 2019, 8, 170-174.	0.2	7
15	Urethral Sensations are Related to the Development of Detrusor Overactivity. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2011, 3, 59-63.	0.6	6
16	Effects of the 5Î±-reductase Inhibitor Dutasteride on Rat Prostate Î± _{1A} -adrenergic Receptor and Its Mediated Contractility. <i>Urology</i> , 2015, 85, 704.e9-704.e14.	0.5	6
17	Low and high body mass index values are associated with female nocturia. <i>Neurourology and Urodynamics</i> , 2019, 38, 2250-2254.	0.8	5
18	Castration increases PGE 2 release from the bladder epithelium in male rats. <i>Life Sciences</i> , 2018, 193, 252-256.	2.0	4

#	ARTICLE	IF	CITATIONS
19	Advanced bladder cancer with malignant psoas syndrome: A case report with a focus on physical findings and complications. <i>Urology Case Reports</i> , 2019, 26, 100958.	0.1	3
20	Serum C-reactive protein level is not associated with prostatic inflammation but with overactive detrusor in patients with benign prostatic hyperplasia. <i>Neurourology and Urodynamics</i> , 2019, 38, 1728-1736.	0.8	3
21	Impact of self-decision to stop cancer treatment on advanced genitourinary cancer patients. <i>Medicine (United States)</i> , 2021, 100, e25397.	0.4	3
22	1-Blocker inhibits nonvoiding contractions and decreases the level of intravesical prostaglandin E ₂ in rats with partial bladder outlet obstruction. <i>International Journal of Urology</i> , 2019, 26, 924-930.	0.5	2
23	Phosphodiesterase 5 inhibitor suppresses prostate weight increase in type 2 diabetic rats. <i>Life Sciences</i> , 2022, 298, 120504.	2.0	2
24	Influence of Urethral Sphincter Incompetence on Bladder Shape and Function in Myelodysplastic Children. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2010, 2, 27-30.	0.6	1
25	Metastatic myxofibrosarcoma of the spermatic cord responding to mesna, adriamycin, ifosfamide, and dacarbazine combination therapy. <i>International Cancer Conference Journal</i> , 2012, 1, 79-82.	0.2	1
26	Neurogenic bladder associated with xeroderma pigmentosum type A: A case report and literature review. <i>Urology Case Reports</i> , 2019, 27, 100996.	0.1	1
27	Duration of smoking cessation is negatively associated with the magnitude of chronic prostatic inflammation and storage dysfunction in patients with benign prostatic hyperplasia. <i>International Journal of Urology</i> , 2020, 27, 874-881.	0.5	1
28	Surgical Treatment of Adrenal Gland Metastasis Originating from Small Cell Carcinoma of the Urinary Bladder. <i>Case Reports in Urology</i> , 2013, 2013, 1-3.	0.1	0
29	Editorial Comment to Complete puborectalis, puboperinealis muscle and urethral rhabdomyosphincter preservation in laparoscopic radical prostatectomy: Anatomical landmarks to achieve early urinary continence. <i>International Journal of Urology</i> , 2020, 27, 536-537.	0.5	0
30	Urinary reabsorption in the rat kidney by anticholinergics. <i>Scientific Reports</i> , 2021, 11, 9191.	1.6	0
31	Primary Ewing's sarcoma/primitive neuroectodermal tumor of the kidney and its clinical features. <i>IJU Case Reports</i> , 0, , .	0.1	0