

H Henry Lai

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8469924/publications.pdf>

Version: 2024-02-01

90
papers

2,317
citations

196777

29
h-index

286692

43
g-index

91
all docs

91
docs citations

91
times ranked

2114
citing authors

#	ARTICLE	IF	CITATIONS
1	Experimental Pain and Auditory Sensitivity in Overactive Bladder Syndrome: A Symptoms of the Lower Urinary Tract Dysfunction Research Network (LURN) Study. <i>Journal of Urology</i> , 2022, 207, 161-171.	0.2	1
2	Reply by Authors. <i>Journal of Urology</i> , 2022, 207, 171.	0.2	0
3	Longitudinal Changes in the Pelvic Pain Only and Widespread Pain Phenotypes Over One Year in the MAPP-I Urologic Chronic Pelvic Pain Syndrome (UCPPS) Cohort. <i>Urology</i> , 2022, 161, 31-35.	0.5	4
4	Impact of Sleep Disturbance, Physical Function, Depression and Anxiety on Male Lower Urinary Tract Symptoms: Results from the Symptoms of Lower Urinary Tract Dysfunction Research Network (LURN). <i>Journal of Urology</i> , 2022, 208, 155-163.	0.2	8
5	Quality of life impact and recovery after ureteroscopy and stent insertion: insights from daily surveys in STENTS. <i>BMC Urology</i> , 2022, 22, 53.	0.6	5
6	Clinical Phenotyping for Pain Mechanisms in Urologic Chronic Pelvic Pain Syndromes: A MAPP Research Network Study. <i>Journal of Pain</i> , 2022, 23, 1594-1603.	0.7	5
7	Diagnosis and Treatment of Interstitial Cystitis/Bladder Pain Syndrome. <i>Journal of Urology</i> , 2022, 208, 34-42.	0.2	73
8	Longitudinal multi-omics analyses link gut microbiome dysbiosis with recurrent urinary tract infections in women. <i>Nature Microbiology</i> , 2022, 7, 630-639.	5.9	54
9	Subtyping of common complex diseases and disorders by integrating heterogeneous data. Identifying clusters among women with lower urinary tract symptoms in the LURN study. <i>PLoS ONE</i> , 2022, 17, e0268547.	1.1	3
10	Study to Enhance Understanding of Stent-Associated Symptoms: Rationale and Study Design. <i>Journal of Endourology</i> , 2021, 35, 761-768.	1.1	9
11	High-density surface electromyographic assessment of pelvic floor hypertonicity in IC/BPS patients: a pilot study. <i>International Urogynecology Journal</i> , 2021, 32, 1221-1228.	0.7	4
12	Comparison of deep phenotyping features of UCPPS with and without Hunner lesion: A MAPP Research Network Study. <i>Neurourology and Urodynamics</i> , 2021, 40, 810-818.	0.8	7
13	Clustering of patients with overactive bladder syndrome. <i>BMC Urology</i> , 2021, 21, 41.	0.6	4
14	Does Pollen Trigger Urological Chronic Pelvic Pain Syndrome Flares? A Case-Crossover Analysis in the Multidisciplinary Approach to the Study of Chronic Pelvic Pain Research Network. <i>Journal of Urology</i> , 2021, 205, 1133-1138.	0.2	3
15	Adult female urinary incontinence guidelines: a systematic review of evaluation guidelines across clinical specialties. <i>International Urogynecology Journal</i> , 2021, 32, 2671-2691.	0.7	1
16	Prevention of Urinary Stones With Hydration (PUSH): Design and Rationale of a Clinical Trial. <i>American Journal of Kidney Diseases</i> , 2021, 77, 898-906.e1.	2.1	19
17	Clinical Presentation of Urologic Chronic Pelvic Pain Syndrome (UCPPS) Varies With Presenting Age and Implication on Patient Evaluation. <i>Urology</i> , 2021, . .	0.5	1
18	Prevalence of childhood trauma and its association with lower urinary tract symptoms in women and men in the LURN study. <i>Neurourology and Urodynamics</i> , 2021, 40, 632-641.	0.8	8

#	ARTICLE	IF	CITATIONS
19	Cerebral Perfusion and Sensory Testing Results Differ in Interstitial Cystitis/Bladder Pain Syndrome Patients with and without Fibromyalgia: A Site-Specific MAPP Network Study. <i>Journal of Pain Research</i> , 2021, Volume 14, 3887-3895.	0.8	2
20	Longitudinal changes in symptom-based female and male LUTS clusters. <i>Neurourology and Urodynamics</i> , 2020, 39, 393-402.	0.8	6
21	Patient demographic and psychosocial characteristics associated with 30-day recall of self-reported lower urinary tract symptoms. <i>Neurourology and Urodynamics</i> , 2020, 39, 1939-1948.	0.8	5
22	Presenting an atlas of Hunner lesions in interstitial cystitis which can be identified with office cystoscopy. <i>Neurourology and Urodynamics</i> , 2020, 39, 2394-2400.	0.8	17
23	Does weather trigger urologic chronic pelvic pain syndrome flares? A case-crossover analysis in the multidisciplinary approach to the study of the chronic pelvic pain research network. <i>Neurourology and Urodynamics</i> , 2020, 39, 1494-1504.	0.8	3
24	The Multidisciplinary Approach to The Study of Chronic Pelvic Pain (MAPP) Research Network*: Design and implementation of the Symptom Patterns Study (SPS). <i>Neurourology and Urodynamics</i> , 2020, 39, 1803-1814.	0.8	17
25	Hunner Lesion Phenotype in Interstitial Cystitis/Bladder Pain Syndrome: A Systematic Review and Meta-Analysis. <i>Journal of Urology</i> , 2020, 204, 518-523.	0.2	31
26	High-Density Surface Electromyography Assessment of Pelvic Floor Dysfunction in Women with Interstitial Cystitis/Bladder Pain Syndrome. <i>Journal of Urology</i> , 2020, 204, 1275-1283.	0.2	10
27	Are three-day voiding diaries feasible and reliable? Results from the Symptoms of Lower Urinary Tract Dysfunction Research Network (LURN) cohort. <i>Neurourology and Urodynamics</i> , 2019, 38, 2185-2193.	0.8	33
28	Changes in whole body pain intensity and widespreadness during urologic chronic pelvic pain syndrome flares—Findings from one site of the MAPP study. <i>Neurourology and Urodynamics</i> , 2019, 38, 2333-2350.	0.8	2
29	Management of Symptom Flares and Patient-reported Flare Triggers in Interstitial Cystitis/Bladder Pain Syndrome (IC/BPS)—Findings From One Site of the MAPP Research Network. <i>Urology</i> , 2019, 126, 24-33.	0.5	17
30	A longitudinal analysis of urological chronic pelvic pain syndrome flares in the Multidisciplinary Approach to the Study of Chronic Pelvic Pain (MAPP) Research Network. <i>BJU International</i> , 2019, 124, 522-531.	1.3	10
31	The Severity and Distribution of Nonurologic Pain and Urogenital Pain in Overactive Bladder are Intermediate Between Interstitial Cystitis and Controls. <i>Urology</i> , 2019, 130, 59-64.	0.5	6
32	The Distribution of Post-Void Residual Volumes in People Seeking Care in the Symptoms of Lower Urinary Tract Dysfunction Network Observational Cohort Study With Comparison to Asymptomatic Populations. <i>Urology</i> , 2019, 130, 22-28.	0.5	5
33	A Novel Proteomics Approach to Identify Serum and Urinary Biomarkers and Pathways that Associate with Lower Urinary Tract Symptoms in Men and Women: Pilot Results of the Symptoms of Lower Urinary Tract Dysfunction Research Network (LURN) Study. <i>Urology</i> , 2019, 129, 35-42.	0.5	6
34	Quantitative assessment of nonpelvic pressure pain sensitivity in urologic chronic pelvic pain syndrome: a MAPP Research Network study. <i>Pain</i> , 2019, 160, 1270-1280.	2.0	26
35	Urologic chronic pelvic pain syndrome: insights from the MAPP Research Network. <i>Nature Reviews Urology</i> , 2019, 16, 187-200.	1.9	91
36	Relationship Between Central Obesity, General Obesity, Overactive Bladder Syndrome and Urinary Incontinence Among Male and Female Patients Seeking Care for Their Lower Urinary Tract Symptoms. <i>Urology</i> , 2019, 123, 34-43.	0.5	42

#	ARTICLE	IF	CITATIONS
37	The Comprehensive Assessment of Self-Reported Urinary Symptoms: A New Tool for Research on Subtypes of Patients with Lower Urinary Tract Symptoms. <i>Journal of Urology</i> , 2019, 201, 1177-1183.	0.2	15
38	Clustering of Patients with Interstitial Cystitis/Bladder Pain Syndrome and Chronic Prostatitis/Chronic Pelvic Pain Syndrome. <i>Journal of Urology</i> , 2019, 202, 546-551.	0.2	13
39	Biomarkers Implicated in Lower Urinary Tract Symptoms: Systematic Review and Pathway Analyses. <i>Journal of Urology</i> , 2019, 202, 880-889.	0.2	27
40	Can 7 or 30-Day Recall Questions Capture Self-Reported Lower Urinary Tract Symptoms Accurately?. <i>Journal of Urology</i> , 2019, 202, 770-778.	0.2	15
41	Patient Characteristics Associated with More Bother from Lower Urinary Tract Symptoms. <i>Journal of Urology</i> , 2019, 202, 585-591.	0.2	15
42	Symptom Based Clustering of Men in the LURN Observational Cohort Study. <i>Journal of Urology</i> , 2019, 202, 1230-1239.	0.2	9
43	Editorial Comment. <i>Journal of Urology</i> , 2019, 202, 308-308.	0.2	0
44	Reply by Authors. <i>Journal of Urology</i> , 2019, 202, 1238-1239.	0.2	0
45	Prevalence and Characteristics of Urinary Incontinence in a Treatment Seeking Male Prospective Cohort: Results from the LURN Study. <i>Journal of Urology</i> , 2018, 200, 397-404.	0.2	21
46	Bowel function, sexual function, and symptoms of pelvic organ prolapse in women with and without urinary incontinence. <i>Neurourology and Urodynamics</i> , 2018, 37, 2586-2596.	0.8	16
47	Baseline Lower Urinary Tract Symptoms in Patients Enrolled in LURN: A Prospective, Observational Cohort Study. <i>Journal of Urology</i> , 2018, 199, 1023-1031.	0.2	48
48	A Case-Crossover Study of Urological Chronic Pelvic Pain Syndrome Flare Triggers in the MAPP Research Network. <i>Journal of Urology</i> , 2018, 199, 1245-1251.	0.2	21
49	Use of Euclidean length to measure urinary incontinence severity based on the lower urinary tract symptoms tool. <i>American Journal of Obstetrics and Gynecology</i> , 2018, 218, 357-359.	0.7	12
50	Noninvasive electromyographic estimation of motor unit number in the external anal sphincter of the rat. <i>Neurourology and Urodynamics</i> , 2018, 37, 115-122.	0.8	2
51	Differential expression of immune factor between patients with chronic prostatitis/chronic pelvic pain syndrome and the healthy volunteers. <i>International Urology and Nephrology</i> , 2018, 50, 395-399.	0.6	8
52	Editorial Comment. <i>Journal of Urology</i> , 2018, 200, 1337-1337.	0.2	0
53	The LURN Research Network Neuroimaging and Sensory Testing (NIST) Study: Design, protocols, and operations. <i>Contemporary Clinical Trials</i> , 2018, 74, 76-87.	0.8	7
54	Comparison of urologic and nonurologic presentation in interstitial cystitis/bladder pain syndrome patients with and without Hunner lesions. <i>Neurourology and Urodynamics</i> , 2018, 37, 2911-2918.	0.8	13

#	ARTICLE	IF	CITATIONS
55	Mental Health, Sleep and Physical Function in Treatment Seeking Women with Urinary Incontinence. <i>Journal of Urology</i> , 2018, 200, 848-855.	0.2	36
56	Symptom Based Clustering of Women in the LURN Observational Cohort Study. <i>Journal of Urology</i> , 2018, 200, 1323-1331.	0.2	20
57	Renal Cell Carcinoma, Unclassified with Medullary Phenotype and Synchronous Renal Clear Cell Carcinoma Present in a Patient with No Sickle Cell Trait/Disease: Diagnostic and Therapeutic Challenges. <i>Anticancer Research</i> , 2018, 38, 3757-3761.	0.5	10
58	Evidence of the Impact of Diet, Fluid Intake, Caffeine, Alcohol and Tobacco on Lower Urinary Tract Symptoms: A Systematic Review. <i>Journal of Urology</i> , 2017, 198, 1010-1020.	0.2	66
59	Anti-vascular endothelial growth factor treatment decreases bladder pain in cyclophosphamide cystitis: a Multidisciplinary Approach to the Study of Chronic Pelvic Pain (MAPP) Research Network animal model study. <i>BJU International</i> , 2017, 120, 576-583.	1.3	20
60	Clinical and Psychosocial Predictors of Urological Chronic Pelvic Pain Symptom Change in 1 Year: A Prospective Study from the MAPP Research Network. <i>Journal of Urology</i> , 2017, 198, 848-857.	0.2	35
61	Characterization of Whole Body Pain in Urological Chronic Pelvic Pain Syndrome at Baseline: A MAPP Research Network Study. <i>Journal of Urology</i> , 2017, 198, 622-631.	0.2	73
62	Sleep Disturbance and Fatigue Are Associated With More Severe Urinary Incontinence and Overactive Bladder Symptoms. <i>Urology</i> , 2017, 109, 67-73.	0.5	51
63	Optogenetic silencing of nociceptive primary afferents reduces evoked and ongoing bladder pain. <i>Scientific Reports</i> , 2017, 7, 15865.	1.6	49
64	Brain signature and functional impact of centralized pain: a multidisciplinary approach to the study of chronic pelvic pain (MAPP) network study. <i>Pain</i> , 2017, 158, 1979-1991.	2.0	106
65	Impact of childhood and recent traumatic events on the clinical presentation of overactive bladder. <i>Neurourology and Urodynamics</i> , 2016, 35, 1017-1023.	0.8	38
66	A multiplexed analysis approach identifies new association of inflammatory proteins in patients with overactive bladder. <i>American Journal of Physiology - Renal Physiology</i> , 2016, 311, F28-F34.	1.3	21
67	Bladder Distension Increases Blood Flow in Pain Related Brain Structures in Subjects with Interstitial Cystitis. <i>Journal of Urology</i> , 2016, 196, 902-910.	0.2	20
68	Systemic Nonurological Symptoms in Patients with Overactive Bladder. <i>Journal of Urology</i> , 2016, 196, 467-472.	0.2	17
69	The Relationship Between Anxiety and Overactive Bladder or Urinary Incontinence Symptoms in the Clinical Population. <i>Urology</i> , 2016, 98, 50-57.	0.5	70
70	The relationship between depression and overactive bladder/urinary incontinence symptoms in the clinical OAB population. <i>BMC Urology</i> , 2016, 16, 60.	0.6	69
71	Pain and Urinary Symptoms Should Not be Combined into a Single Score: Psychometric Findings from the MAPP Research Network. <i>Journal of Urology</i> , 2016, 195, 949-954.	0.2	50
72	Changes in symptoms during urologic chronic pelvic pain syndrome symptom flares: Findings from one site of the MAPP Research Network. <i>Neurourology and Urodynamics</i> , 2015, 34, 188-195.	0.8	20

#	ARTICLE	IF	CITATIONS
73	Revision Techniques After Artificial Urinary Sphincter Failure in Men: Results From a Multicenter Study. <i>Urology</i> , 2015, 86, 176-180.	0.5	33
74	Painful Bladder Filling and Painful Urgency are Distinct Characteristics in Men and Women with Urological Chronic Pelvic Pain Syndromes: A MAPP Research Network Study. <i>Journal of Urology</i> , 2015, 194, 1634-1641.	0.2	44
75	Urological chronic pelvic pain syndrome flares and their impact: qualitative analysis in the MAPP network. <i>International Urogynecology Journal</i> , 2015, 26, 1047-1060.	0.7	37
76	Relationship between Chronic Nonurological Associated Somatic Syndromes and Symptom Severity in Urological Chronic Pelvic Pain Syndromes: Baseline Evaluation of the MAPP Study. <i>Journal of Urology</i> , 2015, 193, 1254-1262.	0.2	66
77	Placebo effects in interstitial cystitis/bladder pain syndrome. <i>Nature Reviews Urology</i> , 2014, 11, 494-495.	1.9	3
78	Segmental Hyperalgesia to Mechanical Stimulus in Interstitial Cystitis/Bladder Pain Syndrome: Evidence of Central Sensitization. <i>Journal of Urology</i> , 2014, 191, 1294-1299.	0.2	63
79	Urological chronic pelvic pain syndrome symptom flares: characterisation of the full range of flares at two sites in the Multidisciplinary Approach to the Study of Chronic Pelvic Pain (MAPP) Research Network. <i>BJU International</i> , 2014, 114, 916-925.	1.3	28
80	Urological Symptoms in a Subset of Patients with Urological Chronic Pelvic Pain Syndrome and a Polysymptomatic, Polysyndromic Pattern of Presentation. <i>Journal of Urology</i> , 2014, 191, 1802-1807.	0.2	14
81	The MAPP research network: design, patient characterization and operations. <i>BMC Urology</i> , 2014, 14, 58.	0.6	128
82	The Overlap and Distinction of Self-Reported Symptoms between Interstitial Cystitis/Bladder Pain Syndrome and Overactive Bladder: A Questionnaire Based Analysis. <i>Journal of Urology</i> , 2014, 192, 1679-1686.	0.2	35
83	Bacterial Colonization Rate of InterStim and Infection Outcome With Staged Testing. <i>Urology</i> , 2013, 82, 1255-1260.	0.5	10
84	Complex Artificial Urinary Sphincter Revision and Reimplantation Cases—How do They Fare Compared to Virgin Cases?. <i>Journal of Urology</i> , 2012, 187, 951-955.	0.2	74
85	Polysymptomatic, Polysyndromic Presentation of Patients With Urological Chronic Pelvic Pain Syndrome. <i>Journal of Urology</i> , 2012, 187, 2106-2112.	0.2	38
86	Plasticity of non-adrenergic non-cholinergic bladder contractions in rats after chronic spinal cord injury. <i>Brain Research Bulletin</i> , 2011, 86, 91-96.	1.4	6
87	Implantation of Artificial Urinary Sphincter in Patients With Post-Prostatectomy Incontinence, and Preoperative Overactive Bladder and Mixed Symptoms. <i>Journal of Urology</i> , 2011, 185, 2254-2259.	0.2	35
88	Activation of spinal extracellular signal-regulated kinases (ERK) 1/2 is associated with the development of visceral hyperalgesia of the bladder. <i>Pain</i> , 2011, 152, 2117-2124.	2.0	58
89	Urodynamic Testing in Evaluation of Postradical Prostatectomy Incontinence Before Artificial Urinary Sphincter Implantation. <i>Urology</i> , 2009, 73, 1264-1269.	0.5	61
90	Large urethral prolapse formation after calcium hydroxylapatite (Coaptite) injection. <i>International Urogynecology Journal</i> , 2008, 19, 1315-1317.	0.7	33