

# Jill Bargonetti

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8469973/publications.pdf>

Version: 2024-02-01

56  
papers

5,784  
citations

201385

27  
h-index

174990

52  
g-index

57  
all docs

57  
docs citations

57  
times ranked

6656  
citing authors

#	ARTICLE	IF	CITATIONS
1	A Single Nucleotide Polymorphism in the MDM2 Promoter Attenuates the p53 Tumor Suppressor Pathway and Accelerates Tumor Formation in Humans. <i>Cell</i> , 2004, 119, 591-602.	13.5	1,158
2	Mutant p53 Disrupts Mammary Tissue Architecture via the Mevalonate Pathway. <i>Cell</i> , 2012, 148, 244-258.	13.5	736
3	Wild-type p53 activates transcription in vitro. <i>Nature</i> , 1992, 358, 83-86.	13.7	615
4	Wild-type but not mutant p53 immunopurified proteins bind to sequences adjacent to the SV40 origin of replication. <i>Cell</i> , 1991, 65, 1083-1091.	13.5	404
5	Wild-type p53 mediates positive regulation of gene expression through a specific DNA sequence element.. <i>Genes and Development</i> , 1992, 6, 1143-1152.	2.7	317
6	Multiple roles of the tumor suppressor p53. <i>Current Opinion in Oncology</i> , 2002, 14, 86-91.	1.1	301
7	The p53 protein is an unusually shaped tetramer that binds directly to DNA.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1993, 90, 3319-3323.	3.3	242
8	Site-specific binding of wild-type p53 to cellular DNA is inhibited by SV40 T antigen and mutant p53.. <i>Genes and Development</i> , 1992, 6, 1886-1898.	2.7	220
9	Mutant p53 in MDA-MB-231 breast cancer cells is stabilized by elevated phospholipase D activity and contributes to survival signals generated by phospholipase D. <i>Oncogene</i> , 2006, 25, 7305-7310.	2.6	176
10	Infrared spectroscopy of human tissue. V. Infrared spectroscopic studies of myeloid leukemia (ML-1) cells at different phases of the cell cycle. , 1999, 5, 219-227.		148
11	Mutant p53 cooperates with the SWI/SNF chromatin remodeling complex to regulate <i>VEGFR2</i> in breast cancer cells. <i>Genes and Development</i> , 2015, 29, 1298-1315.	2.7	115
12	Dietary downregulation of mutant p53 levels via glucose restriction. <i>Cell Cycle</i> , 2012, 11, 4436-4446.	1.3	111
13	Initiation of rolling-circle replication in pT181 plasmid: initiator protein enhances cruciform extrusion at the origin.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1990, 87, 8560-8564.	3.3	106
14	A Chromatin-associated and Transcriptionally Inactive p53-Mdm2 Complex Occurs in mdm2 SNP309 Homozygous Cells. <i>Journal of Biological Chemistry</i> , 2005, 280, 26776-26787.	1.6	106
15	Proteome-wide analysis of mutant p53 targets in breast cancer identifies new levels of gain-of-function that influence PARP, PCNA, and MCM4. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, E1220-9.	3.3	72
16	A p53-independent role of Mdm2 in estrogen-mediated activation of breast cancer cell proliferation. <i>Breast Cancer Research</i> , 2011, 13, R3.	2.2	71
17	Phospholipase D Elevates the Level of MDM2 and Suppresses DNA Damage-Induced Increases in p53. <i>Molecular and Cellular Biology</i> , 2004, 24, 5677-5686.	1.1	64
18	Gain-of-function mutant p53: history and speculation. <i>Journal of Molecular Cell Biology</i> , 2019, 11, 605-609.	1.5	59

#	ARTICLE	IF	CITATIONS
19	Inhibition of Human p53 Basal Transcription by Down-regulation of Protein Kinase C $\beta$ . <i>Journal of Biological Chemistry</i> , 2004, 279, 9970-9977.	1.6	57
20	Mutant p53 Forms a Complex with Sp1 on HIV-LTR DNA. <i>Biochemical and Biophysical Research Communications</i> , 2000, 279, 383-390.	1.0	55
21	Differential Activation of p53 by the Various Adducts of Mitomycin C. <i>Journal of Biological Chemistry</i> , 2002, 277, 40513-40519.	1.6	50
22	Identification, validation, and targeting of the mutant p53-PARP-MCM chromatin axis in triple negative breast cancer. <i>Npj Breast Cancer</i> , 2017, 3, .	2.3	50
23	Gain-of-Function Mutant p53 R273H Interacts with Replicating DNA and PARP1 in Breast Cancer. <i>Cancer Research</i> , 2020, 80, 394-405.	0.4	48
24	Differential Toxicity of DNA Adducts of Mitomycin C. <i>Journal of Nucleic Acids</i> , 2010, 2010, 1-6.	0.8	41
25	Mitomycin $\beta$ -DNA Adducts Induce p53-Dependent and p53-Independent Cell Death Pathways. <i>ACS Chemical Biology</i> , 2007, 2, 399-407.	1.6	34
26	Mouse Double Minute 2 Associates with Chromatin in the Presence of p53 and Is Released to Facilitate Activation of Transcription. <i>Cancer Research</i> , 2006, 66, 3463-3470.	0.4	32
27	Mapping DNA Adducts of Mitomycin C and Decarbamoyl Mitomycin C in Cell Lines Using Liquid Chromatography/Electrospray Tandem Mass Spectrometry. <i>Chemical Research in Toxicology</i> , 2008, 21, 2370-2378.	1.7	32
28	Context-dependent roles of MDMX (MDM4) and MDM2 in breast cancer proliferation and circulating tumor cells. <i>Breast Cancer Research</i> , 2019, 21, 5.	2.2	30
29	p53 binds to a constitutively nucleosome free region of the mdm2 gene. <i>Oncogene</i> , 1998, 16, 1171-1181.	2.6	28
30	Splicing Up Mdm2 for Cancer Proteome Diversity. <i>Genes and Cancer</i> , 2012, 3, 311-319.	0.6	28
31	Staphylococcus aureus chromosomal mutations that decrease efficiency of Rep utilization in replication of pT181 and related plasmids. <i>Journal of Bacteriology</i> , 1989, 171, 4501-4503.	1.0	24
32	Endogenous Human MDM2-C Is Highly Expressed in Human Cancers and Functions as a p53-Independent Growth Activator. <i>PLoS ONE</i> , 2013, 8, e77643.	1.1	23
33	Estrogen-activated MDM2 disrupts mammary tissue architecture through a p53-independent pathway. <i>Oncotarget</i> , 2017, 8, 47916-47930.	0.8	23
34	DNA Adducts of Decarbamoyl Mitomycin C Efficiently Kill Cells without Wild-Type p53 Resulting from Proteasome-Mediated Degradation of Checkpoint Protein 1. <i>Chemical Research in Toxicology</i> , 2010, 23, 1151-1162.	1.7	19
35	C. elegans CEP-1/p53 and BEC-1 Are Involved in DNA Repair. <i>PLoS ONE</i> , 2014, 9, e88828.	1.1	18
36	Camptothecin and Zeocin Can Increase p53 Levels during All Cell Cycle Stages. <i>Biochemical and Biophysical Research Communications</i> , 2001, 289, 998-1009.	1.0	17

#	ARTICLE	IF	CITATIONS
37	Hot Spot Mutation in TP53 (R248Q) Causes Oncogenic Gain-of-Function Phenotypes in a Breast Cancer Cell Line Derived from an African American patient. <i>International Journal of Environmental Research and Public Health</i> , 2016, 13, 22.	1.2	17
38	PARP-Targeted Auger Therapy in p53 Mutant Colon Cancer Xenograft Mouse Models. <i>Molecular Pharmaceutics</i> , 2021, 18, 3418-3428.	2.3	16
39	DNA-binding Properties of the p53 Tumor Suppressor Protein. <i>Cold Spring Harbor Symposia on Quantitative Biology</i> , 1994, 59, 207-213.	2.0	16
40	Splice Variants of MDM2 in Oncogenesis. <i>Sub-Cellular Biochemistry</i> , 2014, 85, 247-261.	1.0	15
41	Functional Consequences of the Interactions of the p53 Tumor Suppressor Protein and SV40 Large Tumor Antigen. <i>Cold Spring Harbor Symposia on Quantitative Biology</i> , 1991, 56, 227-235.	2.0	14
42	Disruption of the p53-Mdm2 complex by Nutlin-3 reveals different cancer cell phenotypes. <i>Ethnicity and Disease</i> , 2008, 18, S2-1-8.	1.0	11
43	Decarbamoyl mitomycin C (DMC) activates p53-independent ataxia telangiectasia and rad3 related protein (ATR) chromatin eviction. <i>Cell Cycle</i> , 2015, 14, 744-754.	1.3	9
44	MDM2, MDM2-C, and mutant p53 expression influence breast cancer survival in a multiethnic population. <i>Breast Cancer Research and Treatment</i> , 2019, 174, 257-269.	1.1	9
45	8-Amino-Adenosine Activates p53-Independent Cell Death of Metastatic Breast Cancers. <i>Molecular Cancer Therapeutics</i> , 2012, 11, 2495-2504.	1.9	8
46	Impedimetric Detection of Mutant p53 Biomarker-Driven Metastatic Breast Cancers under Hypotonic Pressure. <i>PLoS ONE</i> , 2014, 9, e99351.	1.1	7
47	Targeting Triple Negative Breast Cancer with a Nucleus-Directed p53 Tetramerization Domain Peptide. <i>Molecular Pharmaceutics</i> , 2021, 18, 338-346.	2.3	6
48	&lt;p&gt;MDM2-C Functions as an E3 Ubiquitin Ligase&lt;/p&gt;. <i>Cancer Management and Research</i> , 2020, Volume 12, 7715-7724.	0.9	4
49	Frame-shift mediated reduction of gain-of-function p53 R273H and deletion of the R273H C-terminus in breast cancer cells result in replication-stress sensitivity. <i>Oncotarget</i> , 2021, 12, 1128-1146.	0.8	4
50	Homozygous mdm2 SNP309 cancer cells with compromised transcriptional elongation at p53 target genes are sensitive to induction of p53-independent cell death. <i>Oncotarget</i> , 2015, 6, 34573-34591.	0.8	3
51	Oligomerization of Mutant p53 R273H is not Required for Gain-of-Function Chromatin Associated Activities. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 772315.	1.8	3
52	In Vivo Footprinting and DNA Affinity Chromatography for Analysis of p53 DNA Binding Ability. , 2003, 234, 151-170.		2
53	A Protein in the Yeast <i>Saccharomyces cerevisiae</i> Presents DNA Binding Homology to the p53 Checkpoint Protein and Tumor Suppressor. <i>Biomolecules</i> , 2020, 10, 417.	1.8	2
54	The p53 Network. , 2005, , 1-23.		2

#	ARTICLE	IF	CITATIONS
55	Contemplations on MDMX (MDM4) driving triple negative breast cancer circulating tumor cells and metastasis. Oncotarget, 2019, 10, 5007-5010.	0.8	2
56	How Choreostorming Informs Thinking In Molecular Genetics And Cancer Biology. Leonardo, 0, , 1-8.	0.2	1