

# Julio T Ávila

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/84716/publications.pdf>

Version: 2024-02-01

57  
papers

1,524  
citations

394286

19  
h-index

315616

38  
g-index

58  
all docs

58  
docs citations

58  
times ranked

1833  
citing authors

#	ARTICLE	IF	CITATIONS
1	AmotL2, IQGAP1, and FKBP51 Scaffold Proteins in Glioblastoma Stem Cell Niches. <i>Journal of Histochemistry and Cytochemistry</i> , 2022, 70, 9-16.	1.3	6
2	FKBP51, AmotL2 and IQGAP1 Involvement in Cilastatin Prevention of Cisplatin-Induced Tubular Nephrotoxicity in Rats. <i>Cells</i> , 2022, 11, 1585.	1.8	2
3	Genetic Profiling of Glucocorticoid (NR3C1) and Mineralocorticoid (NR3C2) Receptor Polymorphisms before Starting Therapy with Androgen Receptor Inhibitors: A Study of a Patient Who Developed Toxic Myocarditis after Enzalutamide Treatment. <i>Biomedicines</i> , 2022, 10, 1271.	1.4	1
4	Celastrol Prevents Oxidative Stress Effects on FSHR, PAPP, and CYP19A1 Gene Expression in Cultured Human Granulosa-Lutein Cells. <i>International Journal of Molecular Sciences</i> , 2021, 22, 3596.	1.8	3
5	Molecular-Morphological Relationships of the Scaffold Protein FKBP51 and Inflammatory Processes in Knee Osteoarthritis. <i>Cells</i> , 2021, 10, 2196.	1.8	2
6	Disproportion in Pericyte/Endothelial Cell Proliferation and Mechanisms of Intussusceptive Angiogenesis Participate in Bizarre Vessel Formation in Glioblastoma. <i>Cells</i> , 2021, 10, 2625.	1.8	8
7	Celastrol and Melatonin Modify SIRT1, SIRT6 and SIRT7 Gene Expression and Improve the Response of Human Granulosa-Lutein Cells to Oxidative Stress. <i>Antioxidants</i> , 2021, 10, 1871.	2.2	8
8	Granulosa-Lutein Cell Sirtuin Gene Expression Profiles Differ between Normal Donors and Infertile Women. <i>International Journal of Molecular Sciences</i> , 2020, 21, 295.	1.8	16
9	IQGAP1, AmotL2, and FKBP51 Scaffoldins in the Glioblastoma Microenvironment. <i>Journal of Histochemistry and Cytochemistry</i> , 2019, 67, 481-494.	1.3	5
10	Alterations in IQGAP1 expression and localization in colorectal carcinoma and liver metastases following oxaliplatin-based chemotherapy. <i>Oncology Letters</i> , 2017, 14, 2621-2628.	0.8	11
11	The Na, K-ATPase $\beta$ -Subunit Isoforms Expression in Glioblastoma Multiforme: Moonlighting Roles. <i>International Journal of Molecular Sciences</i> , 2017, 18, 2369.	1.8	14
12	IQGAP1 in Podosomes/Invadosomes Is Involved in the Progression of Glioblastoma Multiforme Depending on the Tumor Status. <i>International Journal of Molecular Sciences</i> , 2017, 18, 150.	1.8	12
13	Commitment of Scaffold Proteins in the Onco-Biology of Human Colorectal Cancer and Liver Metastases after Oxaliplatin-Based Chemotherapy. <i>International Journal of Molecular Sciences</i> , 2017, 18, 891.	1.8	12
14	Na,K-ATPase Isozymes in Colorectal Cancer and Liver Metastases. <i>Frontiers in Physiology</i> , 2016, 7, 9.	1.3	34
15	Expression and localization of the immunophilin FKBP51 in colorectal carcinomas and primary metastases, and alterations following oxaliplatin-based chemotherapy. <i>Oncology Letters</i> , 2016, 12, 1315-1322.	0.8	17
16	Oxidative Stress in Granulosa-Lutein Cells From In Vitro Fertilization Patients. <i>Reproductive Sciences</i> , 2016, 23, 1656-1661.	1.1	59
17	The Ovarian Renin-Angiotensin System (OVRAS): A Major Factor in Ovarian Function and Disease. <i>Reproductive Sciences</i> , 2016, 23, 1644-1655.	1.1	43
18	Expression Levels of the Oxidative Stress Response Gene ALDH3A2 in Granulosa-Lutein Cells Are Related to Female Age and Infertility Diagnosis. <i>Reproductive Sciences</i> , 2016, 23, 604-609.	1.1	19

#	ARTICLE	IF	CITATIONS
19	The Neuronal-Specific SCK1.1 (SGK1_v2) Kinase as a Transcriptional Modulator of BAG4, Brox, and PPP1CB Genes Expression. International Journal of Molecular Sciences, 2015, 16, 7462-7477.	1.8	4
20	Relationship between expression of SIRT1 and SIRT6 genes and the response to ovarian stimulation. Fertility and Sterility, 2015, 104, e109.	0.5	0
21	Differential Transcriptome Profile of Peripheral White Cells to Identify Biomarkers Involved in Oxaliplatin Induced Neuropathy. Journal of Personalized Medicine, 2014, 4, 282-296.	1.1	9
22	Glucose-induced oxidative stress is associated with increased ALDH3A2 expression and altered response to FSH in cultured human granulosa-lutein cells (GL cells) from young oocyte donors. Fertility and Sterility, 2013, 100, S427.	0.5	3
23	Changes in leukocyte gene expression profiles induced by antineoplastic chemotherapy. Oncology Letters, 2012, 3, 1341-1349.	0.8	13
24	Expression of lipid oxidative stress-related gene ALDH3A2 (aldehyde dehydrogenase 3 family, member) Tj ETQq0 0 0 rgBT /Overlock 10 T Sterility, 2012, 98, S238-S239.	0.5	0
25	Cell sources for cartilage repair Contribution of the mesenchymal perivascular niche. Frontiers in Bioscience - Scholar, 2012, S4, 1275-1294.	0.8	14
26	Patients with endometriosis and patients with poor ovarian reserve have abnormal follicle-stimulating hormone receptor signaling pathways. Fertility and Sterility, 2011, 95, 2373-2378.	0.5	36
27	The SLC47A1 gene as a marker of chemical cytotoxicity in granulosa-lutein cells and its relationship with IVF outcome. Fertility and Sterility, 2011, 96, S26.	0.5	0
28	Na K -ATPase genes are down-regulated during adipose stem cell differentiation. Frontiers in Bioscience - Elite, 2011, E3, 1229-1240.	0.9	4
29	FSH receptor, KL1/2, P450, and PAPP genes in granulosa-lutein cells from in vitro fertilization patients show a different expression pattern depending on the infertility diagnosis. Fertility and Sterility, 2010, 94, 99-104.	0.5	13
30	Expression of angiotensin II type 1 (AT1) and angiotensin II type 2 (AT2) receptors in human granulosa-lutein (GL) cells: correlation with infertility diagnoses. Fertility and Sterility, 2010, 93, 1601-1608.	0.5	15
31	Angiotensin II induces apoptosis in human mural granulosa-lutein cells, but not in cumulus cells. Fertility and Sterility, 2009, 91, 1984-1989.	0.5	12
32	Autoantigenic nuclear proteins of a clinically atypical renal vasculitis. Journal of Autoimmune Diseases, 2008, 5, 3.	1.0	6
33	Triggering final oocyte maturation with a GnRH agonist does not affect apoptosis of follicular granulosa-lutein cells. Fertility and Sterility, 2007, 88, S173-S174.	0.5	0
34	Apoptosis of cultured granulosa-lutein cells is reduced by insulin-like growth factor I and may correlate with embryo fragmentation and pregnancy rate. Fertility and Sterility, 2006, 85, 474-480.	0.5	50
35	O-204. Fertility and Sterility, 2006, 86, S87-S88.	0.5	0
36	Effect of Angiotensin II (AngII) on Apoptosis of Human Granulosa-Lutein Cells: A Correlation With IVF Outcome. Fertility and Sterility, 2005, 84, S416-S417.	0.5	2

#	ARTICLE	IF	CITATIONS
37	hlsA: a protein implicated in the biogenesis of iron-sulfur clusters. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2004, 1700, 179-188.	1.1	32
38	Correlation of apoptosis in cultured granulosa-lutein cells from women undergoing in vitro fertilization (IVF) with the IVF outcome. <i>Fertility and Sterility</i> , 2004, 82, S55.	0.5	0
39	Regeneration influences expression of the Na <sup>+</sup> ,K <sup>+</sup> -atpase subunit isoforms in the rat peripheral nervous system. <i>Neuroscience</i> , 2004, 129, 691-702.	1.1	31
40	Expression and cellular localization of Na,K-ATPase isoforms in the rat ventral prostate. <i>BJU International</i> , 2003, 92, 793-802.	1.3	12
41	Na <sup>+</sup> ,K <sup>+</sup> -ATPase Subunit Isoforms of the Developing Central Nervous System of the Lizard <i>Gallotia galloti</i> . <i>Annals of the New York Academy of Sciences</i> , 2003, 986, 608-610.	1.8	1
42	Chromatin structure analysis of the rat Na, K-ATPase $\beta$ 2 gene 5'-flanking region. <i>International Journal of Biochemistry and Cell Biology</i> , 2002, 34, 632-644.	1.2	4
43	A second Zn(II)2Cys6 transcriptional factor encoded by the YNA2 gene is indispensable for the transcriptional activation of the genes involved in nitrate assimilation in the yeast <i>Hansenula polymorpha</i> . <i>Yeast</i> , 2002, 19, 537-544.	0.8	23
44	Cloning, sequencing, and expression of H.a.YNR1 and H.a.YNI1, encoding nitrate and nitrite reductases in the yeast <i>Hansenula anomala</i> . <i>Yeast</i> , 2000, 16, 1099-1105.	0.8	20
45	Na <sup>+</sup> , K <sup>+</sup> -ATPase Isozyme Diversity; Comparative Biochemistry and Physiological Implications of Novel Functional Interactions. <i>Bioscience Reports</i> , 2000, 20, 51-91.	1.1	280
46	Structure and expression of the human Na,K-ATPase $\beta$ 2-subunit gene. <i>Gene</i> , 1998, 208, 221-227.	1.0	15
47	Clustering of the YNA1 gene encoding a Zn(II)2Cys6 transcriptional factor in the yeast <i>Hansenula polymorpha</i> with the nitrate assimilation genes YNT1, YNI1 and YNR1, and its involvement in their transcriptional activation. <i>Biochemical Journal</i> , 1998, 335, 647-652.	1.7	46
48	The YNT1 gene encoding the nitrate transporter in the yeast <i>Hansenula polymorpha</i> is clustered with genes YNI1 and YNR1 encoding nitrite reductase and nitrate reductase, and its disruption causes inability to grow in nitrate. <i>Biochemical Journal</i> , 1997, 321, 397-403.	1.7	86
49	Cellular and Developmental Distribution of the Na, K-ATPase $\beta$ Subunit Isoforms of Neural Tissues. <i>Annals of the New York Academy of Sciences</i> , 1997, 834, 110-114.	1.8	3
50	Opposite Expression Pattern of the Human Na, K-ATPase $\beta$ 1 Isoform in Stomach and Colon Adenocarcinomas. <i>Annals of the New York Academy of Sciences</i> , 1997, 834, 653-655.	1.8	19
51	Expression of the $\beta$ 1 and $\beta$ 2 (AMOG) subunits of the Na,K-ATPase in neural tissues: Cellular and developmental distribution patterns. <i>Brain Research Bulletin</i> , 1996, 40, 167-174.	1.4	50
52	The genes YNI1 and YNR1, encoding nitrite reductase and nitrate reductase respectively in the yeast <i>Hansenula polymorpha</i> , are clustered and co-ordinately regulated. <i>Biochemical Journal</i> , 1996, 317, 89-95.	1.7	46
53	Dual DNA binding specificity of a petal epidermis-specific MYB transcription factor (MYB.Ph3) from <i>Petunia hybrida</i> . <i>EMBO Journal</i> , 1995, 14, 1773-1784.	3.5	208
54	Cloning and disruption of the YNR1 gene encoding the nitrate reductase apoenzyme of the yeast <i>Hansenula polymorpha</i> . <i>FEBS Letters</i> , 1995, 366, 137-142.	1.3	38

#	ARTICLE	IF	CITATIONS
55	Nitrite causes reversible inactivation of nitrate reductase in the yeast <i>Hansenula anomala</i> . <i>Microbiology (United Kingdom)</i> , 1994, 140, 2633-2637.	0.7	10
56	Expression of the $\beta$ -subunit isoforms of the Na, K-ATpase in rat embryo tissues, inner ear and choroid plexus. <i>Biology of the Cell</i> , 1994, 81, 215-222.	0.7	57
57	<i>Petunia hybrida</i> genes related to the maize regulatory C1 gene and to animal myb proto-oncogenes. <i>Plant Journal</i> , 1993, 3, 553-562.	2.8	90